

455 - 46

REPORT

RADIOACTIVE MATERIAL DECOMMISSIONING SURVEY SENECA ARMY DEPOT (SEAD)

PREPARED BY

**CECOM SAFETY OFFICE
FORT MANMOUTH, NEW JERSEY**

Executive Summary and Enclosure



DEPARTMENT OF THE ARMY

HEADQUARTERS, US ARMY COMMUNICATIONS-ELECTRONICS COMMAND
AND FORT MONMOUTH
FORT MONMOUTH, NEW JERSEY 07703-5000



REPLY TO
ATTENTION OF

AMSEL-SF-RER (385-11a)

14 July 1993

MEMORANDUM THRU

Commander, HQ, AMC ATTN: AMCSF-P (J. Manfre), 5001 Eisenhower
Avenue, Alexandria VA 22333

Commander, HQ, DESCOM, ATTN: AMSDS-IN-S (K. Davis),
Chambersburg, PA 17201-4170

FOR Commander, Seneca Army Depot, Romulus, NY 14541-5001

SUBJECT: Decommissioning Survey, Seneca Army Depot (SEAD),
Romulus, NY

EXECUTIVE SUMMARY

1. The purpose and summary of the findings for subject survey are as follows:

a. Purpose: At the request of HQ, US Army Materiel Command and US Army Depot Systems Command, we performed a decommissioning survey of selected munitions storage bunkers at SEAD for the purpose of releasing the sites for unrestricted use.


b. Conclusion: No fixed or removable radiological contamination was found at the surveyed sites that exceeded regulatory guidelines and requirements. Based upon our findings, the munitions storage bunkers listed in Appendix A may be released for unrestricted use.

2. A detailed report of the survey is at the enclosure.

3. Our POC is Mr. Richard Lovell, Milnet (AMSEL-SF@MONMOUTH-EMH3.ARMY.MIL); Facsimile on DSN 995-2667 or (908) 542-7161; or Voice on DSN 995-3112 or COM (908) 544-3112.

4. CECOM Bottom Line: THE SOLDIER.

Encls


STEVEN A. HORNE
Chief, Safety Office

DECOMMISSIONING SURVEY
SENECA ARMY DEPOT
MUNITIONS STORAGE BUNKERS
ROMULUS, NY

1. REFERENCES:

a. Meeting, between Mr. John Manfre, Chief, Health Physics, HQ AMC; Mr. Ken Davis, Radiation Protection Officer, HQ DESCOM; and Mr. Joseph Santarsiero, this office, Subject: Decommissioning of Munitions Storage Bunkers.

b. AR 385-11, Ionizing Radiation Protection, 1 May 1980.

c. NUREG/CR-5849, Manual for Conducting Radiological Surveys in Support of License Termination, 1 June 1992.

d. U.S. Nuclear Regulatory Commission, Guidelines for Decontamination of Facilities and Equipment Prior to Release for Unrestricted use or Termination of Licenses for Byproduct, Source, or Special Nuclear Material, 1 May 1987.

2. AUTHORITY: Reference 1a.

3. PURPOSE: Perform a decommissioning survey of munitions storage bunkers at SEAD for the purpose of releasing the sites for unrestricted use.

4. BACKGROUND:

a. The U.S. Army Radiological Control (RADCON) Team was requested to perform a decommissioning survey of 64 selected munitions storage bunkers at SEAD for the purpose of ascertaining and quantifying the existence of any radiological contamination. The following bunkers were identified to be surveyed: AO101, AO102, AO201 thru AO218, AO301 thru AO317, AO401 thru AO409, AO501 thru AO508, and AO601 thru AO610. During the period from August 1992 to June 1993, 56 bunkers have been surveyed. The remaining bunkers and ancillary maintenance buildings are, at this time, being utilized, and not available for survey. The list of surveyed sites can be found in the Appendix A.

b. The decommissioning survey consisted of: (1) portable RADIAC meter readings for the detection of fixed contamination levels, (2) wipe test samples for the quantification of removable gross alpha/beta and tritium contamination, (3) and the collection of sand samples for radiolanalysis.

c. The portable RADIAC meter survey and wipe testing of the bunkers was performed by members of the SEAD Alpha Team under the direction of the RADCON Team and in accordance with (IAW) procedures identified at Appendix B. RADCON Team members maintained overall management of operations, provided for the radioanalysis of samples collected, and the interpretation of laboratory results.

5. SEAD Alpha Team Survey:

a. Fixed Contamination Quality Control Procedures:

(1) In-house quality control measures were performed to verify the operation of the portable RADIAC meters prior to deployment. The instrument used to determine fixed alpha activity was a Ludlum Model 3 with a model 43-5 scintillation probe. The instrument used to determine fixed beta-gamma activity was a Ludlum Model 3 with a model 44-9 Geiger-Mueller (G-M pancake) probe.

(2) Prior to entering each bunker, a background count for each instrument was obtained by holding the detector at waist and/or ground level, as appropriate, for a sufficient time to allow the meter to stabilize.

b. Fixed Contamination Survey Techniques:

(1) The surveys were performed to meet the requirements of references 1c and 1d. SEAD Alpha Team utilized three person teams to perform each bunker survey, one for meter readings, one for taking wipes, and one for recording data.

(2) Prior to surveying each bunker, a grid pattern of 4'x 5' rectangles was drawn on all the bunker surfaces. These dimensions were chosen for ease of drawing out the grid pattern in the bunker structure, yet remaining within the recommendations of reference 1c. (enclosures 1 - 4)

(3) A fixed gross alpha and gross beta/gamma radiation level was obtained in each grid location. (enclosure 5)

c. Removable Contamination Survey.

(1) Wipe Test Samples: For each grid area, two wipes, i.e., NuCon wipe and S&S filter wipe, were obtained to detect for removable gross alpha/beta and tritium contamination, respectively, over a 100 square centimeter area on the bunker surfaces. The samples were analyzed by CECOM health physics personnel utilizing the USA CECOM Radiological Engineering Laboratory (REL), Fort Monmouth, NJ, and/or the RADCON Mobile Laboratory (Mobile Lab) which had been deployed on-site.

(2) NuCon wipes were used for the detection of removable gross alpha/beta contamination. The wipes were arranged in packets corresponding to specific location identification numbers assigned to each bunker. Upon completion of sample collection, packets were transported back to either the Mobile Lab or the REL for subsequent analyses.

(3) S&S BA85 Membrane filters were used for the detection of tritium contamination. Each filter was dampened with distilled water prior to use. After swiping, the dampened membrane filter was placed in empty 20 milliliter (ml) glass liquid scintillation vials. The vials were marked with corresponding specific location identification numbers assigned to each bunker. Upon completion of sample collection, the vials were transported back to either the Mobile Lab or the REL for subsequent analyses.

(4) Sand Samples: These samples were collected to determine the presence of tritium contamination from within the inner concrete dividers utilized in bunkers AO206, AO214, AO218, and AO309. The sand samples were placed in glass jars and transported to the REL for analysis.

6. RADCON Laboratory Procedures:

a. NuCon wipes: Upon receipt at the laboratory, the wipe test samples were loaded onto aluminum planchets for analysis on the Canberra Model 2404 gas flow proportional counter or the Tennelec Model LB5100 gas flow proportional counter, both located in the REL, or the Canberra Model 2404 sealed detector proportional counter in the Mobile Lab.

b. S&S BA85 Membrane Filters: Upon receipt at the laboratory, the liquid scintillation vials were filled with 15ml of Packard Ultima-Gold Liquid Scintillation Cocktail. The vials were then placed into either the Packard Model 2500 TR liquid scintillation analyzer, in the REL, or the Packard Model 2200 liquid scintillation analyzer, in the Mobile Lab for analysis.

c. Sand samples: Upon receipt at the REL, the samples were processed IAW CECOM REL SOP Number 10-06. (enclosure 6)

d. The following equations were used in determining the estimated Lower Limit of Detection (LLD) for the radioanalytical instruments used:

(1) The LLD for both the Canberra 2404 and the Tennelec LB5100, was determined using the following equation:

$$LLD = \frac{2.71 + 4.65 \times \frac{\sqrt{\text{Gross Background}}}{\text{Counting Time}}}{\text{Efficiency}}$$

Gross Background = Determined Daily
Counting Time = 10 minutes
Efficiency = Determined Daily (as shown below)

$$\text{Efficiency} = \frac{\text{Counted Sample}}{\text{Current Activity of Source}}$$

Counted Sample = A Polonium-210 alpha calibration standard and a Strontium-Y90 beta calibration standard counted on both the Canberra 2404 and the Tennelec LB5100 in cpm

Current Activity = The calibration standard decayed to the day of analysis in dpm

(2) The LLD for the Packard 2200 and 2500 TR was determined using the following equation:

$$\text{LLD} = \frac{2.71 + 4.65 \times \frac{\sqrt{\text{Gross Background}}}{\text{Counting Time}}}{\text{Efficiency}}$$

Gross Background = Determined Daily
Counting Time = 10 minutes

e. Daily wipes of all work surfaces used for sample preparation were taken to ensure no cross contamination of samples or contamination of the preparation area had occurred throughout the duration of the decommissioning survey.

7. Decommissioning Survey Results:

a. The following results represent an average of the LLD based on the daily calculations for the:

(1) Canberra 2404 with the sealed detector:

alpha radiation = 1.65E-5 μCi (0.62 Bq) (37 dpm)

beta radiation = 7.84E-6 μCi (0.28 Bq) (17 dpm)

(2) Canberra 2404 gas flow proportional counter:

alpha radiation = 6.29E-6 μCi (0.23 Bq) (14 dpm)

beta radiation = 7.16E-6 μCi (0.27 Bq) (16 dpm)

(3) Tennelec LB5100 gas flow proportional counter:

alpha radiation = 6.29E-6 μCi (0.23 Bq) (14 dpm)

beta radiation = 7.16E-6 μCi (0.27 Bq) (16 dpm)

- (4) Packard 2200 liquid scintillation analyzer:
beta radiation = $6.39\text{E-}6$ μCi (0.23 Bq) (14 dpm)
- (5) Packard 2500 TR liquid scintillation analyzer:
beta radiation = $8.43\text{E-}6$ μCi (0.32 Bq) (19 dpm)

b. Fixed Contamination Instrument Survey: No fixed alpha/beta meter readings were detected above background throughout the bunkers surveyed.

c. Removable Contamination Survey: The analysis of the wipe tests revealed no removable activity exceeding our calculated LLD for gross alpha, gross beta, and tritium contamination. Results obtained are significantly below the contamination limits set forth by references 1b and 1d. The laboratory results are provided at enclosure 7.

8. CONCLUSION:

Based upon the results of our decommissioning survey of the munitions storage bunkers listed in Appendix A, no fixed or removable radiological contamination was found at the surveyed sites that exceeded regulatory guidelines and requirements. The munitions storage bunkers identified may be released for unrestricted use.

APPENDIX A

The following is a list of the 56 bunkers surveyed:

AO101	AO201	AO301	AO401	AO501	AO601
AO102	AO203	AO302	AO402	AO502	AO602
	AO205	AO303	AO403	AO503	AO603
	AO207	AO304	AO404	AO504	AO604
	AO209	AO306	AO405	AO505	AO605
	AO210	AO307	AO406	AO506	AO606
	AO211	AO308	AO407	AO507	AO607
	AO214	AO309	AO408	AO508	AO608
	AO215	AO310	AO409		AO609
	AO216	AO311			AO610
	AO217	AO312			
		AO313			
		AO314			
		AO315			
		AO316			
		AO317			

The following is a list of the remaining 8 bunkers to be surveyed:

AO202	AO305
AO204	
AO206	
AO208	
AO212	
AO213	
AO218	

Appendix A

List of bunkers surveyed or scheduled for survey

APPENDIX A

The following is a list of the 56 bunkers surveyed:

AO101	AO201	AO301	AO401	AO501	AO601
AO102	AO203	AO302	AO402	AO502	AO602
	AO205	AO303	AO403	AO503	AO603
	AO207	AO304	AO404	AO504	AO604
	AO209	AO306	AO405	AO505	AO605
	AO210	AO307	AO406	AO506	AO606
	AO211	AO308	AO407	AO507	AO607
	AO214	AO309	AO408	AO508	AO608
	AO215	AO310	AO409		AO609
	AO216	AO311			AO610
	AO217	AO312			
		AO313			
		AO314			
		AO315			
		AO316			
		AO317			

The following is a list of the remaining 8 bunkers to be surveyed:

AO202	AO305
AO204	
AO206	
AO208	
AO212	
AO213	
AO218	

Appendix B

SEAD Memo, 8 Apr 92
"Verification of Background Levels of Igloos", Basic Plan.

Basic Plan

Verification of Background Levels of 64 Area Igloos

Purpose

The purpose of this verification survey is to confirm that the igloos have no radioactive contamination and can be released for unrestricted use. U.S. Nuclear Regulatory Commission, "Guidelines for Decontamination of Facilities and Equipment Prior to Release for Unrestricted Use or Termination of Licenses for Byproduct, Source, or Special Nuclear Material," December 1975, and AR 385-11, Ionizing Radiation Protection, May 1980, will be used for contamination guides.

Equipment

The following calibrated equipment will be used by the Seneca Army Depot Alpha Team.

Ludlum Model 3	Pancake	Beta & Low Energy Gamma
Ludlum Model 3	Alpha	Alpha Particles

CECOM RADCOM team will use laboratory counters for analysis of wet and dry swipes.

Methodology for Survey

The igloos will be lined in grids as indicated in figures 1 thru 4. A consistent numbering system will be used for grid identification. A reading with a Ludlum Model 3 with beta/gamma probe (mR/hr), and a Model 3 with alpha probe (cpm) will be taken in each grid on the floor. The point at which the readings were taken will be marked. At the center of all grids two swipes will be taken, one for gross alpha/beta and the second for gross beta of 100 cm² each. The location of the swipe will be marked. Additionally in the top grid due to its size, an extra swipe of 100 cm² taken at random in the grid for gross beta will be taken and marked. CECOM will instruct Seneca personnel in the method to use for the swipes. Data sheets showing all readings, the results of proportional counting and liquid scintillation analysis will be prepared for each igloo. The data sheets for monitoring will show location, instrument cal due date, operator, operators signature and date. Laboratory sheets will show location, operator, operators signature, date, and lower limit of detection. CECOM will analyze the swipes. AEHA will be notified when a weeks work of bunkers are available for swiping for a close out survey. After CECOM declares an igloo clean and after AEHA swiping, the igloo may be used by Seneca.

Survey Results

The results of the survey are to be reviewed by CECOM, AEHA, DESCOM Safety, and AMC Safety with appropriate written responses to indicate that the igloos are releasable for unrestricted use, require further analysis or cleanup.



DEPARTMENT OF THE ARMY
SENECA ARMY DEPOT
ROMULUS, NEW YORK 14541-8001

REPLY TO
ATTENTION OF

S: 10 Apr 92

SDSSE-N (385)

8 April 1992


MEMORANDUM FOR SEE DISTRIBUTION

SUBJECT: Verification of Background Levels of Igloos

1. Enclosed is the revised basic plan to verify the background levels of Seneca Army Depot's 64 limited area igloos.
2. Request approval of all concerned with plan as written. Further request that approval or disapproval be provided this office not later than 10 Apr 92.
3. POC this activity is Mr. Michael Lewis, SEAD RPO, DSN 489-1261, or the undersigned at DSN 489-8250. Datafax number at this activity is DSN 489-8592 or commercial (607) 869-1818.

FOR THE COMMANDER:

encl


LAURENCE M. ORNDORFF
Deputy Director of Special Weapons

DISTRIBUTION:

Cdr, U.S. Army Materiel Command, ATTN: AMCSF-P (J. Manfre)/AMCAM-CN
(R. Miller), Alexandria, VA 22333-001
Cdr, U.S. Army Communications-Electronics Command and Fort Monmouth,
ATTN: AMSEL-SF (J. Santasiero), Ft Monmouth, NJ 07703-5000
Cdr, U.S. Army Environmental Health Agency, ATTN: HSHB-MR-HI (S. Goodison),
Aberdeen Proving Ground, MD 21010-5422
Cdr, U.S. Army Depot System Command, ATTN: AMSDS-SA-A (G. Trugur)/AMSDS-IN-U
(H. Brodbeck)/AMSDS-IN-S (K. Davis), AMSDS-IN-U/(T. Gallagher),
Chambersburg, PA 17201-4170

Enclosures 1 through 4

Grid pattern maps for "typical igloos"

3a
round Igloo
Extra NEC
bunkers

AGREEMENT FOR INITIAL START-UP
 SURVEY OF STANDARD
 IGLOOS

SENECA ARMY DEPOT - DSW

45 - 60 FOOT X 26.5 FOOT	159	+ 32
17 - 80 FOOT X 26.5 FOOT	271	+ 32
<u>2</u> - 40 FOOT X 26.5 FOOT	100	+ 32
64 TOTAL		

SENECA ARMY DEPOT WILL:

GRID EACH IGLOO 4' X 5' APPROX FLOOR AND CEILING

SWIPE EACH GRID IN APPROXIMATE CENTER 100 CM/SQ

SWIPES WILL BE FOR GROSS ALPHA/BETA DRY AND GROSS BETA (WET)

NOTIFY CECOM WHEN SWIPES AND MONITORING WILL BEGIN. CECOM WILL
 SEND A REPRESENTATIVE TO MONITOR DEPOT.


NOTE: MONITORING ON FLOOR ONLY.

MONITOR EACH GRID USING A ALPHA AND A BETA/GAMMA INSTRUMENT. CIRCLE
 AREAS WITH PAINT WHERE SWIPE AND INSTRUMENTS WERE TAKEN OR USED.

CECOM WILL RECEIVE SWIPES AND PROVIDE INITIAL READINGS.




AEHA WILL BE NOTIFIED WHEN A WEEKS WORTH OF BUNKERS ARE
 AVAILABLE TO SEND A TEAM FOR OFFICIAL SWIPING.

AFTER CECOM DECLARES AN IGLOO CLEAN AND AFTER AEHA SWIPING,
 THE IGLOO MAY BE UTILIZED.



SCALE 1/2" = 1'-0"






enclosure #1



IGL00 26'6 X 40'0'

20000 1/4" = 5'-0"


Enclosure # 2






ENCLOSURE 26'-6" X 60'-0"

SCALE 1/4" = 1'-0"


ENCLOSURE #3



72



73




IC100 26'6" x 80'0"

SMALL 1/4" = 1'-0" =

Enclosure #4

Enclosure 5

Single grid pattern example survey map.



Enclosure # 5

Enclosure 6

SOP 10-06
"Determination of Tritium in Soil"

STANDARD OPERATING PROCEDURE
FOR DETERMINATION OF
TRITIUM IN SOIL

1. PURPOSE: This document outlines procedures for the measurement of tritium concentration THO (T2O) in soil samples by liquid scintillation counting.
2. APPLICABILITY: This SOP applies to all members of the Radiological Engineering Branch in the CECOM Safety Office.
3. DISCUSSION: This procedure is a two part method in which a soil sample is heated on a hot plate in a sealed Erlenmeyer flask, the distillate is captured in an aluminum container. An aliquot of the distillate is combined with liquid scintillation cocktail and counted for beta particle activity in the tritium window of a liquid scintillation counter. This will yield picocuries (pCi) of tritium per milliliter (ml) of water. Then, approximately 100 grams (g) of soil is heated on a hotplate in an open beaker, after a cooldown period in a dessicator, the sample is re-weighed to determine water loss. This will yield ml of water per gram of soil. Further calculations will yield pCi of tritium per gram of soil.
4. REFERENCES:
 - a. Method developed by CECOM Safety Office, Radiological Engineering Branch.
 - b. Title 10, Code of Federal Regulations, Part 20, Standards for Protection Against Radiation.
 - c. Operation Manual for Packard Model 2500 TR Liquid Scintillation Counter.
5. APPARATUS:
 - a. Liquid Scintillation Counter (LSC).
 - b. Liquid scintillation cocktail and vials.
 - c. Analytical balance and NIST traceable weights.
 - d. Distillation apparatus. (see figure 1)

- e. Hotplate.
- f. Pipetter.
- g. Pipettes, 2 ml capacity, class "A", to deliver.
- h. Ice and dewar.
- i. Aluminum foil.

6. CALIBRATION:

- a. Ensure that the Packard LSC 2500 has been calibrated within the last 90 days, if not, refer to reference 4c.
- b. Calibrate the analytical balance using NIST traceable weights, log results on logsheet.

7. PROCEDURES:

- a. Set up distillation apparatus according to figure 1.
- b. Fill flask to the one-quarter mark with soil sample.
- c. Using setting 6 on the hotplate, heat the Erlenmeyer flask until dry, approximately 1-2 ml's of water should be collected in the aluminum container.
- d. Pre-weigh a cocktail vial without the cap, tare the weight.
- e. Pipette to a maximum of 2 ml of the distillate into the cocktail vial, weigh the vial, the resultant weight is the amount of water distilled from the soil. Note the weight.
- f. Fill the vial with 15 ml of cocktail, swirl, dark adapt, then analyse on LSC.
- g. Weigh approximately 100 grams of soil in a open beaker.
- h. Heat the soil until dry, allow beaker to cool in dessicator.
- i. Re-weigh the soil to determine the amount of water per gram of soil that was lost.

8. CALCULATIONS:

- a. Activity of sample (pCi of tritium per gram of soil) is calculated as follows:

$$\frac{\text{sample activity (pCi)} \times \text{water lost (g)}}{\text{water analysed (g)} \times \text{pre-weighed soil (g)}}$$

- b. The Estimated Lower Limit of Detection (LLD) in dpm is calculated as follows:

$$\frac{2.71 + 4.65 \sqrt{\frac{\text{BKG counts (gross)}}{\text{time (min)}}}}{\text{efficiency (\%)}}$$

Prepared by: Hugo Bianchi Date: 19 Oct 92
Hugo Bianchi
Physical Science Technician

Approved by: Joseph M. Santarsiero Date: 19 Oct 92
Joseph M. Santarsiero
Chief, Radiological and
Engineering Branch




FIGURE 1

Enclosure 7

SEAD Close-out inspection results.

Buildings AO101, AO1027

Tab 8

Buildings AO201, AO203, AO205,
AO207, AO209, AO210, AO211,
AO214 through AO217

Tab 9

Buildings AO301 through AO304,
and AO306 through AO317

Tab 10

Buildings AO401 through AO409

Tab 11

Buildings AO501 through AO508

Tab 12

Buildings AO601 through AO610

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 101

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	0	20	0.01
A-02	0	0	0	20	0.01
A-03	0	0	0	20	0.01
A-04	0	0	0	20	0.01
A-05	2	0	0	20	0.01
A-06	0	0	0	20	0.01
A-07	0	0	0	20	0.01
A-08	2	1	0	20	0.01
A-09	2	0	0	20	0.01
A-10	0	0	0	20	0.01
B-01	2	0	7	10	0.01
B-02	0	0	0	30	0.01
B-03	0	0	0	20	0.01
B-04	2	0	0	10	0.01
B-05	2	0	7	20	0.01
B-06	0	0	0	20	0.01
B-07	0	0	0	20	0.01
B-08	0	0	0	10	0.01
B-09	2	0	0	30	0.01
B-10	0	0	0	20	0.01
C-01	5	0	0	0	0.01
C-02	2	0	7	10	0.01
C-03	5	0	0	30	0.01
C-04	0	0	0	10	0.01
C-05	0	1	0	20	0.01
C-06	2	0	0	10	0.01
C-07	0	0	0	20	0.01
C-08	0	1	2	20	0.01
C-09	5	0	0	20	0.01
C-10	2	0	0	10	0.01
D-01	0	0	0	30	0.01
D-02	0	0	0	10	0.01
D-03	0	0	0	20	0.01
D-04	0	0	0	10	0.01
D-05	0	0	0	30	0.01
D-06	2	0	0	20	0.01
D-07	0	0	0	20	0.01
D-08	5	1	0	20	0.01
D-09	0	0	0	0	0.01
D-10	0	0	0	10	0.01
E-01	2	0	0	10	0.01
E-02	2	0	0	30	0.01
E-03	0	0	0	10	0.01
E-04	2	0	0	20	0.01
E-05	0	0	0	10	0.01
E-06	0	0	0	20	0.01
E-07	2	0	0	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 101

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-08	0	0	0	20	0.01
E-09	0	0	0	20	0.01
E-10	2	0	0	20	0.01
F-01	2	0	5	10	0.01
F-02	2	1	0	20	0.01
F-03	0	0	3	10	0.01
F-04	0	0	0	10	0.01
F-05	0	0	0	30	0.01
F-06	5	0	3	20	0.01
F-07	2	0	0	30	0.01
F-08	0	0	0	20	0.01
F-09	2	0	0	10	0.01
F-10	2	0	0	10	0.01
G-01	2	0	0	30	0.01
G-02	0	0	8	10	0.01
G-03	2	0	0	10	0.01
G-04	0	0	4	20	0.01
G-05	2	0	1	10	0.01
G-06	0	0	0	20	0.01
G-07	0	0	0	0	0.01
G-08	0	0	0	0	0.01
G-09	2	0	0	10	0.01
G-10	0	0	4	20	0.01
H-01	0	2	1	10	0.01
H-02	0	0	0	20	0.01
H-03	2	0	0	10	0.01
H-04	2	0	7	20	0.01
H-05	0	0	0	0	0.01
H-06	2	0	0	0	0.01
H-07	0	0	1	20	0.01
H-08	0	0	10	20	0.01
H-09	0	0	0	20	0.01
H-10	0	0	0	20	0.01
I-01	0	0	0	30	0.01
I-02	0	0	0	0	0.01
I-03	0	0	0	40	0.01
I-04	4	0	0	10	0.01
I-05	0	0	9	20	0.01
I-06	4	0	0	20	0.01
I-07	0	0	0	30	0.01
I-08	8	0	2	10	0.01
I-09	0	0	1	30	0.01
I-10	0	0	3	10	0.01
J-01	4	7	1	20	0.01
J-02	0	0	0	10	0.01
J-03	0	0	0	20	0.01
J-04	4	0	5	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 101

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-05	0	0	2	20	0.01
J-06	11	6	4	20	0.01
J-07	8	0	0	40	0.01
J-08	0	0	0	20	0.01
J-09	4	0	0	20	0.01
J-10	0	0	0	20	0.01
K-01	0	0	6	0	0.01
K-02	0	0	0	20	0.01
K-03	0	0	0	20	0.01
K-04	0	0	3	20	0.01
K-05	0	0	5	0	0.01
K-06	4	0	0	10	0.01
K-07	0	0	0	10	0.01
K-08	0	0	5	20	0.01
K-09	0	3	15	10	0.01
K-10	0	0	10	20	0.01
L-01	0	0	0	10	0.01
L-02	0	0	0	10	0.01
L-03	8	0	3	20	0.01
L-04	0	0	0	10	0.01
L-05	8	0	0	20	0.01
L-06	0	0	5	10	0.01
L-07	4	2	0	10	0.01
L-08	0	0	0	20	0.01
L-09	0	0	2	20	0.01
L-10	0	0	0	10	0.01
AF1	0	0	0	20	0.01
AF2	0	0	0	20	0.01
BF1	0	0	0	20	0.01
BF2	4	0	0	20	0.01
BF3	0	0	0	20	0.01
CF1	0	0	0	0	0.01
CF2	0	0	4	0	0.01
CF3	4	0	0	0	0.01
DF1	4	0	0	50	0.01
DF2	4	0	0	30	0.01
DF3	0	2	2	50	0.01
EF1	4	0	0	20	0.01
EF2	0	0	5	10	0.01
AR1	0	0	0	20	0.01
AR2	0	0	6	40	0.01
BR1	0	0	0	10	0.01
BR2	0	0	3	60	0.01
BR3	0	0	0	20	0.01
CR1	0	0	0	20	0.01
CR2	0	0	8	40	0.01
CR3	0	0	1	30	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 101

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LU DLUM MODEL 3 ALPHA IN DPM	LU DLUM MODEL 3 BETA/GAMMA IN MR/HR
DR1	0	0	0	30	0.01
DR2	4	0	0	10	0.01
DR3	0	0	0	30	0.01
ER1	4	0	2	10	0.01
ER2	4	0	0	40	0.01
IV	0	0	0	10	0.01
OV	0	0	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 102

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	0	20	0.01
A-02	0	2	0	20	0.01
A-03	0	3	0	20	0.01
A-04	0	5	0	10	0.01
A-05	1	0	0	10	0.01
A-06	0	1	0	20	0.01
A-07	0	0	0	20	0.01
A-08	0	1	0	20	0.01
A-09	1	4	0	10	0.01
A-10	2	0	0	30	0.01
B-01	0	3	0	10	0.01
B-02	0	0	0	10	0.02
B-03	0	6	0	20	0.01
B-04	0	0	0	10	0.01
B-05	0	3	0	30	0.01
B-06	4	0	0	20	0.01
B-07	1	1	0	10	0.01
B-08	1	0	0	20	0.01
B-09	0	1	0	20	0.01
B-10	0	0	0	20	0.01
C-01	0	0	0	20	0.01
C-02	1	0	0	0	0.01
C-03	2	0	0	10	0.01
C-04	0	4	0	40	0.01
C-05	0	1	0	30	0.01
C-06	0	0	9	20	0.01
C-07	0	0	0	20	0.02
C-08	0	1	0	10	0.01
C-09	1	0	0	0	0.01
C-10	2	0	0	10	0.01
D-01	0	0	0	10	0.01
D-02	0	0	0	0	0.01
D-03	0	0	0	20	0.01
D-04	2	0	0	20	0.01
D-05	1	0	0	10	0.01
D-06	0	0	0	10	0.01
D-07	1	0	0	10	0.01
D-08	0	2	0	30	0.01
D-09	2	1	0	10	0.01
D-10	0	0	0	10	0.01
E-01	0	3	0	10	0.01
E-02	0	1	0	10	0.01
E-03	2	0	0	20	0.01
E-04	1	3	0	10	0.01
E-05	2	1	0	0	0.02
E-06	1	0	0	20	0.01
E-07	0	3	0	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 102

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-08	0	1	0	20	0.01
E-09	1	0	0	20	0.01
E-10	1	0	0	30	0.01
F-01	2	0	0	20	0.01
F-02	0	0	4	20	0.01
F-03	1	2	0	0	0.01
F-04	1	0	0	10	0.01
F-05	0	1	0	20	0.01
F-06	0	0	0	20	0.01
F-07	0	1	0	10	0.01
F-08	1	0	0	0	0.01
F-09	0	0	0	10	0.01
F-10	0	0	0	20	0.01
G-01	0	0	0	10	0.01
G-02	0	2	0	30	0.02
G-03	0	2	0	20	0.01
G-04	0	1	0	10	0.01
G-05	0	0	0	10	0.01
G-06	0	0	0	20	0.01
G-07	0	0	0	30	0.01
G-08	0	0	0	10	0.01
G-09	2	0	0	20	0.01
G-10	0	4	0	30	0.01
H-01	2	0	0	20	0.01
H-02	1	1	0	10	0.01
H-03	1	0	0	20	0.01
H-04	2	0	0	10	0.01
H-05	2	0	0	10	0.01
H-06	0	0	0	20	0.01
H-07	1	0	0	20	0.01
H-08	0	0	0	10	0.01
H-09	0	0	0	20	0.01
H-10	0	0	0	20	0.01
I-01	1	1	0	20	0.01
I-02	0	6	0	20	0.01
I-03	0	5	0	30	0.01
I-04	0	4	0	20	0.01
I-05	0	2	0	40	0.01
I-06	1	2	0	20	0.01
I-07	0	0	0	20	0.01
I-08	0	0	0	10	0.01
I-09	0	1	0	20	0.01
I-10	0	0	0	10	0.01
J-01	0	0	0	20	0.01
J-02	1	0	0	10	0.01
J-03	0	1	3	10	0.01
J-04	0	1	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 102

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-05	0	0	0	30	0.01
J-06	0	0	0	20	0.01
J-07	0	0	0	20	0.01
J-08	0	0	0	10	0.01
J-09	0	0	0	20	0.01
J-10	0	0	0	10	0.01
K-01	0	0	3	10	0.01
K-02	0	0	0	30	0.01
K-03	0	0	0	30	0.01
K-04	0	0	0	20	0.01
K-05	0	0	2	20	0.01
K-06	0	0	0	10	0.01
K-07	0	0	0	0	0.01
K-08	0	0	0	10	0.02
K-09	0	0	0	10	0.01
K-10	0	0	0	20	0.01
L-01	0	0	0	30	0.01
L-02	0	0	0	20	0.02
L-03	0	0	0	10	0.01
L-04	0	0	4	10	0.01
L-05	0	0	0	20	0.01
L-06	0	0	0	20	0.01
L-07	0	0	0	20	0.01
L-08	0	0	0	10	0.01
L-09	0	0	0	20	0.01
L-10	0	0	0	10	0.01
AF1	0	0	0	20	0.01
AF2	0	0	0	20	0.01
BF1	0	0	0	10	0.01
BF2	0	1	0	30	0.01
BF3	0	0	0	20	0.01
CF1	1	0	0	20	0.01
CF2	0	0	0	10	0.01
CF3	0	0	3	20	0.01
DF1	0	0	0	20	0.01
DF2	0	0	0	10	0.01
DF3	0	0	0	10	0.01
EF1	0	0	0	20	0.02
EF2	0	0	0	30	0.01
AR1	0	0	3	20	0.01
AR2	0	0	0	30	0.01
BR1	0	0	0	10	0.01
BR2	0	0	0	20	0.01
BR3	0	0	0	20	0.01
CR1	0	0	0	20	0.01
CR2	0	0	0	20	0.01
CR3	0	0	0	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 102

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
DR1	0	0	0	10	0.01
DR2	0	1	0	20	0.01
DR3	0	1	0	20	0.01
ER1	0	0	3	10	0.01
ER2	1	0	0	20	0.01
IV	0	1	0	10	0.01
OV	0	0	0	0	0.01

Tab 8

Buildings AO201, AO203, AO205,
AO207, AO209, AO210, AO211,
AO214 through AO217

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 201

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	9	30	0.01
A-02	3	1	0	40	0.01
A-03	0	0	3	30	0.01
A-04	6	0	0	50	0.01
A-05	0	0	8	70	0.01
A-06	0	0	0	50	0.01
A-07	0	0	0	50	0.01
A-08	3	0	7	30	0.01
A-09	0	7	3	50	0.01
A-10	0	0	0	60	0.01
A-11	3	1	5	40	0.01
A-12	6	1	2	30	0.02
A-13	3	0	1	30	0.01
A-14	0	2	0	20	0.01
A-15	0	0	0	50	0.01
A-16	0	0	3	40	0.02
A-17	0	0	5	70	0.01
A-18	0	3	3	30	0.01
A-19	0	0	0	40	0.01
A-20	6	1	2	50	0.02
B-01	0	0	6	70	0.01
B-02	6	0	0	60	0.01
B-03	3	0	1	20	0.01
B-04	0	0	3	20	0.01
B-05	0	0	8	10	0.01
B-06	3	3	0	20	0.01
B-07	0	0	2	10	0.01
B-08	0	0	0	30	0.01
B-09	0	0	0	30	0.01
B-10	0	0	2	20	0.01
B-11	0	0	0	30	0.01
B-12	3	0	7	20	0.01
B-13	0	0	0	20	0.02
B-14	0	0	4	20	0.01
B-15	0	1	17	30	0.01
B-16	0	2	7	40	0.01
B-17	0	5	1	20	0.02
B-18	3	3	0	20	0.01
B-19	6	0	2	10	0.00
B-20	0	1	0	20	0.01
C-01	0	0	0	50	0.01
C-02	0	0	7	30	0.01
C-03	3	0	0	50	0.01
C-04	0	0	0	70	0.01
C-05	0	0	0	50	0.01
C-06	3	0	9	50	0.01
C-07	0	0	15	40	0.01
C-08	0	0	0	40	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 201

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
C-09	0	5	4	30	0.01
C-10	0	3	5	40	0.01
C-11	0	1	12	20	0.01
C-12	3	0	0	30	0.01
C-13	0	0	0	30	0.01
C-14	0	0	0	30	0.01
C-15	0	0	5	50	0.01
C-16	0	0	0	70	0.01
C-17	0	0	12	50	0.01
C-18	3	0	4	50	0.02
C-19	0	0	0	50	0.01
C-20	0	0	0	40	0.01
D-01	0	0	0	50	0.01
D-02	0	1	0	40	0.01
D-03	0	0	0	50	0.01
D-04	0	2	9	40	0.01
D-05	0	1	0	30	0.01
D-06	0	0	3	40	0.01
D-07	0	0	0	40	0.01
D-08	0	0	0	30	0.01
D-09	3	0	10	60	0.01
D-10	0	0	0	50	0.01
D-11	0	0	0	50	0.01
D-12	0	0	13	60	0.01
D-13	3	1	0	40	0.01
D-14	3	0	3	30	0.01
D-15	3	0	0	30	0.01
D-16	10	8	4	20	0.01
D-17	3	0	5	60	0.01
D-18	3	0	0	60	0.01
D-19	3	0	6	60	0.01
D-20	3	6	0	40	0.01
E-01	0	0	0	50	0.01
E-02	0	2	0	50	0.01
E-03	0	0	3	40	0.01
E-04	0	0	0	40	0.01
E-05	0	0	2	20	0.01
E-06	0	7	3	20	0.01
E-07	3	6	3	30	0.01
E-08	0	0	4	50	0.01
E-09	0	0	0	40	0.01
E-10	3	2	7	40	0.01
E-11	3	0	3	70	0.01
E-12	0	3	0	60	0.01
E-13	3	0	6	30	0.02
E-14	0	0	0	80	0.01
E-15	3	1	0	50	0.01
E-16	6	0	0	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 201

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-17	0	0	6	30	0.01
E-18	3	0	0	40	0.01
E-19	0	1	0	30	0.01
E-20	6	0	1	30	0.01
F-01	0	1	2	40	0.01
F-02	0	0	10	20	0.02
F-03	6	2	2	40	0.01
F-04	0	0	9	20	0.01
F-05	0	0	3	30	0.01
F-06	0	2	8	20	0.01
F-07	0	0	7	30	0.01
F-08	0	0	11	10	0.01
F-09	10	0	0	30	0.01
F-10	0	3	15	20	0.01
F-11	3	0	7	40	0.01
F-12	3	0	5	40	0.01
F-13	0	0	3	60	0.01
F-14	0	0	10	50	0.01
F-15	6	0	0	40	0.01
F-16	3	0	6	50	0.01
F-17	0	0	12	40	0.01
F-18	3	0	8	50	0.01
F-19	0	0	7	10	0.01
F-20	3	0	5	50	0.01
G-01	0	0	2	30	0.01
G-02	0	0	8	40	0.01
G-03	3	0	6	50	0.01
G-04	0	0	0	40	0.01
G-05	3	0	3	30	0.02
G-06	3	0	5	10	0.01
G-07	0	0	1	10	0.01
G-08	0	2	8	20	0.01
G-09	0	0	9	20	0.01
G-10	3	0	0	50	0.01
G-11	3	0	0	10	0.01
G-12	0	2	6	70	0.01
G-13	3	0	14	40	0.01
G-14	0	0	5	60	0.01
G-15	3	0	5	50	0.01
G-16	0	0	3	80	0.01
G-17	0	0	11	20	0.01
G-18	3	0	14	20	0.01
G-19	3	0	9	40	0.01
G-20	0	0	6	40	0.01
H-01	3	0	3	50	0.01
H-02	3	3	10	50	0.01
H-03	0	0	8	50	0.01
H-04	0	0	2	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 201

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
H-05	3	0	3	30	0.01
H-06	0	0	7	50	0.01
H-07	3	0	2	40	0.01
H-08	3	0	8	40	0.02
H-09	3	0	13	50	0.02
H-10	0	0	5	50	0.01
H-11	6	9	9	30	0.01
H-12	0	0	15	30	0.01
H-13	0	0	11	30	0.01
H-14	0	2	16	40	0.02
H-15	0	3	0	50	0.01
H-16	0	1	3	40	0.01
H-17	0	0	0	50	0.01
H-18	0	0	10	50	0.01
H-19	0	0	7	40	0.01
H-20	0	0	3	80	0.01
I-01	0	0	12	20	0.01
I-02	6	0	8	50	0.01
I-03	0	0	7	40	0.01
I-04	3	1	1	60	0.01
I-05	0	0	6	20	0.01
I-06	0	0	4	30	0.02
I-07	0	0	3	60	0.01
I-08	0	1	15	50	0.01
I-09	3	0	0	30	0.01
I-10	0	2	12	20	0.02
I-11	3	0	6	40	0.01
I-12	3	0	0	70	0.01
I-13	6	0	7	60	0.02
I-14	0	0	10	50	0.01
I-15	0	5	7	40	0.01
I-16	3	0	11	50	0.01
I-17	0	0	7	40	0.01
I-18	0	0	7	30	0.02
I-19	0	0	4	40	0.01
I-20	0	2	12	30	0.01
J-01	3	1	10	70	0.01
J-02	0	0	0	20	0.01
J-03	0	0	13	20	0.01
J-04	0	0	9	30	0.02
J-05	0	5	3	30	0.01
J-06	3	0	0	30	0.01
J-07	6	2	4	60	0.01
J-08	0	0	10	50	0.02
J-09	6	0	3	30	0.01
J-10	3	0	8	20	0.02
J-11	0	0	8	50	0.01
J-12	0	0	8	80	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 201

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-13	3	0	10	60	0.01
J-14	3	0	2	50	0.01
J-15	3	0	3	20	0.01
J-16	6	0	3	40	0.01
J-17	10	0	4	40	0.02
J-18	0	5	10	40	0.01
J-19	0	1	11	50	0.01
J-20	0	1	6	30	0.01
K-01	0	0	3	20	0.01
K-02	0	0	7	50	0.01
K-03	3	0	6	60	0.01
K-04	6	0	3	50	0.01
K-05	0	2	3	50	0.01
K-06	0	0	8	10	0.01
K-07	6	1	8	10	0.01
K-08	3	5	6	20	0.01
K-09	0	0	10	40	0.01
K-10	0	0	3	20	0.01
K-11	0	3	12	30	0.01
K-12	0	0	10	40	0.01
K-13	0	1	3	30	0.01
K-14	0	1	1	40	0.01
K-15	0	0	5	20	0.01
K-16	0	0	4	20	0.01
K-17	3	1	4	40	0.01
K-18	3	0	9	50	0.01
K-19	0	0	11	60	0.01
K-20	0	0	8	10	0.02
L-01	6	0	4	40	0.01
L-02	0	1	9	40	0.01
L-03	0	0	0	30	0.01
L-04	6	9	7	10	0.01
L-05	0	0	2	20	0.01
L-06	0	0	6	60	0.01
L-07	0	0	14	60	0.01
L-08	0	0	4	20	0.01
L-09	0	1	0	40	0.01
L-10	0	0	12	60	0.01
L-11	3	0	2	30	0.01
L-12	3	0	9	20	0.01
L-13	0	1	6	50	0.01
L-14	0	3	6	60	0.01
L-15	3	0	20	50	0.01
L-16	0	0	10	50	0.01
L-17	0	0	5	20	0.01
L-18	0	0	2	50	0.01
L-19	0	0	5	40	0.01
L-20	0	0	9	10	0.02

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 201

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
AF1	3	0	15	70	0.01
AF2	3	0	0	20	0.01
BF1	0	0	0	50	0.01
BF2	0	1	5	60	0.01
BF3	3	0	13	40	0.01
CF1	3	0	3	50	0.01
CF2	0	1	3	50	0.01
CF3	3	0	0	80	0.01
DF1	0	0	11	20	0.01
DF2	0	3	10	20	0.01
DF3	3	0	11	90	0.02
EF1	3	0	0	20	0.01
EF2	0	0	5	30	0.01
AR1	0	2	10	50	0.01
AR2	0	0	0	20	0.01
BR1	0	0	0	60	0.01
BR2	0	0	6	60	0.01
BR3	0	0	1	30	0.01
CR1	0	0	0	50	0.02
CR2	0	0	11	40	0.01
CR3	0	0	0	50	0.01
DR1	0	0	1	20	0.01
DR2	0	0	2	50	0.01
DR3	0	2	2	40	0.01
ER1	0	0	4	30	0.01
ER2	4	0	0	40	0.01
IV	0	0	0	20	0.01
OV	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 203

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	1	0	0	80	0.01
A-02	0	0	0	50	0.01
A-03	1	1	0	60	0.01
A-04	0	0	0	40	0.01
A-05	0	0	0	30	0.01
A-06	0	2	0	30	0.01
A-07	0	0	0	20	0.01
A-08	0	0	0	60	0.01
A-09	1	2	0	30	0.01
A-10	2	2	0	30	0.01
A-11	1	0	0	40	0.01
A-12	0	1	0	40	0.01
A-13	1	0	0	60	0.01
A-14	0	0	0	40	0.01
A-15	2	0	0	60	0.01
A-16	0	0	0	50	0.01
A-17	0	0	0	50	0.01
A-18	0	1	0	70	0.01
A-19	0	0	0	70	0.02
A-20	2	2	0	30	0.01
B-01	0	4	0	40	0.01
B-02	1	0	0	40	0.01
B-03	0	0	0	50	0.01
B-04	0	0	0	50	0.01
B-05	0	0	0	30	0.01
B-06	1	1	0	40	0.01
B-07	1	0	0	30	0.01
B-08	1	0	0	40	0.01
B-09	0	0	0	50	0.01
B-10	0	5	0	20	0.01
B-11	1	2	0	40	0.01
B-12	1	2	0	40	0.01
B-13	0	0	0	40	0.02
B-14	0	0	0	40	0.01
B-15	0	0	0	50	0.01
B-16	0	0	0	50	0.01
B-17	0	0	0	50	0.02
B-18	0	0	0	50	0.02
B-19	2	4	0	50	0.01
B-20	1	6	0	40	0.01
C-01	0	0	0	30	0.01
C-02	1	1	0	40	0.01
C-03	0	0	0	40	0.01
C-04	0	0	0	50	0.01
C-05	1	0	0	30	0.01
C-06	2	5	0	30	0.01
C-07	1	0	0	30	0.01
C-08	0	0	0	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 203

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
C-09	0	0	0	30	0.01
C-10	1	1	0	40	0.00
C-11	0	1	0	60	0.01
C-12	1	2	0	60	0.02
C-13	1	0	0	40	0.01
C-14	0	0	0	60	0.01
C-15	4	0	0	30	0.01
C-16	0	0	0	40	0.01
C-17	2	2	0	50	0.01
C-18	0	1	0	20	0.01
C-19	0	0	0	30	0.01
C-20	1	0	0	20	0.01
D-01	0	0	0	30	0.01
D-02	0	0	0	50	0.01
D-03	1	0	0	60	0.01
D-04	1	0	0	70	0.01
D-05	1	0	0	70	0.01
D-06	1	1	0	100	0.01
D-07	0	0	0	70	0.01
D-08	0	0	0	80	0.01
D-09	0	0	0	80	0.01
D-10	1	0	0	60	0.00
D-11	1	4	0	50	0.01
D-12	0	0	0	50	0.01
D-13	0	0	0	60	0.01
D-14	4	0	0	60	0.01
D-15	1	2	0	70	0.02
D-16	4	2	0	40	0.01
D-17	2	4	0	40	0.02
D-18	1	2	0	30	0.01
D-19	2	2	0	30	0.01
D-20	2	2	0	20	0.01
E-01	0	0	0	20	0.01
E-02	4	5	0	50	0.01
E-03	2	0	0	30	0.01
E-04	1	1	0	40	0.01
E-05	0	2	0	70	0.01
E-06	2	0	0	40	0.01
E-07	0	0	0	40	0.01
E-08	0	6	0	30	0.01
E-09	2	0	0	20	0.01
E-10	2	1	0	30	0.01
E-11	1	0	0	40	0.01
E-12	0	2	0	50	0.01
E-13	0	7	0	30	0.02
E-14	0	0	0	40	0.01
E-15	1	0	0	30	0.01
E-16	0	0	0	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 203

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-17	0	0	0	50	0.01
E-18	0	5	0	30	0.02
E-19	2	7	0	20	0.01
E-20	1	2	0	40	0.01
F-01	1	2	0	80	0.01
F-02	0	4	0	20	0.01
F-03	0	2	0	10	0.01
F-04	0	5	0	20	0.01
F-05	0	3	0	20	0.01
F-06	1	2	0	20	0.01
F-07	0	2	0	20	0.01
F-08	1	4	0	10	0.01
F-09	0	1	0	20	0.01
F-10	0	2	0	20	0.01
F-11	1	4	0	10	0.01
F-12	0	3	0	0	0.01
F-13	0	3	0	20	0.01
F-14	0	2	0	20	0.01
F-15	0	4	0	10	0.01
F-16	0	2	0	10	0.01
F-17	0	3	0	10	0.01
F-18	0	3	0	10	0.01
F-19	1	2	0	20	0.01
F-20	0	3	0	20	0.01
G-01	0	3	0	30	0.01
G-02	0	1	0	20	0.01
G-03	1	4	0	20	0.01
G-04	0	3	0	30	0.01
G-05	1	3	0	40	0.01
G-06	0	2	0	40	0.01
G-07	0	3	0	30	0.01
G-08	0	3	0	10	0.01
G-09	0	2	0	40	0.01
G-10	0	3	0	30	0.01
G-11	0	6	0	30	0.01
G-12	1	3	0	20	0.01
G-13	0	3	0	20	0.01
G-14	0	2	0	10	0.01
G-15	0	4	0	20	0.01
G-16	0	1	0	20	0.01
G-17	0	1	0	20	0.01
G-18	1	4	0	10	0.01
G-19	0	3	0	10	0.01
G-20	0	2	0	30	0.01
H-01	1	4	30	60	0.01
H-02	0	2	0	50	0.01
H-03	0	3	0	20	0.01
H-04	0	3	0	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 203

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
H-05	0	1	0	60	0.01
H-06	0	3	0	30	0.01
H-07	0	2	0	50	0.01
H-08	0	3	0	50	0.01
H-09	0	1	0	30	0.01
H-10	0	3	0	50	0.01
H-11	0	3	0	50	0.01
H-12	0	2	0	30	0.01
H-13	1	3	0	30	0.01
H-14	0	2	0	40	0.01
H-15	0	3	0	50	0.01
H-16	0	2	0	50	0.01
H-17	0	4	0	40	0.01
H-18	0	3	0	60	0.01
H-19	0	2	0	40	0.01
H-20	0	4	0	40	0.01
I-01	2	4	0	60	0.01
I-02	2	6	0	50	0.01
I-03	1	2	0	50	0.01
I-04	1	2	0	50	0.01
I-05	1	0	0	20	0.01
I-06	1	2	0	50	0.01
I-07	4	14	0	60	0.01
I-08	0	7	0	60	0.01
I-09	0	7	0	90	0.01
I-10	4	8	0	40	0.01
I-11	0	13	0	10	0.01
I-12	0	18	0	40	0.01
I-13	0	0	0	40	0.01
I-14	1	4	0	40	0.01
I-15	2	93	0	20	0.01
I-16	1	0	0	40	0.01
I-17	0	0	0	50	0.01
I-18	1	0	0	40	0.01
I-19	2	0	0	20	0.01
I-20	2	48	0	40	0.01
J-01	1	95	0	100	0.01
J-02	2	2	0	60	0.01
J-03	0	5	0	40	0.01
J-04	0	4	0	60	0.01
J-05	0	1	0	60	0.01
J-06	2	0	0	60	0.01
J-07	0	131	0	60	0.01
J-08	0	0	0	40	0.02
J-09	0	1	0	60	0.01
J-10	2	36	0	30	0.01
J-11	0	0	0	80	0.01
J-12	0	0	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTIC
RESULTS FOR BLDG 203

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-13	0	0	0	80	0.00
J-14	1	1	0	80	0.01
J-15	0	7	0	100	0.01
J-16	2	5	0	60	0.01
J-17	1	0	0	60	0.01
J-18	2	0	0	40	0.01
J-19	1	100	0	60	0.01
J-20	0	1	0	60	0.01
K-01	0	220	0	20	0.01
K-02	0	10	0	40	0.01
K-03	0	10	0	40	0.01
K-04	0	36	0	60	0.01
K-05	0	37	0	60	0.01
K-06	0	26	0	40	0.01
K-07	0	27	0	40	0.01
K-08	0	44	0	80	0.01
K-09	1	63	0	60	0.01
K-10	0	26	0	80	0.01
K-11	0	62	0	100	0.01
K-12	1	50	0	60	0.01
K-13	1	104	0	10	0.01
K-14	1	44	0	60	0.01
K-15	0	20	0	40	0.01
K-16	1	18	0	60	0.01
K-17	1	5	0	60	0.01
K-18	1	51	0	40	0.01
K-19	0	38	0	40	0.01
K-20	1	6	0	40	0.01
L-01	1	62	0	10	0.01
L-02	1	181	0	20	0.01
L-03	0	44	0	40	0.01
L-04	2	11	0	20	0.01
L-05	0	13	0	20	0.01
L-06	0	24	0	10	0.01
L-07	1	4	0	0	0.01
L-08	1	31	0	0	0.01
L-09	1	24	0	40	0.01
L-10	0	21	0	20	0.01
L-11	0	5	0	10	0.01
L-12	0	6	0	0	0.01
L-13	4	25	0	0	0.01
L-14	0	31	0	0	0.01
L-15	2	19	0	0	0.01
L-16	2	19	0	20	0.01
L-17	1	70	0	20	0.01
L-18	1	74	0	10	0.01
L-19	0	5	0	20	0.01
L-20	2	17	0	20	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 203

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
AF1	1	18	0	30	0.01
AF2	0	21	0	40	0.01
BF1	0	2	0	60	0.01
BF2	1	0	0	50	0.01
BF3	0	11	0	40	0.01
CF1	0	2	0	40	0.01
CF2	0	2	0	40	0.01
CF3	1	7	0	80	0.01
DF1	0	4	0	20	0.01
DF2	2	0	0	40	0.01
DF3	1	1	0	20	0.01
EF1	1	4	0	30	0.01
EF2	2	1	0	40	0.01
AR1	1	8	0	40	0.01
AR2	1	1	0	40	0.01
BR1	0	2	0	60	0.01
BR2	0	2	0	50	0.01
BR3	1	5	0	40	0.01
CR1	0	4	0	40	0.01
CR2	1	5	0	50	0.01
CR3	0	3	0	50	0.01
DR1	1	8	0	50	0.01
DR2	0	3	0	60	0.01
DR3	2	13	0	70	0.01
ER1	0	0	0	40	0.01
ER2	0	0	0	40	0.01
IV	0	0	0	50	0.01
OV	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 205

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	1	0	0	50	0.01
A-02	1	0	0	10	0.01
A-03	1	2	0	50	0.01
A-04	1	0	0	60	0.01
A-05	5	43	0	70	0.01
A-06	0	6	0	10	0.01
A-07	0	1	0	50	0.01
A-08	0	0	0	10	0.01
A-09	0	12	0	60	0.01
A-10	1	6	0	50	0.01
A-11	1	6	0	10	0.01
A-12	2	20	0	10	0.01
A-13	2	1	0	10	0.01
A-14	0	0	0	40	0.01
A-15	7	8	0	70	0.01
A-16	0	0	0	60	0.01
A-17	0	17	0	50	0.01
A-18	0	30	0	10	0.01
A-19	2	8	0	50	0.01
A-20	8	32	0	10	0.01
B-01	0	12	0	10	0.01
B-02	2	33	0	80	0.01
B-03	2	33	0	10	0.01
B-04	0	57	0	60	0.01
B-05	0	8	0	50	0.01
B-06	1	4	0	10	0.01
B-07	0	75	0	50	0.01
B-08	0	55	0	10	0.01
B-09	2	32	0	60	0.01
B-10	1	49	0	40	0.01
B-11	1	17	0	60	0.01
B-12	1	10	0	60	0.01
B-13	1	42	0	10	0.01
B-14	0	61	3	10	0.01
B-15	2	6	2	60	0.01
B-16	0	60	0	50	0.01
B-17	0	10	0	60	0.01
B-18	5	27	0	80	0.01
B-19	1	31	0	50	0.01
B-20	2	31	0	10	0.01
C-01	1	26	0	10	0.01
C-02	0	13	0	60	0.01
C-03	0	11	0	10	0.01
C-04	0	4	0	30	0.01
C-05	1	6	0	10	0.01
C-06	0	4	0	10	0.01
C-07	0	0	0	60	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 205

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
C-08	0	0	0	60	0.01
C-09	1	4	0	110	0.01
C-10	0	0	0	10	0.01
C-11	0	1	0	60	0.01
C-12	1	5	0	60	0.01
C-13	0	0	0	40	0.01
C-14	1	0	0	50	0.01
C-15	2	2	0	60	0.01
C-16	0	2	0	110	0.01
C-17	0	2	0	60	0.01
C-18	1	0	0	70	0.01
C-19	4	4	0	60	0.01
C-20	4	6	0	30	0.01
D-01	1	0	0	60	0.01
D-02	4	9	0	10	0.01
D-03	0	0	0	60	0.01
D-04	0	0	0	40	0.01
D-05	0	2	0	60	0.01
D-06	0	2	0	80	0.01
D-07	1	6	0	10	0.01
D-08	2	0	0	50	0.01
D-09	0	0	0	10	0.01
D-10	1	0	0	60	0.01
D-11	0	1	0	10	0.01
D-12	0	2	0	10	0.01
D-13	4	5	9	10	0.01
D-14	1	0	0	10	0.01
D-15	1	0	0	50	0.01
D-16	1	4	0	90	0.01
D-17	0	0	0	50	0.01
D-18	5	0	0	10	0.01
D-19	0	0	0	80	0.01
D-20	0	1	0	10	0.01
E-01	1	0	0	50	0.00
E-02	0	0	4	40	0.01
E-03	2	4	0	10	0.01
E-04	2	2	0	50	0.01
E-05	1	0	0	10	0.01
E-06	0	5	0	60	0.01
E-07	1	4	0	50	0.01
E-08	0	0	0	60	0.01
E-09	0	0	0	10	0.01
E-10	1	0	0	50	0.01
E-11	1	0	0	60	0.01
E-12	2	5	0	10	0.01
E-13	0	0	0	60	0.01
E-14	0	0	0	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 205

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-15	0	0	0	60	0.01
E-16	4	0	0	60	0.01
E-17	1	5	0	60	0.01
E-18	0	2	0	70	0.01
E-19	0	4	0	30	0.01
E-20	1	0	0	10	0.01
F-01	0	0	16	50	0.01
F-02	1	0	0	10	0.01
F-03	0	0	8	10	0.01
F-04	0	1	0	40	0.01
F-05	0	6	0	50	0.01
F-06	1	1	0	10	0.01
F-07	0	0	0	50	0.01
F-08	1	0	0	60	0.01
F-09	1	5	0	50	0.01
F-10	0	2	0	40	0.01
F-11	0	0	7	80	0.01
F-12	2	0	10	40	0.01
F-13	1	0	12	50	0.01
F-14	0	0	6	10	0.01
F-15	0	2	0	10	0.01
F-16	0	4	0	40	0.01
F-17	1	1	0	10	0.01
F-18	0	0	0	50	0.01
F-19	1	4	0	10	0.01
F-20	0	0	0	50	0.01
G-01	1	0	4	70	0.01
G-02	0	1	0	50	0.01
G-03	0	1	5	50	0.01
G-04	0	0	0	50	0.01
G-05	0	6	0	100	0.01
G-06	0	0	0	10	0.01
G-07	2	0	0	70	0.01
G-08	0	0	0	10	0.01
G-09	2	2	0	10	0.01
G-10	2	2	0	60	0.01
G-11	0	0	7	60	0.01
G-12	0	1	9	70	0.02
G-13	0	1	11	40	0.01
G-14	2	0	0	70	0.01
G-15	4	2	0	60	0.01
G-16	0	0	0	110	0.01
G-17	1	6	0	60	0.01
G-18	1	0	0	100	0.01
G-19	0	5	0	60	0.01
G-20	0	5	3	60	0.01
H-01	1	0	0	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 205

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
H-02	0	1	0	60	0.01
H-03	1	1	0	10	0.01
H-04	0	1	0	50	0.01
H-05	0	0	0	60	0.01
H-06	0	4	0	70	0.01
H-07	1	0	0	100	0.01
H-08	0	0	2	10	0.01
H-09	2	2	0	50	0.01
H-10	0	0	0	50	0.01
H-11	0	4	0	80	0.01
H-12	0	0	6	50	0.01
H-13	0	0	0	30	0.01
H-14	0	0	0	70	0.01
H-15	0	1	0	10	0.01
H-16	0	0	0	10	0.01
H-17	1	0	0	100	0.01
H-18	1	0	0	40	0.01
H-19	1	0	0	10	0.01
H-20	0	1	0	10	0.01
I-01	0	0	0	40	0.01
I-02	4	0	0	50	0.01
I-03	2	0	0	100	0.01
I-04	1	0	0	80	0.01
I-05	0	0	0	10	0.01
I-06	1	4	0	80	0.01
I-07	0	4	0	160	0.01
I-08	1	4	0	50	0.01
I-09	1	1	0	40	0.01
I-10	0	0	0	50	0.01
I-11	0	0	0	60	0.01
I-12	2	2	0	70	0.01
I-13	0	0	0	10	0.01
I-14	0	6	0	50	0.01
I-15	1	5	0	100	0.01
I-16	0	1	0	70	0.01
I-17	4	1	0	60	0.01
I-18	1	1	0	40	0.01
I-19	1	1	0	140	0.01
I-20	0	2	0	60	0.01
J-01	1	0	0	100	0.01
J-02	0	4	0	30	0.01
J-03	1	0	0	40	0.01
J-04	0	1	0	10	0.01
J-05	0	6	0	50	0.01
J-06	1	6	0	70	0.01
J-07	2	0	0	30	0.01
J-08	0	0	0	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 205

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-09	0	5	0	90	0.01
J-10	0	1	0	60	0.01
J-11	1	0	1	60	0.01
J-12	0	0	5	10	0.01
J-13	0	0	4	20	0.01
J-14	1	1	0	30	0.01
J-15	0	0	0	10	0.01
J-16	0	6	0	60	0.01
J-17	0	0	0	60	0.01
J-18	0	0	0	30	0.01
J-19	0	2	0	60	0.01
J-20	0	0	0	50	0.01
K-01	4	9	8	70	0.01
K-02	1	4	20	50	0.01
K-03	1	8	4	120	0.01
K-04	1	9	0	10	0.01
K-05	3	5	0	50	0.01
K-06	1	0	0	60	0.01
K-07	4	5	0	110	0.01
K-08	3	2	0	70	0.01
K-09	0	0	4	40	0.01
K-10	4	0	0	60	0.01
K-11	1	0	0	130	0.01
K-12	1	6	5	110	0.01
K-13	0	0	8	140	0.01
K-14	1	1	0	50	0.01
K-15	12	8	0	40	0.01
K-16	3	4	0	60	0.01
K-17	5	7	0	80	0.01
K-18	1	1	0	30	0.01
K-19	3	16	0	60	0.01
K-20	1	1	0	100	0.01
L-01	4	6	0	50	0.01
L-02	6	7	0	10	0.01
L-03	1	0	13	10	0.01
L-04	3	0	1	60	0.01
L-05	3	7	0	50	0.01
L-06	0	1	0	10	0.01
L-07	3	0	1	70	0.01
L-08	1	3	0	50	0.01
L-09	1	0	0	70	0.01
L-10	1	0	0	50	0.01
L-11	3	0	0	40	0.01
L-12	1	1	13	50	0.01
L-13	0	0	7	60	0.01
L-14	1	0	7	50	0.01
L-15	0	3	0	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 205

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
L-16	0	0	0	30	0.01
L-17	1	4	0	10	0.01
L-18	4	2	5	60	0.01
L-19	1	1	0	50	0.01
L-20	0	4	0	50	0.01
AF1	4	4	0	60	0.01
AF2	1	1	0	50	0.01
BF1	4	5	0	10	0.01
BF2	0	8	0	60	0.01
BF3	1	0	0	60	0.01
CF1	0	2	0	10	0.01
CF2	3	3	0	50	0.01
CF3	3	7	0	10	0.01
DF1	1	0	0	10	0.01
DF2	0	0	0	50	0.01
DF3	0	0	1	90	0.01
EF1	3	0	0	10	0.01
EF2	0	4	0	90	0.01
AR1	0	0	0	10	0.01
AR2	0	5	0	80	0.01
BR1	1	4	0	10	0.01
BR2	4	4	0	100	0.01
BR3	0	4	0	20	0.01
CR1	4	0	0	10	0.01
CR2	1	0	0	10	0.01
CR3	4	3	0	80	0.01
DR1	1	0	0	60	0.01
DR2	1	0	0	50	0.01
DR3	1	1	0	50	0.01
ER1	1	0	0	50	0.01
ER2	1	3	0	60	0.01
IV	3	2	0	10	0.01
OV	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 207

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	0	50	0.01
A-02	0	0	0	40	0.01
A-03	0	0	4	60	0.01
A-04	7	0	0	50	0.01
A-05	14	0	0	40	0.01
A-06	0	0	0	20	0.01
A-07	0	0	0	60	0.01
A-08	0	0	0	40	0.01
A-09	7	0	3	20	0.01
A-10	11	0	0	60	0.01
A-11	0	0	0	60	0.01
A-12	0	0	9	40	0.01
A-13	4	0	0	40	0.01
A-14	0	0	4	40	0.01
A-15	0	0	0	40	0.01
A-16	7	0	0	80	0.01
A-17	4	2	0	60	0.01
A-18	7	2	1	40	0.01
A-19	0	0	0	60	0.01
A-20	4	0	0	60	0.00
B-01	0	0	0	60	0.01
B-02	11	0	0	60	0.01
B-03	4	2	0	40	0.01
B-04	4	0	0	80	0.01
B-05	7	0	0	60	0.01
B-06	4	0	0	60	0.01
B-07	4	1	0	60	0.01
B-08	0	0	0	40	0.01
B-09	4	0	0	40	0.01
B-10	4	0	0	40	0.01
B-11	0	0	0	40	0.01
B-12	0	0	0	80	0.01
B-13	4	0	0	40	0.01
B-14	4	0	0	60	0.01
B-15	7	0	6	60	0.01
B-16	4	0	0	40	0.01
B-17	4	0	0	60	0.01
B-18	0	0	0	20	0.01
B-19	0	0	1	40	0.01
B-20	0	0	0	40	0.01
C-01	0	0	0	40	0.01
C-02	0	0	0	60	0.01
C-03	7	0	2	40	0.01
C-04	0	0	0	20	0.01
C-05	0	0	0	60	0.01
C-06	0	0	0	20	0.01
C-07	0	0	10	40	0.01
C-08	0	0	15	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 207

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
C-09	0	0	0	40	0.01
C-10	0	0	5	40	0.01
C-11	7	0	0	60	0.01
C-12	0	2	7	40	0.01
C-13	0	0	0	40	0.01
C-14	4	3	0	60	0.01
C-15	0	0	0	60	0.01
C-16	0	1	8	80	0.01
C-17	4	0	0	80	0.01
C-18	4	0	1	80	0.01
C-19	0	0	0	40	0.01
C-20	0	0	0	60	0.01
D-01	0	0	0	60	0.01
D-02	0	0	0	40	0.01
D-03	0	0	0	40	0.01
D-04	7	0	3	60	0.01
D-05	4	0	0	40	0.01
D-06	7	4	0	60	0.01
D-07	4	0	0	60	0.01
D-08	4	0	0	60	0.01
D-09	0	0	0	40	0.01
D-10	4	0	1	40	0.00
D-11	4	0	2	60	0.01
D-12	0	0	0	60	0.01
D-13	11	0	0	60	0.01
D-14	0	0	0	40	0.01
D-15	0	0	4	60	0.01
D-16	4	0	3	80	0.01
D-17	11	0	0	80	0.01
D-18	4	0	6	40	0.01
D-19	0	0	10	60	0.01
D-20	4	0	0	60	0.01
E-01	0	0	0	60	0.01
E-02	0	0	3	40	0.01
E-03	0	0	0	60	0.01
E-04	7	0	0	40	0.01
E-05	7	1	13	60	0.01
E-06	7	0	0	60	0.01
E-07	7	1	0	40	0.01
E-08	0	0	0	40	0.01
E-09	0	0	7	60	0.01
E-10	0	0	3	40	0.01
E-11	4	0	0	40	0.01
E-12	4	0	0	40	0.01
E-13	7	0	1	40	0.01
E-14	0	0	0	40	0.01
E-15	3	1	0	50	0.01
E-16	6	0	0	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 207

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-17	7	2	3	40	0.01
E-18	0	0	2	40	0.01
E-19	4	0	2	60	0.01
E-20	0	0	0	60	0.01
F-01	0	0	0	40	0.01
F-02	0	0	7	20	0.01
F-03	0	0	0	10	0.01
F-04	0	0	4	20	0.01
F-05	4	0	8	40	0.01
F-06	0	0	4	40	0.01
F-07	4	0	0	20	0.01
F-08	4	0	0	20	0.01
F-09	0	0	7	40	0.01
F-10	0	0	0	20	0.01
F-11	7	0	0	70	0.01
F-12	0	0	5	40	0.01
F-13	0	0	0	40	0.01
F-14	4	0	2	10	0.01
F-15	4	0	6	50	0.01
F-16	0	1	0	50	0.01
F-17	4	0	0	20	0.01
F-18	4	0	0	40	0.01
F-19	0	0	5	60	0.01
F-20	0	0	17	40	0.01
G-01	0	0	0	60	0.01
G-02	0	0	5	50	0.01
G-03	4	0	2	10	0.01
G-04	0	0	0	30	0.01
G-05	0	0	8	40	0.01
G-06	0	0	0	20	0.01
G-07	0	0	3	40	0.01
G-08	0	1	5	60	0.01
G-09	7	0	9	60	0.01
G-10	7	0	0	40	0.01
G-11	0	0	6	90	0.01
G-12	0	0	0	40	0.01
G-13	0	0	1	60	0.01
G-14	0	0	0	50	0.01
G-15	4	0	0	80	0.01
G-16	0	0	1	60	0.01
G-17	0	0	0	80	0.01
G-18	0	0	10	60	0.01
G-19	0	0	0	60	0.01
G-20	0	0	6	50	0.01
H-01	0	0	0	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 207

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
H-02	0	0	5	40	0.01
H-03	0	2	0	10	0.01
H-04	0	0	1	20	0.01
H-05	0	0	3	40	0.01
H-06	0	4	5	20	0.01
H-07	4	0	0	20	0.01
H-08	0	1	0	20	0.01
H-09	0	0	8	40	0.01
H-10	0	0	9	80	0.01
H-11	7	0	1	40	0.01
H-12	0	0	0	80	0.01
H-13	4	0	10	60	0.01
H-14	0	0	0	60	0.01
H-15	0	0	0	80	0.01
H-16	11	0	0	80	0.01
H-17	0	0	8	40	0.01
H-18	0	0	13	40	0.01
H-19	0	1	0	60	0.01
H-20	4	0	13	40	0.01
I-01	0	0	4	20	0.01
I-02	0	0	2	20	0.01
I-03	0	0	0	20	0.01
I-04	0	0	3	30	0.01
I-05	4	0	2	30	0.01
I-06	4	0	3	20	0.01
I-07	0	0	0	40	0.01
I-08	4	0	0	40	0.01
I-09	0	0	3	20	0.01
I-10	7	0	2	20	0.01
I-11	7	0	9	30	0.01
I-12	0	0	0	20	0.01
I-13	4	0	0	20	0.01
I-14	0	0	0	30	0.01
I-15	0	0	0	20	0.01
I-16	0	0	5	20	0.01
I-17	0	0	0	30	0.01
I-18	0	0	0	20	0.01
I-19	0	0	3	20	0.01
I-20	0	0	13	20	0.01
J-01	0	0	3	60	0.01
J-02	0	0	4	40	0.01
J-03	0	0	5	20	0.01
J-04	6	3	2	10	0.01
J-05	0	0	0	20	0.01
J-06	3	0	3	40	0.01
J-07	3	1	3	20	0.01
J-08	0	0	3	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 207

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-09	3	0	3	20	0.01
J-10	3	2	4	40	0.01
J-11	0	0	1	40	0.01
J-12	0	0	16	20	0.01
J-13	0	2	2	30	0.01
J-14	0	0	0	60	0.01
J-15	0	0	3	40	0.01
J-16	0	0	0	20	0.01
J-17	6	0	4	40	0.01
J-18	0	0	1	20	0.01
J-19	3	3	0	30	0.01
J-20	0	0	0	40	0.01
K-01	6	1	0	20	0.01
K-02	3	0	12	10	0.01
K-03	0	2	12	20	0.01
K-04	0	6	3	40	0.01
K-05	0	3	0	40	0.01
K-06	0	5	3	20	0.01
K-07	0	0	0	50	0.01
K-08	10	0	0	60	0.01
K-09	3	0	3	60	0.01
K-10	3	0	1	20	0.01
K-11	3	0	0	20	0.01
K-12	0	0	1	10	0.01
K-13	3	0	0	60	0.01
K-14	3	0	8	60	0.01
K-15	3	0	16	60	0.01
K-16	0	0	6	80	0.01
K-17	3	0	8	60	0.01
K-18	0	0	0	60	0.01
K-19	3	0	11	60	0.01
K-20	3	0	6	40	0.01
L-01	6	0	2	60	0.01
L-02	0	0	3	80	0.01
L-03	0	1	0	60	0.01
L-04	0	0	11	80	0.01
L-05	0	0	9	60	0.01
L-06	14	1	0	80	0.01
L-07	3	0	0	60	0.01
L-08	0	0	1	60	0.01
L-09	0	0	9	80	0.01
L-10	3	0	3	60	0.01
L-11	0	2	0	60	0.01
L-12	3	0	0	80	0.01
L-13	0	0	11	40	0.01
L-14	0	0	7	60	0.01
L-15	0	0	0	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 207

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
L-16	10	3	0	90	0.01
L-17	3	0	18	60	0.01
L-18	3	0	3	50	0.01
L-19	0	0	15	50	0.01
L-20	0	1	4	40	0.01
AF1	3	0	4	80	0.01
AF2	0	1	4	60	0.01
BF1	0	0	4	20	0.01
BF2	0	2	5	10	0.01
BF3	0	0	0	40	0.01
CF1	3	0	0	40	0.01
CF2	0	2	0	60	0.01
CF3	3	3	0	60	0.01
DF1	3	1	0	40	0.01
DF2	0	0	5	60	0.01
DF3	0	0	10	40	0.01
EF1	3	0	1	60	0.01
EF2	0	0	4	40	0.01
AR1	0	0	3	60	0.01
AR2	0	0	6	60	0.01
BR1	0	0	13	60	0.01
BR2	6	0	6	40	0.01
BR3	0	0	1	40	0.01
CR1	0	0	1	40	0.01
CR2	0	2	1	40	0.01
CR3	0	0	0	40	0.01
DR1	0	0	0	60	0.01
DR2	6	5	0	40	0.01
DR3	3	0	3	40	0.01
ER1	3	0	4	80	0.01
ER2	3	0	6	60	0.01
IV	0	1	0	40	0.01
OV	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 209

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	1	3	0	10	0.01
A-02	0	2	0	10	0.01
A-03	1	3	0	30	0.01
A-04	0	1	7	10	0.01
A-05	1	3	7	15	0.01
A-06	0	1	9	10	0.01
A-07	1	3	3	10	0.01
A-08	0	3	8	15	0.01
A-09	0	4	2	5	0.01
A-10	0	4	2	0	0.01
A-11	0	3	0	5	0.01
A-12	0	4	0	10	0.01
A-13	0	2	0	20	0.01
A-14	0	2	0	10	0.01
A-15	0	3	0	10	0.01
A-16	0	2	0	15	0.01
A-17	0	1	6	10	0.01
A-18	0	2	0	10	0.01
A-19	1	5	0	20	0.01
A-20	0	3	4	20	0.01
B-01	0	2	0	20	0.01
B-02	0	3	1	10	0.01
B-03	0	2	0	10	0.01
B-04	0	3	0	30	0.01
B-05	0	2	6	10	0.01
B-06	0	3	0	30	0.01
B-07	0	4	0	20	0.01
B-08	0	2	13	30	0.01
B-09	0	2	0	10	0.01
B-10	1	5	0	20	0.01
B-11	1	2	1	20	0.01
B-12	1	3	0	10	0.01
B-13	0	2	0	20	0.01
B-14	1	2	8	20	0.01
B-15	0	3	0	20	0.01
B-16	0	2	0	10	0.01
B-17	0	4	0	10	0.01
B-18	1	1	0	10	0.01
B-19	0	1	0	10	0.01
B-20	0	3	0	10	0.01
C-01	0	4	0	20	0.01
C-02	0	2	5	20	0.01
C-03	0	3	7	20	0.01
C-04	0	2	0	10	0.01
C-05	0	3	0	20	0.01
C-06	0	2	1	40	0.02
C-07	1	2	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 209

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
C-08	0	1	0	10	0.01
C-09	0	2	7	20	0.01
C-10	1	5	4	10	0.01
C-11	0	3	0	20	0.01
C-12	0	4	5	20	0.01
C-13	1	2	0	10	0.01
C-14	0	2	0	10	0.01
C-15	0	2	0	10	0.01
C-16	0	4	0	10	0.01
C-17	0	4	2	0	0.01
C-18	0	3	0	0	0.01
C-19	0	6	0	10	0.01
C-20	0	5	3	10	0.01
D-01	0	0	6	10	0.01
D-02	0	0	0	5	0.01
D-03	1	4	0	30	0.01
D-04	1	0	0	20	0.01
D-05	2	5	1	20	0.01
D-06	0	1	0	30	0.01
D-07	0	5	12	40	0.01
D-08	0	2	0	20	0.01
D-09	0	0	21	10	0.01
D-10	2	6	0	20	0.00
D-11	0	2	0	20	0.01
D-12	1	4	0	10	0.01
D-13	1	0	25	10	0.01
D-14	0	0	0	10	0.01
D-15	5	4	0	20	0.01
D-16	0	0	0	10	0.01
D-17	1	0	0	20	0.01
D-18	0	0	0	0	0.01
D-19	1	0	0	10	0.01
D-20	5	6	2	20	0.01
E-01	0	1	5	20	0.02
E-02	0	1	0	30	0.01
E-03	0	1	0	20	0.01
E-04	0	0	0	20	0.01
E-05	0	6	0	40	0.01
E-06	0	0	0	40	0.01
E-07	0	6	7	40	0.01
E-08	5	2	4	40	0.01
E-09	1	4	7	20	0.01
E-10	0	0	4	10	0.01
E-11	1	0	3	20	0.01
E-12	0	0	1	10	0.01
E-13	0	0	0	10	0.01
E-14	0	0	6	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 209

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
E-15	2	0	10	10	0.01
E-16	2	6	0	20	0.01
E-17	0	1	10	10	0.01
E-18	0	1	7	20	0.01
E-19	0	1	4	10	0.01
E-20	4	6	0	20	0.01
F-01	1	0	0	20	0.01
F-02	0	1	2	20	0.01
F-03	0	1	1	20	0.01
F-04	0	6	5	10	0.01
F-05	1	6	11	10	0.01
F-06	1	0	9	20	0.01
F-07	0	1	4	20	0.01
F-08	0	0	9	0	0.01
F-09	0	0	6	30	0.01
F-10	0	0	8	15	0.01
F-11	0	8	9	10	0.01
F-12	0	1	17	10	0.01
F-13	0	0	4	10	0.01
F-14	1	6	10	10	0.01
F-15	1	0	11	20	0.01
F-16	0	0	3	10	0.01
F-17	0	2	5	10	0.01
F-18	0	2	14	10	0.01
F-19	0	0	7	40	0.01
F-20	0	1	8	20	0.01
G-01	0	0	3	10	0.01
G-02	1	0	0	20	0.01
G-03	1	1	4	15	0.01
G-04	1	0	6	20	0.01
G-05	8	43	2	10	0.01
G-06	0	2	0	20	0.01
G-07	1	5	0	10	0.01
G-08	0	1	0	10	0.01
G-09	0	5	1	30	0.01
G-10	0	3	9	20	0.01
G-11	1	1	0	20	0.01
G-12	0	1	9	10	0.01
G-13	0	4	0	10	0.01
G-14	0	1	14	20	0.01
G-15	1	3	0	20	0.01
G-16	0	2	9	20	0.01
G-17	0	2	5	10	0.01
G-18	1	3	7	20	0.01
G-19	0	1	16	20	0.01
G-20	0	2	4	10	0.01
H-01	0	2	15	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 209

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
H-02	0	3	3	20	0.01
H-03	0	2	0	20	0.01
H-04	0	2	1	10	0.01
H-05	0	1	12	20	0.01
H-06	0	1	2	20	0.01
H-07	0	2	0	40	0.01
H-08	0	2	8	0	0.01
H-09	1	2	0	10	0.01
H-10	1	3	0	20	0.01
H-11	1	2	9	30	0.01
H-12	1	4	0	20	0.01
H-13	0	2	10	30	0.01
H-14	0	3	9	30	0.01
H-15	1	4	5	20	0.01
H-16	0	5	2	20	0.01
H-17	0	2	9	20	0.01
H-18	0	2	4	20	0.01
H-19	0	2	0	20	0.01
H-20	0	2	0	40	0.01
I-01	0	0	0	20	0.01
I-02	1	1	1	10	0.01
I-03	1	0	3	50	0.01
I-04	0	0	4	30	0.01
I-05	0	0	11	30	0.01
I-06	1	0	6	10	0.01
I-07	0	0	6	10	0.01
I-08	1	0	6	10	0.01
I-09	0	0	2	10	0.01
I-10	0	1	16	30	0.01
I-11	2	0	9	40	0.01
I-12	0	1	6	30	0.01
I-13	0	1	5	30	0.01
I-14	1	2	2	30	0.01
I-15	0	2	11	20	0.01
I-16	0	0	5	20	0.01
I-17	0	0	8	10	0.01
I-18	0	4	11	20	0.01
I-19	1	6	8	30	0.01
I-20	5	0	2	0	0.01
J-01	2	4	2	20	0.01
J-02	0	0	6	10	0.01
J-03	0	4	11	10	0.01
J-04	0	1	4	10	0.01
J-05	0	0	3	20	0.01
J-06	4	0	5	10	0.01
J-07	0	0	4	10	0.01
J-08	0	0	2	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 209

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-09	0	1	2	20	0.01
J-10	0	5	6	40	0.01
J-11	1	2	7	40	0.01
J-12	0	1	17	10	0.01
J-13	0	0	7	10	0.01
J-14	1	6	0	10	0.01
J-15	1	4	9	20	0.01
J-16	0	0	3	30	0.01
J-17	0	0	9	10	0.01
J-18	0	0	9	10	0.01
J-19	1	0	1	30	0.01
J-20	1	0	0	10	0.01
K-01	0	0	0	20	0.01
K-02	0	0	3	0	0.01
K-03	1	0	7	10	0.01
K-04	0	0	4	10	0.01
K-05	0	0	6	10	0.01
K-06	0	0	4	10	0.01
K-07	0	0	4	10	0.01
K-08	1	1	2	10	0.01
K-09	1	2	2	10	0.01
K-10	1	4	4	10	0.01
K-11	0	0	0	10	0.01
K-12	0	1	4	0	0.01
K-13	1	1	8	0	0.01
K-14	1	1	1	0	0.01
K-15	0	6	0	40	0.01
K-16	0	0	2	40	0.01
K-17	1	0	20	40	0.01
K-18	0	0	0	20	0.01
K-19	0	0	5	30	0.01
K-20	0	4	7	40	0.01
L-01	0	0	5	10	0.01
L-02	2	0	2	20	0.01
L-03	0	0	4	20	0.01
L-04	0	0	0	10	0.01
L-05	0	5	6	20	0.01
L-06	0	0	6	10	0.01
L-07	0	0	11	30	0.01
L-08	1	0	6	30	0.01
L-09	0	0	0	20	0.01
L-10	0	0	5	30	0.01
L-11	0	0	0	20	0.01
L-12	0	5	0	40	0.01
L-13	2	0	3	10	0.01
L-14	2	0	6	20	0.01
L-15	0	2	2	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 209

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
L-16	1	2	4	30	0.01
L-17	2	2	7	10	0.01
L-18	2	2	3	10	0.01
L-19	1	0	2	10	0.01
L-20	0	0	12	10	0.01
AF1	0	2	0	10	0.01
AF2	1	1	12	10	0.01
BF1	0	4	0	10	0.01
BF2	0	6	0	10	0.01
BF3	0	0	2	10	0.01
CF1	1	5	11	40	0.01
CF2	1	5	0	20	0.01
CF3	1	1	2	50	0.01
DF1	4	0	0	30	0.01
DF2	0	0	13	20	0.01
DF3	1	0	5	20	0.01
EF1	1	5	11	20	0.01
EF2	0	0	7	10	0.01
AR1	0	0	2	20	0.01
AR2	0	0	8	40	0.01
BR1	0	4	4	40	0.01
BR2	0	0	9	20	0.01
BR3	1	0	0	10	0.01
CR1	4	0	12	20	0.01
CR2	0	0	0	10	0.01
CR3	0	0	0	40	0.01
DR1	0	0	0	10	0.01
DR2	0	0	6	20	0.01
DR3	0	0	1	50	0.01
ER1	0	0	0	20	0.01
ER2	0	0	12	30	0.01
IV	0	0	9	10	0.01
OV	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 210

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LU DLUM MODEL 3 ALPHA IN DPM	LU DLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	0	20	0.01
A-02	0	0	0	10	0.01
A-03	0	0	0	20	0.01
A-04	0	0	0	20	0.01
A-05	4	0	8	40	0.02
A-06	4	0	6	20	0.01
A-07	4	0	0	20	0.01
A-08	4	0	0	10	0.01
A-09	0	0	2	10	0.01
A-10	7	0	1	0	0.01
A-11	0	1	0	0	0.01
A-12	7	0	0	20	0.01
A-13	0	0	8	20	0.01
A-14	0	0	0	20	0.01
A-15	0	0	0	10	0.01
B-01	0	0	7	10	0.01
B-02	0	0	0	20	0.01
B-03	0	0	0	20	0.01
B-04	4	0	0	0	0.01
B-05	4	0	0	10	0.01
B-06	7	0	0	20	0.01
B-07	4	0	0	10	0.01
B-08	0	0	0	0	0.01
B-09	0	0	0	10	0.01
B-10	0	0	0	20	0.01
B-11	4	0	0	20	0.01
B-12	4	0	0	10	0.01
B-13	7	0	0	10	0.01
B-14	4	0	0	20	0.01
B-15	0	0	0	10	0.01
C-01	0	0	0	20	0.01
C-02	0	0	0	0	0.01
C-03	0	0	0	20	0.01
C-04	0	0	0	0	0.01
C-05	0	0	0	10	0.01
C-06	0	0	0	20	0.01
C-07	4	0	0	10	0.01
C-08	0	0	1	10	0.01
C-09	4	0	0	20	0.01
C-10	0	0	0	10	0.01
C-11	0	0	0	20	0.01
C-12	0	0	0	0	0.01
C-13	0	0	0	0	0.01
C-14	7	0	1	0	0.01
C-15	4	1	3	20	0.01
D-01	4	0	0	20	0.01
D-02	4	0	1	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 210

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	0	0	20	0.01
D-04	0	0	0	0	0.01
D-05	0	0	0	0	0.01
D-06	0	0	0	0	0.01
D-07	4	0	0	10	0.01
D-08	4	0	0	0	0.01
D-09	0	0	0	10	0.01
D-10	0	0	0	0	0.01
D-11	4	0	0	0	0.01
D-12	0	0	0	0	0.01
D-13	4	0	0	20	0.01
D-14	7	0	0	10	0.01
D-15	0	0	0	10	0.01
E-01	0	0	0	10	0.01
E-02	4	0	0	0	0.01
E-03	0	0	0	20	0.02
E-04	4	0	0	10	0.01
E-05	0	0	0	0	0.01
E-06	0	0	0	0	0.01
E-07	4	0	0	10	0.01
E-08	11	0	0	0	0.01
E-09	8	0	0	0	0.01
E-10	3	1	0	10	0.01
E-11	0	0	0	0	0.01
E-12	0	0	0	0	0.01
E-13	0	0	0	0	0.01
E-14	0	0	0	10	0.01
E-15	0	7	0	0	0.01
F-01	4	0	3	0	0.01
F-02	0	1	0	0	0.01
F-03	0	0	0	0	0.01
F-04	4	1	1	10	0.01
F-05	0	0	0	20	0.01
F-06	0	0	0	10	0.01
F-07	0	0	0	10	0.01
F-08	0	0	0	20	0.01
F-09	0	0	0	20	0.01
F-10	0	0	5	10	0.01
F-11	0	0	0	10	0.01
F-12	4	0	0	10	0.01
F-13	4	0	0	20	0.01
F-14	0	0	0	20	0.02
F-15	4	0	0	20	0.01
G-01	0	3	0	30	0.01
G-02	0	0	0	0	0.01
G-03	3	0	0	30	0.01
G-04	0	4	0	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 210

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	3	2	0	30	0.01
G-06	0	0	0	30	0.01
G-07	0	4	2	20	0.01
G-08	0	0	0	20	0.01
G-09	0	0	0	20	0.01
G-10	3	6	0	30	0.01
G-11	0	0	0	20	0.01
G-12	6	0	4	20	0.01
G-13	6	0	0	20	0.01
G-14	3	0	0	10	0.01
G-15	0	0	3	10	0.01
H-01	0	0	0	20	0.01
H-02	3	0	0	10	0.01
H-03	0	0	0	40	0.01
H-04	6	0	2	10	0.01
H-05	3	0	0	10	0.01
H-06	0	0	4	30	0.01
H-07	6	0	0	50	0.01
H-08	0	0	0	20	0.01
H-09	3	0	0	30	0.01
H-10	0	0	3	20	0.01
H-11	0	0	0	20	0.01
H-12	3	0	0	20	0.01
H-13	0	2	0	20	0.01
H-14	0	0	0	20	0.02
H-15	0	0	0	30	0.01
I-01	0	0	3	10	0.01
I-02	0	0	0	20	0.01
I-03	0	0	0	10	0.01
I-04	0	2	0	10	0.01
I-05	0	0	0	20	0.01
I-06	6	0	0	10	0.01
I-07	0	2	0	40	0.01
I-08	0	0	0	20	0.01
I-09	0	1	0	20	0.01
I-10	0	1	0	20	0.01
I-11	0	2	0	10	0.01
I-12	0	0	0	20	0.01
I-13	0	0	0	10	0.01
I-14	0	0	0	10	0.01
I-15	0	0	0	20	0.01
J-01	3	0	1	30	0.01
J-02	0	0	0	10	0.01
J-03	3	0	0	10	0.01
J-04	0	1	0	10	0.01
J-05	0	0	5	10	0.01
J-06	0	0	0	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 210

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	2	0	10	0.01
J-08	0	0	0	10	0.01
J-09	0	0	0	10	0.01
J-10	3	0	0	10	0.01
J-11	0	0	0	20	0.01
J-12	3	1	0	20	0.01
J-13	0	0	0	20	0.01
J-14	0	0	3	10	0.01
J-15	0	0	0	10	0.01
K-01	0	1	0	10	0.01
K-02	3	0	0	20	0.01
K-03	3	0	0	30	0.01
K-04	0	0	6	20	0.01
K-05	0	0	0	10	0.01
K-06	0	0	7	20	0.01
K-07	3	0	0	40	0.01
K-08	0	0	0	10	0.01
K-09	3	0	3	10	0.02
K-10	0	0	0	10	0.01
K-11	0	0	0	10	0.02
K-12	0	0	0	10	0.01
K-13	0	0	0	10	0.01
K-14	3	4	0	10	0.01
K-15	6	0	0	10	0.01
L-01	3	0	3	20	0.01
L-02	0	0	11	20	0.01
L-03	0	0	0	20	0.01
L-04	0	0	0	20	0.01
L-05	3	0	4	20	0.01
L-06	0	0	0	20	0.01
L-07	0	4	4	20	0.01
L-08	0	0	3	40	0.01
L-09	0	0	0	20	0.01
L-10	0	0	0	10	0.01
L-11	0	0	0	20	0.01
L-12	0	0	5	10	0.01
L-13	0	0	0	20	0.01
L-14	3	0	0	30	0.01
L-15	0	0	0	20	0.01
AF1	0	0	3	20	0.01
AF2	3	0	0	40	0.01
BF1	3	0	0	10	0.01
BF2	3	1	0	40	0.01
BF3	0	1	5	30	0.01
CF1	3	0	0	20	0.01
CF2	0	0	0	40	0.01
CF3	0	0	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 210

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	0	0	20	0.01
DF2	0	0	0	40	0.01
DF3	0	0	0	40	0.01
EF1	0	0	0	20	0.01
EF2	3	0	0	20	0.01
AR1	0	0	0	20	0.01
AR2	3	0	0	20	0.01
BR1	0	0	1	20	0.01
BR2	0	0	0	30	0.01
BR3	3	0	9	20	0.01
CR1	0	0	3	20	0.01
CR2	3	1	0	20	0.01
CR3	3	0	2	20	0.01
DR1	0	0	0	20	0.01
DR2	3	2	0	40	0.01
DR3	0	0	0	30	0.01
ER1	3	4	0	40	0.01
ER2	0	0	0	20	0.01
IV	0	0	0	0	0.00
OV	3	0	2	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 211

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	1	2	4	30	0.01
A-02	1	5	8	30	0.01
A-03	1	2	8	20	0.01
A-04	0	2	0	20	0.01
A-05	1	2	0	30	0.01
A-06	1	4	5	20	0.01
A-07	0	2	0	20	0.01
A-08	1	5	0	20	0.01
A-09	0	0	4	30	0.01
A-10	2	5	0	20	0.01
A-11	1	14	1	10	0.01
A-12	1	1	0	20	0.01
A-13	2	4	5	30	0.01
A-14	1	8	0	20	0.01
A-15	0	4	0	30	0.01
A-16	1	2	0	20	0.01
A-17	0	4	0	50	0.01
A-18	1	0	0	30	0.01
A-19	4	0	6	40	0.01
A-20	1	5	0	10	0.01
B-01	1	5	0	30	0.01
B-02	2	5	0	50	0.01
B-03	2	0	9	40	0.01
B-04	0	1	0	50	0.01
B-05	0	0	4	50	0.01
B-06	1	4	0	20	0.01
B-07	1	4	0	20	0.01
B-08	1	0	8	40	0.01
B-09	2	2	0	20	0.01
B-10	1	0	0	20	0.01
B-11	1	0	0	30	0.01
B-12	1	0	2	30	0.01
B-13	1	0	3	30	0.01
B-14	0	0	0	10	0.01
B-15	1	0	0	10	0.01
B-16	0	7	0	30	0.01
B-17	1	0	0	30	0.01
B-18	1	0	0	30	0.01
B-19	0	0	6	30	0.01
B-20	1	0	0	30	0.01
C-01	1	0	0	20	0.01
C-02	0	0	21	60	0.01
C-03	0	4	5	60	0.01
C-04	0	0	0	20	0.01
C-05	0	1	9	40	0.01
C-06	1	0	7	40	0.02
C-07	0	0	0	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 211

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
C-08	0	1	0	60	0.01
C-09	0	0	0	40	0.01
C-10	0	0	0	40	0.01
C-11	1	0	0	50	0.02
C-12	1	0	0	50	0.01
C-13	0	2	0	60	0.01
C-14	0	5	2	60	0.01
C-15	0	1	0	60	0.01
C-16	0	0	0	60	0.01
C-17	0	0	0	40	0.01
C-18	0	0	0	40	0.01
C-19	0	4	0	60	0.01
C-20	1	0	0	40	0.02
D-01	1	1	0	60	0.01
D-02	0	0	0	40	0.01
D-03	0	0	0	20	0.01
D-04	0	0	17	60	0.01
D-05	1	0	0	40	0.01
D-06	0	6	0	60	0.01
D-07	0	0	0	60	0.01
D-08	0	0	0	60	0.01
D-09	1	4	0	40	0.01
D-10	0	0	0	60	0.00
D-11	0	0	0	40	0.01
D-12	0	1	0	60	0.01
D-13	0	5	0	60	0.01
D-14	1	5	0	40	0.01
D-15	0	0	0	60	0.01
D-16	0	0	15	40	0.01
D-17	1	1	0	60	0.01
D-18	0	1	0	60	0.01
D-19	0	0	0	60	0.01
D-20	0	0	0	20	0.01
E-01	1	6	0	50	0.02
E-02	0	1	0	40	0.01
E-03	0	0	8	30	0.01
E-04	1	5	2	90	0.01
E-05	0	0	0	60	0.01
E-06	0	7	3	60	0.01
E-07	0	0	0	40	0.01
E-08	1	1	0	50	0.01
E-09	0	0	0	100	0.01
E-10	1	6	0	60	0.01
E-11	0	1	0	50	0.01
E-12	1	0	0	40	0.01
E-13	1	1	6	60	0.01
E-14	0	5	19	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 211

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-15	0	0	5	100	0.01
E-16	0	0	0	40	0.01
E-17	1	2	0	60	0.01
E-18	1	0	12	100	0.01
E-19	0	6	4	40	0.01
E-20	1	1	0	50	0.01
F-01	0	0	0	50	0.01
F-02	0	4	17	40	0.01
F-03	1	2	3	40	0.01
F-04	1	2	0	70	0.01
F-05	0	0	1	60	0.01
F-06	1	0	9	50	0.01
F-07	0	0	4	40	0.01
F-08	0	1	2	30	0.01
F-09	1	0	4	50	0.01
F-10	0	0	2	50	0.01
F-11	0	0	5	30	0.01
F-12	0	1	3	40	0.01
F-13	2	4	2	30	0.01
F-14	0	0	10	60	0.01
F-15	0	2	3	30	0.01
F-16	0	1	12	50	0.01
F-17	0	4	12	30	0.01
F-18	0	0	1	50	0.01
F-19	0	0	2	40	0.01
F-20	0	4	2	50	0.01
G-01	1	4	8	50	0.01
G-02	0	0	8	60	0.01
G-03	1	0	7	30	0.01
G-04	1	0	2	40	0.01
G-05	0	0	9	40	0.01
G-06	0	0	6	60	0.01
G-07	0	0	4	80	0.01
G-08	1	0	0	50	0.01
G-09	0	0	5	50	0.01
G-10	1	0	6	50	0.01
G-11	0	0	3	40	0.01
G-12	1	1	7	70	0.01
G-13	0	0	4	50	0.01
G-14	1	0	3	70	0.01
G-15	0	0	0	40	0.01
G-16	2	0	6	30	0.01
G-17	0	0	15	30	0.00
G-18	4	0	5	50	0.01
G-19	0	4	0	60	0.01
G-20	0	0	0	50	0.01
H-01	1	0	14	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 211

SAMPLE #	ALPHA	BETA	TRITIUM	LUDDLUM	LUDDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
H-02	1	4	0	50	0.01
H-03	1	1	8	70	0.01
H-04	0	0	1	70	0.01
H-05	0	0	0	40	0.01
H-06	0	0	0	40	0.01
H-07	1	0	2	50	0.01
H-08	1	1	6	60	0.01
H-09	1	4	3	70	0.01
H-10	0	0	0	40	0.01
H-11	0	4	3	30	0.01
H-12	1	1	0	100	0.01
H-13	0	5	7	50	0.01
H-14	1	0	0	50	0.01
H-15	1	0	4	40	0.01
H-16	0	0	3	40	0.01
H-17	1	0	6	40	0.01
H-18	1	2	5	50	0.01
H-19	1	0	1	50	0.01
H-20	1	0	14	40	0.01
I-01	1	1	0	30	0.01
I-02	1	0	0	20	0.01
I-03	1	6	0	60	0.01
I-04	1	0	1	80	0.01
I-05	0	0	12	30	0.01
I-06	2	2	3	30	0.01
I-07	0	0	9	40	0.01
I-08	1	2	3	60	0.01
I-09	0	2	6	40	0.01
I-10	0	0	6	30	0.01
I-11	0	0	0	40	0.01
I-12	0	2	1	30	0.01
I-13	1	2	8	40	0.01
I-14	0	0	2	40	0.01
I-15	0	0	3	30	0.01
I-16	0	0	8	30	0.01
I-17	1	1	2	70	0.01
I-18	1	7	3	40	0.01
I-19	1	1	4	30	0.01
I-20	1	0	9	60	0.01
J-01	1	11	8	30	0.02
J-02	1	1	0	50	0.01
J-03	0	4	4	40	0.01
J-04	0	2	12	50	0.01
J-05	0	1	14	50	0.01
J-06	1	0	7	50	0.01
J-07	1	0	5	40	0.01
J-08	2	6	1	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 211

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-09	0	7	6	30	0.01
J-10	0	3	9	40	0.01
J-11	1	0	3	60	0.01
J-12	1	0	8	60	0.01
J-13	0	4	4	70	0.01
J-14	0	0	19	70	0.01
J-15	0	0	16	50	0.01
J-16	0	1	7	60	0.01
J-17	0	0	9	30	0.01
J-18	1	0	7	60	0.01
J-19	0	2	6	60	0.01
J-20	0	0	7	60	0.01
K-01	1	5	0	70	0.01
K-02	1	4	12	80	0.01
K-03	0	1	3	70	0.01
K-04	4	5	0	60	0.01
K-05	0	0	3	40	0.01
K-06	1	2	2	30	0.01
K-07	0	2	9	30	0.01
K-08	0	1	0	30	0.01
K-09	2	1	12	60	0.01
K-10	1	0	3	30	0.01
K-11	0	0	0	10	0.01
K-12	0	0	11	40	0.01
K-13	1	0	1	60	0.01
K-14	0	5	5	60	0.01
K-15	10	2	3	50	0.01
K-16	4	6	6	60	0.01
K-17	0	4	11	80	0.01
K-18	0	0	7	50	0.01
K-19	1	2	5	60	0.01
K-20	0	0	8	50	0.01
L-01	0	1	0	30	0.01
L-02	1	0	0	50	0.01
L-03	1	0	0	60	0.01
L-04	1	3	14	60	0.01
L-05	0	2	8	80	0.01
L-06	0	0	0	50	0.01
L-07	0	1	6	60	0.01
L-08	0	0	3	70	0.01
L-09	1	0	6	60	0.01
L-10	0	8	6	50	0.01
L-11	0	1	8	30	0.01
L-12	0	0	8	30	0.01
L-13	0	2	9	50	0.01
L-14	1	6	5	60	0.01
L-15	0	5	8	80	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 211

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
L-16	0	1	6	60	0.01
L-17	2	0	11	50	0.01
L-18	1	0	7	30	0.01
L-19	2	2	5	60	0.01
L-20	0	0	7	60	0.01
AF1	1	2	0	90	0.01
AF2	0	0	7	90	0.01
BF1	0	0	0	60	0.01
BF2	1	1	0	30	0.01
BF3	0	0	0	10	0.01
CF1	1	2	5	50	0.01
CF2	1	2	2	50	0.01
CF3	0	2	11	40	0.01
DF1	2	0	3	70	0.01
DF2	1	4	0	30	0.01
DF3	1	4	0	20	0.01
EF1	1	0	9	60	0.01
EF2	0	9	5	50	0.01
AR1	1	0	0	20	0.01
AR2	0	0	0	40	0.01
BR1	1	0	0	30	0.01
BR2	0	8	0	50	0.01
BR3	0	0	0	50	0.01
CR1	0	0	0	60	0.01
CR2	0	4	2	60	0.01
CR3	0	1	0	60	0.01
DR1	1	0	0	70	0.01
DR2	0	0	1	70	0.01
DR3	0	1	3	50	0.01
ER1	1	7	0	50	0.01
ER2	0	0	5	30	0.01
IV	0	0	0	50	0.01
OV	0	0	0	0	0.00

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 214

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	0	20	0.01
A-02	0	0	0	10	0.01
A-03	0	0	12	10	0.01
A-04	0	0	0	10	0.01
A-05	0	0	0	10	0.01
A-06	0	0	0	10	0.01
A-07	0	4	16	10	0.01
A-08	1	0	0	20	0.01
A-09	0	0	7	10	0.01
A-10	1	0	0	20	0.01
A-11	0	0	0	10	0.01
A-12	0	0	0	20	0.01
A-13	0	0	0	20	0.01
A-14	0	0	1	10	0.01
A-15	0	0	0	10	0.01
B-01	0	0	0	10	0.01
B-02	0	0	0	20	0.01
B-03	1	0	0	10	0.01
B-04	0	0	0	10	0.01
B-05	0	0	0	10	0.01
B-06	0	0	0	10	0.01
B-07	1	0	0	10	0.01
B-08	0	0	0	20	0.01
B-09	1	0	5	10	0.01
B-10	0	0	5	10	0.01
B-11	2	0	0	10	0.01
B-12	0	0	0	10	0.01
B-13	2	0	0	10	0.01
B-14	0	0	5	20	0.01
B-15	0	0	0	20	0.01
C-01	0	0	0	10	0.01
C-02	0	0	0	30	0.01
C-03	0	0	0	10	0.01
C-04	0	2	0	20	0.01
C-05	0	0	0	10	0.01
C-06	0	0	1	20	0.01
C-07	0	0	0	20	0.01
C-08	0	0	0	10	0.01
C-09	0	0	0	10	0.01
C-10	0	0	0	20	0.01
C-11	1	0	0	10	0.01
C-12	0	0	0	20	0.01
C-13	0	0	0	20	0.01
C-14	0	0	0	20	0.01
C-15	0	0	0	10	0.01
D-01	1	0	9	10	0.01
D-02	0	0	0	10	0.01
D-03	0	0	0	10	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 214

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-04	0	0	0	10	0.01
D-05	0	0	2	10	0.01
D-06	0	0	0	20	0.01
D-07	0	0	0	10	0.01
D-08	0	0	0	10	0.01
D-09	0	0	0	10	0.01
D-10	0	0	0	10	0.01
D-11	0	0	0	10	0.01
D-12	0	0	4	20	0.01
D-13	0	0	0	10	0.01
D-14	0	0	0	10	0.01
D-15	0	0	0	20	0.01
E-01	0	0	0	20	0.01
E-02	0	0	0	20	0.01
E-03	0	0	0	10	0.01
E-04	0	0	0	20	0.01
E-05	1	0	2	10	0.01
E-06	0	0	0	20	0.01
E-07	0	0	5	10	0.01
E-08	0	0	0	20	0.01
E-09	0	0	0	10	0.01
E-10	0	0	0	10	0.01
E-11	0	0	22	10	0.01
E-12	0	0	0	10	0.01
E-13	0	0	0	20	0.01
E-14	0	0	0	10	0.01
E-15	0	0	0	10	0.01
F-01	0	0	0	10	0.01
F-02	0	0	4	10	0.01
F-03	0	0	0	20	0.01
F-04	0	0	0	30	0.01
F-05	2	0	4	20	0.01
F-06	0	0	2	10	0.01
F-07	0	0	4	10	0.01
F-08	0	0	15	10	0.01
F-09	0	0	6	10	0.01
F-10	0	0	4	10	0.01
F-11	0	0	2	20	0.01
F-12	0	0	0	10	0.01
F-13	0	0	1	10	0.01
F-14	4	0	0	10	0.01
F-15	0	0	7	10	0.01
G-01	0	0	0	10	0.01
G-02	0	0	0	10	0.01
G-03	0	0	5	10	0.01
G-04	0	0	6	20	0.01
G-05	0	0	6	20	0.01
G-06	0	0	7	20	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 214

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-07	0	0	3	10	0.01
G-08	1	0	6	20	0.01
G-09	0	0	6	30	0.01
G-10	0	0	4	20	0.01
G-11	0	0	0	10	0.01
G-12	0	0	12	10	0.01
G-13	0	0	4	10	0.01
G-14	0	0	0	20	0.01
G-15	0	0	10	10	0.01
H-01	0	0	15	20	0.01
H-02	0	0	4	20	0.01
H-03	0	0	0	10	0.01
H-04	0	0	0	10	0.01
H-05	0	0	3	20	0.01
H-06	0	0	0	20	0.01
H-07	0	0	0	30	0.01
H-08	0	0	3	10	0.01
H-09	0	0	0	10	0.01
H-10	0	0	2	10	0.01
H-11	0	0	8	40	0.01
H-12	0	0	4	10	0.01
H-13	0	0	0	10	0.01
H-14	0	0	5	10	0.01
H-15	0	0	9	10	0.01
I-01	1	0	0	10	0.01
I-02	0	0	6	10	0.01
I-03	0	0	0	10	0.01
I-04	0	0	9	10	0.01
I-05	0	0	3	10	0.01
I-06	0	0	0	10	0.01
I-07	0	0	1	10	0.01
I-08	0	0	2	10	0.01
I-09	0	0	5	10	0.01
I-10	0	0	0	10	0.01
I-11	0	0	7	30	0.01
I-12	0	0	0	10	0.01
I-13	0	0	4	10	0.01
I-14	0	0	0	20	0.01
I-15	0	0	6	10	0.01
J-01	0	0	0	30	0.01
J-02	0	0	0	20	0.01
J-03	0	0	0	10	0.01
J-04	0	0	0	40	0.01
J-05	0	0	0	20	0.01
J-06	0	0	12	20	0.01
J-07	0	0	4	20	0.01
J-08	0	0	0	10	0.01
J-09	0	0	8	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 214

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-10	0	0	0	40	0.01
J-11	0	0	2	20	0.01
J-12	0	0	0	20	0.01
J-13	0	0	0	20	0.01
J-14	0	0	0	20	0.01
J-15	0	0	0	40	0.01
K-01	0	0	0	20	0.01
K-02	0	0	0	10	0.01
K-03	0	0	5	10	0.01
K-04	0	0	0	20	0.01
K-05	0	0	0	20	0.01
K-06	0	0	0	20	0.01
K-07	0	0	0	10	0.01
K-08	0	0	0	20	0.01
K-09	0	0	2	20	0.01
K-10	0	3	0	10	0.01
K-11	3	0	0	20	0.01
K-12	1	0	0	10	0.01
K-13	0	0	0	20	0.01
K-14	0	0	1	10	0.01
K-15	0	0	0	10	0.01
L-01	0	0	0	10	0.01
L-02	0	0	4	20	0.01
L-03	0	0	2	10	0.01
L-04	1	0	2	10	0.01
L-05	1	0	6	30	0.01
L-06	0	0	4	30	0.01
L-07	0	0	0	10	0.01
L-08	0	0	0	10	0.01
L-09	0	0	3	10	0.01
L-10	0	0	6	10	0.01
L-11	0	0	1	10	0.01
L-12	1	0	16	10	0.01
L-13	0	0	0	10	0.01
L-14	0	0	0	10	0.01
L-15	0	0	0	10	0.01
AF1	1	8	0	10	0.01
AF2	0	4	0	10	0.01
BF1	0	2	6	10	0.01
BF2	1	4	1	20	0.01
BF3	0	5	0	60	0.01
CF1	0	9	4	10	0.01
CF2	1	4	1	10	0.01
CF3	0	11	5	10	0.01
DF1	0	4	0	10	0.01
DF2	0	3	2	10	0.01
DF3	1	0	0	10	0.01
EF1	0	3	0	10	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 214

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
EF2	0	5	6	10	0.01
AR1	0	4	0	10	0.01
AR2	0	5	0	10	0.01
BR1	1	11	0	20	0.01
BR2	0	10	1	30	0.01
BR3	0	4	0	20	0.01
CR1	1	2	0	10	0.01
CR2	0	4	0	20	0.01
CR3	1	9	2	20	0.01
DR1	0	4	5	20	0.01
DR2	1	3	0	30	0.01
DR3	0	9	0	50	0.01
ER1	3	3	8	10	0.01
ER2	4	3	0	30	0.01
IV	0	0	4	10	0.01
OV	0	0	0	0	0.01
	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 215

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
A-01	0	1	0	50	0.01
A-02	0	0	0	0	0.01
A-03	0	0	0	50	0.01
A-04	3	5	0	100	0.01
A-05	3	0	0	60	0.01
A-06	0	0	0	60	0.01
A-07	7	2	0	60	0.01
A-08	7	0	0	80	0.01
A-09	0	3	7	40	0.01
A-10	3	0	0	80	0.01
A-11	0	0	0	40	0.01
A-12	3	0	0	60	0.01
A-13	0	0	0	60	0.01
A-14	0	0	0	70	0.01
A-15	0	0	0	60	0.01
A-16	3	0	0	60	0.01
A-17	0	2	0	60	0.01
A-18	0	0	0	60	0.01
A-19	0	0	3	0	0.01
A-20	0	0	0	60	0.01
B-01	0	0	0	0	0.01
B-02	0	0	0	60	0.01
B-03	3	0	0	60	0.01
B-04	3	0	0	0	0.01
B-05	0	0	0	20	0.01
B-06	0	0	0	0	0.01
B-07	3	0	0	0	0.01
B-08	0	0	6	60	0.01
B-09	7	0	3	60	0.01
B-10	0	0	0	40	0.01
B-11	0	0	7	60	0.01
B-12	0	2	0	100	0.01
B-13	0	0	3	60	0.01
B-14	0	0	0	60	0.01
B-15	0	5	2	0	0.01
B-16	3	0	0	0	0.01
B-17	3	0	0	0	0.01
B-18	0	1	0	60	0.01
B-19	0	0	0	50	0.01
B-20	0	0	0	50	0.01
C-01	3	0	0	0	0.01
C-02	3	0	2	40	0.01
C-03	3	0	0	50	0.01
C-04	3	1	0	60	0.01
C-05	0	0	0	50	0.01
C-06	3	0	0	10	0.01
C-07	7	0	0	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 215

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
C-08	0	1	0	60	0.01
C-09	3	1	0	60	0.01
C-10	0	0	0	80	0.01
C-11	0	0	0	60	0.01
C-12	3	0	0	50	0.01
C-13	0	0	0	10	0.01
C-14	0	0	0	40	0.01
C-15	0	0	0	60	0.01
C-16	0	0	0	100	0.01
C-17	0	0	0	0	0.01
C-18	3	0	5	60	0.01
C-19	3	1	0	0	0.01
C-20	3	0	0	20	0.01
D-01	0	0	4	40	0.01
D-02	0	2	0	90	0.01
D-03	0	0	0	50	0.01
D-04	0	0	1	60	0.01
D-05	0	0	0	40	0.01
D-06	3	0	0	60	0.01
D-07	3	0	0	60	0.01
D-08	3	0	0	0	0.01
D-09	0	0	0	60	0.01
D-10	0	3	0	0	0.01
D-11	0	2	0	50	0.01
D-12	0	0	0	50	0.01
D-13	7	0	0	0	0.01
D-14	0	0	7	0	0.01
D-15	0	2	5	0	0.01
D-16	7	1	0	0	0.01
D-17	3	0	0	0	0.01
D-18	0	0	0	60	0.01
D-19	3	1	0	50	0.01
D-20	0	0	12	40	0.01
E-01	0	1	0	0	0.01
E-02	0	0	0	0	0.01
E-03	0	0	0	50	0.01
E-04	0	0	0	40	0.01
E-05	11	0	6	60	0.01
E-06	0	1	0	0	0.01
E-07	0	0	0	0	0.01
E-08	3	0	0	60	0.01
E-09	0	0	0	60	0.01
E-10	0	0	0	100	0.01
E-11	0	0	0	0	0.01
E-12	0	0	14	100	0.01
E-13	0	0	3	60	0.01
E-14	3	0	3	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 215

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-15	3	0	0	60	0.01
E-16	11	0	0	60	0.01
E-17	7	8	0	60	0.01
E-18	0	0	0	60	0.01
E-19	0	0	0	0	0.01
E-20	0	0	0	60	0.01
F-01	0	7	5	40	0.01
F-02	0	0	12	50	0.01
F-03	0	0	21	40	0.01
F-04	11	0	6	40	0.01
F-05	7	0	11	10	0.01
F-06	3	5	6	60	0.01
F-07	0	0	0	0	0.01
F-08	3	0	3	60	0.01
F-09	0	0	3	0	0.01
F-10	7	0	3	0	0.01
F-11	0	0	12	60	0.01
F-12	0	0	7	0	0.01
F-13	0	0	2	0	0.01
F-14	0	0	6	100	0.01
F-15	0	0	8	40	0.01
F-16	0	0	0	60	0.01
F-17	0	0	9	0	0.01
F-18	0	0	0	0	0.01
F-19	0	0	6	0	0.01
F-20	0	0	10	20	0.01
G-01	0	0	3	60	0.01
G-02	0	0	10	0	0.01
G-03	0	1	7	30	0.01
G-04	3	0	2	60	0.01
G-05	3	2	3	40	0.01
G-06	3	0	5	80	0.01
G-07	0	0	0	100	0.01
G-08	0	0	3	60	0.01
G-09	0	0	5	60	0.01
G-10	7	1	1	60	0.01
G-11	3	0	12	60	0.01
G-12	3	0	3	60	0.01
G-13	3	2	6	100	0.01
G-14	0	0	8	60	0.01
G-15	0	5	11	100	0.01
G-16	3	0	0	80	0.01
G-17	0	0	3	60	0.01
G-18	0	0	0	60	0.01
G-19	0	0	7	0	0.01
G-20	0	2	0	80	0.01
H-01	0	0	6	40	0.02

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 215

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
H-02	0	0	13	0	0.01
H-03	0	0	3	40	0.01
H-04	0	0	7	40	0.01
H-05	0	0	2	40	0.01
H-06	3	0	2	60	0.01
H-07	0	0	5	60	0.01
H-08	7	0	0	40	0.01
H-09	0	0	9	0	0.01
H-10	0	0	2	40	0.01
H-11	0	0	0	60	0.02
H-12	0	2	5	60	0.01
H-13	0	0	0	0	0.01
H-14	0	0	5	0	0.02
H-15	0	0	0	60	0.01
H-16	3	0	5	40	0.01
H-17	0	0	0	60	0.01
H-18	0	0	8	60	0.01
H-19	3	1	0	60	0.01
H-20	0	5	0	0	0.01
I-01	3	0	0	100	0.01
I-02	3	0	11	80	0.01
I-03	3	0	12	100	0.01
I-04	3	0	0	140	0.01
I-05	0	2	0	60	0.01
I-06	0	0	13	60	0.02
I-07	3	0	16	60	0.01
I-08	3	7	3	80	0.01
I-09	7	2	0	0	0.01
I-10	7	1	2	100	0.01
I-11	0	0	4	0	0.01
I-12	0	0	0	60	0.01
I-13	3	0	0	0	0.01
I-14	0	0	10	40	0.01
I-15	0	0	0	0	0.01
I-16	3	3	0	60	0.01
I-17	7	9	3	100	0.01
I-18	0	0	0	0	0.01
I-19	0	0	0	60	0.01
I-20	3	0	0	100	0.02
J-01	3	0	0	0	0.02
J-02	0	0	0	120	0.01
J-03	3	0	5	60	0.01
J-04	7	0	0	60	0.01
J-05	3	5	5	60	0.02
J-06	0	0	0	110	0.01
J-07	0	0	0	60	0.01
J-08	0	0	3	60	0.02

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 215

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-09	7	0	2	80	0.01
J-10	0	0	0	0	0.01
J-11	0	0	0	40	0.01
J-12	0	0	1	60	0.01
J-13	3	0	12	100	0.01
J-14	0	0	7	80	0.01
J-15	0	0	5	60	0.01
J-16	0	0	0	0	0.01
J-17	3	1	2	50	0.02
J-18	0	0	8	0	0.02
J-19	0	0	5	0	0.01
J-20	19	1	2	0	0.01
K-01	0	1	3	0	0.01
K-02	0	0	7	0	0.01
K-03	0	2	3	60	0.01
K-04	0	0	4	50	0.01
K-05	0	0	5	60	0.01
K-06	0	0	15	100	0.01
K-07	0	2	3	40	0.01
K-08	3	0	27	100	0.01
K-09	0	0	3	140	0.01
K-10	3	0	3	60	0.01
K-11	0	0	0	90	0.01
K-12	3	0	0	60	0.01
K-13	0	0	3	0	0.01
K-14	7	0	10	60	0.01
K-15	3	3	8	0	0.01
K-16	3	0	3	50	0.01
K-17	3	0	4	80	0.01
K-18	0	0	7	50	0.01
K-19	0	0	7	50	0.01
K-20	7	9	7	80	0.01
L-01	0	0	2	0	0.01
L-02	3	7	20	80	0.01
L-03	0	0	2	60	0.01
L-04	0	0	7	0	0.01
L-05	0	0	4	60	0.01
L-06	3	0	9	0	0.01
L-07	3	0	0	100	0.01
L-08	0	0	0	80	0.01
L-09	3	0	0	110	0.01
L-10	0	0	0	50	0.01
L-11	3	0	12	50	0.01
L-12	0	5	0	0	0.01
L-13	3	0	2	110	0.01
L-14	7	1	0	60	0.01
L-15	3	0	0	80	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 215

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
L-16	0	0	7	50	0.01
L-17	3	1	1	0	0.01
L-18	0	0	0	60	0.01
L-19	0	0	5	0	0.01
L-20	0	0	0	60	0.01
AF1	3	0	2	60	0.01
AF2	0	0	2	60	0.01
BF1	0	0	6	0	0.01
BF2	3	0	5	100	0.01
BF3	0	0	5	60	0.02
CF1	3	0	0	0	0.01
CF2	0	0	0	60	0.01
CF3	0	0	3	60	0.01
DF1	0	3	7	0	0.01
DF2	0	0	0	0	0.01
DF3	7	6	0	60	0.01
EF1	0	0	8	0	0.01
EF2	3	0	3	0	0.01
AR1	0	0	7	0	0.01
AR2	0	0	9	20	0.01
BR1	0	0	3	20	0.01
BR2	0	1	8	20	0.01
BR3	3	10	1	60	0.01
CR1	0	2	9	20	0.01
CR2	0	0	0	0	0.01
CR3	0	0	4	60	0.01
DR1	0	0	0	20	0.01
DR2	0	0	5	10	0.01
DR3	0	0	5	60	0.01
ER1	3	0	0	0	0.01
ER2	0	2	8	60	0.01
IV	7	2	12	60	0.01
OV	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 216

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	1	0	20	0.01
A-02	0	3	0	20	0.02
A-03	0	1	0	10	0.01
A-04	0	4	5	10	0.01
A-05	0	9	4	10	0.01
A-06	0	9	0	10	0.02
A-07	0	6	0	10	0.01
A-08	0	12	0	10	0.01
A-09	0	2	0	10	0.02
A-10	0	7	0	20	0.01
A-11	0	11	2	20	0.01
A-12	0	6	7	10	0.01
A-13	0	7	3	10	0.01
A-14	0	1	0	10	0.01
A-15	0	8	0	20	0.01
B-01	0	4	6	20	0.01
B-02	0	1	0	10	0.01
B-03	0	1	13	10	0.01
B-04	2	3	8	10	0.01
B-05	0	1	0	10	0.01
B-06	0	8	0	10	0.01
B-07	0	0	0	20	0.01
B-08	0	6	0	30	0.02
B-09	0	9	0	40	0.01
B-10	3	14	0	30	0.01
B-11	0	9	0	20	0.01
B-12	0	7	2	20	0.01
B-13	0	9	0	20	0.01
B-14	0	11	4	20	0.01
B-15	0	6	1	20	0.01
C-01	0	4	0	20	0.01
C-02	0	7	0	20	0.01
C-03	0	6	2	10	0.01
C-04	0	7	5	20	0.01
C-05	0	7	0	10	0.01
C-06	0	1	6	20	0.01
C-07	0	4	1	10	0.01
C-08	0	3	0	20	0.01
C-09	0	7	0	20	0.01
C-10	0	11	2	20	0.01
C-11	0	11	3	20	0.01
C-12	0	3	0	30	0.01
C-13	0	13	0	30	0.01
C-14	0	13	0	20	0.01
C-15	0	4	0	20	0.02
D-01	0	9	0	20	0.01
D-02	0	7	1	20	0.01
D-03	0	7	1	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 216

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-04	0	8	2	40	0.01
D-05	0	4	3	30	0.01
D-06	0	11	0	20	0.01
D-07	0	2	0	30	0.01
D-08	0	2	0	20	0.01
D-09	0	3	0	20	0.01
D-10	0	1	0	20	0.01
D-11	2	7	0	10	0.01
D-12	0	1	2	20	0.01
D-13	0	6	0	20	0.01
D-14	0	12	0	30	0.01
D-15	0	6	0	20	0.01
E-01	0	11	0	20	0.01
E-02	0	6	0	40	0.01
E-03	0	7	0	20	0.01
E-04	0	8	2	20	0.01
E-05	2	4	0	20	0.01
E-06	0	7	3	20	0.01
E-07	0	6	0	30	0.01
E-08	0	14	0	10	0.01
E-09	0	3	4	10	0.01
E-10	0	6	0	10	0.02
E-11	0	7	0	50	0.01
E-12	0	8	0	30	0.01
E-13	2	8	0	20	0.01
E-14	0	3	0	20	0.01
E-15	0	11	1	30	0.01
F-01	0	6	2	10	0.01
F-02	0	7	2	10	0.01
F-03	0	6	0	10	0.01
F-04	0	3	0	10	0.01
F-05	0	3	2	10	0.01
F-06	0	0	0	10	0.01
F-07	0	7	0	10	0.01
F-08	0	2	1	10	0.01
F-09	0	0	2	10	0.01
F-10	0	0	0	10	0.01
F-11	0	7	5	10	0.01
F-12	0	7	4	20	0.01
F-13	0	8	1	30	0.01
F-14	0	11	3	30	0.01
F-15	0	2	0	20	0.01
G-01	0	3	0	20	0.01
G-02	0	2	4	10	0.01
G-03	0	0	0	10	0.01
G-04	0	0	0	20	0.01
G-05	0	6	5	10	0.01
G-06	0	1	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 216

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-07	0	0	0	20	0.01
G-08	0	9	1	10	0.01
G-09	0	2	0	10	0.01
G-10	0	2	0	10	0.01
G-11	0	0	4	10	0.01
G-12	0	1	0	30	0.01
G-13	1	6	0	40	0.01
G-14	0	8	3	40	0.01
G-15	0	2	3	20	0.01
H-01	0	1	2	40	0.01
H-02	0	3	4	40	0.01
H-03	0	4	0	30	0.01
H-04	0	2	1	20	0.01
H-05	0	3	3	20	0.01
H-06	0	2	0	30	0.02
H-07	0	3	0	30	0.02
H-08	0	2	2	20	0.01
H-09	0	6	6	30	0.01
H-10	0	7	0	20	0.01
H-11	0	3	0	20	0.01
H-12	0	3	1	10	0.01
H-13	0	4	6	20	0.01
H-14	0	2	0	10	0.01
H-15	1	11	1	20	0.01
I-01	0	0	0	20	0.01
I-02	0	12	6	40	0.01
I-03	0	2	0	20	0.01
I-04	0	1	2	20	0.01
I-05	0	0	1	10	0.01
I-06	0	9	1	30	0.01
I-07	0	0	0	20	0.01
I-08	0	2	3	20	0.01
I-09	0	3	2	10	0.01
I-10	4	6	2	10	0.01
I-11	0	1	2	30	0.01
I-12	0	1	0	20	0.01
I-13	0	4	1	20	0.02
I-14	0	0	0	20	0.01
I-15	4	14	0	20	0.01
J-01	0	0	0	20	0.01
J-02	0	0	2	10	0.01
J-03	0	4	2	20	0.01
J-04	0	0	0	20	0.01
J-05	0	0	4	20	0.01
J-06	0	0	0	10	0.01
J-07	0	6	4	10	0.01
J-08	0	6	4	30	0.01
J-09	0	0	2	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 216

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-10	0	4	0	10	0.01
J-11	0	6	1	20	0.01
J-12	0	8	2	20	0.01
J-13	0	0	3	30	0.01
J-14	0	4	0	30	0.01
J-15	0	6	2	20	0.01
K-01	0	1	0	20	0.01
K-02	0	0	2	20	0.01
K-03	0	1	0	50	0.01
K-04	0	0	2	20	0.01
K-05	0	2	3	40	0.01
K-06	0	2	2	10	0.01
K-07	0	2	6	20	0.01
K-08	0	8	0	10	0.01
K-09	0	8	5	10	0.01
K-10	0	3	0	10	0.01
K-11	0	8	3	20	0.01
K-12	0	1	0	20	0.01
K-13	0	6	3	40	0.01
K-14	0	0	0	30	0.01
K-15	0	4	4	30	0.01
L-01	0	3	1	20	0.01
L-02	0	0	3	20	0.01
L-03	0	0	4	20	0.01
L-04	0	11	0	20	0.01
L-05	0	6	5	20	0.01
L-06	0	0	0	10	0.01
L-07	0	0	6	20	0.01
L-08	0	0	5	10	0.01
L-09	0	0	0	20	0.01
L-10	0	7	7	20	0.01
L-11	0	1	0	10	0.01
L-12	0	2	6	20	0.01
L-13	0	3	0	20	0.01
L-14	3	1	6	20	0.01
L-15	0	4	0	30	0.01
AF1	4	10	0	20	0.02
AF2	0	1	6	20	0.01
BF1	7	1	1	20	0.01
BF2	0	1	0	40	0.01
BF3	0	0	2	10	0.01
CF1	1	0	0	20	0.01
CF2	7	3	0	40	0.01
CF3	0	1	1	20	0.01
DF1	7	5	6	20	0.01
DF2	0	0	0	20	0.01
DF3	1	4	4	40	0.01
EF1	0	2	2	20	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 216

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
EF2	0	6	0	10	0.01
AR1	9	3	3	20	0.01
AR2	0	0	5	20	0.01
BR1	0	3	0	20	0.01
BR2	0	2	2	20	0.01
BR3	0	2	4	20	0.01
CR1	0	0	0	10	0.01
CR2	0	0	0	20	0.01
CR3	0	1	1	10	0.02
DR1	7	0	2	10	0.01
DR2	0	1	0	20	0.01
DR3	0	0	2	30	0.02
ER1	0	3	0	20	0.06
ER2	0	2	2	40	0.01
IV	7	1	0	20	0.01
OV	0	0	0	0	0.01
	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 217

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
L-16	0	1	6	10	0.01
L-17	0	0	0	0	0.01
L-18	0	1	1	0	0.01
L-19	0	0	3	10	0.01
L-20	0	1	0	20	0.01
OV	0	0	0	0	0.01
AF1	3	0	2	10	0.01
AF2	0	0	0	10	0.01
BF1	0	0	9	10	0.01
BF2	0	0	6	10	0.01
BF3	0	4	11	10	0.01
CF1	0	0	8	10	0.01
CF2	0	1	0	10	0.01
CF3	0	2	6	10	0.01
DF1	0	0	5	10	0.01
DF2	3	2	2	10	0.01
DF3	6	9	6	10	0.01
EF1	0	0	7	0	0.01
EF2	0	0	5	10	0.01
AR1	0	0	2	0	0.01
AR2	0	0	0	0	0.01
BR1	0	0	0	20	0.01
BR2	0	1	10	30	0.01
BR3	6	5	0	30	0.01
CR1	0	0	3	0	0.01
CR2	3	0	2	10	0.01
CR3	0	1	0	30	0.01
DR1	3	0	8	10	0.01
DR2	3	0	8	20	0.01
DR3	3	1	0	20	0.01
ER1	0	0	1	0	0.01
ER2	0	0	3	20	0.01
IV	0	0	0	0	0.00
OV	0	0	7	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 217

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-09	0	0	10	30	0.01
J-10	3	0	4	10	0.01
J-11	0	0	6	10	0.01
J-12	0	0	1	10	0.01
J-13	0	0	13	10	0.01
J-14	0	6	7	10	0.01
J-15	0	0	4	10	0.01
J-16	0	1	11	10	0.01
J-17	0	2	1	10	0.01
J-18	3	0	4	10	0.01
J-19	0	0	10	10	0.01
J-20	0	0	0	10	0.01
K-01	0	0	7	10	0.01
K-02	0	0	0	10	0.01
K-03	3	8	13	10	0.01
K-04	0	0	4	10	0.01
K-05	3	0	4	10	0.01
K-06	0	0	6	10	0.01
K-07	6	2	3	20	0.01
K-08	3	0	3	20	0.01
K-09	0	0	0	10	0.01
K-10	0	0	0	20	0.01
K-11	3	0	1	10	0.01
K-12	0	0	2	20	0.01
K-13	3	0	4	20	0.01
K-14	0	0	0	10	0.01
K-15	0	0	10	10	0.01
K-16	3	0	4	20	0.01
K-17	0	0	1	10	0.01
K-18	0	0	5	10	0.01
K-19	0	2	0	20	0.01
K-20	0	0	0	10	0.01
L-01	0	0	0	10	0.01
L-02	3	2	0	10	0.01
L-03	3	1	0	10	0.01
L-04	3	0	7	20	0.01
L-05	0	0	0	20	0.01
L-06	0	0	15	0	0.01
L-07	0	0	10	0	0.01
L-08	0	0	5	0	0.01
L-09	0	0	5	0	0.01
L-10	0	0	1	0	0.01
L-11	0	0	1	10	0.01
L-12	10	0	0	10	0.01
L-13	3	0	0	10	0.01
L-14	0	0	1	10	0.01
L-15	3	0	4	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 217

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
H-02	0	2	1	10	0.01
H-03	0	0	9	10	0.01
H-04	0	0	0	10	0.01
H-05	0	0	0	10	0.01
H-06	3	0	0	10	0.01
H-07	6	0	5	10	0.01
H-08	3	2	15	10	0.01
H-09	3	0	6	10	0.01
H-10	3	0	4	10	0.01
H-11	0	0	0	10	0.01
H-12	0	3	6	10	0.01
H-13	0	0	0	10	0.01
H-14	0	0	3	10	0.01
H-15	0	0	0	20	0.01
H-16	0	3	0	10	0.01
H-17	3	0	0	10	0.01
H-18	0	0	0	40	0.01
H-19	3	0	0	10	0.01
H-20	0	0	0	10	0.01
I-01	3	1	7	10	0.01
I-02	3	0	3	10	0.01
I-03	0	0	5	10	0.01
I-04	6	0	0	30	0.01
I-05	3	1	0	10	0.01
I-06	0	0	6	10	0.01
I-07	0	0	3	10	0.01
I-08	0	1	1	20	0.01
I-09	0	0	4	10	0.01
I-10	3	0	0	10	0.01
I-11	3	0	7	10	0.01
I-12	0	0	0	30	0.01
I-13	0	2	0	20	0.01
I-14	3	2	0	10	0.01
I-15	3	0	3	10	0.01
I-16	0	0	7	10	0.01
I-17	0	0	4	30	0.01
I-18	0	1	2	10	0.01
I-19	0	0	0	10	0.01
I-20	0	0	6	10	0.01
J-01	0	6	0	10	0.01
J-02	0	0	6	10	0.01
J-03	0	0	9	10	0.01
J-04	0	0	9	20	0.01
J-05	0	0	11	10	0.01
J-06	0	0	0	10	0.01
J-07	0	0	0	10	0.01
J-08	0	3	5	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 217

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-15	0	0	0	0	0.01
E-16	3	0	1	10	0.01
E-17	0	0	0	10	0.01
E-18	3	0	0	10	0.01
E-19	0	2	0	0	0.01
E-20	3	2	0	0	0.01
F-01	0	3	0	20	0.01
F-02	0	0	0	20	0.01
F-03	3	0	3	20	0.01
F-04	3	0	0	10	0.01
F-05	0	1	8	10	0.01
F-06	6	3	3	10	0.01
F-07	3	0	3	0	0.01
F-08	0	0	1	10	0.01
F-09	0	0	3	0	0.01
F-10	10	0	1	10	0.01
F-11	0	3	2	0	0.01
F-12	3	0	4	10	0.01
F-13	0	0	12	10	0.01
F-14	0	0	8	10	0.01
F-15	0	3	0	10	0.01
F-16	6	3	4	0	0.01
F-17	0	0	0	20	0.01
F-18	0	0	1	0	0.01
F-19	0	0	1	0	0.01
F-20	3	4	0	30	0.01
G-01	0	1	15	10	0.01
G-02	0	0	10	20	0.01
G-03	0	0	11	20	0.01
G-04	0	0	0	20	0.01
G-05	0	0	0	10	0.01
G-06	0	0	1	20	0.01
G-07	3	0	1	20	0.01
G-08	3	0	0	10	0.01
G-09	0	0	0	0	0.01
G-10	3	0	3	10	0.01
G-11	0	0	4	0	0.01
G-12	0	0	1	10	0.01
G-13	0	0	1	10	0.01
G-14	0	0	9	30	0.01
G-15	0	0	0	20	0.01
G-16	0	0	4	10	0.01
G-17	0	0	5	20	0.01
G-18	3	0	1	10	0.01
G-19	0	3	4	0	0.01
G-20	0	1	0	10	0.01
H-01	3	0	1	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 217

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
C-08	0	1	4	40	0.01
C-09	0	0	0	20	0.01
C-10	0	0	4	30	0.01
C-11	8	0	0	10	0.01
C-12	0	0	0	20	0.01
C-13	0	3	3	20	0.01
C-14	0	2	3	20	0.01
C-15	8	0	0	20	0.01
C-16	0	0	1	30	0.01
C-17	0	1	0	20	0.01
C-18	0	0	4	20	0.01
C-19	4	0	0	20	0.01
C-20	8	1	8	20	0.01
D-01	0	0	0	0	0.01
D-02	0	0	0	30	0.01
D-03	0	1	0	20	0.01
D-04	0	1	0	10	0.01
D-05	0	0	2	30	0.01
D-06	0	0	1	20	0.01
D-07	4	2	0	20	0.01
D-08	0	0	0	10	0.01
D-09	8	0	0	10	0.01
D-10	0	0	0	0	0.01
D-11	0	0	0	0	0.01
D-12	0	0	0	20	0.01
D-13	0	0	0	20	0.01
D-14	4	0	2	10	0.01
D-15	0	0	0	10	0.01
D-16	0	0	0	20	0.01
D-17	4	0	0	30	0.01
D-18	0	3	6	30	0.01
D-19	0	0	10	20	0.01
D-20	0	2	0	20	0.01
E-01	0	0	0	10	0.01
E-02	0	0	0	20	0.01
E-03	0	1	0	0	0.01
E-04	4	0	0	10	0.01
E-05	0	1	0	20	0.01
E-06	4	0	0	20	0.01
E-07	0	6	0	10	0.01
E-08	0	0	0	10	0.01
E-09	0	0	0	0	0.01
E-10	0	0	13	20	0.01
E-11	0	0	1	10	0.01
E-12	0	0	2	10	0.01
E-13	0	3	7	0	0.01
E-14	0	0	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 217

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
A-01	4	0	0	20	0.01
A-02	4	0	0	20	0.01
A-03	0	1	0	10	0.01
A-04	0	7	10	10	0.01
A-05	0	2	0	20	0.01
A-06	0	0	0	0	0.01
A-07	0	4	2	10	0.01
A-08	0	0	2	20	0.01
A-09	0	0	4	20	0.01
A-10	0	2	0	20	0.01
A-11	0	1	0	0	0.01
A-12	4	0	0	10	0.01
A-13	0	0	7	10	0.01
A-14	4	1	2	10	0.01
A-15	0	0	0	30	0.01
A-16	0	2	6	20	0.01
A-17	8	0	0	0	0.01
A-18	8	1	0	40	0.01
A-19	0	0	0	0	0.01
A-20	0	1	0	20	0.01
B-01	0	0	5	20	0.01
B-02	4	0	0	20	0.01
B-03	0	0	6	20	0.01
B-04	0	1	0	10	0.01
B-05	0	0	2	10	0.01
B-06	4	2	13	20	0.01
B-07	4	0	4	0	0.01
B-08	4	1	0	20	0.01
B-09	4	3	6	20	0.01
B-10	0	3	8	10	0.01
B-11	0	0	0	20	0.01
B-12	0	0	8	20	0.01
B-13	0	0	1	30	0.01
B-14	0	0	0	20	0.01
B-15	0	1	4	20	0.01
B-16	0	0	7	30	0.01
B-17	4	0	3	20	0.01
B-18	0	2	7	10	0.01
B-19	0	9	0	20	0.01
B-20	0	1	0	30	0.01
C-01	8	0	2	40	0.01
C-02	0	0	0	30	0.01
C-03	0	0	0	20	0.01
C-04	0	0	3	10	0.01
C-05	0	0	0	0	0.01
C-06	4	1	0	10	0.01
C-07	4	0	0	20	0.01

Tab 9

Buildings AO301 through AO304,
and AO306 through AO317

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 301

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	3	60	0.01
A-02	0	0	0	120	0.01
A-03	0	0	0	80	0.01
A-04	0	5	0	60	0.01
A-05	0	0	0	60	0.01
A-06	0	0	0	50	0.01
A-07	0	0	0	50	0.01
A-08	0	0	1	100	0.01
A-09	0	2	0	80	0.01
A-10	4	0	0	60	0.01
A-11	4	0	0	0	0.01
A-12	4	0	4	100	0.01
A-13	0	0	0	0	0.01
A-14	0	0	0	60	0.01
A-15	0	0	0	80	0.01
B-01	4	0	6	60	0.01
B-02	0	0	0	40	0.01
B-03	4	3	0	50	0.01
B-04	0	0	2	40	0.01
B-05	0	0	0	50	0.01
B-06	0	0	0	0	0.01
B-07	4	0	0	50	0.01
B-08	0	0	0	0	0.01
B-09	0	0	4	0	0.01
B-10	0	0	0	40	0.01
B-11	4	0	0	40	0.01
B-12	4	0	0	50	0.01
B-13	0	0	0	50	0.01
B-14	0	6	0	40	0.01
B-15	7	9	0	0	0.01
C-01	0	0	0	0	0.01
C-02	0	1	0	50	0.01
C-03	4	3	0	50	0.01
C-04	0	5	0	0	0.01
C-05	0	0	0	90	0.01
C-06	0	0	0	0	0.01
C-07	0	0	1	60	0.01
C-08	0	0	0	0	0.01
C-09	4	0	0	0	0.01
C-10	0	1	0	60	0.01
C-11	4	0	7	0	0.01
C-12	0	0	0	60	0.01
C-13	0	2	8	50	0.01
C-14	0	0	0	0	0.01
C-15	0	0	0	0	0.01
D-01	0	0	0	60	0.01
D-02	4	0	2	0	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 301

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	0	9	0	0.01
D-04	0	0	0	60	0.01
D-05	0	2	0	50	0.01
D-06	11	0	7	50	0.01
D-07	0	2	0	0	0.01
D-08	3	2	0	50	0.01
D-09	0	1	7	0	0.01
D-10	0	0	0	60	0.01
D-11	4	0	0	0	0.01
D-12	0	2	4	0	0.01
D-13	4	7	7	70	0.01
D-14	0	0	0	60	0.01
D-15	0	0	4	0	0.01
E-01	0	0	0	0	0.01
E-02	0	0	1	40	0.01
E-03	0	0	0	0	0.01
E-04	0	1	6	60	0.01
E-05	0	0	0	90	0.01
E-06	0	0	17	0	0.01
E-07	4	0	0	60	0.01
E-08	0	1	0	0	0.01
E-09	0	0	5	60	0.01
E-10	4	0	0	50	0.01
E-11	4	0	0	0	0.01
E-12	0	2	0	0	0.01
E-13	0	4	0	50	0.01
E-14	0	1	0	80	0.01
E-15	0	2	0	60	0.01
F-01	4	0	0	0	0.01
F-02	0	0	0	0	0.01
F-03	0	0	0	0	0.01
F-04	4	0	6	50	0.01
F-05	4	1	0	60	0.01
F-06	4	0	7	0	0.01
F-07	0	0	0	50	0.01
F-08	0	0	2	0	0.01
F-09	4	2	0	0	0.01
F-10	0	0	0	40	0.01
F-11	4	0	0	60	0.01
F-12	4	0	3	60	0.01
F-13	4	0	0	60	0.01
F-14	0	3	0	40	0.01
F-15	0	0	0	60	0.01
G-01	0	0	0	60	0.01
G-02	0	0	7	0	0.01
G-03	8	0	2	60	0.01
G-04	4	0	7	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 301

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	0	5	60	0.01
G-06	8	0	2	60	0.01
G-07	0	0	0	0	0.01
G-08	0	0	6	60	0.01
G-09	4	0	0	0	0.01
G-10	12	0	0	60	0.01
G-11	0	0	1	0	0.01
G-12	0	0	0	0	0.01
G-13	0	0	0	60	0.01
G-14	0	0	7	0	0.01
G-15	0	0	4	60	0.01
H-01	4	6	0	80	0.01
H-02	0	0	5	60	0.01
H-03	0	1	10	100	0.01
H-04	4	2	0	60	0.01
H-05	0	0	0	50	0.01
H-06	4	0	1	50	0.01
H-07	4	2	0	60	0.01
H-08	4	3	0	80	0.01
H-09	0	0	1	40	0.01
H-10	4	0	0	40	0.01
H-11	4	0	2	50	0.01
H-12	4	0	1	0	0.01
H-13	0	5	7	50	0.01
H-14	0	3	2	60	0.01
H-15	0	3	0	0	0.01
I-01	4	0	2	60	0.01
I-02	4	0	2	40	0.01
I-03	8	0	10	0	0.01
I-04	4	0	4	60	0.01
I-05	0	0	15	60	0.01
I-06	0	0	2	100	0.01
I-07	4	0	5	50	0.01
I-08	0	4	0	60	0.01
I-09	4	0	0	60	0.01
I-10	0	0	2	0	0.01
I-11	0	3	11	50	0.01
I-12	0	0	6	60	0.01
I-13	4	0	5	40	0.01
I-14	4	1	0	60	0.01
I-15	0	0	5	60	0.01
J-01	0	0	0	60	0.01
J-02	0	1	3	60	0.01
J-03	8	0	8	80	0.01
J-04	0	0	14	0	0.00
J-05	0	0	0	50	0.01
J-06	4	0	0	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 301

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	0	0	0	0.01
J-08	0	0	11	0	0.01
J-09	0	0	6	50	0.01
J-10	0	0	17	140	0.01
J-11	0	0	0	80	0.01
J-12	0	1	0	80	0.01
J-13	8	0	0	50	0.01
J-14	4	0	5	100	0.01
J-15	4	9	4	100	0.01
K-01	8	0	2	50	0.01
K-02	0	0	0	40	0.01
K-03	4	0	0	50	0.01
K-04	0	0	7	60	0.01
K-05	0	0	0	60	0.01
K-06	0	0	0	60	0.01
K-07	0	0	1	100	0.01
K-08	0	0	0	0	0.01
K-09	0	0	16	60	0.01
K-10	4	0	6	100	0.01
K-11	0	0	4	40	0.01
K-12	0	0	1	50	0.01
K-13	4	0	0	180	0.01
K-14	0	1	10	60	0.01
K-15	0	0	4	60	0.01
L-01	8	0	2	40	0.01
L-02	0	0	0	40	0.01
L-03	0	0	0	50	0.01
L-04	0	0	6	60	0.01
L-05	0	0	1	0	0.01
L-06	0	0	3	0	0.01
L-07	0	3	0	0	0.01
L-08	0	0	6	80	0.01
L-09	0	0	0	60	0.01
L-10	4	0	2	80	0.01
L-11	0	0	3	0	0.01
L-12	0	0	6	60	0.01
L-13	4	0	0	80	0.01
L-14	4	0	3	60	0.01
L-15	0	0	0	20	0.01
AF1	4	1	0	40	0.01
AF2	0	4	8	0	0.01
BF1	4	1	4	0	0.01
BF2	0	0	0	0	0.01
BF3	4	0	2	60	0.01
CF1	4	0	0	60	0.01
CF2	0	2	1	60	0.01
CF3	8	0	1	60	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 301

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	3	1	40	0.01
DF2	0	0	0	80	0.01
DF3	0	1	5	80	0.01
EF1	0	0	0	0	0.01
EF2	0	1	0	40	0.01
AR1	0	5	0	0	0.01
AR2	0	2	5	80	0.01
BR1	0	0	0	40	0.01
BR2	4	0	9	60	0.01
BR3	4	1	5	100	0.01
CR1	0	5	4	0	0.01
CR2	0	0	5	100	0.01
CR3	4	0	7	80	0.01
DR1	4	0	0	60	0.01
DR2	0	0	1	0	0.01
DR3	4	1	6	100	0.01
ER1	0	0	13	0	0.01
ER2	0	0	5	140	0.01
IV	0	0	0	60	0.01
OV	0	0	9	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 302

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	8	0	0	0.01
A-02	0	0	0	20	0.01
A-03	0	1	0	20	0.01
A-04	0	0	0	20	0.01
A-05	4	0	0	20	0.01
A-06	0	1	0	20	0.01
A-07	0	0	0	10	0.01
A-08	0	0	0	10	0.01
A-09	1	0	0	30	0.01
A-10	0	0	0	40	0.01
A-11	0	1	0	0	0.01
A-12	0	0	0	20	0.01
A-13	0	1	0	0	0.01
A-14	1	0	0	10	0.01
A-15	4	1	0	20	0.01
A-16	1	0	0	0	0.01
A-17	3	0	0	10	0.01
A-18	0	0	0	10	0.01
A-19	3	0	0	20	0.01
A-20	4	6	0	20	0.01
B-01	0	0	0	20	0.01
B-02	1	0	0	0	0.01
B-03	0	2	0	30	0.01
B-04	3	2	0	10	0.01
B-05	4	0	0	0	0.01
B-06	0	0	0	10	0.01
B-07	0	5	0	20	0.01
B-08	3	0	0	10	0.01
B-09	0	0	0	20	0.01
B-10	1	0	0	10	0.01
B-11	0	0	0	0	0.01
B-12	0	1	0	30	0.02
B-13	0	0	0	20	0.01
B-14	0	0	0	20	0.01
B-15	1	0	0	10	0.01
B-16	1	0	0	10	0.01
B-17	0	1	0	20	0.01
B-18	1	0	0	0	0.01
B-19	1	2	0	0	0.01
B-20	3	2	0	0	0.01
C-01	0	3	0	10	0.01
C-02	0	0	0	20	0.01
C-03	0	0	0	10	0.01
C-04	0	0	0	20	0.01
C-05	3	0	0	30	0.01
C-06	1	0	0	0	0.01
C-07	0	0	0	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 302

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
C-08	0	4	0	20	0.01
C-09	1	1	0	0	0.01
C-10	3	0	0	10	0.01
C-11	1	0	0	30	0.01
C-12	0	0	0	10	0.01
C-13	1	0	0	10	0.01
C-14	1	0	0	0	0.01
C-15	1	0	0	10	0.01
C-16	1	0	0	20	0.01
C-17	0	0	0	0	0.01
C-18	0	0	0	20	0.01
C-19	0	0	0	10	0.01
C-20	0	0	0	20	0.01
D-01	3	0	0	20	0.01
D-02	3	1	0	30	0.01
D-03	1	0	0	10	0.01
D-04	0	0	0	10	0.02
D-05	3	0	0	30	0.02
D-06	1	0	0	0	0.01
D-07	1	1	0	20	0.01
D-08	1	0	0	0	0.01
D-09	6	0	0	10	0.01
D-10	0	0	0	20	0.01
D-11	0	0	0	40	0.01
D-12	1	0	0	0	0.01
D-13	0	0	0	30	0.01
D-14	0	0	0	10	0.01
D-15	0	0	0	10	0.01
D-16	0	0	0	0	0.01
D-17	0	0	0	0	0.01
D-18	1	0	0	10	0.01
D-19	1	0	0	10	0.01
D-20	0	0	0	10	0.01
E-01	2	1	0	10	0.01
E-02	2	4	0	30	0.01
E-03	2	2	0	20	0.01
E-04	2	7	0	0	0.01
E-05	2	8	0	0	0.01
E-06	2	5	0	10	0.01
E-07	1	1	0	10	0.01
E-08	0	6	0	20	0.01
E-09	0	3	0	30	0.01
E-10	2	3	0	10	0.01
E-11	0	2	0	20	0.01
E-12	0	2	0	0	0.01
E-13	0	6	0	20	0.01
E-14	0	0	0	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 302

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-15	1	3	0	0	0.01
E-16	0	2	0	20	0.01
E-17	2	4	0	30	0.02
E-18	0	0	0	10	0.01
E-19	1	4	0	20	0.01
E-20	2	2	0	10	0.01
F-01	1	5	0	0	0.01
F-02	1	1	0	20	0.01
F-03	0	0	0	10	0.01
F-04	0	2	5	10	0.01
F-05	0	2	0	20	0.01
F-06	0	0	0	0	0.01
F-07	1	1	0	10	0.01
F-08	0	1	0	10	0.01
F-09	2	0	0	10	0.01
F-10	0	1	0	30	0.01
F-11	5	0	0	20	0.01
F-12	1	2	0	20	0.01
F-13	1	0	0	10	0.01
F-14	1	1	0	0	0.01
F-15	2	3	0	10	0.01
F-16	0	0	0	10	0.01
F-17	1	0	0	20	0.01
F-18	1	0	0	10	0.01
F-19	0	0	0	0	0.01
F-20	0	0	0	20	0.01
G-01	2	0	0	20	0.01
G-02	1	0	0	0	0.01
G-03	2	6	0	0	0.01
G-04	0	0	0	20	0.01
G-05	0	1	0	10	0.01
G-06	1	1	0	0	0.01
G-07	2	2	0	10	0.01
G-08	0	0	0	30	0.01
G-09	0	0	0	20	0.01
G-10	0	0	0	20	0.01
G-11	0	1	0	10	0.01
G-12	1	1	0	0	0.01
G-13	0	0	0	0	0.01
G-14	0	2	0	10	0.01
G-15	0	1	0	20	0.01
G-16	0	0	0	0	0.01
G-17	1	2	0	30	0.01
G-18	1	1	0	20	0.01
G-19	0	1	0	0	0.01
G-20	1	4	0	10	0.01
H-01	1	3	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 302

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
H-02	1	0	0	10	0.01
H-03	2	6	0	10	0.01
H-04	1	2	0	0	0.01
H-05	0	2	0	10	0.01
H-06	0	1	0	10	0.01
H-07	2	0	0	20	0.01
H-08	1	2	0	10	0.02
H-09	0	1	0	0	0.01
H-10	0	4	0	0	0.01
H-11	1	6	0	10	0.01
H-12	0	0	0	10	0.01
H-13	0	0	0	10	0.01
H-14	0	0	0	20	0.01
H-15	0	0	0	0	0.01
H-16	0	0	0	10	0.01
H-17	0	1	0	10	0.01
H-18	0	3	0	10	0.01
H-19	1	4	0	20	0.01
H-20	0	0	0	10	0.01
I-01	1	0	0	10	0.01
I-02	1	3	0	30	0.01
I-03	2	0	0	30	0.01
I-04	0	0	0	10	0.01
I-05	2	0	0	10	0.01
I-06	3	3	0	30	0.01
I-07	1	2	0	20	0.01
I-08	2	2	0	10	0.01
I-09	3	1	0	30	0.01
I-10	2	0	0	30	0.01
I-11	0	1	0	20	0.01
I-12	0	3	0	10	0.01
I-13	1	2	0	10	0.01
I-14	0	3	0	20	0.01
I-15	2	0	0	10	0.01
I-16	1	0	0	10	0.01
I-17	1	3	0	10	0.01
I-18	1	2	0	30	0.01
I-19	0	3	0	10	0.01
I-20	1	0	0	10	0.01
J-01	0	0	0	10	0.02
J-02	2	2	0	10	0.01
J-03	2	1	0	20	0.01
J-04	4	0	0	20	0.01
J-05	0	6	0	20	0.01
J-06	4	0	0	20	0.01
J-07	0	2	0	10	0.01
J-08	2	0	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 302

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
J-09	1	2	0	20	0.01
J-10	6	0	0	10	0.01
J-11	0	1	0	10	0.01
J-12	0	2	0	10	0.01
J-13	0	0	0	10	0.01
J-14	1	0	0	20	0.01
J-15	0	0	0	10	0.01
J-16	1	0	0	10	0.01
J-17	1	0	0	10	0.01
J-18	0	0	0	20	0.01
J-19	1	3	0	20	0.01
J-20	1	0	0	10	0.01
K-01	0	0	0	40	0.01
K-02	0	2	0	20	0.01
K-03	0	1	0	20	0.01
K-04	0	4	0	20	0.01
K-05	1	0	0	30	0.01
K-06	0	1	0	10	0.01
K-07	0	5	0	10	0.01
K-08	0	1	0	10	0.01
K-09	1	0	0	20	0.01
K-10	0	2	0	20	0.01
K-11	0	1	0	20	0.01
K-12	0	0	0	20	0.01
K-13	0	0	0	10	0.01
K-14	0	3	0	10	0.01
K-15	0	7	0	30	0.01
K-16	0	2	0	20	0.01
K-17	0	0	0	20	0.01
K-18	0	1	0	30	0.01
K-19	1	0	0	10	0.01
K-20	0	0	0	20	0.01
L-01	0	2	0	10	0.01
L-02	0	0	0	20	0.02
L-03	2	0	0	10	0.01
L-04	1	7	0	20	0.01
L-05	0	2	0	30	0.01
L-06	1	0	0	0	0.01
L-07	0	3	0	10	0.01
L-08	1	0	0	20	0.01
L-09	1	0	0	20	0.01
L-10	1	0	0	20	0.01
L-11	0	0	0	10	0.01
L-12	0	1	0	10	0.01
L-13	0	2	0	20	0.01
L-14	1	6	0	10	0.01
L-15	6	2	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 302

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
L-16	0	0	0	0	0.01
L-17	0	0	0	20	0.01
L-18	0	3	0	20	0.01
L-19	0	0	0	10	0.01
L-20	1	0	0	10	0.01
AF1	0	0	0	10	0.01
AF2	0	0	0	10	0.01
BF1	0	2	0	0	0.01
BF2	0	3	0	10	0.01
BF3	1	3	0	10	0.01
CF1	0	0	0	0	0.01
CF2	1	1	0	0	0.01
CF3	0	0	0	30	0.01
DF1	1	1	0	10	0.01
DF2	2	1	0	10	0.01
DF3	0	1	0	10	0.01
EF1	0	0	0	10	0.01
EF2	1	1	0	10	0.01
AR1	2	0	0	0	0.01
AR2	1	1	0	10	0.01
BR1	0	1	0	0	0.01
BR2	2	4	0	10	0.01
BR3	0	0	0	10	0.01
CR1	1	4	0	0	0.01
CR2	0	0	0	0	0.01
CR3	1	2	0	10	0.01
DR1	2	1	0	10	0.01
DR2	1	4	0	30	0.01
DR3	2	6	0	10	0.01
ER1	0	1	0	10	0.01
ER2	1	0	0	20	0.01
IV	3	0	0	20	0.01
OV	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 303

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	0	20	0.01
A-02	0	0	0	60	0.01
A-03	0	1	0	30	0.01
A-04	0	0	0	20	0.01
A-05	0	1	0	30	0.01
A-06	1	2	0	50	0.01
A-07	0	0	0	20	0.01
A-08	0	0	0	20	0.01
A-09	0	2	0	20	0.01
A-10	0	0	0	40	0.01
A-11	0	0	0	40	0.01
A-12	0	0	0	30	0.01
A-13	0	0	0	20	0.01
A-14	0	0	0	10	0.01
A-15	0	1	0	30	0.01
B-01	0	0	0	40	0.01
B-02	0	0	0	40	0.01
B-03	0	0	0	50	0.01
B-04	0	0	0	30	0.01
B-05	0	0	0	30	0.01
B-06	0	0	0	30	0.01
B-07	0	0	0	40	0.01
B-08	0	1	0	60	0.01
B-09	0	0	0	40	0.01
B-10	0	0	0	40	0.01
B-11	0	0	0	50	0.01
B-12	0	0	0	10	0.01
B-13	0	0	0	20	0.01
B-14	0	1	0	30	0.01
B-15	0	0	1	40	0.01
C-01	1	0	0	20	0.01
C-02	0	1	0	10	0.01
C-03	0	1	0	20	0.01
C-04	0	1	0	20	0.01
C-05	0	0	0	40	0.01
C-06	0	0	0	20	0.01
C-07	0	0	0	60	0.01
C-08	0	1	0	30	0.01
C-09	0	0	0	10	0.01
C-10	0	0	0	40	0.01
C-11	0	0	0	20	0.01
C-12	1	0	0	50	0.01
C-13	0	0	0	30	0.01
C-14	0	1	0	20	0.01
C-15	0	1	0	20	0.01
D-01	0	1	0	40	0.01
D-02	0	1	0	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 303

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	0	0	30	0.01
D-04	0	1	0	20	0.01
D-05	0	0	0	30	0.01
D-06	0	0	0	20	0.01
D-07	0	0	0	40	0.01
D-08	0	1	0	30	0.01
D-09	0	1	0	20	0.01
D-10	1	2	0	10	0.01
D-11	0	0	0	20	0.01
D-12	0	0	0	40	0.01
D-13	0	1	0	40	0.02
D-14	0	0	0	40	0.01
D-15	0	0	0	10	0.01
E-01	0	0	0	40	0.01
E-02	0	0	0	40	0.01
E-03	0	1	0	40	0.01
E-04	1	0	0	30	0.01
E-05	0	0	0	40	0.01
E-06	0	0	0	20	0.01
E-07	0	1	20	0	0.02
E-08	0	1	0	20	0.01
E-09	0	0	0	40	0.01
E-10	0	0	0	50	0.01
E-11	0	1	0	40	0.01
E-12	0	0	0	40	0.01
E-13	0	1	0	60	0.01
E-14	0	2	0	30	0.01
E-15	0	0	0	20	0.02
F-01	0	0	2	30	0.01
F-02	0	0	0	30	0.01
F-03	0	0	0	20	0.01
F-04	0	0	0	20	0.01
F-05	0	0	2	40	0.01
F-06	0	0	0	30	0.01
F-07	0	1	0	20	0.01
F-08	1	0	0	10	0.01
F-09	0	0	2	10	0.01
F-10	0	0	0	20	0.01
F-11	0	1	0	30	0.01
F-12	0	0	0	30	0.01
F-13	0	0	3	60	0.01
F-14	1	0	0	40	0.01
F-15	0	0	0	20	0.01
G-01	1	0	0	30	0.01
G-02	0	0	0	20	0.01
G-03	0	0	0	40	0.01
G-04	0	0	0	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 303

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	1	0	30	0.01
G-06	0	0	0	40	0.01
G-07	0	0	0	20	0.01
G-08	0	1	0	20	0.01
G-09	0	1	0	20	0.01
G-10	0	0	0	40	0.01
G-11	0	1	0	30	0.01
G-12	0	1	0	30	0.01
G-13	0	0	0	40	0.01
G-14	0	0	0	40	0.01
G-15	0	2	0	0	0.01
H-01	0	0	0	40	0.01
H-02	1	0	0	40	0.01
H-03	0	0	0	20	0.01
H-04	0	1	0	30	0.01
H-05	0	1	2	60	0.01
H-06	0	0	0	40	0.01
H-07	0	0	0	40	0.01
H-08	0	0	0	40	0.01
H-09	0	0	0	60	0.01
H-10	0	0	0	20	0.01
H-11	0	0	0	40	0.01
H-12	0	1	0	60	0.01
H-13	0	0	0	20	0.01
H-14	0	1	0	40	0.01
H-15	0	1	3	20	0.01
I-01	0	0	0	10	0.01
I-02	0	1	0	10	0.01
I-03	0	0	1	0	0.01
I-04	0	0	1	20	0.01
I-05	0	0	0	40	0.01
I-06	0	0	0	30	0.01
I-07	0	0	0	40	0.01
I-08	0	0	0	40	0.01
I-09	0	1	0	30	0.01
I-10	0	1	0	10	0.01
I-11	0	0	3	30	0.01
I-12	0	0	0	40	0.01
I-13	0	1	0	40	0.01
I-14	0	1	0	30	0.01
I-15	0	0	0	10	0.01
J-01	0	0	0	40	0.01
J-02	0	1	0	20	0.01
J-03	0	0	0	30	0.01
J-04	0	0	0	20	0.01
J-05	0	0	0	30	0.01
J-06	0	0	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 303

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	1	0	40	0.01
J-08	0	2	0	10	0.01
J-09	0	0	0	40	0.01
J-10	0	0	0	10	0.01
J-11	1	0	0	20	0.01
J-12	0	0	8	0	0.01
J-13	0	0	0	0	0.01
J-14	0	0	0	20	0.01
J-15	1	1	0	50	0.01
K-01	0	1	0	20	0.01
K-02	0	1	0	20	0.01
K-03	0	0	1	20	0.01
K-04	0	1	0	20	0.01
K-05	0	1	0	70	0.01
K-06	0	0	0	0	0.01
K-07	0	0	0	40	0.01
K-08	0	0	1	60	0.01
K-09	0	0	0	40	0.01
K-10	0	1	0	30	0.01
K-11	0	0	5	50	0.01
K-12	0	1	0	10	0.01
K-13	0	0	0	0	0.01
K-14	0	1	7	40	0.01
K-15	0	0	0	40	0.01
L-01	0	0	0	30	0.01
L-02	0	1	0	20	0.01
L-03	0	0	0	60	0.01
L-04	0	0	0	0	0.01
L-05	0	0	0	20	0.01
L-06	0	1	3	30	0.01
L-07	1	0	0	40	0.01
L-08	0	0	0	60	0.01
L-09	0	0	0	0	0.01
L-10	0	0	0	0	0.01
L-11	0	0	0	30	0.01
L-12	0	0	0	40	0.01
L-13	0	1	0	20	0.01
L-14	0	1	0	20	0.01
L-15	0	0	1	30	0.01
AF1	1	1	0	40	0.01
AF2	0	0	0	40	0.01
BF1	0	0	0	10	0.01
BF2	0	0	0	30	0.01
BF3	0	0	0	40	0.01
CF1	0	0	0	30	0.01
CF2	0	0	0	40	0.01
CF3	0	0	4	60	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 303

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	1	0	30	0.01
DF2	0	2	1	30	0.01
DF3	0	2	0	40	0.01
EF1	0	2	0	20	0.01
EF2	0	2	0	30	0.01
AR1	0	0	0	20	0.01
AR2	0	2	0	40	0.01
BR1	1	0	0	20	0.01
BR2	0	0	0	40	0.01
BR3	0	0	0	20	0.01
CR1	0	0	0	40	0.01
CR2	0	0	0	30	0.01
CR3	1	1	0	60	0.01
DR1	0	0	0	60	0.01
DR2	0	0	0	30	0.01
DR3	1	0	0	20	0.01
ER1	0	0	0	40	0.01
ER2	0	0	0	40	0.01
IV	0	1	0	30	0.01
OV	0	0	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 304

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
A-01	0	3	0	10	0.01
A-02	3	0	10	0	0.01
A-03	0	0	0	40	0.01
A-04	6	0	0	40	0.01
A-05	3	0	0	30	0.01
A-06	3	0	0	20	0.01
A-07	3	0	0	30	0.01
A-08	0	0	0	20	0.01
A-09	3	0	0	30	0.01
A-10	0	0	0	20	0.01
A-11	0	0	4	10	0.01
A-12	3	0	10	10	0.01
A-13	0	0	0	0	0.01
A-14	0	1	0	20	0.01
A-15	0	0	4	20	0.01
A-16	0	4	5	10	0.01
A-17	0	1	5	0	0.01
A-18	0	3	0	0	0.01
A-19	0	2	0	20	0.01
A-20	3	0	5	10	0.01
B-01	3	0	0	0	0.01
B-02	0	0	0	10	0.01
B-03	3	0	0	10	0.01
B-04	0	0	0	10	0.01
B-05	0	0	0	30	0.01
B-06	0	0	0	70	0.01
B-07	6	1	0	10	0.01
B-08	0	0	0	10	0.01
B-09	10	0	3	10	0.01
B-10	0	0	0	10	0.01
B-11	0	0	0	0	0.01
B-12	0	0	0	0	0.01
B-13	0	2	0	0	0.02
B-14	0	0	1	0	0.01
B-15	0	0	0	0	0.01
B-16	0	2	0	10	0.01
B-17	0	0	13	10	0.01
B-18	0	0	0	10	0.01
B-19	3	0	0	20	0.01
B-20	0	0	0	10	0.01
C-01	3	0	0	10	0.01
C-02	0	0	3	10	0.01
C-03	0	0	0	10	0.01
C-04	3	0	0	20	0.01
C-05	3	0	0	20	0.01
C-06	0	0	0	10	0.01
C-07	0	0	2	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 304

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
C-08	0	0	1	20	0.01
C-09	0	0	0	20	0.01
C-10	0	0	0	10	0.01
C-11	0	2	0	10	0.01
C-12	0	0	3	10	0.01
C-13	0	0	3	10	0.01
C-14	3	0	7	20	0.01
C-15	0	0	0	20	0.01
C-16	0	0	0	10	0.01
C-17	0	0	3	10	0.01
C-18	3	2	7	10	0.01
C-19	0	0	0	10	0.01
C-20	0	0	2	20	0.01
D-01	3	3	0	0	0.01
D-02	0	0	0	20	0.01
D-03	3	0	2	10	0.01
D-04	0	0	3	10	0.01
D-05	6	0	0	20	0.01
D-06	0	2	0	10	0.01
D-07	3	0	1	20	0.01
D-08	3	0	0	10	0.01
D-09	0	2	4	10	0.01
D-10	3	0	7	10	0.00
D-11	3	0	0	0	0.01
D-12	14	0	0	10	0.01
D-13	3	0	0	10	0.01
D-14	0	0	3	20	0.01
D-15	0	0	0	10	0.01
D-16	0	0	0	20	0.01
D-17	3	0	0	20	0.01
D-18	0	0	0	20	0.01
D-19	6	0	0	20	0.01
D-20	0	3	3	20	0.01
E-01	0	1	0	0	0.01
E-02	0	2	1	0	0.01
E-03	0	0	0	10	0.01
E-04	0	0	2	10	0.01
E-05	0	0	0	0	0.01
E-06	3	0	3	10	0.01
E-07	0	0	1	0	0.01
E-08	3	0	0	10	0.01
E-09	3	2	7	20	0.01
E-10	10	0	0	20	0.01
E-11	0	0	0	20	0.01
E-12	10	0	0	20	0.01
E-13	3	2	3	20	0.01
E-14	10	0	0	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 304

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-15	0	0	0	40	0.01
E-16	0	0	3	20	0.01
E-17	0	0	0	20	0.01
E-18	0	0	0	10	0.01
E-19	3	0	0	30	0.01
E-20	3	0	0	20	0.01
F-01	0	0	0	40	0.01
F-02	0	0	0	10	0.01
F-03	6	0	0	30	0.01
F-04	0	0	11	10	0.01
F-05	0	0	10	30	0.01
F-06	3	0	2	30	0.01
F-07	6	0	6	30	0.01
F-08	0	0	0	20	0.01
F-09	3	0	0	20	0.01
F-10	3	0	0	20	0.01
F-11	3	0	0	10	0.01
F-12	0	0	0	30	0.01
F-13	0	0	0	10	0.01
F-14	0	0	3	10	0.01
F-15	0	3	0	20	0.01
F-16	0	0	2	10	0.01
F-17	3	0	4	10	0.01
F-18	3	0	10	20	0.01
F-19	0	0	0	10	0.01
F-20	3	0	0	0	0.01
G-01	0	0	5	50	0.01
G-02	0	0	0	20	0.01
G-03	3	0	3	30	0.01
G-04	0	0	0	20	0.01
G-05	0	0	0	20	0.01
G-06	3	0	10	20	0.01
G-07	6	0	0	40	0.01
G-08	0	0	0	30	0.01
G-09	0	0	4	40	0.01
G-10	0	0	0	20	0.01
G-11	3	0	3	20	0.01
G-12	3	0	0	20	0.01
G-13	3	0	0	20	0.01
G-14	0	0	0	10	0.01
G-15	3	0	0	40	0.01
G-16	0	0	1	10	0.01
G-17	6	0	2	10	0.01
G-18	3	0	1	10	0.01
G-19	0	0	11	20	0.01
G-20	0	4	6	0	0.01
H-01	0	0	3	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 304

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
H-02	0	0	1	20	0.01
H-03	0	0	3	20	0.01
H-04	3	1	2	20	0.01
H-05	0	2	2	20	0.00
H-06	3	0	0	30	0.01
H-07	0	0	0	30	0.01
H-08	0	0	0	20	0.01
H-09	0	0	0	10	0.01
H-10	3	0	0	10	0.01
H-11	0	0	0	10	0.01
H-12	3	0	0	20	0.01
H-13	3	0	0	30	0.01
H-14	0	0	3	20	0.01
H-15	3	1	3	20	0.01
H-16	6	0	5	20	0.01
H-17	0	0	0	20	0.01
H-18	0	3	6	20	0.01
H-19	3	0	9	10	0.01
H-20	0	0	3	10	0.01
I-01	3	0	0	0	0.01
I-02	3	0	0	0	0.01
I-03	0	0	0	20	0.01
I-04	10	0	0	20	0.01
I-05	6	0	2	20	0.01
I-06	0	0	0	20	0.01
I-07	0	0	0	20	0.01
I-08	3	0	0	10	0.01
I-09	3	0	0	10	0.01
I-10	0	0	0	0	0.01
I-11	3	0	0	0	0.01
I-12	0	0	0	0	0.01
I-13	3	0	3	20	0.01
I-14	3	4	0	10	0.01
I-15	0	1	0	20	0.01
I-16	0	0	0	10	0.01
I-17	0	0	5	20	0.01
I-18	3	0	1	20	0.01
I-19	0	4	3	20	0.01
I-20	0	0	0	30	0.01
J-01	6	0	3	20	0.01
J-02	0	0	7	10	0.01
J-03	3	0	1	20	0.01
J-04	0	0	8	30	0.01
J-05	10	0	13	20	0.01
J-06	0	0	0	40	0.01
J-07	0	0	0	30	0.01
J-08	3	0	4	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 304

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-09	3	0	0	40	0.01
J-10	0	0	2	40	0.01
J-11	0	0	0	30	0.01
J-12	0	1	0	50	0.01
J-13	3	0	6	40	0.01
J-14	0	0	0	20	0.01
J-15	0	0	0	20	0.01
J-16	0	0	0	20	0.01
J-17	0	0	0	10	0.01
J-18	6	0	0	20	0.01
J-19	0	0	4	10	0.01
J-20	0	0	0	20	0.01
K-01	0	0	0	20	0.01
K-02	0	0	0	30	0.01
K-03	0	3	0	20	0.01
K-04	0	0	0	20	0.01
K-05	3	0	0	30	0.01
K-06	0	0	0	20	0.01
K-07	3	0	4	30	0.01
K-08	10	0	0	30	0.01
K-09	0	0	0	20	0.01
K-10	0	0	1	20	0.01
K-11	3	0	0	10	0.01
K-12	3	0	0	20	0.01
K-13	0	0	0	10	0.01
K-14	0	0	0	20	0.01
K-15	3	0	5	20	0.01
K-16	0	0	0	20	0.01
K-17	0	0	5	20	0.01
K-18	6	0	4	20	0.01
K-19	0	0	0	10	0.01
K-20	0	0	0	20	0.01
L-01	3	0	4	10	0.01
L-02	3	0	0	20	0.01
L-03	3	0	2	20	0.01
L-04	0	0	0	20	0.01
L-05	3	2	3	10	0.01
L-06	0	0	0	30	0.01
L-07	0	0	7	30	0.01
L-08	0	0	0	20	0.01
L-09	0	0	0	10	0.01
L-10	0	0	0	20	0.01
L-11	3	0	0	20	0.01
L-12	3	0	8	30	0.01
L-13	0	0	9	20	0.01
L-14	0	0	0	20	0.01
L-15	0	1	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 304

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
L-16	3	0	4	30	0.01
L-17	0	0	0	10	0.01
L-18	0	0	10	20	0.01
L-19	0	0	0	20	0.01
L-20	0	0	0	20	0.01
AF1	0	0	6	10	0.01
AF2	0	0	0	30	0.01
BF1	3	0	0	20	0.01
BF2	3	0	0	20	0.01
BF3	0	0	0	20	0.01
CF1	0	0	0	10	0.01
CF2	0	0	7	0	0.01
CF3	0	0	0	20	0.01
DF1	6	0	0	20	0.01
DF2	0	0	0	20	0.01
DF3	10	0	2	20	0.01
EF1	0	0	0	40	0.01
EF2	3	0	0	30	0.01
AR1	0	0	0	10	0.01
AR2	3	0	0	30	0.01
BR1	3	0	0	40	0.01
BR2	0	0	0	50	0.01
BR3	3	0	0	20	0.01
CR1	3	0	0	10	0.01
CR2	3	0	0	0	0.01
CR3	0	0	3	20	0.01
DR1	0	0	9	10	0.01
DR2	0	0	0	20	0.01
DR3	6	0	4	20	0.01
ER1	3	0	6	20	0.01
ER2	0	0	9	20	0.01
IV	0	0	5	30	0.01
OV	0	0	0	0	0.00

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 306

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	0	50	0.01
A-02	0	0	0	30	0.01
A-03	0	0	0	20	0.01
A-04	0	0	0	10	0.01
A-05	1	0	0	10	0.01
A-06	0	0	0	30	0.01
A-07	0	2	0	20	0.01
A-08	0	0	0	40	0.01
A-09	4	2	0	30	0.01
A-10	0	10	0	30	0.01
A-11	0	2	0	40	0.01
A-12	0	0	0	60	0.01
A-13	0	0	2	40	0.01
A-14	0	2	0	70	0.01
A-15	1	0	0	70	0.01
A-16	0	0	0	70	0.01
A-17	0	3	0	50	0.01
A-18	0	0	0	50	0.01
A-19	0	0	0	30	0.01
A-20	1	8	0	30	0.01
B-01	1	0	0	30	0.01
B-02	1	0	0	30	0.01
B-03	0	6	0	60	0.01
B-04	0	5	4	40	0.01
B-05	1	0	0	50	0.01
B-06	0	0	0	20	0.01
B-07	0	2	0	20	0.01
B-08	1	5	0	30	0.01
B-09	1	3	0	50	0.01
B-10	0	0	0	60	0.01
B-11	4	0	0	60	0.01
B-12	0	2	0	70	0.01
B-13	0	0	0	70	0.01
B-14	2	5	0	60	0.01
B-15	0	0	0	30	0.01
B-16	4	2	0	50	0.01
B-17	0	0	0	60	0.01
B-18	1	8	0	50	0.01
B-19	1	5	0	50	0.01
B-20	2	0	0	30	0.01
C-01	0	3	0	40	0.01
C-02	0	0	0	50	0.01
C-03	1	0	0	50	0.01
C-04	2	0	0	70	0.01
C-05	0	0	0	100	0.01
C-06	0	2	0	70	0.01
C-07	0	4	0	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 306

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
C-08	0	0	0	70	0.01
C-09	0	0	0	60	0.01
C-10	1	5	0	60	0.01
C-11	0	4	0	30	0.01
C-12	1	2	0	30	0.01
C-13	0	2	0	70	0.01
C-14	1	0	0	50	0.01
C-15	5	0	0	50	0.01
C-16	0	0	0	40	0.01
C-17	1	0	0	20	0.01
C-18	0	0	0	50	0.01
C-19	2	0	0	30	0.01
C-20	0	0	0	50	0.01
D-01	0	0	0	50	0.01
D-02	0	0	0	60	0.01
D-03	1	2	0	40	0.01
D-04	0	0	0	50	0.01
D-05	0	0	0	60	0.01
D-06	0	0	0	50	0.01
D-07	1	4	0	40	0.01
D-08	0	5	0	50	0.01
D-09	0	0	0	50	0.01
D-10	1	0	0	60	0.01
D-11	1	0	0	70	0.01
D-12	0	0	0	70	0.01
D-13	0	4	0	30	0.01
D-14	2	0	0	10	0.01
D-15	2	0	0	20	0.01
D-16	0	9	0	30	0.01
D-17	2	4	0	50	0.01
D-18	2	5	1	70	0.01
D-19	0	0	0	50	0.01
D-20	2	5	0	30	0.01
E-01	0	0	0	30	0.00
E-02	1	2	0	40	0.01
E-03	0	5	0	30	0.01
E-04	2	0	0	40	0.01
E-05	1	0	0	30	0.01
E-06	0	8	0	20	0.01
E-07	4	11	0	20	0.01
E-08	2	0	0	40	0.01
E-09	0	2	0	20	0.01
E-10	0	0	3	40	0.01
E-11	0	3	0	30	0.01
E-12	0	5	0	40	0.01
E-13	0	2	0	70	0.01
E-14	0	6	0	70	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 306

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-15	0	0	0	80	0.01
E-16	1	3	0	90	0.01
E-17	0	0	0	50	0.01
E-18	0	5	0	30	0.01
E-19	4	4	0	30	0.01
E-20	0	0	0	30	0.01
F-01	1	0	0	60	0.01
F-02	0	0	0	40	0.01
F-03	0	2	0	50	0.01
F-04	0	0	0	30	0.01
F-05	0	0	0	40	0.01
F-06	0	0	0	30	0.01
F-07	1	2	0	40	0.01
F-08	0	0	0	60	0.01
F-09	1	0	0	30	0.01
F-10	2	0	0	40	0.01
F-11	0	2	0	50	0.01
F-12	1	2	0	50	0.01
F-13	0	0	0	40	0.01
F-14	0	0	0	40	0.01
F-15	0	2	0	40	0.01
F-16	0	2	0	50	0.01
F-17	1	0	0	30	0.01
F-18	0	3	0	50	0.01
F-19	0	0	0	40	0.01
F-20	0	0	0	40	0.01
G-01	0	5	0	50	0.01
G-02	0	0	0	50	0.01
G-03	1	0	0	60	0.01
G-04	0	0	0	60	0.01
G-05	2	0	0	50	0.01
G-06	0	0	0	40	0.01
G-07	2	5	0	30	0.01
G-08	0	0	0	60	0.01
G-09	0	0	0	20	0.01
G-10	0	2	0	60	0.01
G-11	1	0	0	50	0.01
G-12	0	0	0	30	0.01
G-13	2	0	0	30	0.01
G-14	1	0	0	50	0.01
G-15	2	0	0	60	0.01
G-16	0	5	0	50	0.01
G-17	0	4	0	30	0.01
G-18	4	0	0	50	0.01
G-19	0	6	0	60	0.01
G-20	0	0	0	50	0.01
H-01	0	2	0	20	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 306

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
H-02	4	0	0	30	0.01
H-03	2	0	0	60	0.01
H-04	0	5	0	20	0.01
H-05	1	3	0	40	0.01
H-06	2	0	0	20	0.01
H-07	1	0	0	60	0.01
H-08	0	0	0	50	0.01
H-09	0	0	0	30	0.01
H-10	0	8	0	30	0.01
H-11	4	0	0	30	0.01
H-12	1	0	0	40	0.01
H-13	0	0	0	30	0.01
H-14	1	0	0	40	0.01
H-15	0	2	0	40	0.01
H-16	1	4	0	50	0.01
H-17	1	3	0	60	0.01
H-18	1	0	0	60	0.01
H-19	0	3	0	50	0.01
H-20	1	0	0	40	0.01
I-01	0	0	0	90	0.01
I-02	1	2	0	30	0.01
I-03	2	0	1	30	0.01
I-04	0	3	0	50	0.01
I-05	0	0	0	40	0.01
I-06	2	15	0	40	0.01
I-07	0	0	0	70	0.01
I-08	0	0	0	40	0.01
I-09	0	0	0	70	0.01
I-10	0	8	0	40	0.01
I-11	1	0	0	40	0.01
I-12	0	3	0	30	0.00
I-13	1	4	0	40	0.01
I-14	0	0	0	60	0.01
I-15	2	3	0	90	0.01
I-16	2	3	0	50	0.01
I-17	0	2	0	60	0.01
I-18	1	0	0	30	0.01
I-19	0	0	0	40	0.01
I-20	1	4	0	40	0.01
J-01	1	2	1	30	0.01
J-02	1	0	1	60	0.01
J-03	0	0	0	30	0.01
J-04	2	0	0	40	0.01
J-05	0	2	0	60	0.01
J-06	0	5	0	40	0.01
J-07	0	2	0	40	0.01
J-08	0	0	0	40	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 306

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-09	0	8	0	40	0.01
J-10	0	0	0	30	0.01
J-11	0	0	0	20	0.01
J-12	0	0	0	50	0.01
J-13	0	3	0	40	0.01
J-14	0	6	0	50	0.01
J-15	1	0	2	50	0.01
J-16	1	0	0	40	0.01
J-17	0	0	0	50	0.01
J-18	0	0	0	50	0.01
J-19	0	2	0	70	0.01
J-20	2	0	0	60	0.01
K-01	1	1	0	50	0.01
K-02	0	0	0	30	0.01
K-03	0	0	0	40	0.01
K-04	0	2	0	60	0.01
K-05	0	3	0	50	0.01
K-06	1	3	0	40	0.01
K-07	0	5	0	50	0.01
K-08	2	5	0	40	0.01
K-09	0	6	0	40	0.01
K-10	0	3	0	40	0.01
K-11	0	1	0	40	0.01
K-12	0	0	0	60	0.01
K-13	0	1	0	30	0.01
K-14	0	2	6	30	0.01
K-15	0	9	0	40	0.01
K-16	0	8	0	40	0.01
K-17	0	2	0	30	0.01
K-18	2	6	0	30	0.01
K-19	0	5	0	50	0.01
K-20	1	5	0	40	0.01
L-01	4	7	0	20	0.01
L-02	0	3	0	40	0.01
L-03	0	2	0	70	0.01
L-04	1	5	0	60	0.01
L-05	0	0	0	50	0.01
L-06	1	0	0	40	0.01
L-07	0	7	0	40	0.01
L-08	1	9	0	30	0.01
L-09	0	3	0	20	0.01
L-10	0	7	0	30	0.01
L-11	0	5	0	60	0.01
L-12	0	3	4	40	0.01
L-13	1	4	0	30	0.01
L-14	1	0	0	50	0.01
L-15	1	3	0	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 306

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
L-16	1	0	0	30	0.01
L-17	1	3	0	50	0.01
L-18	0	0	0	40	0.01
L-19	0	1	0	30	0.01
L-20	1	2	1	90	0.01
AF1	1	3	0	60	0.01
AF2	0	2	0	40	0.01
BF1	0	6	0	60	0.01
BF2	2	0	0	70	0.01
BF3	0	9	0	40	0.01
CF1	1	3	0	60	0.01
CF2	2	0	0	50	0.01
CF3	1	7	0	70	0.01
DF1	2	8	0	60	0.01
DF2	0	4	0	30	0.01
DF3	1	5	0	40	0.01
EF1	0	4	0	100	0.01
EF2	2	7	0	90	0.01
AR1	1	0	0	30	0.01
AR2	2	3	0	40	0.01
BR1	0	10	0	50	0.01
BR2	0	0	0	70	0.01
BR3	0	3	0	60	0.01
CR1	1	11	0	40	0.01
CR2	0	3	0	50	0.01
CR3	0	2	0	60	0.01
DR1	1	5	0	50	0.01
DR2	4	6	0	40	0.01
DR3	1	5	0	30	0.01
ER1	0	6	0	40	0.01
ER2	0	0	0	30	0.01
IV	1	1	9	50	0.01
OV	0	11	12	0	0.00

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 307

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN mR/hr
A-01	1	4	1	70	0.01
A-02	3	2	0	40	0.01
A-03	0	6	0	40	0.01
A-04	0	6	1	40	0.01
A-05	1	5	0	30	0.01
A-06	0	3	0	20	0.01
A-07	3	6	1	20	0.01
A-08	0	8	6	10	0.01
A-09	0	4	0	50	0.01
A-10	0	8	0	30	0.01
A-11	3	3	9	30	0.02
A-12	1	0	3	10	0.01
A-13	1	4	0	50	0.01
A-14	0	5	0	40	0.01
A-15	0	0	0	60	0.01
B-01	0	4	3	70	0.01
B-02	3	0	0	70	0.01
B-03	0	0	0	70	0.01
B-04	0	6	0	30	0.01
B-05	3	0	0	40	0.01
B-06	0	0	1	30	0.01
B-07	1	0	6	30	0.02
B-08	0	0	6	50	0.01
B-09	3	9	0	30	0.01
B-10	3	0	3	40	0.02
B-11	1	5	7	70	0.00
B-12	0	4	6	60	0.01
B-13	6	4	6	40	0.01
B-14	0	0	0	50	0.01
B-15	0	4	0	40	0.01
C-01	3	0	0	50	0.01
C-02	3	6	0	50	0.01
C-03	1	2	9	30	0.01
C-04	1	4	2	30	0.01
C-05	0	5	0	40	0.02
C-06	0	0	0	40	0.01
C-07	0	6	0	30	0.01
C-08	0	0	0	30	0.01
C-09	0	6	0	30	0.01
C-10	0	0	0	30	0.01
C-11	1	0	1	20	0.01
C-12	3	3	0	30	0.01
C-13	0	0	0	50	0.01
C-14	0	3	5	50	0.02
C-15	1	0	0	60	0.01
D-01	0	3	2	20	0.01
D-02	0	0	0	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 310

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-09	0	0	0	20	0.01
J-10	0	0	2	20	0.01
J-11	0	0	3	20	0.01
J-12	0	0	0	20	0.01
J-13	0	0	0	20	0.01
J-14	5	0	0	40	0.01
J-15	0	0	4	20	0.01
J-16	0	0	4	20	0.01
J-17	0	0	5	20	0.01
J-18	0	0	0	20	0.01
J-19	0	0	0	30	0.01
J-20	0	0	2	20	0.01
K-01	4	0	0	20	0.01
K-02	0	0	4	40	0.01
K-03	0	0	0	20	0.01
K-04	0	0	0	20	0.01
K-05	0	0	10	20	0.01
K-06	0	0	0	40	0.01
K-07	0	0	13	20	0.01
K-08	0	0	1	20	0.01
K-09	0	0	1	20	0.01
K-10	0	0	0	20	0.01
K-11	0	0	1	40	0.01
K-12	0	0	0	20	0.01
K-13	0	0	2	20	0.01
K-14	0	0	6	20	0.01
K-15	0	0	0	20	0.01
K-16	0	0	12	20	0.01
K-17	0	0	7	30	0.01
K-18	0	0	3	20	0.01
K-19	0	0	0	20	0.01
K-20	0	0	3	20	0.01
L-01	0	0	7	20	0.01
L-02	0	0	0	20	0.01
L-03	0	0	0	20	0.01
L-04	0	0	2	20	0.01
L-05	0	0	12	20	0.01
L-06	0	0	3	20	0.01
L-07	0	0	0	20	0.01
L-08	0	0	0	20	0.01
L-09	0	0	0	20	0.01
L-10	0	0	2	20	0.01
L-11	0	0	0	20	0.01
L-12	0	0	0	20	0.01
L-13	0	0	0	20	0.01
L-14	0	0	11	20	0.01
L-15	0	0	6	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 310

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
L-16	0	0	0	30	0.01
L-17	0	0	0	20	0.01
L-18	0	0	0	20	0.01
L-19	0	0	0	20	0.01
L-20	0	0	7	20	0.01
AF1	0	0	0	20	0.01
AF2	0	0	7	20	0.01
BF1	0	0	0	20	0.01
BF2	0	0	0	10	0.01
BF3	0	0	0	20	0.01
CF1	10	0	5	20	0.01
CF2	0	0	1	10	0.01
CF3	0	0	0	50	0.01
DF1	0	0	0	20	0.01
DF2	0	2	0	40	0.01
DF3	0	0	0	20	0.01
EF1	0	0	0	30	0.01
EF2	0	0	0	20	0.01
AR1	0	0	0	20	0.01
AR2	4	0	8	20	0.01
BR1	0	0	2	30	0.01
BR2	0	0	1	20	0.01
BR3	4	0	0	20	0.01
CR1	0	0	5	40	0.01
CR2	0	0	0	40	0.01
CR3	0	0	0	40	0.01
DR1	0	0	0	30	0.01
DR2	0	0	6	40	0.01
DR3	0	3	5	30	0.01
ER1	0	0	11	40	0.01
ER2	0	1	8	30	0.01
IV	0	0	6	30	0.01
OV	0	0	14	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 311

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	8	60	0.02
A-02	4	0	0	50	0.02
A-03	0	0	0	50	0.01
A-04	4	0	0	50	0.01
A-05	0	0	0	50	0.02
A-06	4	0	0	40	0.01
A-07	0	0	0	30	0.01
A-08	7	0	0	40	0.01
A-09	4	0	0	30	0.01
A-10	7	0	1	30	0.01
A-11	7	5	7	40	0.01
A-12	7	0	7	50	0.01
A-13	4	0	0	40	0.01
A-14	4	0	0	30	0.01
A-15	0	0	0	30	0.01
B-01	0	0	0	40	0.01
B-02	0	0	0	50	0.01
B-03	0	0	0	30	0.01
B-04	4	0	0	40	0.01
B-05	0	0	0	60	0.01
B-06	0	0	14	50	0.01
B-07	0	0	0	30	0.01
B-08	4	0	0	50	0.01
B-09	0	0	0	50	0.01
B-10	0	0	0	50	0.01
B-11	4	0	6	60	0.01
B-12	0	0	0	60	0.01
B-13	0	0	0	50	0.02
B-14	0	0	5	40	0.01
B-15	0	0	2	40	0.01
C-01	4	0	0	50	0.01
C-02	4	0	0	30	0.01
C-03	0	0	4	50	0.02
C-04	0	0	5	50	0.02
C-05	4	0	0	50	0.01
C-06	0	0	11	30	0.01
C-07	0	0	0	30	0.01
C-08	0	0	0	40	0.02
C-09	4	0	0	40	0.01
C-10	0	0	4	50	0.01
C-11	4	0	7	30	0.01
C-12	7	0	1	50	0.01
C-13	0	0	1	40	0.01
C-14	7	0	0	50	0.01
C-15	0	0	0	50	0.01
D-01	0	0	0	50	0.01
D-02	0	0	4	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 311

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	7	0	0	50	0.01
D-04	0	0	0	50	0.01
D-05	4	0	3	40	0.01
D-06	0	0	0	50	0.01
D-07	0	0	0	40	0.01
D-08	0	0	0	40	0.01
D-09	4	0	0	60	0.01
D-10	4	0	0	50	0.01
D-11	0	0	0	50	0.02
D-12	0	0	0	60	0.01
D-13	0	0	2	50	0.01
D-14	0	0	0	30	0.01
D-15	4	0	8	30	0.01
E-01	0	0	0	50	0.01
E-02	0	0	0	40	0.01
E-03	0	0	0	40	0.01
E-04	0	0	0	50	0.01
E-05	0	0	0	50	0.02
E-06	0	0	0	30	0.01
E-07	0	0	0	30	0.00
E-08	4	0	0	60	0.01
E-09	4	0	1	40	0.01
E-10	0	0	6	50	0.01
E-11	4	0	0	30	0.01
E-12	4	0	8	30	0.01
E-13	4	0	0	40	0.01
E-14	7	0	0	50	0.01
E-15	0	0	0	50	0.01
F-01	0	0	2	50	0.01
F-02	11	0	3	40	0.01
F-03	0	0	0	40	0.01
F-04	0	0	4	20	0.01
F-05	4	0	8	50	0.01
F-06	0	0	0	90	0.01
F-07	4	0	13	50	0.01
F-08	4	0	0	50	0.01
F-09	0	0	0	60	0.02
F-10	4	0	3	40	0.01
F-11	4	0	5	50	0.02
F-12	4	0	0	60	0.01
F-13	0	0	1	40	0.01
F-14	0	0	8	50	0.01
F-15	0	0	6	90	0.01
G-01	0	0	8	50	0.01
G-02	0	0	1	40	0.01
G-03	4	0	0	40	0.01
G-04	0	0	2	50	0.02

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 311

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	1	2	40	0.01
G-06	0	0	6	50	0.01
G-07	0	0	2	70	0.01
G-08	0	0	2	40	0.01
G-09	0	0	6	80	0.01
G-10	0	0	0	20	0.01
G-11	4	0	10	40	0.01
G-12	0	0	0	50	0.01
G-13	4	0	2	40	0.01
G-14	0	0	2	40	0.01
G-15	0	0	8	50	0.01
H-01	0	0	0	70	0.01
H-02	0	0	5	70	0.01
H-03	0	0	5	40	0.01
H-04	4	0	7	30	0.02
H-05	0	0	7	50	0.01
H-06	0	0	6	60	0.01
H-07	0	0	0	40	0.01
H-08	4	0	0	40	0.01
H-09	0	0	6	70	0.01
H-10	4	0	0	40	0.01
H-11	0	0	0	30	0.01
H-12	7	0	0	40	0.01
H-13	0	0	0	70	0.01
H-14	0	0	0	90	0.01
H-15	0	0	6	90	0.01
I-01	4	0	2	40	0.01
I-02	0	0	4	30	0.01
I-03	0	0	0	30	0.01
I-04	0	0	4	50	0.01
I-05	0	0	0	40	0.01
I-06	0	0	0	60	0.01
I-07	0	0	0	60	0.01
I-08	4	0	0	60	0.01
I-09	7	0	0	50	0.02
I-10	0	0	5	60	0.01
I-11	0	0	1	60	0.01
I-12	0	0	2	80	0.01
I-13	7	0	0	80	0.01
I-14	4	0	1	70	0.01
I-15	0	0	5	40	0.01
J-01	4	0	12	40	0.01
J-02	0	0	8	60	0.01
J-03	4	1	3	40	0.01
J-04	4	0	7	60	0.01
J-05	4	0	16	60	0.01
J-06	0	2	0	20	0.02

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 311

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	0	0	50	0.02
J-08	0	0	0	20	0.01
J-09	0	0	5	20	0.01
J-10	0	0	3	10	0.01
J-11	0	0	3	30	0.01
J-12	4	0	3	50	0.01
J-13	4	0	3	70	0.01
J-14	4	0	6	60	0.01
J-15	0	0	9	90	0.01
K-01	11	0	0	70	0.01
K-02	0	0	4	50	0.01
K-03	0	0	6	40	0.01
K-04	4	0	2	60	0.01
K-05	0	0	4	50	0.01
K-06	4	0	6	50	0.02
K-07	7	0	0	70	0.01
K-08	4	0	2	40	0.01
K-09	7	0	0	60	0.01
K-10	4	0	1	60	0.01
K-11	0	0	6	110	0.01
K-12	4	0	4	80	0.01
K-13	0	0	9	70	0.01
K-14	0	0	0	60	0.01
K-15	4	0	0	90	0.01
L-01	4	0	0	40	0.01
L-02	4	0	0	30	0.01
L-03	4	0	0	20	0.01
L-04	0	0	0	40	0.01
L-05	7	0	2	40	0.01
L-06	11	0	0	50	0.01
L-07	0	0	0	70	0.01
L-08	0	0	2	50	0.01
L-09	4	0	4	50	0.01
L-10	0	0	12	50	0.01
L-11	0	0	0	60	0.01
L-12	0	0	1	40	0.01
L-13	4	0	0	30	0.01
L-14	0	0	0	60	0.01
L-15	0	0	0	50	0.01
AF1	4	0	0	50	0.01
AF2	0	0	2	50	0.01
BF1	0	0	0	40	0.01
BF2	0	0	8	50	0.01
BF3	0	0	0	0	0.01
CF1	4	0	0	40	0.01
CF2	0	0	5	20	0.01
CF3	4	0	6	60	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 311

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUJDLUM MODEL 3 ALPHA IN DPM	LUJDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	0	8	40	0.01
DF2	0	0	0	40	0.01
DF3	7	0	1	50	0.01
EF1	0	0	8	60	0.01
EF2	0	0	12	30	0.01
AR1	4	0	0	50	0.01
AR2	0	0	8	50	0.01
BR1	0	0	0	30	0.02
BR2	7	0	6	40	0.01
BR3	4	0	1	40	0.01
CR1	7	0	3	40	0.01
CR2	0	0	0	40	0.01
CR3	4	0	2	60	0.01
DR1	0	0	2	50	0.01
DR2	0	0	4	80	0.01
DR3	4	0	5	40	0.01
ER1	4	0	5	60	0.01
ER2	0	0	0	40	0.01
IV	0	0	0	60	0.01
OV	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 312

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	8	30	0.01
A-02	1	4	3	30	0.01
A-03	1	0	11	60	0.02
A-04	3	0	0	40	0.02
A-05	0	0	5	50	0.01
A-06	1	0	0	50	0.01
A-07	3	0	7	50	0.01
A-08	1	0	3	40	0.01
A-09	1	0	1	40	0.01
A-10	1	0	0	30	0.01
A-11	0	0	8	40	0.01
A-12	0	1	0	20	0.01
A-13	1	0	0	50	0.01
A-14	1	0	22	40	0.01
A-15	0	0	5	30	0.01
A-16	1	1	0	30	0.01
A-17	1	2	0	30	0.01
A-18	6	0	8	20	0.01
A-19	0	0	0	50	0.01
A-20	3	1	0	30	0.01
B-01	0	0	0	30	0.02
B-02	1	0	0	50	0.01
B-03	0	0	0	30	0.02
B-04	0	2	0	40	0.01
B-05	4	2	4	40	0.01
B-06	0	0	0	60	0.01
B-07	3	0	0	50	0.01
B-08	0	0	0	40	0.01
B-09	1	0	4	50	0.01
B-10	0	0	16	40	0.01
B-11	0	0	3	80	0.01
B-12	1	0	0	60	0.02
B-13	0	0	5	40	0.01
B-14	3	0	9	40	0.01
B-15	0	0	0	30	0.01
B-16	0	0	3	40	0.01
B-17	0	0	0	50	0.01
B-18	4	3	0	40	0.01
B-19	1	1	0	30	0.01
B-20	1	0	6	40	0.01
C-01	0	0	1	60	0.01
C-02	4	1	1	40	0.01
C-03	3	0	0	70	0.01
C-04	0	0	7	60	0.01
C-05	1	0	3	40	0.01
C-06	0	0	4	50	0.01
C-07	0	0	0	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 307

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN mR/hr
D-03	0	4	0	50	0.01
D-04	0	4	1	40	0.01
D-05	1	2	0	20	0.01
D-06	0	6	0	30	0.01
D-07	1	0	0	50	0.01
D-08	0	2	1	30	0.01
D-09	0	5	0	30	0.02
D-10	1	0	9	30	0.02
D-11	1	3	0	30	0.01
D-12	1	4	0	20	0.01
D-13	0	0	0	50	0.01
D-14	0	0	10	30	0.01
D-15	0	0	6	40	0.01
E-01	0	3	6	50	0.02
E-02	0	3	9	50	0.01
E-03	0	0	4	40	0.01
E-04	0	4	0	40	0.01
E-05	0	4	0	60	0.01
E-06	1	2	1	70	0.01
E-07	1	3	5	40	0.01
E-08	0	0	0	10	0.01
E-09	0	2	0	20	0.01
E-10	1	0	0	40	0.01
E-11	0	2	0	40	0.01
E-12	0	0	0	30	0.01
E-13	1	0	6	40	0.01
E-14	1	0	0	40	0.01
E-15	3	2	0	50	0.00
F-01	3	0	0	20	0.01
F-02	1	0	0	30	0.01
F-03	1	8	0	40	0.01
F-04	0	0	4	20	0.01
F-05	1	3	2	50	0.01
F-06	0	4	0	40	0.01
F-07	1	0	4	40	0.01
F-08	0	0	12	20	0.01
F-09	0	0	7	20	0.01
F-10	1	0	2	30	0.01
F-11	0	2	4	20	0.01
F-12	1	0	4	30	0.01
F-13	1	0	3	20	0.01
F-14	0	5	8	40	0.01
F-15	1	0	8	20	0.01
G-01	0	2	10	30	0.01
G-02	0	2	6	60	0.01
G-03	1	0	8	70	0.01
G-04	0	2	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 307

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN mR/hr
G-05	0	0	0	20	0.01
G-06	3	0	1	20	0.01
G-07	1	0	6	20	0.01
G-08	0	0	4	20	0.01
G-09	0	0	2	20	0.01
G-10	0	0	0	30	0.01
G-11	0	0	7	20	0.01
G-12	0	0	8	30	0.01
G-13	3	0	0	20	0.01
G-14	0	0	3	30	0.01
G-15	1	0	8	60	0.01
H-01	0	0	8	40	0.01
H-02	0	0	10	40	0.01
H-03	0	0	8	20	0.01
H-04	0	0	6	40	0.01
H-05	0	0	0	30	0.01
H-06	7	1	14	30	0.01
H-07	3	0	1	30	0.01
H-08	3	0	3	20	0.01
H-09	1	0	6	20	0.01
H-10	0	0	7	40	0.01
H-11	1	0	12	20	0.01
H-12	0	0	8	50	0.01
H-13	0	0	4	20	0.02
H-14	0	0	10	30	0.01
H-15	1	0	0	30	0.01
I-01	1	0	0	30	0.01
I-02	0	0	1	60	0.02
I-03	0	0	6	20	0.01
I-04	1	0	9	20	0.01
I-05	0	0	6	20	0.01
I-06	1	0	7	40	0.01
I-07	3	0	4	20	0.01
I-08	4	0	6	70	0.01
I-09	0	0	4	60	0.01
I-10	3	0	6	60	0.01
I-11	1	2	11	30	0.01
I-12	0	0	0	50	0.01
I-13	3	0	1	60	0.01
I-14	4	0	18	50	0.01
I-15	0	0	2	40	0.02
J-01	0	0	13	60	0.01
J-02	0	0	10	50	0.02
J-03	3	0	4	80	0.01
J-04	0	0	7	30	0.01
J-05	0	0	7	40	0.01
J-06	3	0	0	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 307

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN mR/hr
J-07	0	0	0	40	0.01
J-08	3	0	0	30	0.01
J-09	0	0	0	40	0.01
J-10	1	0	3	50	0.02
J-11	1	0	2	30	0.01
J-12	1	0	6	30	0.01
J-13	3	0	0	30	0.01
J-14	0	0	0	30	0.01
J-15	3	0	1	40	0.01
K-01	0	0	0	60	0.01
K-02	3	0	2	60	0.01
K-03	3	0	4	80	0.01
K-04	0	0	3	90	0.02
K-05	0	0	0	70	0.01
K-06	3	0	5	30	0.01
K-07	0	0	10	10	0.01
K-08	0	1	4	20	0.01
K-09	0	0	0	30	0.01
K-10	1	0	9	50	0.01
K-11	0	0	0	50	0.02
K-12	1	0	0	80	0.01
K-13	1	0	11	70	0.01
K-14	0	0	0	30	0.01
K-15	3	0	11	50	0.01
L-01	0	2	8	30	0.01
L-02	1	0	1	30	0.01
L-03	1	0	0	20	0.01
L-04	1	0	4	20	0.01
L-05	3	0	0	20	0.01
L-06	0	0	6	20	0.01
L-07	0	0	0	50	0.01
L-08	1	0	0	30	0.01
L-09	1	0	0	40	0.01
L-10	0	0	1	50	0.01
L-11	0	0	3	20	0.01
L-12	0	0	0	30	0.01
L-13	1	0	14	30	0.01
L-14	3	0	6	20	0.01
L-15	0	0	1	20	0.01
AF1	0	0	9	30	0.01
AF2	1	0	6	60	0.01
BF1	1	0	5	40	0.01
BF2	0	0	8	40	0.01
BF3	0	0	3	20	0.01
CF1	3	0	0	50	0.01
CF2	0	0	0	30	0.01
CF3	0	0	1	30	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 307

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN mR/hr
DF1	1	0	11	70	0.01
DF2	0	0	0	70	0.01
DF3	0	0	4	30	0.01
EF1	0	0	6	30	0.01
EF2	3	0	9	50	0.01
AR1	1	0	0	20	0.01
AR2	3	0	3	30	0.01
BR1	0	0	12	20	0.01
BR2	0	0	0	40	0.01
BR3	1	0	0	30	0.01
CR1	0	0	0	20	0.01
CR2	1	0	10	20	0.01
CR3	1	0	0	40	0.01
DR1	1	0	7	40	0.01
DR2	1	0	0	40	0.01
DR3	1	2	3	30	0.01
ER1	4	0	0	50	0.01
ER2	0	0	13	40	0.01
IV	3	0	2	40	0.04
OV	0	0	11	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 308

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	7	0	10	0.02
A-02	0	0	0	20	0.01
A-03	0	0	0	10	0.02
A-04	0	2	0	10	0.03
A-05	0	8	1	10	0.01
A-06	0	0	0	10	0.01
A-07	0	0	0	10	0.02
A-08	0	0	0	20	0.01
A-09	7	1	3	10	0.01
A-10	0	0	10	10	0.01
A-11	0	0	0	10	0.01
A-12	0	0	0	10	0.02
A-13	0	2	0	10	0.01
A-14	0	0	0	10	0.01
A-15	0	4	0	10	0.01
A-16	0	0	0	10	0.02
A-17	0	4	0	10	0.01
A-18	4	0	0	10	0.01
A-19	4	1	0	20	0.01
A-20	0	3	0	20	0.01
B-01	0	2	0	20	0.01
B-02	0	3	0	10	0.01
B-03	0	1	0	10	0.01
B-04	0	2	0	20	0.01
B-05	0	4	0	20	0.02
B-06	0	0	0	10	0.01
B-07	4	4	0	10	0.01
B-08	0	2	0	10	0.01
B-09	0	7	6	10	0.01
B-10	0	2	0	20	0.01
B-11	4	1	0	10	0.01
B-12	0	7	7	10	0.01
B-13	0	0	14	10	0.01
B-14	0	0	0	10	0.01
B-15	0	2	0	10	0.01
B-16	4	0	10	10	0.02
B-17	0	0	6	10	0.01
B-18	0	0	8	10	0.02
B-19	0	0	1	20	0.02
B-20	0	2	3	20	0.01
C-01	0	1	0	10	0.01
C-02	0	0	0	10	0.01
C-03	0	3	0	20	0.01
C-04	0	0	3	10	0.01
C-05	0	0	7	20	0.01
C-06	0	0	0	10	0.02
C-07	0	0	0	10	0.01
C-08	0	0	0	10	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 308

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
C-09	0	0	0	20	0.02
C-10	0	0	0	30	0.01
C-11	0	1	0	10	0.01
C-12	0	0	0	40	0.01
C-13	4	2	0	10	0.02
C-14	0	0	0	30	0.01
C-15	0	2	0	20	0.01
C-16	0	0	0	40	0.01
C-17	0	0	5	10	0.02
C-18	0	0	0	10	0.02
C-19	0	0	0	10	0.01
C-20	0	0	0	10	0.01
D-01	0	0	0	10	0.01
D-02	0	0	0	10	0.01
D-03	0	0	5	10	0.01
D-04	0	2	0	20	0.02
D-05	4	1	6	10	0.01
D-06	0	1	0	10	0.01
D-07	0	4	1	10	0.00
D-08	4	1	0	20	0.01
D-09	0	0	1	10	0.01
D-10	0	2	0	10	0.01
D-11	4	0	0	10	0.01
D-12	0	0	4	10	0.01
D-13	0	0	0	10	0.01
D-14	0	0	0	10	0.01
D-15	0	3	0	10	0.01
D-16	0	4	0	20	0.01
D-17	0	0	0	20	0.02
D-18	0	0	0	10	0.01
D-19	0	2	2	10	0.01
D-20	0	0	0	10	0.01
E-01	0	1	0	10	0.01
E-02	0	0	0	10	0.01
E-03	0	0	9	10	0.01
E-04	0	1	3	20	0.01
E-05	0	0	4	10	0.01
E-06	0	0	2	20	0.01
E-07	0	2	0	20	0.02
E-08	0	0	1	10	0.01
E-09	0	0	1	10	0.01
E-10	0	0	2	10	0.01
E-11	4	1	0	20	0.01
E-12	4	0	0	40	0.01
E-13	0	5	0	20	0.01
E-14	0	0	0	20	0.02
E-15	0	4	0	20	0.02
E-16	0	10	0	10	0.02

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 308

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-17	0	0	11	10	0.01
E-18	0	0	0	20	0.01
E-19	0	0	1	10	0.02
E-20	0	0	2	10	0.01
F-01	0	2	16	10	0.01
F-02	0	4	16	10	0.01
F-03	0	0	23	10	0.01
F-04	0	5	9	10	0.01
F-05	0	2	31	20	0.01
F-06	0	0	17	10	0.01
F-07	4	0	18	10	0.01
F-08	0	0	27	10	0.00
F-09	0	0	25	10	0.01
F-10	0	0	17	10	0.01
F-11	0	9	23	20	0.01
F-12	0	0	23	10	0.01
F-13	0	1	41	10	0.00
F-14	0	0	24	10	0.01
F-15	0	0	12	10	0.00
F-16	0	0	24	10	0.00
F-17	0	0	20	10	0.00
F-18	0	6	13	20	0.00
F-19	0	0	18	10	0.01
F-20	0	4	17	10	0.01
G-01	0	2	22	10	0.01
G-02	0	5	34	20	0.02
G-03	0	0	25	10	0.01
G-04	0	4	24	10	0.01
G-05	0	1	23	10	0.01
G-06	0	4	25	10	0.01
G-07	0	2	16	10	0.01
G-08	0	4	18	10	0.01
G-09	4	5	19	10	0.01
G-10	0	2	28	20	0.01
G-11	0	0	10	10	0.01
G-12	0	0	19	10	0.01
G-13	0	0	25	10	0.01
G-14	0	1	22	10	0.01
G-15	0	0	22	10	0.01
G-16	0	0	16	20	0.01
G-17	0	0	12	30	0.01
G-18	0	0	23	10	0.01
G-19	0	0	12	20	0.01
G-20	0	2	20	20	0.01
H-01	0	0	25	10	0.01
H-02	0	0	28	10	0.01
H-03	0	1	12	20	0.01
H-04	0	0	12	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 308

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
H-05	0	0	24	20	0.01
H-06	0	2	26	20	0.01
H-07	0	0	20	10	0.01
H-08	0	4	17	20	0.01
H-09	0	2	18	20	0.01
H-10	0	1	19	20	0.01
H-11	0	0	25	30	0.01
H-12	0	3	24	10	0.01
H-13	0	0	16	20	0.01
H-14	0	1	19	20	0.01
H-15	0	0	17	30	0.01
H-16	0	0	27	10	0.01
H-17	0	0	30	10	0.01
H-18	0	3	22	20	0.01
H-19	0	0	24	10	0.01
H-20	0	4	27	20	0.01
I-01	0	0	28	20	0.01
I-02	0	0	0	10	0.01
I-03	0	0	16	30	0.01
I-04	0	4	22	20	0.01
I-05	0	3	21	10	0.01
I-06	0	0	22	20	0.01
I-07	0	0	14	10	0.01
I-08	0	3	5	20	0.01
I-09	0	2	23	10	0.01
I-10	0	0	20	10	0.01
I-11	0	8	11	10	0.01
I-12	0	0	19	10	0.01
I-13	0	0	22	10	0.01
I-14	0	2	17	10	0.01
I-15	0	3	14	10	0.01
I-16	0	0	19	20	0.01
I-17	0	0	17	10	0.01
I-18	4	0	11	20	0.01
I-19	8	0	7	10	0.01
I-20	0	0	14	30	0.01
J-01	0	4	7	10	0.01
J-02	0	2	15	20	0.01
J-03	0	5	14	20	0.01
J-04	0	0	17	10	0.01
J-05	4	0	16	20	0.01
J-06	0	0	12	30	0.01
J-07	4	0	18	10	0.01
J-08	0	0	11	10	0.01
J-09	0	0	31	10	0.01
J-10	0	0	16	20	0.01
J-11	8	4	16	10	0.01
J-12	0	5	22	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 308

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-13	0	6	21	20	0.01
J-14	0	0	15	10	0.01
J-15	0	0	30	10	0.01
J-16	0	2	11	30	0.01
J-17	0	0	18	10	0.01
J-18	0	0	11	10	0.01
J-19	0	0	23	10	0.01
J-20	0	0	11	40	0.01
K-01	0	1	10	10	0.01
K-02	0	0	21	20	0.01
K-03	0	2	11	10	0.01
K-04	0	3	21	20	0.01
K-05	0	0	3	10	0.01
K-06	0	0	20	20	0.01
K-07	0	0	29	20	0.01
K-08	0	0	18	20	0.01
K-09	0	0	18	10	0.01
K-10	0	5	16	20	0.01
K-11	0	3	1	10	0.01
K-12	0	2	15	30	0.01
K-13	0	3	23	10	0.01
K-14	0	1	26	10	0.01
K-15	4	2	23	20	0.01
K-16	0	0	0	10	0.01
K-17	0	0	20	10	0.01
K-18	8	4	21	10	0.01
K-19	0	0	12	20	0.01
K-20	0	5	16	20	0.01
L-01	0	2	4	10	0.01
L-02	0	4	16	10	0.01
L-03	0	0	23	20	0.01
L-04	0	0	8	30	0.01
L-05	0	0	10	10	0.01
L-06	0	0	22	10	0.01
L-07	0	2	22	10	0.01
L-08	0	0	10	10	0.01
L-09	0	0	31	30	0.01
L-10	0	0	16	20	0.01
L-11	0	1	10	10	0.01
L-12	0	4	7	10	0.01
L-13	0	3	13	20	0.01
L-14	0	0	10	20	0.01
L-15	0	0	11	10	0.01
L-16	0	4	20	10	0.01
L-17	0	0	13	10	0.01
L-18	0	0	26	10	0.01
L-19	0	0	12	10	0.01
L-20	0	2	14	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 308

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
AF1	0	0	0	10	0.01
AF2	0	4	0	10	0.01
BF1	0	3	0	10	0.01
BF2	0	2	0	10	0.01
BF3	0	2	0	20	0.01
CF1	0	3	0	10	0.01
CF2	0	1	0	20	0.01
CF3	0	2	2	30	0.01
DF1	0	0	0	10	0.01
DF2	0	0	8	20	0.02
DF3	0	0	1	20	0.01
EF1	0	0	1	40	0.01
EF2	0	0	0	20	0.01
AR1	0	0	17	30	0.01
AR2	0	4	25	40	0.02
BR1	0	0	1	30	0.01
BR2	0	0	27	30	0.01
BR3	0	0	2	20	0.01
CR1	0	0	17	40	0.02
CR2	0	0	30	40	0.01
CR3	0	4	23	20	0.01
DR1	0	0	22	30	0.01
DR2	0	0	20	40	0.02
DR3	0	0	15	30	0.02
ER1	0	2	21	30	0.01
ER2	4	1	21	20	0.02
IV	0	4	19	10	0.01
OV	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 309

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	2	11	40	0.01
A-02	0	2	0	20	0.01
A-03	0	0	0	20	0.01
A-04	0	1	1	20	0.01
A-05	0	0	0	10	0.01
A-06	0	7	0	40	0.02
A-07	0	4	0	30	0.01
A-08	0	5	0	20	0.01
A-09	0	3	0	20	0.01
A-10	0	5	0	10	0.01
A-11	0	4	0	20	0.01
A-12	0	4	0	20	0.01
A-13	0	1	0	0	0.01
A-14	0	4	0	10	0.01
A-15	3	13	0	20	0.01
B-01	0	1	0	20	0.01
B-02	0	2	0	20	0.01
B-03	0	1	0	30	0.01
B-04	0	0	0	10	0.01
B-05	0	3	0	20	0.01
B-06	0	1	0	30	0.01
B-07	0	1	0	20	0.01
B-08	0	0	0	20	0.01
B-09	0	0	0	20	0.01
B-10	0	0	0	10	0.01
B-11	0	6	2	20	0.01
B-12	0	3	0	20	0.01
B-13	0	3	7	10	0.01
B-14	0	0	0	10	0.01
B-15	0	3	0	10	0.01
C-01	0	4	0	10	0.01
C-02	0	0	0	30	0.01
C-03	0	0	5	30	0.01
C-04	0	4	0	50	0.01
C-05	0	3	2	50	0.01
C-06	0	0	3	20	0.01
C-07	0	1	9	10	0.02
C-08	0	2	0	0	0.01
C-09	0	2	0	0	0.01
C-10	0	4	0	10	0.01
C-11	0	2	0	30	0.01
C-12	0	4	26	20	0.01
C-13	0	3	0	0	0.01
C-14	0	4	0	10	0.01
C-15	0	2	0	20	0.01
D-01	0	0	0	20	0.01
D-02	0	0	0	0	0.01
D-03	0	2	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 309

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-04	0	2	0	20	0.01
D-05	0	1	0	20	0.01
D-06	0	0	0	0	0.02
D-07	0	0	5	0	0.01
D-08	0	3	0	20	0.01
D-09	0	0	0	10	0.01
D-10	0	1	0	0	0.01
D-11	0	5	0	10	0.01
D-12	0	2	0	20	0.01
D-13	0	4	0	20	0.01
D-14	0	4	0	10	0.01
D-15	0	5	0	20	0.01
E-01	0	3	0	20	0.01
E-02	0	0	0	10	0.01
E-03	0	1	0	0	0.01
E-04	0	0	0	10	0.01
E-05	0	1	0	30	0.01
E-06	0	2	0	20	0.01
E-07	0	1	0	10	0.01
E-08	0	2	0	30	0.01
E-09	0	1	0	20	0.02
E-10	1	1	0	20	0.01
E-11	0	4	0	10	0.01
E-12	0	1	0	0	0.01
E-13	0	6	4	20	0.01
E-14	0	3	0	20	0.01
E-15	0	0	61	20	0.01
F-01	0	0	0	10	0.01
F-02	0	2	0	20	0.01
F-03	0	4	0	20	0.01
F-04	0	0	0	20	0.01
F-05	0	0	0	0	0.01
F-06	0	1	1	0	0.01
F-07	0	3	3	10	0.01
F-08	0	0	2	0	0.01
F-09	0	0	6	20	0.01
F-10	0	0	0	20	0.01
F-11	0	1	3	10	0.01
F-12	0	2	0	20	0.01
F-13	0	0	2	10	0.01
F-14	0	3	2	20	0.01
F-15	0	3	8	30	0.01
G-01	0	0	0	20	0.01
G-02	0	2	0	30	0.01
G-03	0	7	3	20	0.01
G-04	0	0	0	10	0.01
G-05	0	2	3	30	0.01
G-06	0	0	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 309

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-07	0	5	0	20	0.01
G-08	0	5	2	20	0.01
G-09	1	2	0	20	0.01
G-10	0	3	0	30	0.01
G-11	0	7	0	20	0.01
G-12	0	0	0	10	0.01
G-13	0	4	6	20	0.01
G-14	0	0	0	40	0.01
G-15	0	8	12	20	0.01
H-01	0	3	4	20	0.01
H-02	1	8	1	10	0.01
H-03	1	2	0	20	0.01
H-04	0	2	0	20	0.01
H-05	2	0	0	10	0.01
H-06	0	13	4	20	0.01
H-07	0	5	0	20	0.01
H-08	0	0	0	30	0.01
H-09	0	7	7	20	0.01
H-10	0	0	0	10	0.01
H-11	0	4	1	20	0.01
H-12	0	10	0	20	0.01
H-13	0	0	0	0	0.01
H-14	0	0	11	10	0.01
H-15	0	12	0	0	0.01
I-01	0	2	0	20	0.01
I-02	0	5	0	10	0.01
I-03	1	4	0	10	0.01
I-04	0	0	0	10	0.01
I-05	1	5	0	10	0.01
I-06	0	0	0	20	0.01
I-07	0	2	0	30	0.01
I-08	0	3	0	20	0.01
I-09	1	5	2	20	0.01
I-10	0	2	4	10	0.01
I-11	0	3	0	30	0.01
I-12	0	8	4	30	0.01
I-13	0	4	0	40	0.01
I-14	0	3	0	20	0.01
I-15	0	0	0	20	0.01
J-01	0	14	0	30	0.02
J-02	0	0	0	20	0.01
J-03	0	2	0	20	0.01
J-04	0	3	5	10	0.01
J-05	0	8	0	70	0.01
J-06	0	7	0	20	0.01
J-07	0	3	0	50	0.01
J-08	0	0	2	10	0.02
J-09	0	2	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 309

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-10	0	4	6	10	0.01
J-11	0	2	0	30	0.01
J-12	0	0	0	40	0.01
J-13	0	3	0	20	0.01
J-14	0	5	6	20	0.01
J-15	0	4	3	10	0.01
K-01	0	9	0	40	0.01
K-02	0	7	0	10	0.01
K-03	0	4	0	30	0.02
K-04	0	7	0	10	0.02
K-05	0	0	0	20	0.02
K-06	0	0	3	20	0.02
K-07	0	0	0	10	0.02
K-08	0	8	0	30	0.02
K-09	0	0	0	20	0.02
K-10	0	4	0	30	0.01
K-11	0	3	0	20	0.02
K-12	0	2	0	20	0.01
K-13	0	8	0	10	0.01
K-14	0	0	0	0	0.02
K-15	0	3	7	20	0.01
L-01	0	5	0	20	0.02
L-02	0	3	0	20	0.01
L-03	0	7	0	20	0.01
L-04	0	4	0	10	0.02
L-05	0	5	0	10	0.02
L-06	0	4	3	20	0.02
L-07	0	3	0	40	0.01
L-08	0	3	0	20	0.02
L-09	0	8	0	30	0.01
L-10	0	4	3	10	0.02
L-11	0	2	0	10	0.02
L-12	0	3	0	10	0.01
L-13	0	9	0	20	0.01
L-14	0	3	0	20	0.01
L-15	0	0	7	10	0.01
AF1	0	2	0	20	0.03
AF2	0	3	0	10	0.02
BF1	0	4	0	20	0.02
BF2	0	4	0	30	0.01
BF3	0	7	0	40	0.01
CF1	0	4	0	20	0.01
CF2	0	2	0	40	0.01
CF3	0	3	0	30	0.01
DF1	0	3	0	20	0.01
DF2	0	6	0	40	0.01
DF3	0	1	0	40	0.01
EF1	0	1	0	10	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 309

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
EF2	5	4	13	30	0.01
AR1	0	2	0	20	0.01
AR2	0	3	0	10	0.01
BR1	0	7	0	10	0.01
BR2	0	4	0	10	0.01
BR3	0	6	0	20	0.01
CR1	0	7	0	10	0.02
CR2	0	6	0	10	0.01
CR3	0	1	0	20	0.01
DR1	0	0	0	10	0.01
DR2	0	4	0	0	0.01
DR3	0	7	0	70	0.01
ER1	0	4	0	20	0.01
ER2	0	2	3	10	0.01
IV	0	3	0	10	0.01
OV	0	0	0	0	0.01
	0	0	0	0	0.00

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 310

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	0	20	0.01
A-02	2	0	8	20	0.01
A-03	0	0	0	20	0.01
A-04	0	2	0	20	0.01
A-05	2	4	0	30	0.01
A-06	5	14	4	20	0.01
A-07	0	0	0	20	0.01
A-08	5	0	6	20	0.01
A-09	0	0	0	20	0.01
A-10	5	0	0	20	0.01
A-11	0	0	0	20	0.01
A-12	0	5	0	20	0.01
A-13	5	0	0	40	0.01
A-14	0	0	4	20	0.01
A-15	2	0	0	20	0.01
A-16	0	1	0	20	0.01
A-17	0	0	0	20	0.01
A-18	0	0	5	20	0.01
A-19	0	0	0	20	0.01
A-20	0	0	0	20	0.01
B-01	2	0	0	20	0.01
B-02	0	0	0	20	0.01
B-03	0	0	9	20	0.01
B-04	0	0	0	20	0.01
B-05	5	0	0	20	0.01
B-06	0	0	0	20	0.01
B-07	2	0	0	20	0.01
B-08	0	0	4	20	0.01
B-09	0	0	8	20	0.01
B-10	5	6	0	20	0.01
B-11	0	0	0	20	0.01
B-12	2	0	0	20	0.01
B-13	0	0	0	20	0.01
B-14	0	0	1	20	0.01
B-15	2	0	0	20	0.01
B-16	2	0	4	20	0.01
B-17	2	0	8	20	0.01
B-18	2	0	1	20	0.01
B-19	2	0	2	20	0.01
B-20	5	0	0	20	0.01
C-01	0	0	0	20	0.01
C-02	2	0	5	20	0.01
C-03	0	0	0	20	0.01
C-04	2	0	8	20	0.01
C-05	2	2	1	30	0.01
C-06	0	0	9	20	0.01
C-07	0	0	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 310

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
C-08	0	0	1	20	0.01
C-09	0	0	0	20	0.01
C-10	0	0	0	20	0.01
C-11	2	0	0	20	0.01
C-12	5	0	5	20	0.01
C-13	0	5	1	20	0.01
C-14	0	0	1	20	0.01
C-15	0	0	3	30	0.01
C-16	0	1	0	20	0.01
C-17	0	0	0	20	0.01
C-18	0	0	0	20	0.01
C-19	0	0	0	20	0.01
C-20	2	0	3	20	0.01
D-01	0	0	4	20	0.01
D-02	0	0	0	20	0.01
D-03	2	5	0	20	0.01
D-04	2	0	4	20	0.01
D-05	13	0	0	20	0.01
D-06	0	0	3	20	0.01
D-07	2	2	0	20	0.01
D-08	0	0	1	20	0.01
D-09	0	0	0	20	0.01
D-10	2	0	0	20	0.00
D-11	2	0	0	20	0.01
D-12	5	0	0	20	0.01
D-13	0	0	0	20	0.01
D-14	2	2	5	20	0.01
D-15	0	0	0	20	0.01
D-16	2	0	0	20	0.01
D-17	0	2	0	20	0.01
D-18	0	0	1	20	0.01
D-19	0	0	0	20	0.01
D-20	0	0	0	20	0.01
E-01	0	0	0	20	0.01
E-02	0	0	0	20	0.01
E-03	2	0	0	30	0.01
E-04	0	0	1	10	0.01
E-05	0	0	0	30	0.01
E-06	0	0	0	20	0.01
E-07	0	0	0	20	0.01
E-08	2	0	1	20	0.01
E-09	0	0	0	40	0.01
E-10	2	0	4	20	0.01
E-11	0	0	7	10	0.01
E-12	0	0	0	20	0.01
E-13	0	0	0	20	0.01
E-14	0	0	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 310

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-15	0	0	0	20	0.01
E-16	0	0	1	10	0.01
E-17	0	0	0	20	0.01
E-18	0	0	0	20	0.01
E-19	0	0	0	10	0.01
E-20	0	0	0	20	0.01
F-01	2	0	0	20	0.01
F-02	0	0	4	20	0.01
F-03	9	0	0	20	0.01
F-04	0	0	1	20	0.01
F-05	0	2	0	20	0.01
F-06	0	0	5	20	0.01
F-07	5	0	0	20	0.01
F-08	0	0	2	20	0.01
F-09	0	0	4	20	0.01
F-10	0	0	1	20	0.01
F-11	0	5	8	20	0.01
F-12	2	15	0	20	0.01
F-13	2	1	0	20	0.01
F-14	0	1	0	20	0.01
F-15	0	0	0	30	0.01
F-16	5	0	6	20	0.01
F-17	0	0	2	20	0.01
F-18	2	0	13	20	0.01
F-19	0	0	7	20	0.01
F-20	0	0	5	20	0.01
G-01	0	0	1	20	0.01
G-02	5	0	0	20	0.01
G-03	0	1	2	20	0.01
G-04	5	0	0	20	0.01
G-05	0	0	0	20	0.01
G-06	0	0	0	20	0.01
G-07	0	1	0	20	0.01
G-08	0	0	0	20	0.01
G-09	0	0	7	40	0.01
G-10	2	0	3	20	0.01
G-11	0	0	1	20	0.01
G-12	2	0	0	20	0.01
G-13	0	2	1	30	0.01
G-14	0	0	4	20	0.01
G-15	0	1	0	20	0.01
G-16	2	0	10	40	0.01
G-17	2	4	0	20	0.01
G-18	0	0	2	40	0.01
G-19	0	0	4	20	0.01
G-20	0	0	0	20	0.01
H-01	0	0	5	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 310

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
H-02	2	0	0	40	0.01
H-03	0	0	13	50	0.01
H-04	0	0	3	20	0.01
H-05	2	0	0	20	0.00
H-06	0	0	9	20	0.01
H-07	0	0	6	20	0.01
H-08	0	0	8	20	0.01
H-09	0	0	4	20	0.01
H-10	0	0	4	20	0.01
H-11	0	1	0	20	0.01
H-12	2	0	14	40	0.01
H-13	2	0	15	30	0.01
H-14	0	0	6	20	0.01
H-15	0	0	0	20	0.01
H-16	0	0	0	20	0.01
H-17	0	0	0	50	0.01
H-18	0	0	3	20	0.01
H-19	2	0	6	40	0.01
H-20	0	0	4	20	0.01
I-01	6	0	0	20	0.01
I-02	0	0	1	20	0.01
I-03	0	0	5	30	0.01
I-04	0	0	4	30	0.01
I-05	0	0	0	20	0.01
I-06	2	0	1	30	0.01
I-07	2	0	7	20	0.01
I-08	5	0	0	20	0.01
I-09	0	0	3	20	0.01
I-10	0	2	0	20	0.01
I-11	0	0	0	20	0.01
I-12	0	1	0	20	0.01
I-13	0	0	1	30	0.01
I-14	0	0	8	20	0.01
I-15	0	0	9	20	0.01
I-16	5	0	3	20	0.01
I-17	0	0	12	20	0.01
I-18	0	0	6	20	0.01
I-19	0	0	4	30	0.01
I-20	1	0	0	20	0.01
J-01	0	0	0	20	0.01
J-02	0	0	0	20	0.01
J-03	0	0	5	40	0.01
J-04	0	0	9	20	0.01
J-05	0	0	5	30	0.01
J-06	0	0	0	20	0.01
J-07	0	0	0	20	0.01
J-08	1	0	0	20	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 312

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
C-08	0	0	0	60	0.01
C-09	3	0	0	30	0.01
C-10	3	0	2	30	0.01
C-11	1	0	0	40	0.01
C-12	1	0	0	50	0.01
C-13	0	0	3	50	0.01
C-14	0	0	0	50	0.01
C-15	0	0	0	60	0.01
C-16	0	0	0	40	0.01
C-17	0	0	0	50	0.01
C-18	3	0	0	40	0.01
C-19	1	0	0	30	0.01
C-20	3	0	0	40	0.01
D-01	19	36	0	30	0.01
D-02	0	0	0	30	0.01
D-03	0	0	0	30	0.01
D-04	0	0	1	30	0.02
D-05	0	0	0	40	0.01
D-06	3	5	0	50	0.01
D-07	1	0	0	60	0.01
D-08	0	0	1	40	0.01
D-09	3	0	0	30	0.01
D-10	1	0	0	40	0.01
D-11	1	0	0	60	0.01
D-12	3	4	23	80	0.01
D-13	3	0	0	40	0.01
D-14	0	4	0	30	0.01
D-15	4	0	0	30	0.01
D-16	1	0	0	40	0.01
D-17	1	3	0	50	0.01
D-18	0	0	0	50	0.01
D-19	0	2	1	40	0.01
D-20	1	0	0	30	0.01
E-01	3	0	0	40	0.01
E-02	0	0	0	40	0.01
E-03	4	10	0	40	0.01
E-04	4	0	0	40	0.01
E-05	0	0	0	50	0.01
E-06	1	0	0	30	0.01
E-07	0	0	4	60	0.01
E-08	1	0	0	30	0.01
E-09	0	0	0	50	0.02
E-10	0	0	0	50	0.01
E-11	3	6	0	30	0.01
E-12	0	3	0	70	0.01
E-13	1	0	0	50	0.01
E-14	0	0	0	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 312

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-15	0	0	7	30	0.01
E-16	0	0	0	40	0.01
E-17	1	0	0	50	0.01
E-18	0	0	0	30	0.01
E-19	4	5	0	30	0.01
E-20	0	0	0	60	0.01
F-01	4	5	3	50	0.01
F-02	1	0	7	70	0.01
F-03	1	3	3	40	0.01
F-04	0	0	11	50	0.01
F-05	0	0	5	50	0.01
F-06	3	0	0	40	0.01
F-07	0	0	0	30	0.01
F-08	0	0	0	30	0.01
F-09	0	0	2	30	0.01
F-10	1	0	2	20	0.01
F-11	0	0	0	60	0.01
F-12	4	0	0	70	0.01
F-13	0	0	0	50	0.01
F-14	0	0	0	50	0.01
F-15	1	0	0	60	0.01
F-16	3	0	5	40	0.02
F-17	0	0	0	40	0.01
F-18	0	0	0	50	0.01
F-19	1	2	0	40	0.01
F-20	1	0	0	40	0.01
G-01	0	1	0	60	0.01
G-02	3	1	0	20	0.01
G-03	0	0	0	60	0.01
G-04	0	0	2	50	0.01
G-05	1	0	0	60	0.01
G-06	3	0	0	30	0.01
G-07	0	2	0	40	0.01
G-08	1	2	0	30	0.01
G-09	1	0	0	50	0.01
G-10	0	0	0	40	0.01
G-11	1	1	0	50	0.01
G-12	3	0	0	60	0.01
G-13	1	0	0	50	0.01
G-14	1	3	0	40	0.01
G-15	0	0	0	70	0.01
G-16	4	0	0	50	0.02
G-17	0	0	5	50	0.01
G-18	1	1	0	50	0.01
G-19	0	0	12	60	0.01
G-20	0	0	5	30	0.01
H-01	1	0	5	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 312

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
H-02	1	0	9	50	0.01
H-03	1	0	0	30	0.01
H-04	0	0	1	60	0.01
H-05	1	0	0	80	0.01
H-06	0	0	0	50	0.01
H-07	1	0	0	60	0.01
H-08	1	0	0	60	0.01
H-09	1	0	9	90	0.01
H-10	4	0	1	50	0.01
H-11	3	0	3	70	0.01
H-12	0	0	3	50	0.01
H-13	3	0	0	80	0.01
H-14	0	0	4	100	0.01
H-15	4	1	0	40	0.01
H-16	0	0	0	40	0.01
H-17	0	0	1	40	0.01
H-18	0	0	0	80	0.01
H-19	1	0	2	40	0.01
H-20	1	0	0	40	0.02
I-01	3	0	1	40	0.01
I-02	1	3	0	60	0.01
I-03	1	2	7	30	0.01
I-04	3	0	5	40	0.01
I-05	3	0	0	40	0.01
I-06	1	3	0	40	0.01
I-07	1	0	0	50	0.01
I-08	0	1	0	70	0.01
I-09	0	3	0	50	0.01
I-10	1	0	0	30	0.01
I-11	3	0	0	40	0.02
I-12	1	1	2	40	0.01
I-13	4	4	0	40	0.01
I-14	1	0	2	20	0.01
I-15	1	0	5	30	0.02
I-16	0	0	0	50	0.01
I-17	1	1	8	40	0.01
I-18	1	0	12	40	0.01
I-19	0	0	0	20	0.01
I-20	0	0	2	20	0.02
J-01	0	0	1	50	0.01
J-02	0	0	0	20	0.01
J-03	0	0	4	60	0.01
J-04	1	0	5	40	0.01
J-05	0	0	0	50	0.01
J-06	3	0	0	30	0.01
J-07	0	0	0	40	0.01
J-08	0	0	0	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 312

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-09	0	0	5	70	0.01
J-10	1	1	0	40	0.01
J-11	1	0	5	50	0.01
J-12	1	0	2	50	0.01
J-13	4	0	0	80	0.01
J-14	0	4	0	50	0.01
J-15	0	0	3	70	0.01
J-16	3	0	0	50	0.01
J-17	0	0	6	60	0.01
J-18	1	0	0	40	0.01
J-19	1	0	0	30	0.01
J-20	0	0	0	30	0.01
K-01	0	0	0	60	0.01
K-02	1	1	7	50	0.01
K-03	1	0	0	50	0.01
K-04	4	0	0	50	0.01
K-05	1	0	0	70	0.01
K-06	0	0	0	50	0.01
K-07	1	0	5	50	0.01
K-08	1	0	3	60	0.01
K-09	7	0	0	50	0.01
K-10	3	0	0	30	0.01
K-11	1	1	0	60	0.01
K-12	1	0	12	50	0.01
K-13	3	0	0	60	0.01
K-14	0	0	0	50	0.01
K-15	0	0	0	60	0.02
K-16	0	4	0	40	0.01
K-17	1	4	3	50	0.01
K-18	0	0	2	30	0.01
K-19	0	0	0	40	0.01
K-20	0	0	5	70	0.01
L-01	0	0	0	40	0.01
L-02	0	0	6	40	0.01
L-03	0	0	9	50	0.01
L-04	1	0	0	60	0.01
L-05	0	0	0	60	0.01
L-06	0	0	0	40	0.01
L-07	0	1	0	30	0.01
L-08	1	0	0	30	0.01
L-09	3	0	5	30	0.02
L-10	0	0	8	30	0.01
L-11	1	2	0	30	0.01
L-12	1	0	10	50	0.01
L-13	0	0	6	50	0.01
L-14	0	0	0	50	0.01
L-15	1	1	0	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 312

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
L-16	0	0	4	30	0.01
L-17	1	1	10	30	0.01
L-18	0	0	0	30	0.01
L-19	0	0	5	30	0.01
L-20	0	0	0	40	0.01
AF1	1	0	0	40	0.01
AF2	1	0	0	30	0.01
BF1	0	0	0	70	0.01
BF2	0	0	0	30	0.01
BF3	1	0	0	30	0.01
CF1	3	1	0	30	0.01
CF2	4	0	3	40	0.01
CF3	0	1	8	30	0.00
DF1	0	0	0	50	0.01
DF2	0	0	0	30	0.01
DF3	0	0	0	40	0.01
EF1	1	0	0	30	0.01
EF2	0	0	0	50	0.01
AR1	1	0	2	50	0.01
AR2	0	0	0	50	0.01
BR1	0	0	2	50	0.01
BR2	1	0	0	60	0.01
BR3	0	0	11	40	0.01
CR1	1	0	3	50	0.01
CR2	0	1	2	50	0.01
CR3	1	0	0	50	0.01
DR1	4	0	2	50	0.01
DR2	1	0	0	30	0.01
DR3	1	0	2	70	0.02
ER1	0	0	4	50	0.01
ER2	3	1	0	40	0.01
IV	1	0	0	30	0.01
OV	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 313

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	0	30	0.01
A-02	0	0	0	70	0.02
A-03	0	0	0	20	0.01
A-04	0	3	0	20	0.01
A-05	0	1	0	40	0.01
A-06	0	4	0	30	0.01
A-07	0	0	0	30	0.01
A-08	0	0	0	20	0.02
A-09	0	0	0	30	0.01
A-10	0	1	0	30	0.01
A-11	0	6	0	60	0.01
A-12	0	1	0	40	0.01
A-13	0	3	0	30	0.01
A-14	3	0	0	40	0.02
A-15	0	0	0	40	0.01
B-01	6	0	3	20	0.01
B-02	3	0	0	30	0.01
B-03	0	0	0	60	0.00
B-04	0	0	0	40	0.01
B-05	0	0	0	20	0.01
B-06	3	0	0	30	0.01
B-07	3	0	0	20	0.01
B-08	0	0	0	30	0.01
B-09	3	0	0	20	0.01
B-10	0	0	0	20	0.01
B-11	3	0	0	50	0.01
B-12	6	0	0	40	0.02
B-13	0	6	0	40	0.02
B-14	0	0	0	50	0.02
B-15	0	0	0	40	0.01
C-01	0	0	0	40	0.01
C-02	6	0	0	40	0.01
C-03	3	0	0	50	0.02
C-04	0	0	0	30	0.01
C-05	0	0	0	40	0.01
C-06	0	0	0	50	0.02
C-07	0	0	0	30	0.02
C-08	0	5	2	30	0.01
C-09	0	0	0	30	0.01
C-10	0	0	0	50	0.02
C-11	6	1	0	20	0.01
C-12	3	0	0	20	0.01
C-13	0	0	0	20	0.01
C-14	0	2	0	30	0.01
C-15	6	1	0	20	0.02
D-01	0	0	0	30	0.01
D-02	3	0	0	40	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 313

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	1	0	70	0.01
D-04	0	2	0	80	0.01
D-05	0	0	2	40	0.01
D-06	3	0	1	40	0.01
D-07	0	0	2	40	0.01
D-08	0	0	2	30	0.01
D-09	3	0	7	10	0.01
D-10	0	7	0	30	0.01
D-11	3	0	0	20	0.02
D-12	3	0	0	40	0.01
D-13	6	1	9	30	0.02
D-14	0	0	0	30	0.01
D-15	3	2	0	40	0.01
E-01	3	6	0	60	0.02
E-02	3	2	0	50	0.01
E-03	0	0	0	30	0.01
E-04	3	1	0	20	0.01
E-05	3	0	0	40	0.01
E-06	0	0	1	30	0.01
E-07	0	1	0	30	0.01
E-08	0	0	0	50	0.01
E-09	0	0	0	10	0.02
E-10	0	0	0	30	0.02
E-11	3	4	0	30	0.01
E-12	3	3	0	30	0.01
E-13	0	1	0	30	0.01
E-14	0	1	0	30	0.01
E-15	0	0	0	10	0.01
F-01	3	0	2	40	0.01
F-02	0	2	0	40	0.01
F-03	0	1	0	50	0.01
F-04	0	0	2	60	0.01
F-05	0	0	0	60	0.01
F-06	0	0	3	40	0.01
F-07	0	0	0	60	0.01
F-08	0	0	0	60	0.01
F-09	7	0	0	50	0.01
F-10	0	1	1	50	0.01
F-11	0	0	0	50	0.01
F-12	0	0	0	40	0.01
F-13	0	0	0	60	0.01
F-14	3	0	0	40	0.01
F-15	0	0	0	40	0.01
G-01	0	1	3	60	0.01
G-02	0	0	0	40	0.01
G-03	0	0	0	30	0.01
G-04	0	0	0	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 313

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	0	4	70	0.01
G-06	0	0	11	50	0.01
G-07	3	0	0	40	0.02
G-08	0	0	1	60	0.01
G-09	0	0	0	30	0.01
G-10	0	0	0	50	0.01
G-11	0	0	8	40	0.01
G-12	0	0	0	40	0.01
G-13	0	0	0	30	0.01
G-14	3	0	1	50	0.01
G-15	0	0	0	30	0.01
H-01	3	0	0	40	0.01
H-02	0	0	0	30	0.01
H-03	0	1	0	40	0.01
H-04	0	0	0	40	0.01
H-05	0	0	0	50	0.01
H-06	0	0	2	30	0.01
H-07	0	0	9	50	0.01
H-08	0	0	0	40	0.01
H-09	0	0	0	40	0.01
H-10	0	0	5	30	0.01
H-11	0	0	8	40	0.01
H-12	3	0	1	20	0.01
H-13	0	5	7	50	0.02
H-14	0	0	14	80	0.01
H-15	3	0	0	60	0.01
I-01	0	0	4	40	0.01
I-02	0	0	3	50	0.01
I-03	0	0	8	20	0.01
I-04	0	2	4	40	0.01
I-05	0	0	1	40	0.01
I-06	3	0	2	40	0.01
I-07	0	0	6	40	0.01
I-08	0	0	0	50	0.01
I-09	3	0	0	60	0.01
I-10	0	0	1	50	0.01
I-11	3	1	11	50	0.01
I-12	0	0	0	50	0.01
I-13	0	0	3	60	0.01
I-14	3	0	7	50	0.01
I-15	3	0	1	40	0.01
J-01	6	0	0	60	0.01
J-02	0	0	6	40	0.01
J-03	0	0	3	30	0.01
J-04	0	8	0	30	0.01
J-05	3	0	0	40	0.01
J-06	0	0	1	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 313

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	0	2	60	0.01
J-08	0	0	2	50	0.01
J-09	0	0	0	80	0.01
J-10	3	0	0	40	0.01
J-11	0	0	5	50	0.01
J-12	0	0	8	30	0.02
J-13	3	2	1	50	0.01
J-14	3	0	0	60	0.01
J-15	0	0	4	40	0.01
K-01	0	0	0	100	0.01
K-02	0	0	0	40	0.01
K-03	0	0	6	30	0.01
K-04	0	0	0	30	0.02
K-05	0	0	10	40	0.01
K-06	0	0	0	30	0.01
K-07	0	0	3	40	0.01
K-08	0	0	6	40	0.01
K-09	6	0	10	60	0.01
K-10	6	0	0	40	0.01
K-11	0	0	1	60	0.01
K-12	3	0	1	30	0.01
K-13	0	0	4	30	0.02
K-14	3	0	0	30	0.01
K-15	10	0	5	20	0.01
L-01	0	0	11	30	0.01
L-02	0	0	5	30	0.01
L-03	0	0	0	20	0.01
L-04	0	0	0	60	0.01
L-05	0	0	6	30	0.01
L-06	0	0	7	40	0.01
L-07	0	0	3	30	0.01
L-08	0	0	0	20	0.01
L-09	0	0	9	20	0.01
L-10	0	0	5	50	0.01
L-11	0	0	4	30	0.01
L-12	0	0	1	60	0.01
L-13	0	0	4	60	0.01
L-14	0	0	0	40	0.01
L-15	0	0	0	40	0.01
AF1	3	0	1	20	0.01
AF2	0	0	2	30	0.01
BF1	3	1	12	30	0.01
BF2	0	0	9	20	0.01
BF3	3	2	1	40	0.01
CF1	3	0	1	40	0.01
CF2	0	0	4	50	0.01
CF3	0	0	1	40	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 313

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	0	13	50	0.01
DF2	0	0	0	40	0.01
DF3	0	0	4	50	0.01
EF1	0	5	5	20	0.01
EF2	0	0	3	20	0.01
AR1	0	0	5	30	0.01
AR2	0	0	0	40	0.01
BR1	6	0	0	50	0.01
BR2	3	0	1	50	0.01
BR3	0	0	7	40	0.01
CR1	3	3	2	60	0.01
CR2	0	0	0	30	0.01
CR3	0	2	8	20	0.01
DR1	3	0	7	40	0.01
DR2	0	9	0	20	0.01
DR3	3	0	3	30	0.02
ER1	0	0	1	0	0.01
ER2	3	0	2	0	0.01
IV	0	0	0	0	0.01
OV	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 314

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUJDLUM MODEL 3 ALPHA IN DPM	LUJDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	1	0	1	20	0.01
A-02	0	0	29	30	0.01
A-03	2	0	20	30	0.02
A-04	1	0	0	40	0.01
A-05	0	0	33	30	0.01
A-06	1	0	24	10	0.01
A-07	1	0	35	30	0.01
A-08	0	0	0	50	0.01
A-09	0	0	17	50	0.01
A-10	1	0	0	30	0.01
A-11	1	1	14	20	0.01
A-12	1	2	16	30	0.02
A-13	0	2	4	70	0.01
A-14	0	0	11	60	0.01
A-15	1	0	0	60	0.01
A-16	1	0	9	40	0.01
A-17	1	0	0	80	0.01
A-18	0	0	2	70	0.01
A-19	1	2	0	80	0.01
A-20	0	0	0	70	0.01
B-01	0	0	0	40	0.02
B-02	1	1	5	60	0.02
B-03	1	0	26	60	0.01
B-04	0	0	12	70	0.02
B-05	0	0	4	30	0.01
B-06	1	0	33	50	0.01
B-07	0	2	12	40	0.01
B-08	0	0	9	50	0.01
B-09	0	0	1	40	0.02
B-10	0	0	27	40	0.01
B-11	0	0	13	30	0.01
B-12	1	0	6	30	0.01
B-13	0	0	9	80	0.02
B-14	0	1	21	60	0.01
B-15	0	0	1	50	0.02
B-16	4	0	7	60	0.01
B-17	0	0	8	30	0.01
B-18	1	0	0	60	0.01
B-19	1	1	7	70	0.01
B-20	1	0	0	40	0.02
C-01	0	0	22	10	0.01
C-02	1	0	5	30	0.01
C-03	1	0	11	30	0.01
C-04	0	0	9	40	0.01
C-05	0	0	0	30	0.01
C-06	1	0	3	20	0.01
C-07	1	0	9	40	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 314

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
C-08	1	0	13	50	0.02
C-09	0	0	26	40	0.01
C-10	0	0	0	50	0.01
C-11	0	0	0	40	0.01
C-12	1	0	0	50	0.02
C-13	0	0	0	40	0.01
C-14	0	0	10	40	0.01
C-15	1	0	0	20	0.01
C-16	0	0	11	50	0.01
C-17	0	0	0	40	0.02
C-18	0	0	0	30	0.01
C-19	0	0	0	30	0.01
C-20	0	1	2	40	0.01
D-01	1	0	0	50	0.01
D-02	1	0	1	60	0.01
D-03	0	0	22	60	0.01
D-04	0	0	13	40	0.01
D-05	1	0	7	50	0.01
D-06	2	3	6	60	0.02
D-07	0	0	21	60	0.01
D-08	0	0	0	70	0.01
D-09	1	0	13	40	0.01
D-10	1	0	6	50	0.01
D-11	0	0	0	30	0.01
D-12	1	0	44	80	0.01
D-13	0	0	3	60	0.01
D-14	2	0	0	60	0.01
D-15	0	0	2	30	0.01
D-16	0	0	6	50	0.01
D-17	0	1	0	70	0.01
D-18	1	0	1	60	0.01
D-19	0	0	1	40	0.02
D-20	0	0	0	60	0.01
E-01	1	0	3	60	0.01
E-02	0	0	2	40	0.02
E-03	1	0	8	30	0.01
E-04	0	0	6	30	0.01
E-05	2	1	0	50	0.01
E-06	0	0	11	30	0.02
E-07	0	0	0	60	0.01
E-08	0	0	0	60	0.01
E-09	0	0	15	50	0.02
E-10	0	0	0	40	0.01
E-11	1	0	0	100	0.01
E-12	0	0	0	60	0.01
E-13	0	0	1	30	0.01
E-14	1	0	0	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 314

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-15	0	0	0	50	0.01
E-16	0	0	2	40	0.02
E-17	0	0	14	40	0.01
E-18	0	1	2	40	0.01
E-19	0	0	3	50	0.01
E-20	0	2	12	40	0.01
F-01	0	0	1	50	0.01
F-02	2	0	0	70	0.01
F-03	0	0	14	60	0.01
F-04	1	0	4	30	0.01
F-05	0	0	0	40	0.01
F-06	0	0	0	80	0.01
F-07	0	0	7	70	0.01
F-08	0	0	0	40	0.01
F-09	0	0	4	50	0.01
F-10	1	0	10	50	0.01
F-11	0	0	0	50	0.01
F-12	0	0	0	30	0.02
F-13	0	0	0	20	0.01
F-14	0	0	1	50	0.01
F-15	1	0	0	50	0.01
F-16	0	0	0	40	0.01
F-17	1	0	0	50	0.01
F-18	0	0	0	50	0.01
F-19	1	0	10	40	0.01
F-20	4	0	8	40	0.02
G-01	0	0	2	60	0.02
G-02	0	0	3	70	0.01
G-03	0	0	0	20	0.02
G-04	1	0	0	50	0.01
G-05	1	0	0	50	0.01
G-06	0	0	6	70	0.01
G-07	0	0	0	70	0.01
G-08	1	0	1	60	0.01
G-09	0	1	8	30	0.01
G-10	0	0	0	30	0.01
G-11	4	0	4	40	0.01
G-12	0	0	12	30	0.01
G-13	1	0	0	20	0.02
G-14	0	0	0	40	0.02
G-15	2	0	4	50	0.01
G-16	1	0	4	40	0.01
G-17	0	1	0	40	0.01
G-18	1	0	0	60	0.01
G-19	0	0	8	60	0.01
G-20	0	0	0	30	0.01
H-01	0	0	0	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 314

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
H-02	2	0	8	50	0.01
H-03	1	0	0	70	0.01
H-04	2	0	0	50	0.01
H-05	1	0	3	50	0.01
H-06	0	0	0	40	0.01
H-07	0	1	0	60	0.01
H-08	0	0	2	70	0.01
H-09	0	0	0	40	0.01
H-10	1	0	0	40	0.01
H-11	0	0	6	50	0.01
H-12	1	0	0	50	0.01
H-13	0	0	3	40	0.01
H-14	2	3	4	50	0.01
H-15	0	2	2	60	0.01
H-16	1	0	0	30	0.01
H-17	0	0	0	40	0.01
H-18	0	0	1	30	0.01
H-19	0	1	12	30	0.01
H-20	0	0	0	40	0.01
I-01	1	0	2	40	0.01
I-02	0	2	1	40	0.01
I-03	0	0	3	30	0.01
I-04	1	0	8	30	0.01
I-05	1	0	0	50	0.01
I-06	2	0	5	30	0.01
I-07	0	0	1	50	0.01
I-08	0	0	10	30	0.02
I-09	2	0	0	40	0.01
I-10	1	0	0	50	0.01
I-11	0	6	6	60	0.01
I-12	1	1	11	50	0.01
I-13	0	0	8	30	0.01
I-14	0	0	3	30	0.01
I-15	1	0	1	20	0.01
I-16	1	0	0	20	0.01
I-17	1	0	0	40	0.01
I-18	0	0	0	60	0.02
I-19	1	0	8	30	0.01
I-20	0	0	4	50	0.02
J-01	1	0	12	20	0.02
J-02	0	3	0	30	0.01
J-03	0	0	1	40	0.01
J-04	0	0	0	20	0.01
J-05	0	0	13	40	0.01
J-06	1	0	0	60	0.01
J-07	0	0	5	70	0.01
J-08	1	0	0	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 314

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
J-09	1	1	0	30	0.01
J-10	1	0	3	30	0.01
J-11	0	0	10	40	0.01
J-12	0	0	3	50	0.01
J-13	0	0	0	30	0.01
J-14	0	0	4	30	0.01
J-15	1	0	4	40	0.01
J-16	0	0	0	50	0.01
J-17	1	0	5	30	0.01
J-18	0	0	6	80	0.01
J-19	1	0	2	50	0.01
J-20	0	0	17	20	0.01
K-01	3	0	3	50	0.01
K-02	1	0	6	50	0.01
K-03	0	0	5	40	0.01
K-04	1	0	0	30	0.01
K-05	0	1	7	50	0.01
K-06	1	0	0	50	0.02
K-07	1	0	11	40	0.01
K-08	1	6	0	30	0.01
K-09	0	0	0	40	0.02
K-10	3	2	0	40	0.01
K-11	4	0	0	50	0.02
K-12	0	0	1	40	0.01
K-13	0	0	3	40	0.01
K-14	3	0	0	20	0.01
K-15	3	1	2	30	0.01
K-16	1	0	0	30	0.01
K-17	1	2	0	20	0.02
K-18	0	0	6	40	0.01
K-19	0	2	4	30	0.01
K-20	0	0	6	20	0.01
L-01	0	0	0	50	0.01
L-02	0	0	0	70	0.01
L-03	0	0	0	70	0.01
L-04	0	0	0	90	0.02
L-05	1	0	0	80	0.01
L-06	1	3	0	70	0.01
L-07	0	0	0	30	0.01
L-08	1	2	2	40	0.01
L-09	0	0	3	70	0.01
L-10	3	1	7	50	0.01
L-11	0	0	0	60	0.01
L-12	1	0	2	50	0.01
L-13	0	0	3	40	0.01
L-14	0	0	0	20	0.01
L-15	0	0	0	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 314

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
L-16	3	0	4	30	0.01
L-17	1	0	0	20	0.01
L-18	0	0	0	30	0.02
L-19	1	0	1	30	0.01
L-20	0	0	14	40	0.02
AF1	1	0	13	50	0.01
AF2	0	0	9	60	0.01
BF1	1	0	1	40	0.01
BF2	0	0	2	30	0.02
BF3	1	0	2	30	0.01
CF1	4	2	0	60	0.01
CF2	1	1	0	40	0.01
CF3	0	0	0	40	0.01
DF1	0	0	0	30	0.01
DF2	1	1	0	30	0.01
DF3	3	0	0	60	0.01
EF1	1	0	0	20	0.01
EF2	1	0	3	30	0.01
AR1	3	0	0	40	0.01
AR2	0	0	0	30	0.01
BR1	0	0	0	60	0.01
BR2	1	0	8	40	0.02
BR3	0	0	0	30	0.01
CR1	0	0	0	50	0.01
CR2	0	0	1	30	0.01
CR3	0	0	0	20	0.01
DR1	0	0	3	60	0.01
DR2	1	0	3	50	0.01
DR3	1	0	0	30	0.01
ER1	0	0	0	20	0.01
ER2	0	0	0	30	0.02
IV	4	0	4	50	0.01
OV	0	0	7	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 315

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUJLUM MODEL 3 ALPHA IN DPM	LUJLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	8	0	20	0.01
A-02	0	0	0	60	0.01
A-03	0	0	0	50	0.01
A-04	4	0	0	50	0.01
A-05	7	3	0	40	0.01
A-06	0	7	0	60	0.01
A-07	0	1	0	50	0.01
A-08	0	2	0	50	0.01
A-09	4	5	0	50	0.01
A-10	0	5	0	50	0.01
A-11	0	3	17	60	0.01
A-12	0	3	0	30	0.01
A-13	0	0	0	30	0.01
A-14	7	1	1	50	0.01
A-15	4	6	0	20	0.01
B-01	4	0	0	60	0.01
B-02	0	0	5	30	0.01
B-03	4	0	0	50	0.01
B-04	4	0	4	50	0.01
B-05	0	0	0	30	0.01
B-06	4	5	0	30	0.01
B-07	0	5	0	30	0.01
B-08	0	0	0	50	0.01
B-09	0	2	0	50	0.01
B-10	0	1	0	30	0.01
B-11	0	1	0	10	0.01
B-12	4	0	0	30	0.01
B-13	4	0	5	30	0.02
B-14	0	0	0	40	0.01
B-15	0	0	0	30	0.01
C-01	4	0	0	60	0.01
C-02	4	0	5	50	0.01
C-03	7	9	0	60	0.01
C-04	4	0	0	50	0.01
C-05	0	0	0	40	0.01
C-06	4	0	2	50	0.01
C-07	4	0	0	60	0.01
C-08	7	0	0	40	0.01
C-09	0	0	0	40	0.01
C-10	0	0	0	60	0.01
C-11	4	0	0	60	0.01
C-12	4	0	7	50	0.01
C-13	7	0	0	40	0.01
C-14	4	0	4	40	0.01
C-15	4	5	0	30	0.01
D-01	7	0	11	30	0.01
D-02	4	0	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 315

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
D-03	4	0	0	20	0.01
D-04	4	0	0	50	0.01
D-05	0	0	0	60	0.01
D-06	4	0	0	60	0.01
D-07	0	0	0	60	0.01
D-08	0	0	0	30	0.01
D-09	0	1	0	30	0.01
D-10	0	0	0	20	0.01
D-11	0	0	9	40	0.01
D-12	4	4	0	30	0.01
D-13	0	0	0	50	0.01
D-14	0	1	0	50	0.01
D-15	4	0	0	50	0.01
E-01	0	0	0	60	0.01
E-02	4	0	0	40	0.01
E-03	0	2	1	30	0.01
E-04	4	0	0	30	0.01
E-05	0	0	0	50	0.01
E-06	0	0	0	30	0.02
E-07	0	0	0	50	0.01
E-08	0	1	0	50	0.01
E-09	4	0	0	60	0.01
E-10	0	0	6	80	0.02
E-11	0	0	0	80	0.02
E-12	0	1	0	70	0.01
E-13	0	1	0	40	0.01
E-14	0	0	0	30	0.01
E-15	0	0	0	50	0.01
F-01	0	0	0	40	0.01
F-02	0	0	0	50	0.01
F-03	0	0	1	30	0.01
F-04	0	0	7	60	0.01
F-05	0	0	0	70	0.01
F-06	0	0	1	80	0.01
F-07	0	0	7	50	0.01
F-08	0	1	1	40	0.01
F-09	4	0	5	50	0.01
F-10	0	0	1	40	0.01
F-11	0	1	9	40	0.01
F-12	0	0	1	10	0.01
F-13	0	1	6	30	0.02
F-14	4	0	0	60	0.01
F-15	0	0	1	30	0.01
G-01	0	2	0	80	0.01
G-02	4	0	1	30	0.01
G-03	0	0	1	60	0.01
G-04	4	0	13	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 315

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	1	8	60	0.01
G-06	0	0	3	70	0.01
G-07	0	0	0	50	0.01
G-08	4	0	1	60	0.01
G-09	4	0	6	40	0.01
G-10	0	0	1	30	0.01
G-11	0	7	0	20	0.01
G-12	4	4	0	50	0.01
G-13	7	0	3	40	0.01
G-14	7	0	0	70	0.01
G-15	0	2	0	40	0.01
H-01	0	0	0	70	0.01
H-02	0	0	0	100	0.01
H-03	0	0	0	40	0.01
H-04	4	1	0	50	0.01
H-05	0	0	0	60	0.01
H-06	0	0	0	90	0.01
H-07	0	0	0	40	0.01
H-08	0	1	0	30	0.01
H-09	4	0	2	40	0.01
H-10	0	0	2	30	0.02
H-11	4	0	0	30	0.01
H-12	0	0	3	40	0.01
H-13	0	0	0	50	0.02
H-14	0	0	0	40	0.01
H-15	4	0	0	40	0.01
I-01	0	0	0	30	0.01
I-02	0	0	0	50	0.01
I-03	0	0	1	50	0.01
I-04	0	0	0	60	0.01
I-05	0	0	0	30	0.01
I-06	0	0	5	80	0.01
I-07	0	0	5	30	0.01
I-08	0	0	0	10	0.01
I-09	0	1	1	30	0.01
I-10	0	0	0	50	0.02
I-11	4	0	0	70	0.01
I-12	0	0	2	60	0.01
I-13	4	0	0	50	0.01
I-14	0	0	0	50	0.01
I-15	0	1	0	50	0.01
J-01	4	0	0	30	0.01
J-02	4	0	1	30	0.01
J-03	4	0	2	10	0.01
J-04	4	0	2	40	0.01
J-05	4	0	23	40	0.01
J-06	0	0	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 315

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	0	2	40	0.01
J-08	4	0	0	50	0.01
J-09	4	0	0	60	0.01
J-10	0	0	9	50	0.01
J-11	4	0	0	40	0.01
J-12	0	0	0	40	0.02
J-13	4	0	0	40	0.02
J-14	4	0	2	50	0.01
J-15	0	0	0	90	0.01
K-01	4	0	0	40	0.01
K-02	0	0	0	20	0.01
K-03	0	0	5	30	0.01
K-04	0	0	7	40	0.01
K-05	0	1	2	90	0.01
K-06	0	0	0	30	0.01
K-07	4	0	0	20	0.01
K-08	7	1	0	30	0.01
K-09	0	0	0	50	0.01
K-10	0	0	0	60	0.01
K-11	4	0	0	50	0.01
K-12	0	0	0	40	0.01
K-13	0	0	0	50	0.02
K-14	0	0	15	50	0.01
K-15	0	0	7	40	0.01
L-01	0	0	7	10	0.02
L-02	0	1	2	10	0.01
L-03	0	0	0	50	0.01
L-04	4	0	7	70	0.01
L-05	4	0	0	50	0.01
L-06	4	0	3	50	0.02
L-07	0	0	0	50	0.01
L-08	0	0	7	50	0.02
L-09	0	0	0	40	0.01
L-10	0	0	11	20	0.01
L-11	0	0	0	50	0.01
L-12	4	0	14	50	0.01
L-13	0	6	0	70	0.01
L-14	0	0	0	60	0.01
L-15	0	1	0	50	0.01
AF1	7	9	0	50	0.01
AF2	0	0	7	70	0.01
BF1	0	1	0	80	0.01
BF2	0	0	0	50	0.01
BF3	0	0	0	30	0.01
CF1	4	1	3	80	0.02
CF2	8	0	0	70	0.01
CF3	0	0	0	50	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 315

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	4	1	0	60	0.01
DF2	0	0	7	60	0.01
DF3	0	2	7	90	0.01
EF1	0	0	2	40	0.01
EF2	0	5	12	60	0.01
AR1	0	1	2	50	0.01
AR2	0	1	1	50	0.01
BR1	4	0	2	60	0.01
BR2	0	0	4	70	0.01
BR3	0	0	0	30	0.01
CR1	11	0	0	40	0.01
CR2	0	0	5	20	0.01
CR3	0	1	0	50	0.01
DR1	0	0	0	30	0.01
DR2	0	0	1	30	0.01
DR3	11	1	7	30	0.01
ER1	7	9	0	30	0.01
ER2	4	0	0	20	0.01
IV	4	0	7	30	0.01
OV	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 316

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	2	0	20	0.01
A-02	2	0	0	20	0.01
A-03	0	4	0	10	0.01
A-04	0	6	2	10	0.01
A-05	2	0	0	20	0.01
A-06	0	0	0	40	0.01
A-07	2	0	0	10	0.01
A-08	0	0	0	20	0.01
A-09	6	0	0	30	0.01
A-10	0	0	11	0	0.01
A-11	0	4	0	20	0.01
A-12	2	2	0	20	0.01
A-13	0	2	7	0	0.01
A-14	0	2	0	20	0.01
A-15	0	0	0	20	0.01
A-16	0	3	3	20	0.01
A-17	0	2	4	30	0.01
A-18	0	0	0	20	0.01
A-19	0	3	0	40	0.01
A-20	0	4	0	20	0.01
B-01	0	5	5	20	0.01
B-02	2	2	0	10	0.01
B-03	2	0	4	20	0.01
B-04	2	0	2	10	0.01
B-05	0	0	0	0	0.01
B-06	2	0	6	10	0.01
B-07	0	0	0	20	0.01
B-08	0	0	1	20	0.01
B-09	0	0	0	0	0.01
B-10	0	0	0	0	0.01
B-11	0	7	0	40	0.01
B-12	0	0	0	20	0.01
B-13	0	0	0	20	0.01
B-14	2	0	0	20	0.01
B-15	0	0	0	20	0.01
B-16	0	5	5	20	0.01
B-17	0	0	0	30	0.01
B-18	0	0	0	10	0.01
B-19	0	0	0	20	0.01
B-20	0	0	0	0	0.01
C-01	0	0	0	20	0.01
C-02	2	4	14	20	0.01
C-03	2	9	8	20	0.01
C-04	0	5	3	20	0.01
C-05	0	4	10	10	0.01
C-06	0	4	0	20	0.01
C-07	0	0	0	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 316

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
C-08	0	5	0	20	0.01
C-09	0	3	0	30	0.01
C-10	2	0	0	10	0.01
C-11	0	3	0	20	0.01
C-12	0	3	0	10	0.01
C-13	0	0	0	40	0.01
C-14	0	0	0	30	0.01
C-15	0	2	0	30	0.01
C-16	0	0	0	10	0.01
C-17	0	2	3	0	0.01
C-18	2	0	0	40	0.01
C-19	0	3	0	20	0.01
C-20	0	0	2	60	0.01
D-01	0	2	0	20	0.01
D-02	0	0	0	20	0.01
D-03	0	0	0	10	0.01
D-04	2	2	2	20	0.01
D-05	2	3	0	50	0.01
D-06	0	0	0	10	0.01
D-07	0	0	0	20	0.01
D-08	2	0	0	20	0.01
D-09	0	0	0	20	0.01
D-10	0	0	3	10	0.00
D-11	2	3	0	20	0.01
D-12	0	0	0	30	0.01
D-13	0	0	7	30	0.01
D-14	0	0	0	30	0.01
D-15	0	0	0	20	0.01
D-16	2	0	0	20	0.01
D-17	0	0	0	20	0.01
D-18	0	2	0	40	0.01
D-19	2	0	0	20	0.01
D-20	2	0	0	20	0.01
E-01	0	0	0	10	0.01
E-02	0	0	0	30	0.01
E-03	2	0	0	10	0.01
E-04	2	0	0	10	0.01
E-05	0	3	1	20	0.01
E-06	0	0	0	10	0.01
E-07	0	0	0	10	0.01
E-08	2	0	0	30	0.01
E-09	0	0	3	20	0.01
E-10	0	0	0	30	0.01
E-11	2	0	0	20	0.01
E-12	0	0	0	20	0.01
E-13	0	0	4	30	0.01
E-14	0	3	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 316

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
E-15	0	0	5	0	0.01
E-16	0	0	9	10	0.01
E-17	0	0	5	0	0.01
E-18	0	0	8	30	0.01
E-19	0	0	0	20	0.01
E-20	0	0	6	20	0.01
F-01	6	0	0	20	0.01
F-02	0	0	0	10	0.01
F-03	0	0	0	20	0.01
F-04	0	0	0	10	0.01
F-05	2	0	0	10	0.01
F-06	0	0	0	0	0.01
F-07	0	0	0	0	0.01
F-08	0	3	4	10	0.01
F-09	2	0	3	0	0.01
F-10	0	0	0	0	0.01
F-11	6	0	1	0	0.01
F-12	2	0	0	10	0.01
F-13	2	0	3	20	0.01
F-14	0	0	6	40	0.01
F-15	2	0	0	20	0.01
F-16	0	0	1	40	0.01
F-17	2	3	0	0	0.01
F-18	0	0	2	10	0.01
F-19	0	0	0	20	0.01
F-20	2	0	0	20	0.01
G-01	2	3	0	0	0.01
G-02	0	0	5	0	0.01
G-03	2	0	2	40	0.01
G-04	2	3	0	30	0.01
G-05	0	0	0	10	0.01
G-06	0	0	0	0	0.01
G-07	0	0	0	20	0.01
G-08	0	6	0	30	0.01
G-09	0	2	0	10	0.01
G-10	0	0	4	20	0.01
G-11	0	0	5	30	0.01
G-12	0	0	0	10	0.01
G-13	0	0	0	30	0.01
G-14	0	3	0	30	0.01
G-15	2	0	0	30	0.01
G-16	0	2	1	30	0.01
G-17	0	0	0	10	0.01
G-18	0	0	0	20	0.01
G-19	6	0	5	20	0.01
G-20	0	2	0	0	0.01
H-01	2	0	2	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 316

SAMPLE #	ALPHA	BETA	TRITIUM	LUIDLUM	LUIDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
H-02	2	0	0	10	0.01
H-03	0	0	1	20	0.01
H-04	0	0	0	20	0.01
H-05	0	0	0	0	0.00
H-06	0	0	0	30	0.01
H-07	0	0	0	20	0.01
H-08	0	0	2	10	0.01
H-09	0	0	1	10	0.01
H-10	0	5	1	20	0.01
H-11	2	0	1	20	0.01
H-12	0	0	2	20	0.01
H-13	0	0	0	20	0.01
H-14	2	0	0	30	0.01
H-15	2	0	0	20	0.01
H-16	6	0	3	10	0.01
H-17	0	0	0	10	0.01
H-18	0	2	1	30	0.01
H-19	0	0	0	20	0.01
H-20	0	0	0	20	0.01
I-01	0	0	0	20	0.01
I-02	0	0	1	20	0.01
I-03	0	0	5	0	0.01
I-04	0	0	0	20	0.01
I-05	0	0	0	30	0.01
I-06	2	0	0	20	0.01
I-07	0	0	0	10	0.01
I-08	0	0	0	20	0.01
I-09	0	3	0	20	0.01
I-10	2	0	3	20	0.01
I-11	0	0	0	10	0.01
I-12	2	0	0	20	0.01
I-13	0	0	1	20	0.01
I-14	0	0	0	10	0.01
I-15	0	0	1	20	0.01
I-16	0	0	0	20	0.01
I-17	0	0	0	10	0.01
I-18	2	0	2	20	0.01
I-19	0	3	5	20	0.01
I-20	0	0	1	30	0.01
J-01	0	0	0	10	0.01
J-02	2	0	4	20	0.01
J-03	0	0	0	50	0.01
J-04	0	0	0	30	0.01
J-05	0	0	4	40	0.01
J-06	0	0	4	20	0.01
J-07	0	0	0	20	0.01
J-08	0	0	8	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 316

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-09	0	3	1	30	0.01
J-10	0	3	8	30	0.01
J-11	0	0	0	20	0.01
J-12	0	0	8	20	0.01
J-13	0	0	3	10	0.01
J-14	2	0	0	20	0.01
J-15	2	0	0	20	0.01
J-16	2	0	3	20	0.01
J-17	0	4	0	40	0.01
J-18	0	0	0	40	0.01
J-19	0	0	1	20	0.01
J-20	0	0	2	30	0.01
K-01	0	0	0	20	0.01
K-02	4	0	2	40	0.01
K-03	4	0	2	20	0.01
K-04	0	0	13	20	0.01
K-05	8	2	4	30	0.01
K-06	0	0	3	20	0.01
K-07	0	0	0	10	0.01
K-08	0	0	0	20	0.01
K-09	4	0	0	10	0.01
K-10	0	1	6	10	0.01
K-11	0	0	0	40	0.01
K-12	0	0	3	40	0.01
K-13	0	1	12	30	0.01
K-14	0	0	0	40	0.01
K-15	4	0	8	20	0.01
K-16	0	0	3	10	0.01
K-17	8	0	10	10	0.01
K-18	0	0	0	30	0.01
K-19	0	0	9	10	0.01
K-20	0	0	0	10	0.01
L-01	0	0	11	20	0.01
L-02	4	0	0	10	0.01
L-03	0	0	0	20	0.01
L-04	0	3	1	10	0.01
L-05	0	0	0	30	0.01
L-06	4	1	8	20	0.01
L-07	4	0	0	10	0.01
L-08	4	0	4	20	0.01
L-09	0	0	3	20	0.01
L-10	0	0	0	10	0.01
L-11	4	0	9	10	0.01
L-12	4	0	0	20	0.01
L-13	0	0	0	40	0.01
L-14	4	0	0	20	0.01
L-15	0	0	1	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 316

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
L-16	0	3	0	20	0.01
L-17	0	0	8	10	0.01
L-18	4	0	5	20	0.01
L-19	0	0	0	20	0.01
L-20	4	0	2	10	0.01
AF1	0	0	12	20	0.01
AF2	0	0	0	10	0.01
BF1	4	0	9	20	0.01
BF2	0	0	14	20	0.01
BF3	0	0	0	30	0.01
CF1	0	0	0	10	0.01
CF2	0	0	10	20	0.01
CF3	0	0	0	30	0.01
DF1	4	0	0	20	0.01
DF2	0	0	2	30	0.01
DF3	0	0	0	10	0.01
EF1	0	0	11	20	0.01
EF2	0	0	4	20	0.01
AR1	0	0	0	0	0.01
AR2	0	0	7	20	0.01
BR1	0	0	0	10	0.01
BR2	0	0	0	20	0.01
BR3	0	0	0	50	0.01
CR1	4	0	0	20	0.01
CR2	0	3	7	20	0.01
CR3	0	0	0	20	0.01
DR1	0	0	6	10	0.01
DR2	0	0	0	20	0.01
DR3	8	4	3	30	0.01
ER1	0	0	0	10	0.01
ER2	0	0	0	30	0.01
IV	0	0	0	20	0.01
OV	0	0	6	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 317

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	1	1	0	60	0.01
A-02	0	2	0	60	0.01
A-03	0	0	0	60	0.01
A-04	0	1	0	0	0.01
A-05	0	0	0	50	0.01
A-06	1	0	0	60	0.02
A-07	0	0	0	80	0.01
A-08	1	0	0	70	0.01
A-09	0	1	0	50	0.01
A-10	1	0	0	60	0.01
A-11	1	2	0	80	0.02
A-12	0	1	0	60	0.01
A-13	0	1	0	40	0.01
A-14	0	2	60	0	0.02
A-15	0	1	0	60	0.01
B-01	1	2	0	50	0.01
B-02	1	0	0	40	0.01
B-03	1	1	0	50	0.01
B-04	0	0	0	40	0.01
B-05	0	0	0	90	0.01
B-06	0	1	0	50	0.01
B-07	0	1	0	70	0.01
B-08	0	1	0	40	0.01
B-09	1	0	0	60	0.01
B-10	1	0	0	80	0.01
B-11	1	0	0	80	0.01
B-12	0	0	0	40	0.01
B-13	1	0	0	60	0.01
B-14	0	1	0	50	0.01
B-15	1	0	0	40	0.01
C-01	0	0	0	40	0.02
C-02	0	0	0	50	0.01
C-03	1	1	0	80	0.01
C-04	0	0	0	80	0.01
C-05	1	0	0	60	0.01
C-06	0	0	0	60	0.01
C-07	1	0	0	90	0.01
C-08	1	1	0	40	0.01
C-09	0	1	0	50	0.01
C-10	0	0	0	60	0.01
C-11	0	1	0	60	0.02
C-12	0	0	0	60	0.01
C-13	1	1	0	70	0.01
C-14	1	0	0	40	0.01
C-15	0	0	0	40	0.01
D-01	0	1	0	40	0.01
D-02	0	0	0	70	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 317

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	1	0	60	0.01
D-04	0	0	0	80	0.01
D-05	0	1	0	60	0.02
D-06	1	1	0	60	0.01
D-07	1	0	0	50	0.01
D-08	1	1	0	40	0.01
D-09	0	1	0	50	0.01
D-10	1	2	0	60	0.02
D-11	0	0	0	80	0.02
D-12	0	0	0	40	0.01
D-13	0	1	0	80	0.01
D-14	1	0	0	50	0.01
D-15	0	1	0	90	0.01
E-01	1	0	0	60	0.01
E-02	1	1	0	80	0.01
E-03	1	2	0	40	0.01
E-04	0	1	0	60	0.01
E-05	1	1	0	50	0.01
E-06	1	1	0	60	0.02
E-07	1	1	0	80	0.01
E-08	1	0	0	60	0.01
E-09	1	1	0	50	0.01
E-10	0	1	0	50	0.02
E-11	0	1	0	40	0.01
E-12	0	1	0	60	0.01
E-13	0	1	0	60	0.02
E-14	0	1	0	70	0.01
E-15	0	0	0	40	0.01
F-01	1	0	0	40	0.01
F-02	0	1	1	40	0.01
F-03	0	0	0	60	0.02
F-04	1	1	0	80	0.01
F-05	0	0	0	60	0.01
F-06	0	1	1	60	0.01
F-07	0	0	0	60	0.01
F-08	1	0	0	40	0.01
F-09	0	0	2	80	0.01
F-10	0	0	0	80	0.01
F-11	1	1	0	40	0.01
F-12	0	1	0	60	0.01
F-13	0	0	0	60	0.02
F-14	0	1	0	40	0.01
F-15	0	1	0	60	0.01
G-01	0	0	0	60	0.01
G-02	0	2	0	80	0.01
G-03	4	0	0	60	0.01
G-04	0	0	0	80	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 317

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	0	0	80	0.01
G-06	0	0	0	40	0.01
G-07	0	0	0	60	0.01
G-08	0	0	0	60	0.01
G-09	1	0	0	60	0.01
G-10	0	1	0	80	0.01
G-11	0	0	0	60	0.01
G-12	1	0	0	40	0.01
G-13	0	0	0	40	0.01
G-14	0	0	0	80	0.01
G-15	1	0	0	40	0.01
H-01	1	0	0	60	0.01
H-02	2	0	0	80	0.01
H-03	0	0	0	80	0.01
H-04	1	0	0	120	0.01
H-05	0	0	0	100	0.01
H-06	1	0	0	80	0.01
H-07	1	1	0	80	0.01
H-08	0	3	0	90	0.01
H-09	0	0	0	100	0.01
H-10	0	0	0	80	0.01
H-11	1	0	0	80	0.01
H-12	0	0	0	60	0.01
H-13	0	0	0	60	0.02
H-14	1	0	0	60	0.02
H-15	1	2	0	40	0.01
I-01	0	0	0	30	0.01
I-02	1	0	0	80	0.01
I-03	1	0	0	20	0.01
I-04	0	3	0	80	0.01
I-05	0	0	0	60	0.01
I-06	0	0	0	60	0.01
I-07	0	0	0	80	0.01
I-08	0	0	0	50	0.01
I-09	1	0	0	60	0.01
I-10	1	0	0	80	0.02
I-11	1	0	0	100	0.01
I-12	0	0	0	60	0.01
I-13	0	0	0	80	0.01
I-14	0	0	0	40	0.01
I-15	0	0	0	60	0.02
J-01	1	0	4	60	0.01
J-02	0	0	4	80	0.01
J-03	1	0	0	80	0.01
J-04	0	0	0	80	0.01
J-05	0	0	0	60	0.01
J-06	0	0	0	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 317

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	1	3	0	40	0.01
J-08	2	0	0	60	0.01
J-09	1	2	0	60	0.01
J-10	0	4	0	80	0.01
J-11	0	0	0	40	0.01
J-12	0	0	0	50	0.01
J-13	1	1	0	60	0.01
J-14	4	1	2	60	0.01
J-15	0	2	0	40	0.01
K-01	1	0	0	70	0.01
K-02	0	0	0	60	0.01
K-03	1	0	0	40	0.01
K-04	1	0	0	80	0.01
K-05	1	2	0	120	0.01
K-06	0	0	0	40	0.01
K-07	0	0	0	40	0.01
K-08	0	1	0	60	0.01
K-09	0	0	0	60	0.01
K-10	0	0	0	80	0.01
K-11	1	0	0	40	0.01
K-12	0	0	7	40	0.01
K-13	1	1	0	80	0.01
K-14	1	0	0	80	0.01
K-15	1	0	0	60	0.01
L-01	2	0	0	60	0.01
L-02	0	2	0	60	0.01
L-03	0	0	0	50	0.01
L-04	0	0	0	60	0.01
L-05	2	0	0	80	0.01
L-06	0	0	0	80	0.02
L-07	0	0	0	40	0.01
L-08	0	0	0	60	0.01
L-09	0	1	0	40	0.01
L-10	0	1	0	60	0.01
L-11	0	0	0	60	0.01
L-12	0	0	0	60	0.01
L-13	1	0	0	40	0.01
L-14	0	0	0	70	0.01
L-15	0	0	0	60	0.01
AF1	0	0	0	70	0.01
AF2	0	1	0	50	0.01
BF1	0	0	0	40	0.01
BF2	1	0	0	60	0.02
BF3	0	0	0	40	0.02
CF1	0	0	0	80	0.02
CF2	0	0	0	70	0.01
CF3	0	0	0	60	0.02

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 317

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LU DLUM MODEL 3 ALPHA IN DPM	LU DLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	2	0	0	60	0.01
DF2	1	0	5	40	0.01
DF3	0	0	0	200	0.01
EF1	0	1	0	60	0.02
EF2	2	0	0	80	0.01
AR1	2	0	0	40	0.01
AR2	2	2	0	60	0.01
BR1	0	0	0	60	0.01
BR2	0	0	0	50	0.01
BR3	0	2	0	50	0.01
CR1	0	0	1	50	0.01
CR2	2	0	1	40	0.01
CR3	0	0	1	60	0.01
DR1	0	0	0	60	0.01
DR2	0	0	0	40	0.01
DR3	0	0	0	60	0.02
ER1	0	0	0	80	0.01
ER2	0	0	0	60	0.01
IV	0	1	0	80	0.01
OV	0	0	0	0	0.00

Tab 10
Buildings AO401 through AO409

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 401

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	4	0	0	0	0.01
A-02	1	0	10	20	0.01
A-03	1	0	0	10	0.01
A-04	4	0	4	20	0.01
A-05	1	3	0	0	0.01
A-06	0	0	1	0	0.01
A-07	0	0	0	0	0.01
A-08	1	0	0	20	0.01
A-09	1	0	0	20	0.01
A-10	0	0	6	20	0.01
A-11	8	2	0	10	0.01
A-12	0	0	9	20	0.01
A-13	1	1	22	20	0.01
A-14	0	0	0	30	0.01
A-15	1	0	5	20	0.01
B-01	1	0	11	0	0.01
B-02	0	0	0	10	0.01
B-03	0	0	0	10	0.01
B-04	0	0	4	0	0.01
B-05	1	0	7	20	0.01
B-06	1	0	8	20	0.01
B-07	1	0	1	10	0.01
B-08	0	0	0	20	0.01
B-09	4	10	0	20	0.01
B-10	0	0	3	10	0.01
B-11	15	0	6	20	0.01
B-12	8	0	8	20	0.01
B-13	0	0	0	20	0.01
B-14	0	0	1	20	0.01
B-15	0	0	8	10	0.01
C-01	4	0	0	20	0.01
C-02	0	0	0	10	0.01
C-03	4	0	0	20	0.01
C-04	1	0	0	40	0.01
C-05	4	0	3	0	0.01
C-06	1	0	6	20	0.01
C-07	1	0	8	10	0.01
C-08	0	0	6	30	0.01
C-09	1	0	8	20	0.01
C-10	4	0	0	20	0.01
C-11	1	0	1	40	0.01
C-12	8	0	0	20	0.01
C-13	0	0	0	40	0.01
C-14	8	0	0	10	0.01
C-15	0	0	3	10	0.01
D-01	0	0	11	0	0.01
D-02	4	0	5	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 401

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	1	3	0	20	0.01
G-06	0	0	0	10	0.01
G-07	0	0	14	20	0.01
G-08	0	0	6	10	0.01
G-09	1	0	9	0	0.01
G-10	1	0	1	0	0.01
G-11	1	0	8	10	0.01
G-12	0	5	1	30	0.01
G-13	0	0	6	10	0.01
G-14	11	2	0	20	0.01
G-15	4	0	0	20	0.01
H-01	0	0	3	0	0.01
H-02	0	1	6	30	0.01
H-03	1	0	9	40	0.01
H-04	0	0	6	0	0.01
H-05	1	0	1	20	0.01
H-06	0	0	7	20	0.01
H-07	0	0	10	20	0.01
H-08	0	2	0	20	0.01
H-09	0	0	17	20	0.01
H-10	0	9	0	10	0.01
H-11	4	6	5	10	0.01
H-12	0	0	7	10	0.01
H-13	0	0	3	0	0.01
H-14	4	10	8	0	0.01
H-15	8	1	0	40	0.01
I-01	1	3	1	0	0.01
I-02	1	0	14	10	0.01
I-03	0	0	0	10	0.01
I-04	0	0	10	0	0.01
I-05	1	2	0	30	0.01
I-06	1	3	9	30	0.01
I-07	0	0	1	20	0.01
I-08	1	0	8	0	0.01
I-09	1	0	10	0	0.01
I-10	0	0	0	0	0.02
I-11	0	0	3	20	0.01
I-12	0	1	3	0	0.01
I-13	1	3	13	0	0.01
I-14	1	0	0	10	0.01
I-15	1	0	0	20	0.01
J-01	4	6	14	10	0.01
J-02	1	0	15	10	0.01
J-03	4	0	9	10	0.01
J-04	4	0	4	0	0.01
J-05	0	1	1	10	0.01
J-06	0	0	2	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 401

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	1	0	0	10	0.01
J-08	0	2	0	10	0.01
J-09	0	0	2	0	0.01
J-10	0	1	7	0	0.01
J-11	0	1	9	0	0.01
J-12	0	2	4	0	0.01
J-13	1	0	10	10	0.01
J-14	1	2	15	10	0.01
J-15	1	0	7	0	0.01
K-01	11	0	12	20	0.01
K-02	1	0	10	30	0.01
K-03	0	0	4	20	0.01
K-04	0	0	11	40	0.01
K-05	0	2	11	40	0.01
K-06	4	0	7	30	0.01
K-07	4	0	6	0	0.01
K-08	1	0	6	20	0.01
K-09	1	0	8	20	0.01
K-10	1	0	10	20	0.01
K-11	4	1	0	40	0.01
K-12	11	0	8	10	0.01
K-13	0	0	4	20	0.01
K-14	1	0	11	30	0.01
K-15	0	0	2	40	0.01
L-01	1	0	19	0	0.01
L-02	1	0	10	0	0.01
L-03	0	5	13	10	0.01
L-04	0	0	8	0	0.01
L-05	0	0	0	10	0.01
L-06	0	0	6	10	0.01
L-07	1	1	8	0	0.01
L-08	4	10	0	10	0.01
L-09	0	0	7	0	0.01
L-10	1	0	1	10	0.01
L-11	1	0	9	10	0.01
L-12	1	2	0	0	0.01
L-13	1	0	0	10	0.01
L-14	0	0	6	0	0.01
L-15	0	0	0	10	0.01
AF1	1	0	4	0	0.01
AF2	1	3	14	0	0.01
BF1	0	0	0	10	0.01
BF2	12	0	5	20	0.01
BF3	1	0	8	20	0.01
CF1	0	0	0	10	0.01
CF2	0	0	6	10	0.01
CF3	1	0	15	20	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 401

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	1	0	6	20	0.01
DF2	1	0	0	0	0.01
DF3	1	0	0	30	0.01
EF1	9	0	0	30	0.01
EF2	1	10	10	20	0.01
AR1	5	0	0	20	0.01
AR2	1	0	1	20	0.01
BR1	0	0	1	0	0.01
BR2	1	0	0	30	0.01
BR3	1	0	6	20	0.01
CR1	9	0	0	20	0.01
CR2	1	0	8	0	0.01
CR3	0	0	10	20	0.01
DR1	0	0	7	0	0.01
DR2	5	0	11	10	0.01
DR3	0	0	0	50	0.01
ER1	1	0	8	20	0.01
ER2	0	0	13	10	0.01
IV	5	4	0	10	0.00
OV	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 402

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	9	70	0.01
A-02	0	2	1	40	0.01
A-03	1	0	0	10	0.01
A-04	1	1	2	30	0.01
A-05	0	0	0	50	0.01
A-06	1	0	8	50	0.01
A-07	0	0	6	80	0.01
A-08	1	1	0	50	0.01
A-09	1	0	9	30	0.01
A-10	0	1	0	40	0.01
A-11	0	0	11	50	0.01
A-12	0	0	0	30	0.01
A-13	0	0	0	50	0.01
A-14	5	2	5	50	0.01
A-15	1	0	0	30	0.02
B-01	1	0	7	40	0.01
B-02	1	0	8	30	0.01
B-03	1	0	23	60	0.01
B-04	0	0	0	50	0.01
B-05	1	0	4	80	0.01
B-06	0	0	5	50	0.01
B-07	0	2	0	60	0.01
B-08	1	0	2	50	0.01
B-09	0	0	0	40	0.01
B-10	1	0	4	50	0.01
B-11	0	0	0	100	0.01
B-12	0	1	2	40	0.01
B-13	0	0	7	40	0.01
B-14	0	0	0	40	0.01
B-15	0	3	6	50	0.01
C-01	0	0	0	60	0.01
C-02	0	0	18	40	0.01
C-03	1	0	10	40	0.01
C-04	0	0	0	100	0.01
C-05	0	1	4	90	0.01
C-06	5	0	8	100	0.01
C-07	0	0	5	60	0.01
C-08	1	0	12	50	0.01
C-09	0	0	0	40	0.02
C-10	0	0	11	30	0.01
C-11	1	0	1	50	0.01
C-12	0	0	5	50	0.01
C-13	0	0	0	50	0.01
C-14	0	0	2	40	0.01
C-15	0	0	3	50	0.01
D-01	0	0	0	40	0.01
D-02	1	0	3	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 402

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	0	0	30	0.01
D-04	0	0	12	40	0.01
D-05	0	0	0	50	0.01
D-06	1	0	2	50	0.02
D-07	0	0	19	50	0.01
D-08	0	0	5	40	0.01
D-09	0	0	11	80	0.01
D-10	0	0	7	70	0.01
D-11	0	0	9	50	0.01
D-12	5	0	4	40	0.01
D-13	0	6	4	40	0.01
D-14	0	0	18	50	0.01
D-15	0	0	6	40	0.01
E-01	1	0	5	50	0.02
E-02	0	1	10	60	0.02
E-03	0	0	9	60	0.01
E-04	0	1	10	30	0.02
E-05	1	0	0	40	0.01
E-06	5	0	0	20	0.01
E-07	1	2	5	10	0.01
E-08	1	0	3	20	0.01
E-09	1	0	0	50	0.01
E-10	5	4	2	50	0.02
E-11	0	3	4	40	0.01
E-12	0	0	54	50	0.01
E-13	5	0	5	30	0.01
E-14	1	0	2	30	0.01
E-15	0	0	1	30	0.01
F-01	5	0	4	50	0.01
F-02	0	0	0	60	0.01
F-03	0	0	1	10	0.01
F-04	1	0	1	30	0.01
F-05	0	0	7	70	0.01
F-06	5	0	11	50	0.01
F-07	0	0	10	50	0.01
F-08	1	0	2	60	0.01
F-09	1	0	4	60	0.01
F-10	1	0	10	70	0.01
F-11	1	0	8	60	0.01
F-12	0	0	7	30	0.01
F-13	0	0	5	40	0.01
F-14	0	0	2	50	0.01
F-15	0	0	14	30	0.01
G-01	1	0	7	40	0.01
G-02	0	0	7	40	0.01
G-03	0	0	9	20	0.01
G-04	0	0	9	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 402

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	2	1	50	0.01
G-06	0	0	9	70	0.01
G-07	0	0	0	50	0.01
G-08	0	0	9	50	0.01
G-09	0	0	7	60	0.01
G-10	0	0	14	40	0.01
G-11	1	0	12	70	0.01
G-12	0	0	6	40	0.01
G-13	0	0	8	50	0.01
G-14	0	0	8	60	0.01
G-15	0	0	6	30	0.01
H-01	5	0	1	40	0.01
H-02	1	0	0	20	0.01
H-03	0	0	7	30	0.01
H-04	0	0	8	30	0.01
H-05	5	0	13	20	0.01
H-06	0	0	9	70	0.01
H-07	0	0	0	70	0.01
H-08	0	0	4	30	0.01
H-09	0	0	9	440	0.02
H-10	1	0	16	70	0.01
H-11	0	0	6	90	0.01
H-12	0	0	0	80	0.01
H-13	0	0	20	40	0.01
H-14	1	0	12	30	0.01
H-15	0	0	4	30	0.01
I-01	4	0	1	60	0.01
I-02	7	0	6	40	0.01
I-03	0	2	7	60	0.01
I-04	0	0	13	20	0.01
I-05	0	0	10	30	0.01
I-06	0	0	9	40	0.01
I-07	0	0	9	40	0.01
I-08	0	0	15	50	0.01
I-09	0	0	9	40	0.01
I-10	0	0	15	50	0.02
I-11	0	0	6	50	0.01
I-12	0	0	4	30	0.01
I-13	0	0	9	20	0.02
I-14	4	0	7	30	0.01
I-15	0	0	8	40	0.01
J-01	0	0	4	40	0.01
J-02	0	0	16	40	0.01
J-03	0	0	16	30	0.01
J-04	0	0	5	40	0.01
J-05	0	0	12	30	0.01
J-06	0	0	9	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 402

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	4	0	6	20	0.01
J-08	0	0	5	30	0.01
J-09	0	0	9	50	0.01
J-10	0	0	9	40	0.01
J-11	0	0	5	40	0.01
J-12	0	0	8	30	0.01
J-13	4	0	7	60	0.01
J-14	11	0	7	50	0.01
J-15	4	0	17	50	0.01
K-01	4	0	7	40	0.01
K-02	4	0	14	30	0.01
K-03	4	0	12	50	0.01
K-04	0	0	6	40	0.01
K-05	4	0	5	50	0.01
K-06	0	0	2	80	0.01
K-07	4	0	13	50	0.01
K-08	7	0	7	60	0.01
K-09	0	0	3	50	0.01
K-10	0	0	10	60	0.01
K-11	4	0	10	40	0.01
K-12	0	0	9	70	0.01
K-13	4	0	4	40	0.01
K-14	0	0	16	40	0.01
K-15	0	0	6	40	0.01
L-01	4	0	0	60	0.01
L-02	4	0	12	60	0.01
L-03	0	0	4	60	0.01
L-04	4	0	16	70	0.01
L-05	0	0	1	20	0.01
L-06	0	0	10	50	0.01
L-07	0	0	15	40	0.01
L-08	4	0	17	30	0.01
L-09	0	0	7	70	0.01
L-10	4	0	8	60	0.01
L-11	7	0	0	50	0.01
L-12	0	0	0	60	0.01
L-13	0	0	4	50	0.01
L-14	0	0	10	50	0.01
L-15	4	0	4	50	0.01
AF1	0	0	9	60	0.01
AF2	0	0	18	80	0.01
BF1	0	0	13	60	0.01
BF2	0	0	3	50	0.01
BF3	7	0	6	40	0.01
CF1	0	0	8	40	0.01
CF2	0	0	12	50	0.01
CF3	0	1	9	40	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 402

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	2	6	50	0.01
DF2	0	0	14	80	0.01
DF3	0	1	11	40	0.01
EF1	0	0	9	60	0.01
EF2	4	0	6	50	0.01
AR1	0	0	11	30	0.01
AR2	0	0	58	20	0.01
BR1	0	0	6	50	0.01
BR2	0	0	10	70	0.01
BR3	0	0	4	20	0.01
CR1	0	0	0	100	0.01
CR2	0	0	6	0	0.01
CR3	0	0	7	40	0.01
DR1	0	0	8	10	0.01
DR2	0	0	1	40	0.01
DR3	4	0	3	30	0.01
ER1	11	0	7	30	0.01
ER2	0	0	6	10	0.01
IV	7	0	36	80	0.00
OV	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 403

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	1	1	0	20	0.01
A-02	0	2	0	10	0.01
A-03	0	0	0	20	0.01
A-04	0	1	0	30	0.01
A-05	0	0	0	20	0.01
A-06	1	0	0	0	0.01
A-07	0	0	0	20	0.01
A-08	1	0	0	20	0.01
A-09	0	1	0	20	0.01
A-10	1	0	0	10	0.01
A-11	1	2	0	20	0.01
A-12	0	1	0	0	0.01
A-13	0	2	0	10	0.01
A-14	0	2	0	10	0.01
A-15	0	1	0	20	0.01
B-01	1	2	0	40	0.01
B-02	1	0	0	20	0.01
B-03	1	1	0	10	0.01
B-04	0	1	0	20	0.01
B-05	0	0	0	10	0.01
B-06	0	1	0	20	0.01
B-07	0	1	6	20	0.01
B-08	0	1	0	10	0.01
B-09	1	0	0	30	0.01
B-10	1	0	0	20	0.01
B-11	1	0	0	30	0.01
B-12	0	0	0	20	0.01
B-13	1	1	0	30	0.01
B-14	0	1	0	20	0.01
B-15	1	0	0	20	0.01
C-01	0	0	0	10	0.01
C-02	0	0	0	20	0.01
C-03	1	1	0	10	0.01
C-04	0	0	0	0	0.01
C-05	1	0	0	10	0.01
C-06	0	0	0	20	0.01
C-07	1	0	0	10	0.01
C-08	1	1	0	0	0.01
C-09	0	1	0	0	0.01
C-10	0	0	0	20	0.01
C-11	0	1	1	10	0.01
C-12	0	0	0	30	0.01
C-13	1	1	0	10	0.01
C-14	1	0	0	20	0.01
C-15	0	0	0	10	0.01
D-01	0	1	0	0	0.01
D-02	0	0	0	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 403

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	1	0	30	0.01
D-04	0	0	0	20	0.01
D-05	0	1	0	10	0.01
D-06	1	1	0	0	0.01
D-07	1	0	0	0	0.01
D-08	1	1	0	0	0.01
D-09	0	1	0	20	0.01
D-10	1	2	0	10	0.01
D-11	0	0	0	0	0.01
D-12	0	0	0	0	0.01
D-13	0	2	0	10	0.01
D-14	1	0	0	0	0.01
D-15	0	1	0	10	0.01
E-01	1	0	0	0	0.01
E-02	1	1	0	10	0.01
E-03	1	2	0	20	0.01
E-04	0	1	0	0	0.01
E-05	1	1	0	50	0.01
E-06	1	1	0	20	0.01
E-07	1	1	0	20	0.01
E-08	1	0	0	10	0.01
E-09	1	1	0	10	0.01
E-10	0	1	0	10	0.01
E-11	0	1	0	10	0.01
E-12	0	1	0	10	0.01
E-13	0	1	0	20	0.01
E-14	0	1	0	10	0.01
E-15	0	0	0	10	0.01
F-01	1	0	0	0	0.01
F-02	0	1	0	0	0.01
F-03	0	0	0	20	0.01
F-04	1	1	0	10	0.01
F-05	0	0	0	0	0.01
F-06	0	1	0	60	0.01
F-07	0	0	0	20	0.01
F-08	1	0	0	10	0.01
F-09	0	0	0	20	0.01
F-10	0	0	0	0	0.01
F-11	1	1	0	40	0.01
F-12	0	1	0	0	0.01
F-13	0	0	0	0	0.01
F-14	0	1	0	10	0.01
F-15	0	1	0	10	0.01
G-01	1	0	0	10	0.01
G-02	1	0	0	10	0.01
G-03	0	0	0	10	0.01
G-04	0	4	0	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 403

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	0	0	10	0.01
G-06	0	0	0	10	0.01
G-07	0	0	0	20	0.01
G-08	0	4	0	10	0.01
G-09	2	0	0	20	0.01
G-10	1	8	0	40	0.01
G-11	1	2	0	30	0.01
G-12	0	0	0	20	0.01
G-13	0	0	0	10	0.01
G-14	0	2	0	20	0.01
G-15	0	2	4	10	0.01
H-01	1	0	0	30	0.01
H-02	1	1	0	20	0.01
H-03	0	0	0	10	0.01
H-04	0	2	0	0	0.01
H-05	0	0	2	20	0.01
H-06	1	0	0	40	0.01
H-07	1	8	0	0	0.01
H-08	0	3	0	20	0.01
H-09	0	0	0	10	0.01
H-10	0	0	0	10	0.01
H-11	0	0	0	10	0.01
H-12	2	1	0	0	0.01
H-13	0	4	0	10	0.01
H-14	0	0	0	30	0.02
H-15	1	2	0	40	0.01
I-01	0	3	0	0	0.01
I-02	0	0	0	30	0.02
I-03	0	2	0	20	0.01
I-04	0	2	0	0	0.01
I-05	0	0	0	20	0.01
I-06	0	0	0	20	0.01
I-07	0	0	0	10	0.01
I-08	0	3	0	20	0.01
I-09	0	0	0	10	0.01
I-10	0	0	0	20	0.01
I-11	0	0	0	20	0.01
I-12	1	3	0	40	0.01
I-13	0	6	0	0	0.01
I-14	1	0	0	0	0.01
I-15	1	1	0	20	0.01
J-01	1	1	0	10	0.01
J-02	0	0	0	10	0.01
J-03	0	0	0	10	0.01
J-04	1	1	0	10	0.01
J-05	0	0	0	10	0.01
J-06	0	0	4	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 403

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	1	0	0	10	0.01
J-08	0	0	0	0	0.01
J-09	0	1	0	10	0.01
J-10	0	7	4	0	0.01
J-11	1	9	0	10	0.01
J-12	0	1	3	0	0.01
J-13	1	1	5	20	0.01
J-14	0	1	0	10	0.01
J-15	0	0	0	20	0.01
K-01	1	0	0	40	0.01
K-02	1	10	0	10	0.01
K-03	1	0	0	0	0.01
K-04	0	2	0	20	0.01
K-05	0	0	0	0	0.01
K-06	0	0	0	10	0.01
K-07	0	0	0	10	0.01
K-08	0	0	0	0	0.01
K-09	0	5	0	40	0.01
K-10	0	2	0	10	0.01
K-11	1	0	0	10	0.01
K-12	0	0	1	0	0.01
K-13	0	0	0	10	0.01
K-14	0	3	0	20	0.01
K-15	0	2	0	60	0.01
L-01	1	1	0	40	0.01
L-02	0	2	0	20	0.01
L-03	0	2	0	40	0.01
L-04	4	0	0	10	0.01
L-05	0	2	0	20	0.01
L-06	0	0	0	20	0.01
L-07	1	0	0	10	0.01
L-08	1	2	0	30	0.01
L-09	0	1	0	20	0.01
L-10	0	0	0	10	0.01
L-11	2	0	0	20	0.01
L-12	1	1	0	0	0.01
L-13	0	0	0	10	0.01
L-14	0	1	0	10	0.01
L-15	1	0	0	20	0.01
AF1	0	8	0	20	0.01
AF2	0	1	0	10	0.01
BF1	0	0	0	20	0.01
BF2	0	1	0	10	0.01
BF3	1	0	0	10	0.01
CF1	0	3	0	10	0.01
CF2	0	0	0	20	0.01
CF3	0	1	0	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 403

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	5	0	20	0.01
DF2	0	0	0	10	0.01
DF3	1	2	0	20	0.01
EF1	0	2	0	10	0.01
EF2	2	5	0	10	0.01
AR1	1	4	0	10	0.01
AR2	1	0	0	0	0.01
BR1	2	5	0	20	0.01
BR2	0	4	0	10	0.01
BR3	0	6	0	20	0.01
CR1	1	0	0	0	0.01
CR2	1	2	0	20	0.01
CR3	0	4	0	40	0.01
DR1	1	2	0	0	0.01
DR2	0	6	0	20	0.01
DR3	2	0	0	60	0.01
ER1	1	3	0	0	0.01
ER2	0	2	0	20	0.01
IV	0	0	0	0	0.00
OV	0	0	11	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 404

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	1	8	0	40	0.01
A-02	0	0	0	50	0.01
A-03	1	0	0	40	0.01
A-04	0	7	0	40	0.01
A-05	0	0	0	60	0.02
A-06	2	0	3	30	0.01
A-07	1	0	0	30	0.01
A-08	1	0	0	50	0.01
A-09	0	0	0	40	0.01
A-10	0	2	2	70	0.01
A-11	0	2	0	60	0.01
A-12	1	0	5	60	0.01
A-13	0	0	0	50	0.01
A-14	0	7	0	60	0.01
A-15	2	1	0	50	0.02
B-01	0	1	0	50	0.01
B-02	1	4	0	30	0.01
B-03	1	6	0	40	0.01
B-04	0	7	0	50	0.01
B-05	0	12	0	30	0.01
B-06	0	0	0	30	0.01
B-07	0	0	0	50	0.01
B-08	2	4	0	70	0.01
B-09	0	10	0	40	0.01
B-10	0	7	0	50	0.01
B-11	1	11	2	50	0.01
B-12	1	13	2	50	0.01
B-13	1	0	0	40	0.01
B-14	0	8	0	40	0.01
B-15	0	16	11	70	0.02
C-01	0	8	0	50	0.01
C-02	1	0	0	60	0.01
C-03	0	16	0	50	0.01
C-04	0	0	0	50	0.01
C-05	0	0	0	40	0.01
C-06	0	0	0	20	0.02
C-07	1	1	0	30	0.01
C-08	1	13	0	30	0.01
C-09	0	6	0	60	0.01
C-10	0	10	0	60	0.01
C-11	1	0	0	50	0.01
C-12	0	0	0	30	0.01
C-13	0	12	0	70	0.01
C-14	0	6	7	60	0.01
C-15	1	11	6	40	0.01
D-01	0	0	0	60	0.01
D-02	0	5	0	80	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 404

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	1	0	60	0.01
D-04	0	0	2	40	0.01
D-05	2	0	0	60	0.01
D-06	1	4	0	70	0.01
D-07	0	0	3	70	0.01
D-08	0	0	1	50	0.01
D-09	1	0	0	50	0.01
D-10	0	0	0	30	0.01
D-11	1	10	2	40	0.01
D-12	0	10	0	20	0.01
D-13	0	5	11	30	0.01
D-14	0	0	5	20	0.01
D-15	0	14	0	40	0.01
E-01	0	1	0	30	0.01
E-02	0	0	2	60	0.01
E-03	0	2	0	50	0.02
E-04	0	12	0	60	0.01
E-05	0	0	0	60	0.01
E-06	0	6	0	50	0.01
E-07	0	0	2	40	0.01
E-08	0	2	2	50	0.01
E-09	0	7	0	50	0.01
E-10	0	8	4	60	0.01
E-11	0	0	2	70	0.01
E-12	0	0	2	80	0.01
E-13	1	0	3	40	0.01
E-14	0	0	0	30	0.01
E-15	0	11	0	50	0.01
F-01	0	12	9	30	0.01
F-02	0	23	3	40	0.01
F-03	1	16	1	20	0.01
F-04	0	7	7	20	0.01
F-05	2	4	1	40	0.01
F-06	1	18	2	40	0.01
F-07	0	1	8	40	0.01
F-08	1	8	4	20	0.01
F-09	0	0	7	40	0.01
F-10	0	0	3	30	0.01
F-11	0	0	5	30	0.01
F-12	0	0	0	20	0.01
F-13	0	1	12	20	0.01
F-14	0	11	0	20	0.01
F-15	1	5	14	30	0.01
G-01	1	0	0	20	0.01
G-02	1	0	9	40	0.01
G-03	0	0	7	20	0.01
G-04	0	12	4	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 404

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
G-05	0	0	0	30	0.01
G-06	1	1	6	30	0.01
G-07	1	10	0	60	0.01
G-08	1	2	0	40	0.01
G-09	0	0	3	20	0.01
G-10	0	0	0	40	0.01
G-11	1	0	7	30	0.01
G-12	0	10	1	30	0.01
G-13	0	0	0	20	0.01
G-14	0	2	0	20	0.01
G-15	2	10	1	30	0.01
H-01	1	0	0	20	0.01
H-02	0	8	7	30	0.01
H-03	0	2	9	50	0.01
H-04	1	0	0	40	0.01
H-05	0	0	3	30	0.01
H-06	1	0	0	40	0.01
H-07	0	0	0	40	0.01
H-08	0	0	0	30	0.01
H-09	0	0	0	30	0.02
H-10	0	8	0	20	0.01
H-11	0	2	2	40	0.01
H-12	0	0	5	40	0.01
H-13	0	7	1	50	0.01
H-14	1	5	4	30	0.02
H-15	1	0	0	20	0.01
I-01	0	0	4	60	0.01
I-02	0	0	0	20	0.01
I-03	0	0	5	30	0.01
I-04	0	0	0	20	0.01
I-05	0	0	4	50	0.01
I-06	1	0	0	20	0.01
I-07	0	11	2	40	0.01
I-08	1	11	0	50	0.01
I-09	1	0	9	20	0.01
I-10	0	0	0	20	0.02
I-11	0	2	0	20	0.01
I-12	1	0	3	30	0.01
I-13	0	0	1	30	0.02
I-14	0	0	0	30	0.01
I-15	0	0	0	20	0.01
J-01	1	0	0	60	0.01
J-02	0	0	2	50	0.01
J-03	1	0	8	30	0.01
J-04	2	0	9	60	0.01
J-05	0	11	4	60	0.01
J-06	0	0	0	70	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 404

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	0	0	70	0.01
J-08	0	13	4	50	0.01
J-09	0	0	0	60	0.01
J-10	1	0	1	60	0.01
J-11	0	8	0	40	0.01
J-12	0	0	9	40	0.01
J-13	1	0	6	20	0.01
J-14	0	8	0	40	0.01
J-15	0	11	1	30	0.01
K-01	0	10	0	50	0.01
K-02	0	0	0	30	0.01
K-03	0	0	0	10	0.01
K-04	1	0	0	20	0.01
K-05	0	0	1	30	0.01
K-06	1	0	6	40	0.01
K-07	0	0	5	50	0.01
K-08	0	4	0	40	0.01
K-09	0	0	11	40	0.01
K-10	1	0	2	60	0.01
K-11	0	6	0	40	0.02
K-12	1	0	0	30	0.01
K-13	0	0	9	30	0.01
K-14	0	0	6	30	0.01
K-15	0	7	0	60	0.01
L-01	0	0	0	30	0.01
L-02	0	2	1	20	0.01
L-03	2	10	0	60	0.01
L-04	0	0	3	60	0.01
L-05	0	0	0	60	0.01
L-06	1	0	8	60	0.01
L-07	0	0	6	30	0.01
L-08	0	0	0	20	0.01
L-09	0	10	5	10	0.01
L-10	0	0	5	10	0.01
L-11	0	5	4	20	0.01
L-12	0	7	5	20	0.01
L-13	0	2	0	20	0.01
L-14	0	12	0	20	0.01
L-15	0	0	0	30	0.01
AF1	1	0	5	30	0.01
AF2	2	0	6	20	0.01
BF1	0	0	6	20	0.01
BF2	0	0	0	20	0.01
BF3	1	10	8	30	0.01
CF1	0	0	0	50	0.01
CF2	0	0	0	20	0.01
CF3	0	2	1	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 404

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	0	0	20	0.01
DF2	1	5	0	40	0.01
DF3	0	0	0	20	0.01
EF1	0	0	0	30	0.01
EF2	0	6	6	20	0.01
AR1	1	1	12	20	0.01
AR2	0	8	3	30	0.01
BR1	0	15	0	20	0.01
BR2	1	5	1	30	0.01
BR3	1	0	4	50	0.01
CR1	0	0	0	20	0.01
CR2	0	0	0	30	0.01
CR3	0	17	0	20	0.01
DR1	1	0	2	30	0.01
DR2	0	0	10	20	0.01
DR3	0	0	9	50	0.01
ER1	0	0	0	20	0.01
ER2	1	11	11	20	0.01
IV	0	0	0	0	0.00
OV	0	18	8	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 405

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	0	10	0.01
A-02	0	0	0	30	0.01
A-03	0	0	0	60	0.01
A-04	0	1	0	50	0.01
A-05	0	0	0	20	0.01
A-06	0	1	0	10	0.01
A-07	0	1	0	10	0.01
A-08	0	0	1	10	0.01
A-09	1	1	0	10	0.01
A-10	0	0	0	0	0.01
A-11	0	0	0	10	0.01
A-12	0	1	0	20	0.01
A-13	0	2	0	20	0.01
A-14	0	0	0	0	0.01
A-15	0	0	0	10	0.01
B-01	0	0	0	30	0.01
B-02	0	1	7	20	0.01
B-03	0	1	0	20	0.01
B-04	0	0	0	10	0.01
B-05	0	1	0	10	0.01
B-06	0	0	0	40	0.01
B-07	0	0	0	40	0.01
B-08	0	2	0	30	0.01
B-09	0	1	0	0	0.01
B-10	0	0	0	10	0.01
B-11	0	0	0	20	0.01
B-12	0	1	0	0	0.01
B-13	0	1	0	10	0.01
B-14	0	0	0	20	0.01
B-15	0	0	0	20	0.01
C-01	0	0	0	0	0.01
C-02	0	0	0	20	0.01
C-03	0	0	0	10	0.01
C-04	0	1	0	20	0.01
C-05	0	1	0	10	0.01
C-06	0	0	0	10	0.01
C-07	1	1	0	20	0.01
C-08	0	0	0	0	0.01
C-09	0	0	0	20	0.01
C-10	0	0	0	20	0.01
C-11	1	0	0	30	0.01
C-12	1	1	0	40	0.01
C-13	0	0	0	20	0.01
C-14	0	0	0	0	0.01
C-15	0	0	0	10	0.01
D-01	1	0	0	30	0.01
D-02	0	0	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 405

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	0	0	20	0.01
D-04	0	0	0	10	0.01
D-05	0	0	0	10	0.01
D-06	1	0	4	20	0.01
D-07	0	1	0	20	0.01
D-08	0	1	0	0	0.01
D-09	0	0	0	10	0.01
D-10	0	0	0	10	0.01
D-11	0	1	0	20	0.01
D-12	1	0	0	10	0.01
D-13	0	0	0	20	0.01
D-14	0	0	0	0	0.01
D-15	0	0	0	20	0.01
E-01	0	0	0	20	0.01
E-02	0	0	0	20	0.01
E-03	1	0	0	0	0.01
E-04	0	1	0	10	0.01
E-05	0	2	0	20	0.01
E-06	0	1	0	0	0.01
E-07	0	0	1	20	0.01
E-08	1	0	4	10	0.01
E-09	0	1	0	10	0.01
E-10	0	1	0	0	0.01
E-11	0	0	3	10	0.01
E-12	0	0	0	10	0.01
E-13	1	0	0	20	0.01
E-14	0	0	0	10	0.01
E-15	0	1	6	10	0.01
F-01	0	0	1	20	0.01
F-02	0	1	0	10	0.01
F-03	0	0	5	10	0.01
F-04	0	0	10	20	0.01
F-05	0	0	0	20	0.01
F-06	0	2	8	10	0.01
F-07	0	0	11	30	0.01
F-08	0	0	4	10	0.01
F-09	0	0	0	10	0.01
F-10	0	0	0	20	0.01
F-11	0	0	2	10	0.01
F-12	0	0	0	20	0.01
F-13	0	0	2	20	0.01
F-14	0	0	6	20	0.01
F-15	0	0	3	20	0.01
G-01	0	0	0	20	0.01
G-02	0	0	0	30	0.01
G-03	0	0	0	10	0.01
G-04	0	0	0	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 405

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	0	10	20	0.01
G-06	0	0	1	20	0.01
G-07	0	0	1	20	0.01
G-08	0	0	4	40	0.01
G-09	0	0	0	20	0.01
G-10	0	0	0	10	0.01
G-11	0	0	5	20	0.01
G-12	0	0	2	20	0.01
G-13	0	5	7	10	0.01
G-14	1	0	12	30	0.01
G-15	0	6	4	40	0.01
H-01	0	2	0	20	0.01
H-02	0	0	0	10	0.01
H-03	0	5	0	30	0.01
H-04	0	0	9	20	0.01
H-05	0	5	7	20	0.01
H-06	0	0	9	10	0.01
H-07	0	0	4	10	0.01
H-08	0	0	0	10	0.01
H-09	0	0	1	20	0.01
H-10	0	1	1	0	0.01
H-11	0	0	0	10	0.01
H-12	0	0	0	20	0.01
H-13	0	0	1	10	0.01
H-14	0	1	5	10	0.01
H-15	0	0	5	20	0.01
I-01	0	0	5	10	0.01
I-02	0	1	0	20	0.01
I-03	0	0	0	20	0.01
I-04	0	1	0	20	0.01
I-05	0	0	0	40	0.01
I-06	0	0	2	40	0.01
I-07	0	0	0	20	0.01
I-08	1	0	0	10	0.01
I-09	0	0	0	20	0.01
I-10	0	4	0	10	0.01
I-11	0	0	0	20	0.01
I-12	0	1	0	50	0.01
I-13	0	0	0	40	0.01
I-14	0	0	4	20	0.01
I-15	0	3	0	10	0.01
J-01	0	0	4	30	0.01
J-02	0	0	0	10	0.01
J-03	0	0	0	60	0.01
J-04	0	0	5	20	0.01
J-05	0	0	8	30	0.01
J-06	0	0	0	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 405

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	0	3	20	0.01
J-08	0	0	0	50	0.01
J-09	0	0	5	10	0.01
J-10	0	0	5	10	0.01
J-11	0	0	0	50	0.01
J-12	0	0	2	20	0.01
J-13	0	1	1	60	0.01
J-14	0	0	4	10	0.01
J-15	0	3	10	10	0.01
K-01	0	1	11	10	0.01
K-02	0	0	14	10	0.01
K-03	0	0	15	20	0.01
K-04	0	0	37	0	0.01
K-05	0	0	9	40	0.01
K-06	0	0	13	60	0.01
K-07	0	0	14	50	0.01
K-08	0	0	36	40	0.01
K-09	0	0	2	40	0.01
K-10	0	0	19	30	0.01
K-11	0	4	14	20	0.01
K-12	0	5	11	10	0.01
K-13	0	2	16	20	0.01
K-14	0	0	4	20	0.01
K-15	0	0	0	10	0.01
L-01	0	0	0	20	0.01
L-02	0	0	0	30	0.01
L-03	0	0	4	20	0.01
L-04	0	0	0	10	0.01
L-05	0	0	7	20	0.01
L-06	0	0	4	10	0.01
L-07	0	0	0	20	0.01
L-08	0	0	0	40	0.01
L-09	0	0	2	30	0.01
L-10	0	4	0	10	0.01
L-11	0	0	6	40	0.01
L-12	0	0	2	40	0.01
L-13	0	0	2	20	0.01
L-14	0	1	0	40	0.01
L-15	0	0	11	40	0.01
AF1	0	0	12	10	0.01
AF2	0	5	5	10	0.01
BF1	0	0	25	20	0.01
BF2	0	0	8	0	0.01
BF3	0	0	38	20	0.01
CF1	0	2	15	0	0.01
CF2	0	0	0	20	0.01
CF3	0	0	21	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 405

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	0	11	20	0.01
DF2	0	0	2	40	0.01
DF3	0	0	14	20	0.01
EF1	0	0	11	30	0.01
EF2	0	0	10	20	0.01
AR1	0	3	10	10	0.01
AR2	0	2	2	20	0.01
BR1	0	0	2	20	0.01
BR2	0	0	11	20	0.01
BR3	0	0	7	20	0.01
CR1	0	3	4	20	0.01
CR2	0	0	6	40	0.01
CR3	0	0	11	20	0.01
DR1	0	0	0	20	0.01
DR2	0	0	0	20	0.01
DR3	0	0	10	40	0.01
ER1	0	0	17	0	0.01
ER2	0	1	0	20	0.01
IV	0	4	0	20	0.01
OV	0	0	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 406

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	0	50	0.01
A-02	0	17	0	20	0.01
A-03	0	0	0	50	0.01
A-04	0	8	0	70	0.01
A-05	1	1	1	60	0.01
A-06	0	10	0	50	0.01
A-07	0	6	0	30	0.01
A-08	0	0	0	50	0.01
A-09	0	13	0	60	0.01
A-10	0	0	8	50	0.01
A-11	0	26	0	30	0.01
A-12	0	2	0	40	0.01
A-13	0	0	0	30	0.01
A-14	1	7	14	50	0.01
A-15	1	0	0	30	0.01
B-01	1	6	0	50	0.01
B-02	1	8	0	50	0.01
B-03	1	2	0	40	0.01
B-04	0	0	3	40	0.01
B-05	0	2	0	50	0.01
B-06	0	11	0	30	0.01
B-07	0	11	0	50	0.01
B-08	0	7	0	20	0.01
B-09	0	5	0	30	0.01
B-10	2	0	0	20	0.01
B-11	1	0	0	30	0.01
B-12	0	4	0	30	0.01
B-13	2	0	0	30	0.01
B-14	2	6	0	40	0.01
B-15	2	14	5	40	0.01
C-01	2	0	0	40	0.01
C-02	1	0	0	40	0.01
C-03	0	0	0	60	0.01
C-04	0	0	0	30	0.01
C-05	2	12	0	30	0.01
C-06	1	0	8	50	0.01
C-07	0	6	1	30	0.01
C-08	0	0	1	50	0.01
C-09	0	17	0	50	0.01
C-10	0	8	0	40	0.01
C-11	0	0	0	20	0.01
C-12	0	13	0	10	0.01
C-13	0	10	5	30	0.01
C-14	1	6	0	60	0.01
C-15	0	12	0	70	0.01
D-01	0	0	0	40	0.01
D-02	1	17	0	40	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 406

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	0	0	30	0.00
D-04	0	19	0	20	0.01
D-05	0	13	0	30	0.01
D-06	1	2	5	10	0.01
D-07	0	14	4	20	0.01
D-08	2	2	1	40	0.01
D-09	2	20	4	70	0.01
D-10	0	8	0	60	0.01
D-11	2	6	6	50	0.01
D-12	0	10	0	50	0.01
D-13	1	0	0	10	0.01
D-14	0	18	0	10	0.01
D-15	2	0	0	20	0.01
E-01	0	7	8	30	0.01
E-02	0	0	0	40	0.01
E-03	0	0	0	50	0.01
E-04	1	0	0	30	0.01
E-05	0	0	0	50	0.01
E-06	1	13	9	30	0.01
E-07	0	11	0	20	0.01
E-08	0	0	0	20	0.01
E-09	0	13	3	50	0.01
E-10	0	6	0	30	0.01
E-11	0	6	1	50	0.01
E-12	0	10	1	50	0.01
E-13	1	0	3	40	0.01
E-14	1	0	0	30	0.01
E-15	0	7	0	30	0.01
F-01	0	21	0	30	0.01
F-02	0	0	2	30	0.01
F-03	0	4	2	80	0.01
F-04	1	0	0	20	0.00
F-05	1	6	0	50	0.01
F-06	1	7	3	30	0.01
F-07	1	0	0	50	0.01
F-08	0	7	2	60	0.01
F-09	0	0	13	30	0.00
F-10	0	4	8	40	0.00
F-11	0	0	0	40	0.01
F-12	0	0	6	70	0.00
F-13	0	0	0	80	0.01
F-14	0	0	9	40	0.01
F-15	0	2	11	20	0.00
G-01	2	3	2	40	0.01
G-02	2	1	2	40	0.00
G-03	1	1	0	40	0.00
G-04	2	3	0	30	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 406

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	3	11	30	0.01
G-06	0	0	4	30	0.00
G-07	0	1	3	40	0.01
G-08	0	3	11	70	0.01
G-09	0	2	2	20	0.01
G-10	0	0	0	40	0.00
G-11	0	0	0	30	0.01
G-12	0	6	2	60	0.01
G-13	0	5	0	70	0.01
G-14	0	0	4	20	0.00
G-15	0	2	4	70	0.01
H-01	0	0	5	50	0.01
H-02	0	0	0	50	0.01
H-03	0	0	0	40	0.01
H-04	0	1	0	50	0.01
H-05	0	2	0	40	0.01
H-06	0	0	1	50	0.00
H-07	0	1	0	50	0.00
H-08	0	3	2	50	0.00
H-09	0	1	4	40	0.01
H-10	0	6	3	30	0.01
H-11	0	0	8	30	0.00
H-12	0	0	0	70	0.00
H-13	0	3	2	40	0.00
H-14	0	0	3	50	0.01
H-15	0	6	0	40	0.00
I-01	0	3	8	30	0.00
I-02	0	1	0	30	0.01
I-03	2	1	8	40	0.01
I-04	0	0	0	30	0.01
I-05	0	1	8	30	0.00
I-06	0	0	3	40	0.01
I-07	0	0	8	50	0.00
I-08	0	0	2	30	0.00
I-09	0	0	3	40	0.01
I-10	0	0	0	50	0.01
I-11	0	0	12	30	0.01
I-12	0	3	3	70	0.01
I-13	0	0	9	50	0.01
I-14	0	1	9	50	0.01
I-15	0	0	2	70	0.00
J-01	0	0	0	70	0.01
J-02	4	4	0	30	0.00
J-03	2	0	9	50	0.00
J-04	0	3	0	60	0.01
J-05	2	0	2	60	0.00
J-06	0	2	8	40	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 406

SAMPLE #	ALPHA	BETA	TRITIUM IN DPM	LUDLUM		LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
	2404 IN DPM	2404 IN DPM		MODEL 3 ALPHA	IN DPM	
J-07	0	2	3		40	0.01
J-08	2	1	0		70	0.00
J-09	2	4	11		40	0.00
J-10	0	0	4		40	0.01
J-11	0	1	0		50	0.01
J-12	0	0	3		40	0.01
J-13	0	0	7		50	0.01
J-14	0	3	8		70	0.00
J-15	0	5	0		20	0.01
K-01	0	0	0		20	0.01
K-02	0	0	2		30	0.01
K-03	0	0	0		40	0.01
K-04	0	0	2		70	0.00
K-05	0	0	3		80	0.00
K-06	0	0	0		30	0.00
K-07	0	0	0		50	0.00
K-08	0	0	4		40	0.00
K-09	0	0	0		40	0.00
K-10	0	0	0		60	0.00
K-11	0	0	12		30	0.01
K-12	0	0	7		40	0.01
K-13	0	0	0		70	0.01
K-14	0	0	0		70	0.01
K-15	0	0	3		40	0.01
L-01	0	0	5		50	0.01
L-02	0	0	0		60	0.00
L-03	0	0	0		60	0.00
L-04	0	0	0		80	0.01
L-05	0	0	0		80	0.00
L-06	0	0	0		50	0.01
L-07	0	0	0		40	0.01
L-08	0	0	0		30	0.00
L-09	0	0	0		10	0.01
L-10	0	0	0		30	0.01
L-11	0	0	23		30	0.01
L-12	0	0	0		40	0.00
L-13	0	0	0		10	0.01
L-14	0	0	2		30	0.01
L-15	0	0	5		50	0.01
AF1	2	0	0		70	0.00
AF2	0	1	0		40	0.01
BF1	0	0	0		60	0.01
BF2	1	0	6		50	0.01
BF3	2	1	10		60	0.01
CF1	0	0	3		40	0.00
CF2	0	2	3		30	0.00
CF3	0	0	0		30	0.00

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 406

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	2	0	30	0.00
DF2	1	0	0	40	0.01
DF3	1	0	3	40	0.01
EF1	0	0	0	0	0.01
EF2	0	1	0	40	0.01
AR1	0	5	0	0	0.01
AR2	0	2	5	80	0.01
BR1	0	0	0	40	0.01
BR2	0	0	0	40	0.01
BR3	0	0	0	40	0.01
CR1	0	0	0	30	0.01
CR2	0	0	0	20	0.01
CR3	0	0	0	20	0.00
DR1	0	0	0	30	0.01
DR2	0	0	0	90	0.00
DR3	0	0	0	40	0.01
ER1	0	0	0	100	0.00
ER2	0	0	0	40	0.00
IV	0	0	0	30	0.01
OV	0	0	9	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 407

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	1	0	0	30	0.01
A-02	0	0	0	20	0.01
A-03	9	9	0	10	0.01
A-04	0	0	0	10	0.01
A-05	1	0	0	20	0.01
A-06	9	0	0	20	0.01
A-07	1	0	0	10	0.01
A-08	9	0	0	10	0.01
A-09	0	0	0	20	0.01
A-10	0	0	0	10	0.01
A-11	5	0	1	10	0.01
A-12	0	0	0	30	0.01
A-13	0	0	0	20	0.01
A-14	0	0	0	20	0.01
A-15	0	0	0	10	0.01
B-01	0	0	3	0	0.01
B-02	1	0	1	20	0.01
B-03	0	0	0	20	0.01
B-04	0	0	0	10	0.01
B-05	5	0	0	10	0.01
B-06	0	0	0	0	0.01
B-07	0	0	0	20	0.01
B-08	0	0	0	20	0.01
B-09	1	0	0	20	0.01
B-10	0	0	0	20	0.01
B-11	5	0	0	20	0.01
B-12	0	0	0	10	0.01
B-13	0	0	0	20	0.01
B-14	0	0	0	20	0.01
B-15	0	0	0	20	0.01
C-01	0	0	0	20	0.01
C-02	5	0	0	10	0.01
C-03	0	0	0	20	0.01
C-04	1	0	0	10	0.01
C-05	0	0	0	10	0.01
C-06	0	0	1	20	0.01
C-07	0	0	0	20	0.01
C-08	1	0	0	10	0.01
C-09	0	0	0	30	0.01
C-10	1	0	0	20	0.01
C-11	0	0	0	20	0.01
C-12	0	0	0	20	0.01
C-13	0	0	0	20	0.01
C-14	0	0	0	20	0.01
C-15	0	0	0	10	0.01
D-01	1	0	0	10	0.01
D-02	5	0	0	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 407

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	0	0	10	0.01
D-04	1	0	0	20	0.01
D-05	1	0	0	20	0.01
D-06	1	0	0	10	0.01
D-07	5	0	0	20	0.01
D-08	0	0	0	20	0.01
D-09	0	0	3	10	0.01
D-10	0	0	3	30	0.01
D-11	0	0	0	20	0.01
D-12	1	0	0	10	0.01
D-13	1	0	0	10	0.01
D-14	5	0	0	20	0.01
D-15	5	0	0	20	0.01
E-01	0	0	0	10	0.01
E-02	2	2	0	10	0.01
E-03	0	0	0	20	0.01
E-04	0	5	0	20	0.01
E-05	5	1	0	20	0.01
E-06	2	0	0	10	0.01
E-07	0	0	0	30	0.01
E-08	0	0	1	20	0.01
E-09	0	1	0	10	0.01
E-10	0	0	0	20	0.01
E-11	0	2	0	10	0.01
E-12	0	5	1	30	0.01
E-13	0	6	0	20	0.01
E-14	2	0	0	40	0.01
E-15	2	0	0	0	0.01
F-01	5	5	0	20	0.01
F-02	0	2	0	20	0.01
F-03	0	1	0	10	0.01
F-04	0	1	0	20	0.01
F-05	0	0	0	10	0.01
F-06	0	0	4	10	0.01
F-07	0	0	2	20	0.01
F-08	1	0	0	20	0.01
F-09	1	0	5	20	0.01
F-10	1	0	0	10	0.01
F-11	1	0	0	20	0.01
F-12	0	0	7	10	0.01
F-13	1	0	1	0	0.01
F-14	0	0	0	10	0.01
F-15	1	0	1	10	0.01
G-01	1	2	5	20	0.01
G-02	0	0	0	40	0.01
G-03	0	6	0	20	0.01
G-04	2	1	1	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 407

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	0	5	0	0.01
G-06	0	0	0	20	0.01
G-07	0	0	4	0	0.01
G-08	0	0	6	20	0.01
G-09	2	1	17	10	0.01
G-10	2	8	0	30	0.01
G-11	0	0	0	20	0.01
G-12	0	0	0	40	0.01
G-13	0	0	3	20	0.01
G-14	0	0	0	30	0.01
G-15	0	5	0	20	0.01
H-01	0	0	0	20	0.01
H-02	0	0	0	20	0.01
H-03	2	0	0	20	0.01
H-04	0	0	3	20	0.01
H-05	0	0	5	10	0.01
H-06	2	0	2	20	0.01
H-07	5	5	0	20	0.00
H-08	0	0	0	20	0.01
H-09	0	0	0	10	0.01
H-10	2	0	2	20	0.01
H-11	0	1	6	20	0.01
H-12	2	0	0	20	0.01
H-13	2	0	1	10	0.01
H-14	0	0	0	10	0.01
H-15	2	0	0	10	0.01
I-01	2	0	0	20	0.01
I-02	0	1	6	10	0.01
I-03	2	1	0	10	0.01
I-04	0	0	0	10	0.01
I-05	2	8	2	20	0.01
I-06	0	0	0	10	0.01
I-07	0	0	0	20	0.01
I-08	0	0	0	10	0.01
I-09	2	0	0	10	0.01
I-10	0	0	3	10	0.01
I-11	0	0	5	10	0.01
I-12	2	1	0	10	0.01
I-13	0	1	12	10	0.01
I-14	2	0	0	20	0.01
I-15	5	1	0	20	0.01
J-01	0	0	0	10	0.01
J-02	0	0	6	10	0.01
J-03	2	1	0	10	0.01
J-04	2	0	0	10	0.01
J-05	0	0	8	10	0.01
J-06	0	0	5	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 407

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	0	4	10	0.01
J-08	0	0	7	30	0.01
J-09	2	0	0	20	0.01
J-10	0	0	0	10	0.01
J-11	5	0	0	20	0.01
J-12	0	0	0	20	0.01
J-13	2	7	3	10	0.01
J-14	0	0	0	10	0.01
J-15	0	0	5	10	0.01
K-01	2	0	0	20	0.01
K-02	5	0	0	20	0.01
K-03	5	3	0	30	0.01
K-04	2	0	0	10	0.01
K-05	0	0	0	30	0.01
K-06	2	0	0	20	0.01
K-07	2	0	0	10	0.01
K-08	2	0	3	10	0.01
K-09	0	0	0	20	0.01
K-10	0	1	0	20	0.01
K-11	2	6	1	20	0.01
K-12	0	3	0	10	0.01
K-13	0	0	0	20	0.01
K-14	0	1	3	10	0.01
K-15	0	6	0	20	0.01
L-01	0	0	0	20	0.01
L-02	2	0	0	0	0.01
L-03	0	0	1	20	0.01
L-04	0	3	4	20	0.01
L-05	2	0	0	20	0.01
L-06	0	0	0	30	0.01
L-07	0	0	4	40	0.01
L-08	2	0	0	20	0.01
L-09	0	0	0	20	0.01
L-10	9	4	0	40	0.01
L-11	0	1	0	10	0.01
L-12	0	2	4	10	0.01
L-13	0	0	2	20	0.01
L-14	0	1	0	0	0.01
L-15	0	0	0	20	0.01
AF1	2	0	9	20	0.01
AF2	2	3	0	30	0.01
BF1	0	0	0	10	0.01
BF2	0	0	2	10	0.01
BF3	2	6	0	40	0.01
CF1	0	2	1	10	0.01
CF2	2	0	0	10	0.01
CF3	0	6	0	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 407

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
DF1	0	2	0	10	0.01
DF2	2	8	0	10	0.01
DF3	0	7	0	10	0.01
EF1	0	0	5	10	0.01
EF2	2	6	8	10	0.01
AR1	2	5	1	20	0.01
AR2	5	0	0	10	0.01
BR1	2	2	4	20	0.01
BR2	0	1	14	40	0.01
BR3	2	1	0	20	0.01
CR1	0	1	0	30	0.01
CR2	0	0	0	40	0.01
CR3	2	5	1	30	0.01
DR1	0	1	0	30	0.01
DR2	0	0	7	40	0.01
DR3	0	0	0	20	0.01
ER1	0	3	0	0	0.01
ER2	0	0	0	20	0.01
IV	2	0	0	40	0.01
OV	0	0	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 408

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	0	20	0.01
A-02	5	0	0	20	0.02
A-03	0	2	0	20	0.01
A-04	1	0	0	30	0.01
A-05	9	1	0	10	0.01
A-06	5	0	0	10	0.01
A-07	1	0	0	0	0.01
A-08	5	3	2	10	0.01
A-09	16	0	7	10	0.01
A-10	1	0	0	0	0.01
A-11	12	0	0	40	0.01
A-12	1	0	0	0	0.01
A-13	1	0	0	10	0.01
A-14	5	0	0	20	0.01
A-15	1	1	0	10	0.01
B-01	0	0	0	10	0.01
B-02	1	0	10	10	0.01
B-03	1	1	0	30	0.01
B-04	9	0	0	10	0.01
B-05	1	0	0	0	0.01
B-06	5	5	0	0	0.01
B-07	1	0	0	10	0.01
B-08	0	0	0	20	0.01
B-09	1	0	0	10	0.01
B-10	0	0	0	20	0.01
B-11	1	1	1	10	0.02
B-12	5	0	0	0	0.01
B-13	0	0	0	20	0.01
B-14	0	0	0	10	0.01
B-15	1	0	7	10	0.01
C-01	0	0	0	0	0.01
C-02	0	0	0	10	0.01
C-03	0	7	6	10	0.01
C-04	5	0	1	10	0.01
C-05	9	0	0	10	0.01
C-06	5	5	0	20	0.02
C-07	0	0	0	0	0.01
C-08	5	0	0	0	0.01
C-09	5	0	0	10	0.01
C-10	9	0	4	30	0.01
C-11	0	2	0	0	0.01
C-12	5	0	1	10	0.01
C-13	1	0	0	20	0.01
C-14	0	0	0	10	0.01
C-15	5	0	0	0	0.01
D-01	1	2	0	0	0.01
D-02	0	0	0	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 408

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	1	0	0	10	0.01
D-04	0	0	0	40	0.01
D-05	0	0	0	10	0.01
D-06	0	0	0	10	0.01
D-07	0	2	8	10	0.01
D-08	5	0	0	0	0.01
D-09	0	7	0	10	0.01
D-10	5	2	0	0	0.01
D-11	0	0	2	0	0.01
D-12	0	0	0	0	0.01
D-13	0	3	0	0	0.01
D-14	0	1	0	20	0.01
D-15	1	0	0	0	0.01
E-01	5	0	0	0	0.01
E-02	0	0	0	10	0.01
E-03	0	0	0	20	0.01
E-04	5	0	0	20	0.01
E-05	5	1	7	20	0.01
E-06	12	4	0	10	0.01
E-07	1	0	2	10	0.01
E-08	1	0	0	20	0.01
E-09	0	0	0	10	0.01
E-10	1	0	0	10	0.01
E-11	1	0	5	0	0.01
E-12	9	11	0	10	0.01
E-13	0	0	0	0	0.02
E-14	1	0	0	0	0.01
E-15	5	0	0	10	0.01
F-01	1	0	0	0	0.01
F-02	5	0	0	20	0.01
F-03	0	0	0	0	0.01
F-04	0	0	7	0	0.01
F-05	0	0	0	20	0.02
F-06	5	0	5	0	0.01
F-07	5	0	0	10	0.01
F-08	1	0	0	0	0.01
F-09	9	0	0	0	0.02
F-10	0	0	0	0	0.02
F-11	1	0	3	0	0.01
F-12	1	0	0	0	0.01
F-13	1	0	0	0	0.01
F-14	0	0	0	0	0.01
F-15	0	0	2	0	0.01
G-01	1	0	1	10	0.01
G-02	0	0	0	0	0.01
G-03	1	0	0	20	0.01
G-04	16	0	0	10	0.02

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 408

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	0	0	0	0.01
G-06	5	0	1	10	0.01
G-07	1	0	2	10	0.01
G-08	0	1	0	0	0.02
G-09	1	0	0	0	0.01
G-10	0	0	1	0	0.01
G-11	1	0	0	10	0.01
G-12	0	0	0	20	0.01
G-13	5	0	0	10	0.01
G-14	5	0	0	0	0.01
G-15	1	0	0	10	0.01
H-01	1	0	0	20	0.01
H-02	1	0	1	30	0.01
H-03	1	0	0	40	0.02
H-04	0	0	0	20	0.01
H-05	0	0	0	10	0.01
H-06	5	0	6	10	0.01
H-07	1	0	3	0	0.00
H-08	1	0	0	10	0.02
H-09	1	0	0	10	0.01
H-10	5	3	1	10	0.01
H-11	1	0	0	10	0.01
H-12	1	0	0	0	0.01
H-13	1	0	0	10	0.01
H-14	0	0	0	10	0.01
H-15	1	0	0	10	0.01
I-01	0	0	0	10	0.02
I-02	0	0	0	40	0.01
I-03	1	0	0	10	0.01
I-04	1	0	0	10	0.01
I-05	5	3	0	20	0.01
I-06	1	0	0	10	0.01
I-07	1	0	0	10	0.01
I-08	1	0	0	10	0.01
I-09	0	0	0	20	0.01
I-10	0	0	0	20	0.01
I-11	5	0	0	0	0.01
I-12	1	0	0	20	0.01
I-13	1	0	0	10	0.01
I-14	1	0	0	10	0.01
I-15	0	0	0	10	0.01
J-01	0	0	0	10	0.01
J-02	9	0	0	10	0.01
J-03	1	3	0	0	0.01
J-04	0	0	0	10	0.01
J-05	5	0	0	0	0.01
J-06	9	4	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 408

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	1	0	0	10	0.01
J-08	0	0	0	20	0.01
J-09	1	0	0	30	0.01
J-10	9	0	0	20	0.01
J-11	0	0	0	20	0.01
J-12	5	0	0	20	0.01
J-13	5	0	0	10	0.01
J-14	0	0	4	20	0.01
J-15	5	0	0	10	0.01
K-01	1	4	0	10	0.01
K-02	0	0	0	20	0.01
K-03	5	0	0	10	0.01
K-04	5	0	0	20	0.01
K-05	1	0	0	20	0.01
K-06	0	2	0	20	0.02
K-07	1	0	0	30	0.01
K-08	5	0	0	10	0.01
K-09	1	1	0	40	0.01
K-10	5	0	0	20	0.01
K-11	0	0	0	0	0.02
K-12	1	0	0	20	0.01
K-13	5	0	0	0	0.01
K-14	5	0	0	10	0.01
K-15	0	0	0	10	0.01
L-01	0	0	0	0	0.01
L-02	0	0	0	0	0.01
L-03	1	0	0	0	0.01
L-04	5	0	0	0	0.02
L-05	0	0	0	0	0.01
L-06	1	0	0	10	0.01
L-07	0	0	0	0	0.01
L-08	0	0	0	0	0.01
L-09	0	0	0	0	0.01
L-10	1	1	0	10	0.01
L-11	0	0	0	20	0.01
L-12	1	0	0	30	0.01
L-13	0	0	0	40	0.01
L-14	0	0	0	40	0.01
L-15	0	0	0	30	0.01
AF1	0	6	0	10	0.01
AF2	1	0	0	20	0.01
BF1	9	0	0	10	0.02
BF2	5	0	5	10	0.01
BF3	0	0	0	10	0.02
CF1	0	1	0	10	0.01
CF2	0	0	0	10	0.01
CF3	5	0	0	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 408

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	5	1	1	10	0.01
DF2	1	0	0	30	0.01
DF3	5	0	6	20	0.01
EF1	1	0	0	10	0.01
EF2	1	0	0	20	0.01
AR1	0	0	0	0	0.01
AR2	1	0	3	40	0.01
BR1	1	0	0	10	0.01
BR2	0	0	2	10	0.01
BR3	0	0	0	10	0.01
CR1	0	0	0	10	0.01
CR2	0	0	0	20	0.01
CR3	1	0	2	0	0.01
DR1	1	0	0	10	0.01
DR2	0	0	2	0	0.01
DR3	0	0	9	10	0.01
ER1	1	0	8	10	0.02
ER2	0	0	0	10	0.02
IV	1	0	0	20	0.01
OV	0	0	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 409

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	5	9	0	20	0.01
A-02	0	4	4	20	0.01
A-03	0	2	1	30	0.01
A-04	0	7	3	20	0.01
A-05	0	8	1	30	0.02
A-06	0	2	3	40	0.01
A-07	5	2	0	20	0.01
A-08	5	9	0	30	0.02
A-09	0	0	0	40	0.01
A-10	0	3	1	40	0.01
A-11	2	9	0	60	0.01
A-12	0	2	1	30	0.01
A-13	0	0	1	60	0.01
A-14	0	0	6	50	0.01
A-15	0	0	0	60	0.01
B-01	0	0	3	30	0.01
B-02	3	0	0	50	0.01
B-03	0	0	5	50	0.01
B-04	0	0	5	70	0.01
B-05	0	1	1	80	0.01
B-06	0	2	0	80	0.01
B-07	0	1	0	80	0.01
B-08	0	3	0	70	0.01
B-09	0	2	0	40	0.01
B-10	5	5	0	60	0.01
B-11	2	0	8	50	0.01
B-12	2	0	0	50	0.01
B-13	0	2	0	40	0.01
B-14	0	0	0	30	0.01
B-15	0	0	0	40	0.01
C-01	0	0	0	50	0.01
C-02	0	2	0	60	0.01
C-03	0	4	0	70	0.01
C-04	0	0	0	40	0.01
C-05	0	0	0	60	0.01
C-06	2	0	9	50	0.01
C-07	2	2	0	30	0.01
C-08	3	0	1	40	0.01
C-09	0	1	0	50	0.01
C-10	0	1	2	30	0.01
C-11	0	0	2	30	0.01
C-12	0	3	10	10	0.01
C-13	2	0	0	20	0.01
C-14	0	1	11	30	0.01
C-15	2	7	0	30	0.01
D-01	2	3	0	50	0.01
D-02	0	0	0	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 409

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
D-03	0	4	0	30	0.01
D-04	0	0	0	20	0.02
D-05	0	0	5	40	0.01
D-06	0	0	12	20	0.01
D-07	0	0	0	30	0.01
D-08	0	0	0	60	0.01
D-09	0	1	11	50	0.01
D-10	3	0	0	40	0.01
D-11	0	0	6	50	0.01
D-12	0	0	1	30	0.01
D-13	0	0	9	30	0.01
D-14	0	0	0	30	0.01
D-15	2	0	0	30	0.01
E-01	0	3	7	70	0.01
E-02	0	3	0	50	0.01
E-03	2	4	9	20	0.02
E-04	2	3	0	40	0.01
E-05	2	1	3	40	0.01
E-06	0	0	5	50	0.01
E-07	0	2	0	50	0.01
E-08	3	0	0	40	0.01
E-09	0	3	0	30	0.01
E-10	3	11	0	10	0.01
E-11	0	0	0	30	0.01
E-12	0	3	0	30	0.01
E-13	0	2	5	40	0.01
E-14	0	4	1	50	0.01
E-15	0	0	2	40	0.01
F-01	0	0	0	30	0.01
F-02	0	0	0	50	0.01
F-03	0	3	0	20	0.01
F-04	0	0	0	40	0.01
F-05	3	0	5	30	0.01
F-06	0	1	3	10	0.01
F-07	0	3	5	30	0.01
F-08	0	0	4	30	0.01
F-09	0	3	4	60	0.01
F-10	0	0	3	40	0.01
F-11	0	0	0	50	0.01
F-12	0	0	0	30	0.01
F-13	0	0	0	50	0.01
F-14	2	0	7	20	0.01
F-15	0	0	0	10	0.01
G-01	3	4	0	80	0.01
G-02	2	0	2	50	0.01
G-03	0	0	1	50	0.01
G-04	0	0	0	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 409

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	0	4	30	0.01
G-06	0	0	2	40	0.01
G-07	2	2	3	30	0.01
G-08	2	0	0	40	0.01
G-09	0	8	2	30	0.01
G-10	0	3	8	40	0.01
G-11	0	5	5	30	0.01
G-12	2	3	8	30	0.01
G-13	0	0	5	30	0.01
G-14	0	5	0	50	0.01
G-15	0	3	2	20	0.01
H-01	0	2	10	30	0.01
H-02	0	0	4	40	0.01
H-03	0	0	0	30	0.01
H-04	0	0	1	50	0.01
H-05	0	0	0	70	0.01
H-06	5	0	1	90	0.01
H-07	2	0	0	60	0.01
H-08	3	1	11	50	0.01
H-09	0	4	0	30	0.01
H-10	0	0	0	40	0.01
H-11	0	1	1	30	0.01
H-12	0	0	5	60	0.01
H-13	0	0	9	60	0.01
H-14	0	1	8	70	0.02
H-15	0	5	0	40	0.01
I-01	0	9	6	30	0.01
I-02	0	0	4	50	0.01
I-03	2	0	0	30	0.01
I-04	3	4	0	30	0.01
I-05	2	0	5	20	0.01
I-06	0	0	0	40	0.01
I-07	5	0	2	60	0.01
I-08	0	0	0	50	0.01
I-09	0	0	2	50	0.01
I-10	2	0	0	60	0.01
I-11	5	26	0	70	0.01
I-12	0	0	8	20	0.01
I-13	0	0	5	30	0.01
I-14	0	0	8	70	0.01
I-15	9	0	1	60	0.01
J-01	5	0	6	50	0.02
J-02	0	0	12	50	0.01
J-03	0	0	4	80	0.01
J-04	0	0	0	30	0.01
J-05	2	0	12	30	0.01
J-06	0	0	0	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 409

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
J-07	2	0	3	30	0.01
J-08	6	0	5	60	0.01
J-09	0	0	1	70	0.01
J-10	2	0	2	40	0.01
J-11	0	0	5	60	0.01
J-12	0	0	0	60	0.01
J-13	0	0	5	30	0.01
J-14	0	0	0	20	0.01
J-15	0	2	4	30	0.01
K-01	0	0	5	80	0.01
K-02	0	0	0	120	0.01
K-03	0	3	5	80	0.01
K-04	0	0	1	60	0.01
K-05	0	0	0	40	0.01
K-06	0	0	0	30	0.01
K-07	0	0	4	50	0.01
K-08	0	0	6	40	0.01
K-09	0	0	2	50	0.02
K-10	0	0	2	30	0.01
K-11	0	0	1	60	0.02
K-12	0	0	11	60	0.01
K-13	3	0	0	50	0.01
K-14	0	0	0	40	0.01
K-15	0	0	9	50	0.01
L-01	0	0	0	20	0.01
L-02	0	0	0	40	0.01
L-03	0	1	6	40	0.01
L-04	0	0	0	30	0.01
L-05	0	0	0	40	0.01
L-06	0	0	5	30	0.01
L-07	0	0	0	40	0.01
L-08	0	0	0	50	0.01
L-09	0	0	0	10	0.01
L-10	0	0	11	20	0.01
L-11	0	0	3	40	0.01
L-12	0	0	0	60	0.01
L-13	0	0	0	30	0.01
L-14	0	0	0	20	0.01
L-15	0	0	5	30	0.01
AF1	0	0	10	60	0.01
AF2	0	0	0	30	0.01
BF1	0	0	1	40	0.01
BF2	0	0	4	30	0.01
BF3	0	0	0	40	0.01
CF1	0	0	0	40	0.01
CF2	0	0	0	20	0.01
CF3	0	0	0	40	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 409

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	0	4	50	0.01
DF2	0	0	1	30	0.01
DF3	0	0	7	80	0.01
EF1	0	0	3	30	0.01
EF2	9	0	2	20	0.01
AR1	0	0	0	40	0.01
AR2	0	0	0	30	0.01
BR1	0	0	0	30	0.01
BR2	0	0	1	40	0.01
BR3	0	0	0	70	0.01
CR1	0	0	9	50	0.01
CR2	0	0	0	30	0.01
CR3	0	0	0	60	0.01
DR1	0	0	0	20	0.01
DR2	0	0	0	20	0.01
DR3	0	0	0	50	0.01
ER1	0	0	5	50	0.01
ER2	0	0	0	10	0.01
IV	0	0	0	50	0.00
OV	0	0	0	0	0.00

Tab 11
Buildings AO501 through AO508

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 501

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	2	0	0	60	0.01
A-02	0	1	4	40	0.01
A-03	2	4	0	60	0.01
A-04	2	5	0	50	0.01
A-05	0	7	0	40	0.01
A-06	2	7	0	40	0.01
A-07	0	0	0	60	0.01
A-08	0	0	3	50	0.01
A-09	4	0	6	50	0.01
A-10	0	6	0	40	0.01
A-11	0	0	0	30	0.01
A-12	0	0	10	40	0.01
A-13	0	0	0	30	0.01
A-14	2	0	0	50	0.01
A-15	2	10	4	60	0.01
B-01	2	6	0	40	0.01
B-02	0	3	0	40	0.01
B-03	0	0	0	30	0.01
B-04	0	5	0	40	0.01
B-05	0	0	0	30	0.01
B-06	0	1	0	30	0.01
B-07	0	0	0	40	0.01
B-08	0	1	5	30	0.01
B-09	0	0	0	40	0.01
B-10	0	7	0	50	0.01
B-11	2	0	0	30	0.01
B-12	0	0	7	40	0.01
B-13	0	3	0	50	0.01
B-14	0	0	0	70	0.01
B-15	0	7	2	60	0.01
C-01	0	0	6	30	0.01
C-02	2	9	0	50	0.01
C-03	0	3	0	30	0.01
C-04	2	0	0	30	0.01
C-05	0	0	0	40	0.01
C-06	0	0	0	40	0.01
C-07	0	0	0	40	0.01
C-08	0	3	0	40	0.01
C-09	0	1	0	50	0.01
C-10	0	3	0	40	0.01
C-11	2	0	0	50	0.01
C-12	0	3	0	40	0.01
C-13	2	1	0	50	0.01
C-14	2	10	0	30	0.01
C-15	0	0	0	60	0.01
D-01	0	0	6	30	0.01
D-02	0	5	0	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 501

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	0	0	30	0.01
D-04	0	0	0	30	0.01
D-05	0	0	0	40	0.01
D-06	2	0	0	30	0.01
D-07	0	0	0	40	0.01
D-08	0	1	5	50	0.01
D-09	0	4	0	30	0.01
D-10	0	0	0	40	0.01
D-11	0	5	0	30	0.01
D-12	2	0	0	30	0.01
D-13	2	3	2	50	0.01
D-14	2	0	0	50	0.01
D-15	6	7	0	30	0.01
E-01	0	3	13	30	0.01
E-02	0	1	0	40	0.01
E-03	0	0	0	60	0.01
E-04	0	10	0	50	0.01
E-05	2	0	1	40	0.01
E-06	2	0	0	40	0.01
E-07	0	0	0	50	0.01
E-08	0	6	0	40	0.01
E-09	0	0	0	40	0.01
E-10	2	4	4	50	0.01
E-11	0	8	0	40	0.01
E-12	0	6	0	40	0.01
E-13	0	0	0	40	0.01
E-14	2	0	0	50	0.01
E-15	0	0	0	40	0.01
F-01	0	10	1	40	0.01
F-02	2	3	0	60	0.01
F-03	0	0	0	50	0.01
F-04	0	0	0	50	0.01
F-05	6	0	0	40	0.01
F-06	0	0	1	50	0.01
F-07	0	0	2	40	0.01
F-08	0	4	0	40	0.01
F-09	2	0	1	40	0.01
F-10	0	1	1	30	0.01
F-11	0	1	1	30	0.01
F-12	0	0	0	30	0.01
F-13	0	0	4	40	0.01
F-14	0	0	0	40	0.01
F-15	2	0	1	60	0.01
G-01	0	0	0	30	0.01
G-02	6	0	0	40	0.01
G-03	0	1	0	40	0.01
G-04	2	0	4	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 501

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	0	0	70	0.01
G-06	0	0	0	70	0.01
G-07	0	0	0	60	0.01
G-08	0	0	10	60	0.01
G-09	6	0	2	40	0.01
G-10	6	0	0	30	0.01
G-11	0	0	1	40	0.01
G-12	0	0	0	50	0.01
G-13	0	0	0	70	0.01
G-14	0	0	7	50	0.01
G-15	2	0	0	40	0.01
H-01	2	0	0	40	0.01
H-02	2	0	0	50	0.01
H-03	0	0	0	50	0.01
H-04	0	0	2	40	0.01
H-05	2	0	3	50	0.01
H-06	0	0	0	50	0.01
H-07	0	0	11	70	0.00
H-08	2	0	2	40	0.01
H-09	0	0	5	50	0.01
H-10	2	0	0	70	0.01
H-11	0	0	6	60	0.01
H-12	0	3	6	40	0.01
H-13	2	0	0	40	0.01
H-14	0	0	6	40	0.01
H-15	6	0	0	40	0.01
I-01	0	0	1	40	0.01
I-02	0	0	0	40	0.01
I-03	0	0	0	40	0.01
I-04	2	0	7	40	0.01
I-05	0	0	0	30	0.01
I-06	2	0	0	40	0.01
I-07	2	0	0	60	0.01
I-08	2	0	0	40	0.01
I-09	2	0	0	40	0.01
I-10	0	0	0	60	0.01
I-11	0	0	0	40	0.01
I-12	0	0	2	50	0.01
I-13	0	0	0	70	0.01
I-14	0	0	0	60	0.01
I-15	10	0	1	60	0.01
J-01	2	0	0	60	0.01
J-02	0	0	0	40	0.01
J-03	2	0	0	40	0.01
J-04	2	0	0	40	0.01
J-05	0	0	0	40	0.01
J-06	0	0	0	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 501

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	10	1	3	50	0.01
J-08	0	0	0	40	0.01
J-09	0	1	0	50	0.01
J-10	2	0	4	40	0.01
J-11	2	0	0	50	0.01
J-12	0	0	0	70	0.01
J-13	0	3	1	50	0.01
J-14	0	0	0	50	0.01
J-15	2	0	1	60	0.01
K-01	2	0	2	30	0.01
K-02	0	0	0	40	0.01
K-03	0	0	0	60	0.01
K-04	0	0	2	30	0.01
K-05	0	0	0	50	0.01
K-06	0	1	7	50	0.01
K-07	2	0	0	50	0.01
K-08	2	0	0	60	0.01
K-09	0	0	3	60	0.01
K-10	0	0	0	30	0.01
K-11	0	0	7	30	0.01
K-12	2	0	0	40	0.01
K-13	0	0	0	50	0.01
K-14	0	0	0	40	0.01
K-15	0	0	0	40	0.01
L-01	0	0	0	30	0.01
L-02	0	0	0	40	0.01
L-03	0	0	4	30	0.01
L-04	2	0	0	40	0.01
L-05	0	0	0	40	0.01
L-06	0	0	12	40	0.01
L-07	0	0	0	30	0.01
L-08	0	0	0	30	0.01
L-09	0	0	0	40	0.01
L-10	0	0	0	40	0.01
L-11	0	0	5	30	0.01
L-12	2	0	0	30	0.01
L-13	2	0	0	40	0.01
L-14	2	0	0	40	0.01
L-15	0	0	0	30	0.01
AF1	3	0	0	40	0.01
AF2	0	0	0	40	0.01
BF1	3	0	3	40	0.01
BF2	7	0	3	40	0.01
BF3	0	6	0	50	0.01
CF1	0	0	1	40	0.01
CF2	0	0	0	30	0.01
CF3	3	0	1	40	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 501

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	0	0	30	0.01
DF2	0	0	0	40	0.01
DF3	7	9	0	40	0.01
EF1	0	0	0	30	0.01
EF2	0	0	0	30	0.01
AR1	3	0	0	30	0.01
AR2	3	0	0	40	0.01
BR1	3	0	0	40	0.01
BR2	0	0	0	60	0.01
BR3	11	0	1	40	0.01
CR1	0	0	4	60	0.01
CR2	0	0	0	30	0.01
CR3	7	0	0	40	0.01
DR1	0	0	0	30	0.01
DR2	3	0	0	30	0.01
DR3	15	0	0	50	0.01
ER1	0	0	0	40	0.01
ER2	11	0	0	30	0.01
IV	0	0	1	60	0.01
OV	0	0	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 502

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	0	40	0.01
A-02	0	0	0	40	0.01
A-03	0	0	0	20	0.01
A-04	0	0	0	30	0.01
A-05	0	0	5	50	0.01
A-06	0	0	0	50	0.01
A-07	0	0	0	40	0.01
A-08	0	0	3	40	0.01
A-09	0	0	6	50	0.01
A-10	4	0	9	30	0.01
A-11	0	0	0	40	0.01
A-12	0	0	0	40	0.01
A-13	0	0	0	40	0.01
A-14	4	0	4	20	0.02
A-15	0	0	3	30	0.01
B-01	0	0	0	50	0.01
B-02	0	0	3	50	0.01
B-03	0	1	7	40	0.01
B-04	0	0	1	60	0.01
B-05	0	0	6	70	0.01
B-06	0	0	7	80	0.01
B-07	0	2	1	40	0.01
B-08	0	1	5	50	0.01
B-09	0	0	5	20	0.01
B-10	0	0	5	30	0.01
B-11	0	0	0	10	0.01
B-12	0	0	0	30	0.01
B-13	0	0	3	50	0.01
B-14	0	0	9	50	0.01
B-15	0	0	3	60	0.01
C-01	0	1	11	30	0.01
C-02	0	0	9	50	0.01
C-03	0	0	0	50	0.01
C-04	0	0	0	40	0.01
C-05	0	1	3	70	0.01
C-06	0	0	0	60	0.01
C-07	4	0	0	60	0.01
C-08	0	4	0	40	0.01
C-09	0	0	7	40	0.01
C-10	0	0	4	40	0.01
C-11	0	0	0	50	0.01
C-12	4	1	0	30	0.01
C-13	0	0	0	60	0.01
C-14	0	0	15	90	0.01
C-15	0	0	0	70	0.01
D-01	0	0	0	40	0.01
D-02	0	0	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 502

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	0	0	20	0.01
D-04	0	0	3	40	0.01
D-05	0	0	7	40	0.01
D-06	0	0	3	30	0.01
D-07	4	2	0	50	0.01
D-08	0	0	0	50	0.01
D-09	0	0	5	70	0.01
D-10	0	0	1	60	0.01
D-11	0	0	17	50	0.01
D-12	0	0	0	70	0.01
D-13	0	0	0	50	0.01
D-14	0	4	0	50	0.01
D-15	0	0	1	50	0.01
E-01	0	0	3	40	0.01
E-02	0	10	8	40	0.01
E-03	0	0	10	10	0.01
E-04	4	0	4	20	0.01
E-05	0	0	25	50	0.01
E-06	0	0	2	30	0.01
E-07	0	1	12	40	0.01
E-08	0	0	0	40	0.01
E-09	0	0	0	40	0.01
E-10	0	4	6	50	0.01
E-11	4	1	9	50	0.01
E-12	0	3	0	70	0.01
E-13	0	0	3	80	0.01
E-14	12	1	7	50	0.01
E-15	0	0	0	70	0.01
F-01	0	1	2	50	0.01
F-02	0	0	8	30	0.01
F-03	8	0	0	30	0.01
F-04	0	0	11	50	0.01
F-05	0	0	6	50	0.01
F-06	0	0	8	30	0.01
F-07	0	1	8	40	0.01
F-08	0	0	14	40	0.01
F-09	0	0	7	40	0.01
F-10	0	1	5	30	0.01
F-11	0	0	4	70	0.01
F-12	4	0	3	50	0.01
F-13	0	0	4	50	0.01
F-14	0	0	18	50	0.02
F-15	0	0	9	30	0.01
G-01	0	0	14	30	0.00
G-02	0	0	5	60	0.01
G-03	0	0	0	20	0.01
G-04	0	0	11	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 502

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	0	8	50	0.01
G-06	0	0	8	30	0.01
G-07	0	0	5	40	0.01
G-08	0	0	0	20	0.01
G-09	0	1	0	80	0.01
G-10	0	0	11	10	0.01
G-11	4	0	2	40	0.01
G-12	0	0	3	40	0.01
G-13	0	1	5	30	0.01
G-14	0	0	14	60	0.01
G-15	0	0	3	50	0.01
H-01	0	0	0	50	0.01
H-02	0	0	8	60	0.01
H-03	0	0	11	70	0.01
H-04	0	0	0	40	0.01
H-05	0	0	0	50	0.01
H-06	4	0	10	40	0.01
H-07	4	0	13	50	0.01
H-08	0	0	0	30	0.01
H-09	0	0	9	30	0.01
H-10	0	0	3	40	0.01
H-11	0	0	7	70	0.01
H-12	0	0	8	70	0.01
H-13	0	0	1	40	0.01
H-14	0	0	0	50	0.01
H-15	0	0	14	50	0.01
I-01	0	0	8	60	0.01
I-02	0	0	9	60	0.01
I-03	0	0	5	50	0.01
I-04	4	0	1	80	0.01
I-05	0	0	9	30	0.01
I-06	0	0	9	20	0.01
I-07	4	0	0	30	0.01
I-08	0	1	0	20	0.01
I-09	0	0	5	30	0.01
I-10	0	1	0	20	0.01
I-11	0	0	7	80	0.01
I-12	0	0	8	60	0.01
I-13	0	0	5	60	0.01
I-14	4	0	12	60	0.01
I-15	0	1	0	30	0.02
J-01	0	0	0	60	0.01
J-02	0	0	10	30	0.01
J-03	0	0	0	40	0.01
J-04	0	0	11	10	0.01
J-05	4	0	0	40	0.01
J-06	4	0	1	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 502

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	0	7	40	0.01
J-08	0	0	0	40	0.01
J-09	0	0	11	50	0.01
J-10	0	0	12	30	0.01
J-11	4	0	7	40	0.01
J-12	0	0	7	40	0.01
J-13	0	0	8	20	0.01
J-14	0	0	5	30	0.01
J-15	0	0	0	30	0.01
K-01	1	0	5	50	0.02
K-02	1	0	18	70	0.01
K-03	5	2	8	60	0.01
K-04	0	0	8	40	0.01
K-05	0	0	5	30	0.01
K-06	0	0	1	40	0.01
K-07	0	0	0	30	0.01
K-08	0	0	0	50	0.02
K-09	0	0	14	40	0.01
K-10	0	0	24	50	0.01
K-11	1	0	0	70	0.01
K-12	1	0	3	20	0.01
K-13	0	0	11	30	0.01
K-14	1	0	9	60	0.01
K-15	5	0	16	50	0.02
L-01	0	0	0	30	0.01
L-02	1	0	5	50	0.01
L-03	0	0	10	40	0.01
L-04	0	0	11	60	0.01
L-05	0	0	12	50	0.01
L-06	0	0	4	60	0.02
L-07	1	0	0	40	0.01
L-08	0	0	15	40	0.01
L-09	0	0	0	50	0.01
L-10	1	0	12	30	0.01
L-11	0	0	5	10	0.01
L-12	5	0	8	30	0.01
L-13	0	1	6	50	0.01
L-14	0	0	1	40	0.01
L-15	0	0	3	50	0.01
AF1	1	0	12	50	0.01
AF2	0	0	0	30	0.01
BF1	0	0	55	40	0.01
BF2	1	0	3	40	0.01
BF3	0	6	3	30	0.01
CF1	0	0	193	30	0.01
CF2	0	0	2	40	0.01
CF3	0	0	9	60	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 502

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	0	9	30	0.01
DF2	0	0	9	60	0.01
DF3	0	0	9	30	0.02
EF1	0	0	0	30	0.01
EF2	1	0	2	40	0.01
AR1	0	2	10	60	0.01
AR2	0	0	3	40	0.01
BR1	1	0	7	20	0.02
BR2	1	0	12	30	0.01
BR3	0	0	3	60	0.01
CR1	0	1	0	50	0.01
CR2	0	0	0	30	0.01
CR3	0	0	2	70	0.01
DR1	0	0	8	50	0.01
DR2	1	0	2	40	0.01
DR3	1	0	0	70	0.01
ER1	1	0	0	40	0.01
ER2	0	0	5	30	0.01
IV	1	4	0	60	0.01
OV	0	0	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 503

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	21	40	0.02
A-02	0	0	20	40	0.01
A-03	0	2	0	60	0.02
A-04	0	0	0	50	0.02
A-05	1	0	0	50	0.02
A-06	0	4	0	50	0.02
A-07	0	1	0	50	0.02
A-08	0	0	8	100	0.02
A-09	0	1	3	80	0.02
A-10	0	1	2	60	0.02
A-11	4	0	3	60	0.01
A-12	0	0	2	40	0.02
A-13	1	1	0	60	0.01
A-14	0	4	2	90	0.02
A-15	3	1	2	50	0.02
B-01	1	0	5	10	0.01
B-02	1	0	8	20	0.01
B-03	1	0	7	40	0.02
B-04	0	4	0	40	0.02
B-05	4	6	0	20	0.01
B-06	0	4	0	20	0.01
B-07	0	3	4	20	0.00
B-08	0	0	0	10	0.00
B-09	0	0	5	10	0.02
B-10	1	0	10	10	0.02
B-11	0	1	1	10	0.02
B-12	0	0	0	20	0.01
B-13	1	2	3	20	0.02
B-14	0	0	0	60	0.02
B-15	1	0	3	40	0.01
C-01	0	2	5	20	0.02
C-02	1	0	20	20	0.01
C-03	0	0	5	10	0.01
C-04	1	0	4	80	0.01
C-05	0	5	0	40	0.02
C-06	0	5	4	20	0.01
C-07	0	2	0	40	0.01
C-08	1	2	0	60	0.02
C-09	0	0	0	20	0.01
C-10	0	2	3	60	0.01
C-11	0	0	1	50	0.02
C-12	0	2	0	40	0.01
C-13	1	0	11	40	0.01
C-14	0	0	18	80	0.01
C-15	7	8	0	80	0.01
D-01	1	0	0	60	0.02
D-02	0	0	0	50	0.02

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 503

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	0	0	20	0.01
D-04	0	4	0	40	0.02
D-05	0	0	0	20	0.01
D-06	0	2	0	20	0.01
D-07	0	9	0	30	0.02
D-08	0	0	0	30	0.01
D-09	3	2	0	30	0.01
D-10	1	3	0	30	0.02
D-11	0	0	0	30	0.01
D-12	1	1	11	50	0.01
D-13	0	1	0	30	0.02
D-14	0	2	2	50	0.01
D-15	1	0	0	70	0.02
E-01	0	1	1	20	0.01
E-02	3	1	0	10	0.01
E-03	0	2	0	50	0.02
E-04	0	0	2	50	0.01
E-05	1	5	0	40	0.02
E-06	0	0	0	20	0.02
E-07	1	3	0	20	0.02
E-08	0	1	1	40	0.02
E-09	0	1	2	60	0.02
E-10	1	0	0	70	0.02
E-11	0	3	11	40	0.02
E-12	1	0	0	40	0.02
E-13	1	0	0	10	0.01
E-14	0	0	0	30	0.02
E-15	3	3	0	30	0.02
F-01	3	2	2	20	0.02
F-02	4	5	0	20	0.01
F-03	0	0	0	20	0.00
F-04	0	4	16	40	0.01
F-05	0	0	11	40	0.01
F-06	1	1	0	20	0.01
F-07	1	0	0	20	0.01
F-08	1	0	2	40	0.00
F-09	0	4	3	40	0.01
F-10	0	0	4	20	0.01
F-11	0	0	7	40	0.01
F-12	0	0	0	20	0.01
F-13	1	1	0	20	0.01
F-14	0	1	8	40	0.01
F-15	1	0	0	40	0.01
G-01	0	5	2	20	0.01
G-02	1	0	2	40	0.01
G-03	0	2	0	20	0.01
G-04	0	6	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 503

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	2	0	20	0.01
G-06	0	5	0	20	0.01
G-07	0	5	0	40	0.02
G-08	0	0	7	20	0.01
G-09	3	0	0	20	0.01
G-10	3	2	0	20	0.02
G-11	1	3	0	40	0.01
G-12	0	0	0	20	0.01
G-13	0	0	10	40	0.00
G-14	0	3	0	40	0.01
G-15	0	2	3	40	0.02
H-01	1	1	0	40	0.01
H-02	0	0	5	40	0.01
H-03	0	1	0	80	0.01
H-04	0	3	2	60	0.02
H-05	6	10	0	50	0.01
H-06	3	1	0	30	0.01
H-07	1	3	0	40	0.01
H-08	1	3	0	30	0.01
H-09	0	6	0	20	0.01
H-10	1	0	4	20	0.00
H-11	0	2	0	30	0.00
H-12	1	0	0	60	0.00
H-13	1	1	0	60	0.00
H-14	0	0	4	30	0.00
H-15	0	1	2	20	0.00
I-01	0	2	0	60	0.01
I-02	1	6	8	20	0.01
I-03	1	4	0	40	0.00
I-04	3	0	0	50	0.00
I-05	0	3	0	60	0.01
I-06	1	9	0	50	0.01
I-07	0	0	0	50	0.00
I-08	0	1	0	40	0.00
I-09	1	4	0	40	0.01
I-10	1	3	10	50	0.02
I-11	0	0	0	50	0.01
I-12	1	0	9	40	0.01
I-13	1	3	0	50	0.01
I-14	0	1	0	60	0.01
I-15	0	3	0	20	0.02
J-01	1	0	0	20	0.02
J-02	1	5	0	20	0.01
J-03	0	0	0	30	0.01
J-04	0	0	0	40	0.01
J-05	1	0	0	60	0.01
J-06	1	1	0	100	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 503

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	1	3	0	40	0.01
J-08	4	5	6	50	0.02
J-09	1	6	0	50	0.01
J-10	0	0	0	40	0.01
J-11	1	1	0	40	0.01
J-12	0	1	2	60	0.01
J-13	0	1	8	40	0.01
J-14	0	3	8	50	0.01
J-15	3	3	0	40	0.02
K-01	0	3	0	20	0.02
K-02	0	0	0	20	0.01
K-03	3	0	0	40	0.02
K-04	0	1	4	20	0.01
K-05	0	1	0	20	0.00
K-06	1	0	0	40	0.01
K-07	0	1	0	40	0.01
K-08	0	0	0	40	0.01
K-09	0	1	0	20	0.01
K-10	3	2	5	40	0.01
K-11	0	0	0	40	0.01
K-12	1	3	0	40	0.01
K-13	3	1	0	40	0.01
K-14	3	4	0	20	0.01
K-15	1	0	0	40	0.02
L-01	1	4	0	40	0.01
L-02	1	0	4	20	0.01
L-03	3	2	1	20	0.01
L-04	0	1	2	20	0.02
L-05	0	3	1	40	0.02
L-06	0	5	0	40	0.01
L-07	1	3	0	40	0.01
L-08	1	1	0	40	0.01
L-09	0	1	0	20	0.01
L-10	0	1	2	20	0.01
L-11	0	1	0	40	0.02
L-12	0	0	0	40	0.01
L-13	1	0	0	20	0.01
L-14	3	0	0	40	0.01
L-15	0	0	0	40	0.01
AF1	3	0	6	40	0.01
AF2	1	1	0	20	0.01
BF1	0	1	2	20	0.01
BF2	0	1	0	20	0.01
BF3	0	2	1	70	0.02
CF1	1	1	4	40	0.01
CF2	4	4	0	40	0.00
CF3	3	2	0	20	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 503

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	1	6	4	20	0.01
DF2	0	0	4	40	0.01
DF3	1	3	1	20	0.01
EF1	0	1	0	20	0.01
EF2	0	0	8	40	0.01
AR1	0	1	0	40	0.01
AR2	0	0	0	20	0.01
BR1	0	4	5	40	0.01
BR2	1	1	2	20	0.01
BR3	0	1	6	100	0.01
CR1	0	0	0	20	0.02
CR2	0	4	11	20	0.02
CR3	3	0	1	40	0.02
DR1	0	0	0	20	0.01
DR2	0	3	0	40	0.01
DR3	0	0	0	20	0.01
ER1	1	0	0	20	0.01
ER2	0	3	0	40	0.02
IV	1	5	10	20	0.02
OV	0	5	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 504

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	3	0	21	50	0.01
A-02	7	1	167	20	0.01
A-03	3	4	93	30	0.01
A-04	0	0	99	40	0.01
A-05	3	0	232	30	0.01
A-06	0	9	42	60	0.01
A-07	0	0	137	50	0.01
A-08	0	8	92	20	0.01
A-09	3	0	45	30	0.01
A-10	3	1	83	50	0.01
A-11	0	11	23	50	0.01
A-12	7	0	26	50	0.01
A-13	3	3	10	60	0.01
A-14	3	5	48	40	0.01
A-15	0	4	0	40	0.01
B-01	0	1	5	40	0.01
B-02	3	6	0	40	0.01
B-03	0	3	13	10	0.01
B-04	3	1	20	20	0.01
B-05	0	0	5	30	0.01
B-06	0	0	7	30	0.01
B-07	0	0	0	10	0.01
B-08	3	15	3	20	0.01
B-09	0	7	34	30	0.01
B-10	0	0	5	20	0.01
B-11	0	3	6	30	0.01
B-12	10	0	0	30	0.01
B-13	0	0	4	10	0.01
B-14	0	4	0	10	0.01
B-15	0	6	29	30	0.01
C-01	0	0	3	50	0.01
C-02	3	0	0	60	0.01
C-03	7	5	3	20	0.01
C-04	0	0	0	60	0.01
C-05	0	8	8	40	0.01
C-06	0	1	1	10	0.01
C-07	0	5	0	20	0.01
C-08	0	0	0	40	0.01
C-09	7	5	0	30	0.01
C-10	7	0	3	30	0.01
C-11	3	1	0	30	0.01
C-12	0	4	0	30	0.01
C-13	0	0	17	40	0.01
C-14	0	0	0	20	0.01
C-15	0	6	0	10	0.01
D-01	3	0	0	40	0.01
D-02	0	0	0	40	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 504

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	0	0	60	0.01
D-04	3	0	0	60	0.01
D-05	0	0	0	60	0.01
D-06	0	0	11	50	0.01
D-07	7	0	1	50	0.01
D-08	3	0	0	30	0.01
D-09	7	5	0	30	0.01
D-10	0	6	0	10	0.01
D-11	0	0	0	50	0.01
D-12	0	5	1	30	0.01
D-13	0	0	0	30	0.01
D-14	0	7	0	50	0.01
D-15	0	6	0	30	0.01
E-01	3	0	0	50	0.01
E-02	0	0	0	30	0.01
E-03	3	5	0	20	0.01
E-04	3	0	0	50	0.01
E-05	3	0	3	30	0.01
E-06	0	5	1	30	0.01
E-07	0	3	0	30	0.01
E-08	7	0	3	30	0.01
E-09	14	0	0	30	0.01
E-10	3	6	2	20	0.01
E-11	3	0	0	10	0.01
E-12	0	0	3	0	0.01
E-13	0	1	0	10	0.01
E-14	3	4	0	30	0.01
E-15	0	0	0	50	0.01
F-01	0	1	1	30	0.01
F-02	0	6	0	30	0.01
F-03	0	4	0	10	0.01
F-04	7	4	0	30	0.01
F-05	0	0	3	30	0.01
F-06	3	1	1	60	0.01
F-07	0	0	0	50	0.01
F-08	0	0	0	50	0.01
F-09	3	4	4	50	0.01
F-10	3	0	0	40	0.01
F-11	0	0	0	60	0.01
F-12	3	0	5	30	0.01
F-13	3	1	0	30	0.01
F-14	3	0	2	30	0.01
F-15	0	0	0	20	0.01
G-01	0	4	1	40	0.01
G-02	0	0	3	30	0.01
G-03	3	1	0	10	0.01
G-04	7	3	5	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 504

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	3	0	0	30	0.01
G-06	3	0	0	40	0.01
G-07	3	0	0	60	0.01
G-08	3	3	0	50	0.01
G-09	7	0	0	30	0.01
G-10	0	0	2	30	0.01
G-11	7	0	0	30	0.01
G-12	0	4	1	40	0.01
G-13	0	3	0	40	0.01
G-14	4	0	0	30	0.01
G-15	0	0	1	10	0.01
H-01	3	0	0	40	0.01
H-02	0	0	0	30	0.01
H-03	0	6	7	50	0.01
H-04	0	0	0	30	0.01
H-05	0	0	0	50	0.01
H-06	3	0	0	30	0.01
H-07	0	0	7	20	0.01
H-08	0	0	0	30	0.01
H-09	3	0	5	60	0.01
H-10	0	0	1	70	0.01
H-11	3	0	0	50	0.01
H-12	0	4	1	20	0.01
H-13	0	0	0	20	0.01
H-14	0	0	0	30	0.01
H-15	3	6	9	30	0.01
I-01	3	0	0	30	0.01
I-02	0	0	1	20	0.01
I-03	0	1	0	40	0.01
I-04	0	6	3	20	0.01
I-05	7	7	0	10	0.01
I-06	0	0	6	30	0.01
I-07	7	0	0	10	0.01
I-08	3	3	0	20	0.01
I-09	0	0	0	30	0.01
I-10	3	1	0	30	0.01
I-11	3	0	0	10	0.01
I-12	3	0	9	30	0.01
I-13	0	5	0	30	0.01
I-14	7	0	0	20	0.01
I-15	0	0	15	30	0.01
J-01	3	4	0	20	0.01
J-02	7	0	8	50	0.01
J-03	7	10	0	50	0.01
J-04	0	0	0	40	0.01
J-05	3	0	10	40	0.01
J-06	7	3	1	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 504

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	3	0	30	0.01
J-08	0	1	0	30	0.01
J-09	0	6	0	20	0.01
J-10	3	1	5	40	0.01
J-11	0	8	1	30	0.01
J-12	3	6	6	10	0.01
J-13	0	0	0	50	0.01
J-14	0	0	0	20	0.01
J-15	3	7	0	30	0.01
K-01	0	3	3	40	0.01
K-02	0	0	3	30	0.01
K-03	0	0	0	30	0.01
K-04	3	4	2	50	0.01
K-05	0	0	1	30	0.01
K-06	0	0	1	20	0.01
K-07	0	0	0	30	0.01
K-08	0	9	3	60	0.01
K-09	3	6	1	40	0.01
K-10	0	0	12	50	0.01
K-11	3	0	0	40	0.01
K-12	0	1	0	30	0.01
K-13	7	0	0	50	0.01
K-14	3	0	0	50	0.01
K-15	0	0	9	30	0.01
L-01	0	0	5	30	0.01
L-02	3	0	4	20	0.01
L-03	0	0	2	10	0.01
L-04	0	0	3	20	0.01
L-05	7	0	4	10	0.01
L-06	0	3	0	20	0.01
L-07	3	0	0	30	0.01
L-08	0	0	6	30	0.01
L-09	3	9	8	30	0.01
L-10	0	0	0	40	0.01
L-11	3	0	0	30	0.01
L-12	0	4	1	30	0.01
L-13	0	0	2	40	0.01
L-14	0	0	12	40	0.01
L-15	0	5	0	30	0.01
AF1	0	0	1	50	0.01
AF2	4	0	0	30	0.01
BF1	4	0	1	40	0.01
BF2	0	4	4	40	0.01
BF3	0	0	0	60	0.01
CF1	4	0	8	30	0.01
CF2	4	0	1	30	0.01
CF3	0	0	0	20	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 504

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	4	0	0	50	0.01
DF2	4	0	0	30	0.01
DF3	0	0	12	50	0.01
EF1	4	0	0	30	0.01
EF2	0	0	0	50	0.01
AR1	0	0	0	30	0.01
AR2	0	4	7	30	0.01
BR1	0	0	0	40	0.01
BR2	4	0	14	30	0.01
BR3	0	0	0	30	0.01
CR1	0	0	0	30	0.01
CR2	0	0	2	30	0.01
CR3	0	0	0	50	0.01
DR1	0	0	1	40	0.01
DR2	0	0	0	30	0.01
DR3	0	0	11	30	0.01
ER1	0	0	11	50	0.01
ER2	4	0	15	40	0.01
IV	0	0	0	30	0.01
OV	0	0	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 505

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	0	30	0.01
A-02	0	0	5	30	0.01
A-03	2	0	0	60	0.01
A-04	0	5	0	50	0.01
A-05	0	0	0	30	0.01
A-06	0	1	4	40	0.01
A-07	0	0	0	30	0.01
A-08	0	2	0	30	0.01
A-09	0	0	0	50	0.01
A-10	0	8	3	60	0.01
A-11	2	2	0	50	0.01
A-12	0	4	0	40	0.01
A-13	0	0	1	20	0.01
A-14	0	0	0	10	0.01
A-15	0	0	0	20	0.01
B-01	0	2	0	40	0.01
B-02	0	0	2	30	0.01
B-03	0	0	0	40	0.01
B-04	2	2	2	40	0.00
B-05	0	2	2	30	0.01
B-06	0	0	10	30	0.01
B-07	0	0	0	20	0.01
B-08	2	0	0	50	0.01
B-09	0	0	0	30	0.01
B-10	0	0	1	50	0.01
B-11	0	0	0	20	0.01
B-12	0	0	0	40	0.01
B-13	0	0	0	30	0.01
B-14	2	0	0	60	0.01
B-15	0	0	0	50	0.01
C-01	0	0	0	10	0.01
C-02	2	0	0	30	0.01
C-03	0	7	0	30	0.01
C-04	0	0	2	50	0.01
C-05	0	0	5	20	0.01
C-06	0	0	5	20	0.01
C-07	0	0	0	20	0.01
C-08	0	2	0	40	0.01
C-09	0	0	0	30	0.01
C-10	0	0	4	20	0.01
C-11	0	4	13	40	0.01
C-12	0	0	0	30	0.01
C-13	0	0	10	20	0.01
C-14	0	0	3	20	0.01
C-15	0	0	0	20	0.01
D-01	0	7	9	20	0.01
D-02	0	5	4	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 505

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	0	0	40	0.01
D-04	0	0	21	40	0.01
D-05	0	5	9	30	0.01
D-06	0	0	0	20	0.01
D-07	0	0	14	20	0.01
D-08	0	0	9	30	0.01
D-09	0	6	4	30	0.01
D-10	0	2	0	30	0.01
D-11	0	1	16	40	0.01
D-12	0	0	0	40	0.01
D-13	0	1	0	50	0.01
D-14	0	0	0	30	0.01
D-15	0	1	12	40	0.01
E-01	4	5	6	40	0.01
E-02	0	4	0	10	0.01
E-03	7	0	4	30	0.01
E-04	0	0	15	30	0.01
E-05	4	0	3	40	0.01
E-06	4	1	11	30	0.01
E-07	0	0	8	50	0.01
E-08	4	0	0	30	0.01
E-09	7	0	14	40	0.01
E-10	0	0	8	40	0.01
E-11	0	7	0	40	0.01
E-12	4	1	0	60	0.01
E-13	4	4	3	30	0.01
E-14	0	0	1	50	0.01
E-15	4	0	0	20	0.01
F-01	0	0	10	40	0.01
F-02	0	0	5	10	0.01
F-03	0	0	0	40	0.01
F-04	0	0	0	30	0.01
F-05	0	0	9	10	0.01
F-06	0	0	0	40	0.01
F-07	7	0	5	30	0.01
F-08	4	0	10	30	0.01
F-09	0	1	1	20	0.01
F-10	0	4	0	40	0.01
F-11	0	0	8	30	0.01
F-12	4	1	10	30	0.01
F-13	4	0	9	40	0.01
F-14	0	0	3	10	0.01
F-15	0	0	0	40	0.01
G-01	0	0	0	50	0.01
G-02	4	0	6	20	0.01
G-03	4	0	10	50	0.01
G-04	0	0	5	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 505

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	0	6	10	0.01
G-06	0	0	7	30	0.01
G-07	4	0	6	20	0.01
G-08	0	0	8	50	0.01
G-09	0	0	0	0	0.01
G-10	0	0	0	40	0.01
G-11	4	0	0	10	0.01
G-12	0	0	9	30	0.01
G-13	0	2	3	50	0.01
G-14	0	0	7	20	0.01
G-15	0	4	0	50	0.01
H-01	0	0	9	10	0.01
H-02	4	0	11	20	0.01
H-03	7	0	0	20	0.01
H-04	7	0	5	40	0.02
H-05	0	0	4	30	0.01
H-06	0	2	8	20	0.01
H-07	0	0	7	50	0.01
H-08	0	0	2	30	0.01
H-09	0	0	8	40	0.01
H-10	0	0	1	10	0.01
H-11	0	0	8	20	0.01
H-12	4	0	2	50	0.01
H-13	0	0	0	20	0.01
H-14	4	0	13	30	0.01
H-15	4	0	8	40	0.01
I-01	0	0	3	50	0.01
I-02	7	0	0	40	0.01
I-03	0	0	0	40	0.01
I-04	0	0	0	50	0.01
I-05	0	0	0	50	0.01
I-06	4	0	5	40	0.01
I-07	0	0	11	20	0.01
I-08	0	0	0	10	0.01
I-09	0	0	2	10	0.01
I-10	0	0	0	30	0.01
I-11	0	0	10	40	0.01
I-12	0	0	2	30	0.01
I-13	0	0	0	30	0.01
I-14	0	0	1	10	0.01
I-15	0	0	0	40	0.01
J-01	0	5	2	40	0.01
J-02	0	0	5	40	0.01
J-03	0	0	6	40	0.01
J-04	0	0	3	30	0.01
J-05	4	0	0	50	0.01
J-06	4	0	6	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 505

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	0	0	30	0.01
J-08	0	0	8	60	0.01
J-09	11	0	0	50	0.01
J-10	0	0	4	30	0.01
J-11	4	0	14	60	0.01
J-12	4	0	13	10	0.01
J-13	7	0	1	30	0.01
J-14	0	0	10	40	0.01
J-15	0	0	0	60	0.01
K-01	0	1	4	20	0.01
K-02	4	10	2	60	0.01
K-03	0	2	3	10	0.01
K-04	0	6	0	30	0.01
K-05	0	0	1	40	0.01
K-06	0	5	2	30	0.01
K-07	0	9	0	30	0.01
K-08	0	0	5	30	0.01
K-09	0	0	0	20	0.01
K-10	0	1	0	30	0.01
K-11	0	7	3	30	0.01
K-12	0	0	3	40	0.01
K-13	0	11	3	60	0.01
K-14	0	5	7	40	0.01
K-15	4	2	6	50	0.01
L-01	0	0	0	30	0.01
L-02	0	7	9	30	0.01
L-03	0	6	5	50	0.01
L-04	0	0	13	70	0.01
L-05	0	0	7	30	0.01
L-06	0	0	5	40	0.01
L-07	0	5	7	40	0.01
L-08	0	0	0	50	0.01
L-09	4	10	4	40	0.01
L-10	0	0	4	20	0.01
L-11	0	3	0	20	0.01
L-12	0	0	0	10	0.01
L-13	0	2	9	30	0.01
L-14	0	1	0	20	0.01
L-15	0	3	0	70	0.01
AF1	0	0	5	30	0.01
AF2	0	0	4	60	0.01
BF1	0	3	1	20	0.01
BF2	0	7	2	20	0.01
BF3	0	10	0	40	0.01
CF1	0	0	10	30	0.01
CF2	0	3	1	30	0.01
CF3	0	0	10	50	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 505

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
DF1	0	3	5	50	0.01
DF2	0	9	0	40	0.01
DF3	0	3	0	20	0.01
EF1	0	0	0	10	0.01
EF2	0	3	0	10	0.01
AR1	8	5	3	30	0.01
AR2	0	8	3	40	0.01
BR1	0	7	2	30	0.01
BR2	4	10	0	50	0.01
BR3	11	3	0	50	0.01
CR1	0	1	0	30	0.01
CR2	0	0	0	50	0.01
CR3	0	3	0	60	0.01
DR1	0	0	0	40	0.01
DR2	0	0	0	40	0.01
DR3	0	1	4	40	0.01
ER1	0	0	0	50	0.01
ER2	4	10	0	50	0.01
IV	0	1	0	20	0.01
OV	0	0	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 506

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	0	10	0.02
A-02	0	0	0	20	0.01
A-03	0	0	0	30	0.01
A-04	0	0	0	20	0.01
A-05	1	0	0	10	0.01
A-06	1	0	0	0	0.02
A-07	0	0	0	20	0.01
A-08	0	0	0	20	0.02
A-09	1	0	0	10	0.01
A-10	0	0	0	10	0.02
A-11	2	1	0	10	0.01
A-12	0	0	0	20	0.01
A-13	0	0	0	20	0.02
A-14	0	0	0	10	0.01
A-15	1	0	0	20	0.02
B-01	0	0	0	10	0.01
B-02	0	0	0	20	0.01
B-03	0	0	0	10	0.01
B-04	1	0	0	0	0.00
B-05	0	0	0	0	0.00
B-06	1	0	0	10	0.00
B-07	0	0	0	0	0.01
B-08	0	0	0	10	0.01
B-09	0	0	0	20	0.01
B-10	0	0	0	20	0.00
B-11	0	1	0	20	0.02
B-12	0	0	0	20	0.01
B-13	0	0	0	10	0.01
B-14	0	0	0	10	0.01
B-15	1	4	0	30	0.01
C-01	0	0	0	20	0.01
C-02	0	0	0	20	0.01
C-03	2	0	0	10	0.01
C-04	2	0	0	0	0.01
C-05	1	0	0	20	0.01
C-06	0	0	0	20	0.02
C-07	0	0	0	10	0.02
C-08	2	0	0	20	0.01
C-09	0	0	0	10	0.01
C-10	0	0	0	10	0.02
C-11	0	0	0	10	0.00
C-12	1	0	0	10	0.01
C-13	2	0	0	20	0.01
C-14	2	0	0	20	0.00
C-15	0	0	0	10	0.01
D-01	1	0	0	20	0.01
D-02	0	0	0	10	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 506

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	1	0	10	0.01
D-04	2	2	0	20	0.01
D-05	0	0	0	0	0.01
D-06	0	0	0	10	0.01
D-07	0	0	0	10	0.01
D-08	0	0	0	10	0.02
D-09	1	0	0	0	0.02
D-10	1	0	0	0	0.01
D-11	0	0	0	20	0.01
D-12	1	0	0	10	0.02
D-13	0	0	0	20	0.01
D-14	1	0	0	20	0.00
D-15	0	0	0	20	0.00
E-01	1	0	0	10	0.02
E-02	0	0	0	0	0.01
E-03	0	0	0	20	0.01
E-04	1	0	0	20	0.01
E-05	0	0	0	10	0.01
E-06	0	0	0	0	0.02
E-07	0	0	0	10	0.01
E-08	0	0	0	20	0.01
E-09	1	0	0	20	0.02
E-10	1	0	0	30	0.01
E-11	0	0	0	10	0.01
E-12	0	0	0	0	0.01
E-13	1	0	0	10	0.01
E-14	0	0	0	20	0.02
E-15	0	0	0	20	0.01
F-01	0	0	0	30	0.01
F-02	1	0	0	10	0.01
F-03	0	0	0	20	0.02
F-04	0	0	0	20	0.01
F-05	0	0	3	10	0.01
F-06	1	0	0	10	0.02
F-07	0	0	0	20	0.01
F-08	1	0	0	20	0.01
F-09	2	0	0	20	0.01
F-10	1	0	0	20	0.01
F-11	0	0	0	10	0.02
F-12	0	0	0	20	0.01
F-13	1	0	0	30	0.01
F-14	0	0	0	20	0.01
F-15	0	0	0	10	0.01
G-01	0	0	0	20	0.01
G-02	4	0	0	10	0.01
G-03	0	0	0	10	0.01
G-04	0	0	0	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 506

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	2	0	0	20	0.01
G-06	0	0	0	30	0.01
G-07	0	0	0	20	0.00
G-08	0	0	0	10	0.01
G-09	0	0	0	20	0.02
G-10	0	0	0	10	0.01
G-11	1	0	0	30	0.01
G-12	0	0	0	30	0.01
G-13	0	0	0	30	0.01
G-14	0	0	0	10	0.01
G-15	2	1	0	20	0.01
H-01	0	0	0	20	0.01
H-02	0	0	0	30	0.02
H-03	0	0	0	10	0.01
H-04	0	0	0	10	0.00
H-05	0	0	0	20	0.01
H-06	2	0	0	20	0.02
H-07	0	0	0	10	0.01
H-08	0	0	0	20	0.02
H-09	0	0	0	20	0.01
H-10	0	0	0	10	0.01
H-11	0	0	0	0	0.01
H-12	1	0	0	0	0.01
H-13	0	0	0	30	0.01
H-14	0	0	0	20	0.01
H-15	0	0	0	10	0.01
I-01	0	1	0	10	0.02
I-02	0	0	0	10	0.00
I-03	0	0	0	30	0.01
I-04	0	0	0	20	0.01
I-05	1	0	0	10	0.01
I-06	1	0	0	10	0.01
I-07	2	0	0	10	0.01
I-08	0	0	0	20	0.02
I-09	1	0	0	20	0.01
I-10	0	0	0	10	0.01
I-11	1	0	0	0	0.01
I-12	0	0	0	30	0.01
I-13	0	2	0	10	0.01
I-14	0	0	0	20	0.01
I-15	0	1	0	20	0.01
J-01	1	0	0	0	0.02
J-02	0	1	0	10	0.01
J-03	0	3	0	10	0.02
J-04	1	0	0	20	0.01
J-05	0	2	0	30	0.01
J-06	1	16	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 506

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	4	0	30	0.01
J-08	0	3	0	30	0.02
J-09	0	1	0	20	0.01
J-10	0	0	0	10	0.01
J-11	0	1	0	20	0.02
J-12	2	0	0	10	0.01
J-13	1	1	0	10	0.01
J-14	0	0	0	10	0.01
J-15	0	0	0	20	0.01
K-01	1	0	0	10	0.00
K-02	0	0	0	20	0.00
K-03	1	0	0	10	0.01
K-04	1	1	0	20	0.01
K-05	1	1	0	10	0.02
K-06	0	3	0	10	0.01
K-07	0	3	0	0	0.01
K-08	1	3	0	20	0.02
K-09	0	3	0	10	0.01
K-10	0	5	0	10	0.01
K-11	0	0	0	20	0.01
K-12	1	0	0	20	0.01
K-13	0	0	0	10	0.01
K-14	2	0	0	20	0.02
K-15	0	0	0	10	0.01
L-01	2	0	0	0	0.01
L-02	0	2	0	10	0.00
L-03	0	0	0	10	0.01
L-04	0	4	0	10	0.01
L-05	0	0	0	20	0.01
L-06	0	0	0	10	0.01
L-07	0	0	0	20	0.01
L-08	0	0	0	10	0.01
L-09	0	0	0	10	0.01
L-10	0	1	0	20	0.00
L-11	0	0	0	0	0.01
L-12	0	0	0	0	0.01
L-13	2	1	0	20	0.01
L-14	0	1	0	10	0.01
L-15	0	0	0	10	0.01
AF1	1	3	0	20	0.01
AF2	0	0	0	10	0.02
BF1	1	6	0	20	0.02
BF2	2	0	0	20	0.01
BF3	0	0	0	20	0.01
CF1	1	6	1	10	0.00
CF2	0	0	0	10	0.01
CF3	1	0	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 506

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	2	0	10	0.01
DF2	1	0	0	20	0.02
DF3	0	7	0	20	0.01
EF1	0	0	0	20	0.01
EF2	0	0	0	10	0.01
AR1	2	0	0	10	0.01
AR2	0	1	0	10	0.01
BR1	0	0	0	10	0.01
BR2	1	0	0	0	0.01
BR3	0	1	0	20	0.01
CR1	1	4	0	20	0.02
CR2	1	2	4	0	0.02
CR3	0	0	0	10	0.00
DR1	0	0	0	20	0.01
DR2	0	0	0	10	0.01
DR3	1	0	0	20	0.01
ER1	0	0	0	0	0.01
ER2	5	0	0	20	0.01
IV	1	0	0	20	0.01
OV	1	2	0	0	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 507

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	1	60	0.01
A-02	0	0	0	30	0.01
A-03	11	0	0	40	0.01
A-04	0	4	0	30	0.01
A-05	0	0	7	30	0.01
A-06	3	0	0	40	0.01
A-07	0	0	0	40	0.01
A-08	0	0	0	50	0.01
A-09	7	0	0	30	0.01
A-10	3	0	9	40	0.01
A-11	0	1	0	60	0.01
A-12	3	0	0	30	0.01
A-13	0	0	0	40	0.01
A-14	3	0	1	30	0.01
A-15	0	0	0	70	0.01
B-01	3	0	3	60	0.01
B-02	7	0	0	40	0.01
B-03	0	0	0	30	0.01
B-04	3	0	0	10	0.01
B-05	0	0	0	40	0.01
B-06	0	0	0	80	0.01
B-07	0	2	0	10	0.01
B-08	0	0	0	40	0.01
B-09	3	0	0	30	0.01
B-10	3	0	0	20	0.01
B-11	0	0	3	30	0.01
B-12	3	0	0	40	0.01
B-13	3	0	0	50	0.01
B-14	0	0	0	60	0.01
B-15	0	0	4	50	0.01
C-01	7	0	0	20	0.01
C-02	3	0	0	20	0.01
C-03	0	0	0	20	0.01
C-04	0	0	0	30	0.01
C-05	0	0	0	30	0.01
C-06	3	0	1	40	0.01
C-07	11	0	0	60	0.01
C-08	11	0	0	30	0.01
C-09	0	4	0	20	0.01
C-10	0	1	0	10	0.01
C-11	3	0	0	40	0.01
C-12	0	0	0	50	0.01
C-13	0	0	0	40	0.01
C-14	0	0	0	40	0.01
C-15	7	0	4	70	0.01
D-01	3	0	0	20	0.01
D-02	0	0	0	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 507

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	0	0	40	0.01
D-04	11	0	0	20	0.01
D-05	0	0	2	30	0.01
D-06	3	0	0	20	0.01
D-07	3	0	0	40	0.01
D-08	0	0	0	50	0.01
D-09	3	0	0	40	0.01
D-10	0	0	0	70	0.01
D-11	0	0	0	50	0.01
D-12	11	0	6	30	0.01
D-13	0	0	0	50	0.01
D-14	0	0	0	70	0.01
D-15	0	7	0	40	0.01
E-01	0	0	0	30	0.01
E-02	0	0	0	40	0.01
E-03	3	0	0	20	0.01
E-04	0	0	0	40	0.01
E-05	3	0	0	30	0.01
E-06	0	0	5	40	0.01
E-07	0	0	0	30	0.01
E-08	0	0	0	50	0.01
E-09	0	1	0	60	0.01
E-10	0	0	0	50	0.01
E-11	0	0	3	40	0.01
E-12	0	0	4	50	0.01
E-13	7	0	0	50	0.01
E-14	0	0	0	60	0.01
E-15	3	2	1	30	0.01
F-01	3	0	3	10	0.01
F-02	0	0	4	30	0.01
F-03	7	0	0	60	0.01
F-04	0	0	4	20	0.01
F-05	0	0	5	20	0.01
F-06	3	0	2	20	0.01
F-07	0	0	0	100	0.01
F-08	3	0	0	40	0.01
F-09	3	0	3	40	0.01
F-10	0	0	0	60	0.01
F-11	0	0	0	20	0.01
F-12	3	0	1	50	0.01
F-13	0	0	0	40	0.01
F-14	7	0	0	30	0.01
F-15	3	0	2	50	0.01
G-01	3	0	4	30	0.01
G-02	0	0	4	30	0.01
G-03	0	0	8	20	0.01
G-04	0	0	4	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 507

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	3	2	0	40	0.01
G-06	0	0	0	50	0.01
G-07	0	0	0	60	0.01
G-08	0	0	12	40	0.01
G-09	3	0	0	40	0.01
G-10	3	0	0	40	0.01
G-11	3	0	1	50	0.01
G-12	0	0	4	40	0.01
G-13	0	0	0	50	0.01
G-14	0	0	0	20	0.01
G-15	0	0	2	40	0.01
H-01	0	0	11	40	0.01
H-02	0	0	3	40	0.01
H-03	3	5	1	50	0.01
H-04	0	0	0	10	0.01
H-05	0	0	5	30	0.01
H-06	0	0	0	10	0.01
H-07	3	0	0	60	0.01
H-08	0	0	2	20	0.01
H-09	0	0	1	30	0.01
H-10	0	0	6	20	0.01
H-11	2	0	0	10	0.01
H-12	7	0	0	10	0.01
H-13	3	0	4	30	0.01
H-14	0	0	0	40	0.01
H-15	0	0	4	30	0.01
I-01	0	0	0	20	0.01
I-02	0	0	0	30	0.01
I-03	0	0	0	40	0.01
I-04	3	0	2	30	0.01
I-05	3	0	0	30	0.01
I-06	3	0	1	30	0.01
I-07	0	0	1	30	0.01
I-08	0	0	6	40	0.01
I-09	3	0	0	40	0.01
I-10	3	0	19	50	0.01
I-11	0	0	0	20	0.01
I-12	3	0	3	30	0.01
I-13	0	0	0	60	0.01
I-14	0	0	2	40	0.01
I-15	0	0	0	40	0.01
J-01	0	0	1	30	0.01
J-02	0	0	0	30	0.01
J-03	0	0	7	40	0.01
J-04	0	1	5	30	0.01
J-05	4	0	2	20	0.01
J-06	0	0	2	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 507

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	0	12	20	0.01
J-08	0	4	5	20	0.01
J-09	0	0	9	30	0.01
J-10	0	0	0	30	0.01
J-11	0	0	2	70	0.01
J-12	0	0	9	50	0.01
J-13	0	0	2	40	0.01
J-14	0	0	0	30	0.01
J-15	0	0	4	40	0.01
K-01	0	0	0	30	0.01
K-02	0	0	6	20	0.01
K-03	0	0	4	40	0.01
K-04	0	0	4	20	0.01
K-05	0	1	0	40	0.01
K-06	0	0	0	40	0.01
K-07	0	0	0	50	0.01
K-08	4	0	10	60	0.01
K-09	0	0	2	40	0.01
K-10	0	0	5	40	0.01
K-11	0	0	6	40	0.01
K-12	0	0	0	30	0.01
K-13	8	0	9	40	0.01
K-14	0	0	0	40	0.01
K-15	0	0	7	50	0.01
L-01	0	0	4	60	0.01
L-02	0	0	1	30	0.01
L-03	0	0	8	40	0.01
L-04	0	0	10	60	0.01
L-05	0	2	5	50	0.01
L-06	4	0	0	30	0.01
L-07	0	0	1	60	0.01
L-08	0	0	4	50	0.01
L-09	0	0	0	30	0.01
L-10	0	0	2	70	0.01
L-11	0	0	0	60	0.01
L-12	0	0	5	80	0.01
L-13	0	0	5	30	0.01
L-14	0	0	5	30	0.01
L-15	0	0	4	50	0.01
AF1	0	0	0	20	0.01
AF2	0	0	7	30	0.01
BF1	0	0	3	30	0.02
BF2	0	0	8	30	0.01
BF3	0	0	5	40	0.01
CF1	0	0	2	30	0.01
CF2	0	0	1	20	0.01
CF3	0	0	0	30	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 507

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	6	5	50	0.01
DF2	0	0	6	50	0.01
DF3	4	0	4	40	0.01
EF1	0	0	2	20	0.01
EF2	0	0	5	50	0.01
AR1	0	0	0	60	0.01
AR2	0	0	0	50	0.01
BR1	0	2	0	80	0.01
BR2	0	0	7	40	0.01
BR3	0	3	11	30	0.01
CR1	0	0	0	40	0.01
CR2	0	0	0	50	0.01
CR3	0	0	2	50	0.01
DR1	0	0	8	30	0.01
DR2	0	0	6	20	0.01
DR3	0	0	0	50	0.01
ER1	0	0	1	50	0.01
ER2	0	0	0	30	0.01
IV	4	4	2	20	0.01
OV	0	0	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 508

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	9	50	0.01
A-02	0	0	0	60	0.01
A-03	0	0	0	40	0.01
A-04	3	0	0	20	0.01
A-05	0	1	12	60	0.01
A-06	0	0	0	50	0.01
A-07	6	0	3	60	0.01
A-08	0	2	9	60	0.02
A-09	0	1	0	40	0.01
A-10	0	0	2	30	0.01
A-11	0	0	0	30	0.01
A-12	3	0	17	70	0.02
A-13	0	0	9	60	0.01
A-14	0	0	0	60	0.01
A-15	0	0	5	30	0.02
B-01	6	0	8	50	0.01
B-02	3	1	0	50	0.01
B-03	0	0	0	50	0.01
B-04	0	0	10	20	0.01
B-05	0	3	7	20	0.01
B-06	3	0	18	10	0.02
B-07	0	2	8	20	0.01
B-08	0	0	10	10	0.01
B-09	3	0	14	30	0.01
B-10	0	0	0	40	0.01
B-11	0	0	20	30	0.01
B-12	0	0	9	40	0.01
B-13	0	0	2	40	0.01
B-14	0	0	16	40	0.02
B-15	3	0	9	30	0.01
C-01	0	0	1	30	0.01
C-02	0	0	7	50	0.01
C-03	0	0	6	40	0.01
C-04	0	0	1	40	0.01
C-05	3	0	14	50	0.01
C-06	3	1	15	50	0.01
C-07	0	6	7	40	0.01
C-08	3	0	0	30	0.01
C-09	0	0	0	30	0.01
C-10	0	0	3	20	0.01
C-11	0	0	8	60	0.02
C-12	3	0	8	70	0.01
C-13	0	3	12	40	0.01
C-14	3	3	11	70	0.01
C-15	0	0	11	70	0.01
D-01	0	0	4	110	0.01
D-02	0	0	8	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 508

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	0	16	40	0.01
D-04	6	0	9	80	0.01
D-05	3	2	5	40	0.01
D-06	14	7	3	60	0.01
D-07	3	0	7	80	0.01
D-08	0	0	12	40	0.01
D-09	3	0	5	60	0.01
D-10	3	0	12	40	0.02
D-11	0	0	11	40	0.01
D-12	6	5	7	60	0.01
D-13	0	0	16	80	0.01
D-14	3	0	10	80	0.01
D-15	3	0	9	80	0.01
E-01	0	0	16	40	0.01
E-02	0	0	0	80	0.01
E-03	0	1	0	60	0.01
E-04	0	0	2	50	0.01
E-05	0	0	3	70	0.01
E-06	0	0	22	60	0.01
E-07	10	0	0	80	0.01
E-08	0	0	11	60	0.01
E-09	0	4	16	80	0.01
E-10	3	1	15	60	0.02
E-11	0	0	21	60	0.01
E-12	0	2	10	40	0.01
E-13	0	4	0	80	0.01
E-14	0	0	2	80	0.01
E-15	0	0	12	90	0.01
F-01	3	0	1	40	0.00
F-02	0	0	6	40	0.00
F-03	0	0	10	30	0.02
F-04	0	0	18	20	0.02
F-05	0	0	8	20	0.00
F-06	3	0	11	60	0.02
F-07	0	1	12	50	0.00
F-08	0	0	13	20	0.00
F-09	0	0	13	60	0.00
F-10	6	0	0	40	0.00
F-11	3	0	18	20	0.00
F-12	0	0	20	40	0.00
F-13	3	0	17	60	0.00
F-14	3	1	8	20	0.00
F-15	0	4	16	20	0.00
G-01	5	0	2	40	0.01
G-02	0	0	1	70	0.01
G-03	0	0	0	40	0.01
G-04	2	0	4	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 508

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	0	15	20	0.01
G-06	2	0	4	50	0.01
G-07	0	0	14	80	0.01
G-08	0	0	7	20	0.01
G-09	0	0	12	60	0.01
G-10	5	0	6	30	0.01
G-11	0	0	11	20	0.02
G-12	2	1	17	40	0.01
G-13	0	0	0	100	0.01
G-14	0	0	10	20	0.01
G-15	0	0	14	30	0.01
H-01	5	2	17	50	0.01
H-02	0	0	2	60	0.01
H-03	0	0	12	100	0.02
H-04	0	0	2	80	0.01
H-05	0	0	4	60	0.01
H-06	4	0	6	40	0.01
H-07	0	0	9	60	0.01
H-08	0	0	5	60	0.01
H-09	2	0	4	20	0.01
H-10	2	0	0	40	0.01
H-11	0	0	4	50	0.01
H-12	0	0	13	20	0.01
H-13	0	0	2	40	0.01
H-14	2	0	9	20	0.01
H-15	2	0	15	60	0.01
I-01	0	0	17	50	0.01
I-02	0	0	2	60	0.01
I-03	0	0	12	70	0.01
I-04	2	0	2	70	0.01
I-05	2	0	4	30	0.01
I-06	0	0	3	20	0.01
I-07	2	0	2	40	0.01
I-08	0	0	5	50	0.02
I-09	0	0	6	30	0.01
I-10	0	0	2	50	0.01
I-11	0	0	0	50	0.00
I-12	0	0	0	40	0.00
I-13	0	0	7	40	0.00
I-14	0	0	12	50	0.00
I-15	0	0	3	40	0.01
J-01	0	0	10	50	0.02
J-02	0	0	15	30	0.01
J-03	0	0	9	70	0.01
J-04	2	0	0	40	0.02
J-05	0	0	0	50	0.02
J-06	0	0	7	60	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 508

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	2	0	11	50	0.01
J-08	0	0	0	30	0.01
J-09	0	0	0	40	0.01
J-10	0	0	8	20	0.01
J-11	0	0	6	60	0.01
J-12	2	0	3	60	0.01
J-13	0	0	9	70	0.02
J-14	0	0	1	30	0.01
J-15	0	0	0	110	0.01
K-01	2	0	4	50	0.01
K-02	0	0	6	70	0.01
K-03	0	0	2	20	0.01
K-04	0	0	0	30	0.01
K-05	0	0	4	40	0.01
K-06	5	0	3	60	0.02
K-07	0	0	0	70	0.01
K-08	5	0	7	40	0.01
K-09	0	0	9	40	0.01
K-10	0	0	7	40	0.01
K-11	0	0	13	50	0.01
K-12	0	0	2	30	0.02
K-13	0	0	7	40	0.01
K-14	2	0	3	50	0.01
K-15	0	0	9	70	0.01
L-01	2	0	3	60	0.01
L-02	0	0	2	50	0.01
L-03	5	0	7	60	0.01
L-04	2	0	4	60	0.01
L-05	2	0	0	60	0.01
L-06	0	0	0	50	0.01
L-07	0	0	0	40	0.01
L-08	2	0	10	60	0.01
L-09	0	0	10	50	0.01
L-10	2	0	10	80	0.01
L-11	0	0	4	100	0.01
L-12	0	0	14	40	0.01
L-13	0	0	11	40	0.01
L-14	0	0	4	60	0.02
L-15	0	0	7	40	0.01
AF1	9	0	10	70	0.01
AF2	0	0	0	40	0.01
BF1	0	0	0	40	0.01
BF2	2	0	7	80	0.01
BF3	0	0	7	40	0.01
CF1	0	0	8	40	0.01
CF2	0	0	1	50	0.01
CF3	5	0	3	30	0.02

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 508

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	0	3	30	0.01
DF2	5	0	0	60	0.01
DF3	0	0	6	50	0.01
EF1	0	0	2	40	0.01
EF2	0	0	5	20	0.02
AR1	2	0	5	70	0.02
AR2	0	0	4	50	0.01
BR1	0	0	14	20	0.02
BR2	0	0	0	50	0.01
BR3	0	0	10	60	0.01
CR1	2	0	8	20	0.01
CR2	2	0	5	30	0.01
CR3	0	1	0	30	0.01
DR1	0	0	4	30	0.01
DR2	0	0	14	80	0.01
DR3	2	0	10	70	0.01
ER1	2	0	8	60	0.01
ER2	2	0	1	90	0.01
IV	0	0	0	40	0.01
OV	0	0	0	0	0.01

Tab 12

Buildings AO601 through AO610

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 601

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	6	14	100	0.01
A-02	0	6	0	50	0.01
A-03	0	0	0	50	0.02
A-04	0	3	0	50	0.01
A-05	0	6	0	50	0.01
A-06	0	0	0	50	0.01
A-07	0	0	0	50	0.01
A-08	0	0	6	70	0.01
A-09	0	0	0	60	0.01
A-10	0	3	1	60	0.01
A-11	0	0	0	50	0.01
A-12	0	3	0	70	0.01
A-13	0	3	0	70	0.01
A-14	0	0	0	60	0.01
A-15	0	3	0	50	0.01
B-01	0	3	0	50	0.01
B-02	0	0	11	80	0.01
B-03	0	0	1	70	0.01
B-04	0	0	0	70	0.01
B-05	0	0	0	60	0.01
B-06	0	0	1	70	0.01
B-07	0	0	0	50	0.01
B-08	0	6	0	50	0.01
B-09	0	9	0	50	0.01
B-10	0	3	6	50	0.01
B-11	0	0	0	50	0.01
B-12	0	1	0	50	0.01
B-13	0	0	7	50	0.01
B-14	0	3	6	50	0.01
B-15	0	6	0	50	0.01
C-01	0	3	0	50	0.01
C-02	0	0	0	50	0.01
C-03	0	6	1	70	0.01
C-04	0	0	25	50	0.01
C-05	0	0	0	100	0.01
C-06	0	9	0	70	0.01
C-07	0	0	10	70	0.01
C-08	0	6	0	100	0.01
C-09	0	0	0	70	0.01
C-10	0	0	1	70	0.01
C-11	0	6	1	50	0.01
C-12	0	6	1	50	0.01
C-13	0	9	0	70	0.01
C-14	0	0	0	50	0.01
C-15	0	0	0	50	0.01
D-01	0	0	0	60	0.01
D-02	0	5	16	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 601

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	0	1	50	0.01
D-04	0	0	0	50	0.01
D-05	0	2	1	50	0.01
D-06	0	0	0	50	0.01
D-07	0	5	0	70	0.01
D-08	0	5	0	70	0.01
D-09	0	5	0	50	0.01
D-10	0	2	0	50	0.01
D-11	0	0	0	50	0.01
D-12	9	2	1	50	0.01
D-13	0	0	0	50	0.01
D-14	0	2	0	50	0.01
D-15	0	2	12	50	0.01
E-01	0	0	0	70	0.01
E-02	0	2	6	70	0.01
E-03	0	5	0	70	0.01
E-04	0	0	6	50	0.01
E-05	0	2	10	50	0.01
E-06	0	0	17	60	0.01
E-07	0	8	0	50	0.01
E-08	0	0	0	50	0.01
E-09	0	2	15	70	0.01
E-10	0	2	1	50	0.01
E-11	0	2	6	70	0.01
E-12	0	8	6	70	0.01
E-13	0	0	0	70	0.01
E-14	0	8	0	70	0.01
E-15	0	0	0	100	0.01
F-01	0	2	12	50	0.01
F-02	0	2	1	50	0.01
F-03	0	2	1	50	0.01
F-04	0	2	0	50	0.01
F-05	9	0	24	50	0.01
F-06	0	0	0	50	0.01
F-07	0	2	0	50	0.01
F-08	0	0	1	50	0.01
F-09	0	0	0	50	0.01
F-10	0	8	0	50	0.01
F-11	0	2	0	50	0.01
F-12	9	0	9	70	0.01
F-13	9	2	16	50	0.01
F-14	0	5	0	70	0.01
F-15	0	0	0	50	0.01
G-01	0	0	0	50	0.01
G-02	9	0	0	50	0.01
G-03	0	5	15	70	0.01
G-04	0	8	0	70	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 601

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	2	4	50	0.01
G-06	0	0	0	50	0.01
G-07	0	0	19	50	0.01
G-08	0	2	0	70	0.01
G-09	0	5	12	50	0.01
G-10	9	0	0	70	0.01
G-11	0	2	0	40	0.01
G-12	0	0	4	40	0.01
G-13	0	0	0	40	0.01
G-14	0	2	0	50	0.01
G-15	0	2	0	50	0.01
H-01	0	2	16	70	0.01
H-02	0	5	19	80	0.01
H-03	9	8	0	70	0.01
H-04	0	0	0	60	0.01
H-05	0	0	0	70	0.01
H-06	0	0	4	70	0.01
H-07	0	0	0	70	0.01
H-08	0	5	0	50	0.01
H-09	0	2	0	50	0.01
H-10	0	0	0	50	0.01
H-11	0	0	0	50	0.01
H-12	0	0	0	50	0.01
H-13	0	5	0	50	0.01
H-14	0	0	23	50	0.01
H-15	0	0	12	50	0.01
I-01	0	5	8	50	0.01
I-02	0	0	23	50	0.01
I-03	0	0	8	50	0.01
I-04	0	2	8	70	0.01
I-05	9	0	0	70	0.01
I-06	0	2	8	50	0.01
I-07	9	8	20	60	0.01
I-08	0	0	32	70	0.01
I-09	0	8	0	60	0.01
I-10	0	0	0	70	0.01
I-11	0	0	0	50	0.01
I-12	0	0	0	50	0.01
I-13	9	0	0	50	0.01
I-14	0	2	12	70	0.01
I-15	0	0	0	70	0.01
J-01	0	7	0	70	0.01
J-02	0	0	0	70	0.01
J-03	0	10	0	70	0.01
J-04	7	9	0	70	0.01
J-05	7	9	0	100	0.01
J-06	0	0	0	100	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 601

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	4	0	70	0.01
J-08	7	4	0	70	0.01
J-09	0	0	0	70	0.01
J-10	0	4	0	50	0.01
J-11	0	7	31	70	0.01
J-12	0	7	8	70	0.01
J-13	0	0	0	100	0.01
J-14	0	0	8	70	0.01
J-15	0	10	0	50	0.01
K-01	0	0	0	60	0.01
K-02	0	0	12	60	0.01
K-03	0	0	0	40	0.01
K-04	0	0	0	60	0.01
K-05	7	0	30	80	0.01
K-06	0	10	12	80	0.01
K-07	0	4	8	70	0.01
K-08	0	10	0	60	0.01
K-09	0	0	0	60	0.01
K-10	0	10	0	80	0.01
K-11	0	4	12	70	0.01
K-12	0	7	0	60	0.01
K-13	7	0	0	80	0.01
K-14	0	10	0	70	0.01
K-15	0	4	0	80	0.01
L-01	0	0	0	50	0.01
L-02	0	10	8	50	0.01
L-03	0	10	0	50	0.01
L-04	0	10	16	50	0.01
L-05	0	0	12	50	0.01
L-06	7	7	32	70	0.01
L-07	0	0	0	70	0.01
L-08	0	0	0	50	0.01
L-09	7	7	12	70	0.01
L-10	0	0	31	50	0.01
L-11	0	0	16	50	0.01
L-12	0	4	0	70	0.01
L-13	0	10	0	70	0.01
L-14	0	10	19	60	0.01
L-15	7	0	0	80	0.01
AF1	0	0	0	70	0.01
AF2	0	0	8	70	0.01
BF1	0	0	0	70	0.01
BF2	0	0	0	70	0.01
BF3	0	0	0	500	0.01
CF1	0	0	0	50	0.01
CF2	0	0	0	50	0.01
CF3	0	0	0	70	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 601

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	0	8	70	0.01
DF2	0	0	35	70	0.01
DF3	0	0	12	70	0.01
EF1	0	0	19	50	0.01
EF2	0	0	4	80	0.01
AR1	0	0	0	50	0.01
AR2	0	0	12	80	0.01
BR1	0	0	0	50	0.01
BR2	0	0	8	60	0.01
BR3	0	0	0	80	0.01
CR1	0	0	9	50	0.01
CR2	0	0	0	50	0.01
CR3	0	0	4	100	0.01
DR1	0	0	0	50	0.01
DR2	0	0	0	50	0.01
DR3	0	0	0	50	0.01
ER1	0	0	4	50	0.01
ER2	0	0	0	60	0.01
IV	0	7	0	70	0.01
OV	0	0	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 602

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	0	70	0.01
A-02	0	0	29	60	0.01
A-03	0	0	0	50	0.01
A-04	0	0	1	80	0.01
A-05	0	0	0	50	0.01
A-06	0	0	0	40	0.01
A-07	1	0	1	50	0.01
A-08	0	0	0	50	0.01
A-09	1	0	1	50	0.01
A-10	0	0	0	60	0.01
A-11	0	0	0	50	0.01
A-12	0	0	0	60	0.01
A-13	0	0	0	50	0.01
A-14	0	0	0	70	0.01
A-15	0	0	0	70	0.01
B-01	0	0	18	100	0.01
B-02	0	0	0	60	0.01
B-03	0	0	0	40	0.01
B-04	3	0	22	60	0.01
B-05	0	0	0	50	0.01
B-06	0	0	0	50	0.01
B-07	0	0	0	70	0.01
B-08	0	0	11	70	0.01
B-09	0	0	1	50	0.01
B-10	0	0	0	50	0.01
B-11	0	0	0	40	0.01
B-12	0	0	12	50	0.01
B-13	0	0	11	50	0.01
B-14	0	0	29	50	0.01
B-15	0	0	6	40	0.01
C-01	3	2	0	50	0.01
C-02	0	0	33	50	0.01
C-03	0	2	0	50	0.01
C-04	1	12	0	50	0.01
C-05	1	1	0	50	0.01
C-06	1	5	0	60	0.01
C-07	4	7	0	50	0.01
C-08	5	8	0	40	0.01
C-09	1	3	0	50	0.01
C-10	4	3	0	50	0.01
C-11	1	2	0	50	0.01
C-12	0	7	0	60	0.01
C-13	0	8	0	50	0.01
C-14	4	8	0	50	0.01
C-15	3	22	5	50	0.01
D-01	1	0	0	70	0.01
D-02	4	0	0	60	0.01
D-03	0	5	1	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 602

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-04	4	0	0	50	0.01
D-05	4	0	0	50	0.01
D-06	0	0	0	60	0.01
D-07	1	0	17	50	0.01
D-08	0	0	0	40	0.01
D-09	0	0	0	50	0.01
D-10	0	1	14	50	0.01
D-11	3	4	1	50	0.01
D-12	3	0	9	50	0.01
D-13	4	0	18	50	0.01
D-14	3	2	0	50	0.01
D-15	0	9	0	50	0.01
E-01	0	0	6	50	0.01
E-02	0	7	0	60	0.01
E-03	3	7	0	70	0.01
E-04	0	7	5	70	0.01
E-05	0	0	14	90	0.01
E-06	0	3	0	80	0.01
E-07	0	4	17	50	0.01
E-08	4	0	0	60	0.01
E-09	0	0	0	50	0.01
E-10	0	3	14	60	0.01
E-11	1	0	1	60	0.01
E-12	1	6	9	60	0.01
E-13	0	2	18	50	0.01
E-14	0	0	0	50	0.01
E-15	1	4	0	50	0.01
F-01	0	0	1	50	0.01
F-02	5	0	23	50	0.01
F-03	0	0	1	50	0.01
F-04	1	1	0	50	0.01
F-05	3	3	0	70	0.01
F-06	1	0	0	60	0.01
F-07	0	0	0	50	0.01
F-08	1	0	1	50	0.01
F-09	0	0	12	50	0.01
F-10	0	0	0	50	0.01
F-11	1	0	0	50	0.01
F-12	0	1	8	50	0.01
F-13	0	0	0	50	0.01
F-14	0	0	0	50	0.01
F-15	3	0	1	50	0.01
G-01	0	1	0	50	0.01
G-02	0	0	0	60	0.01
G-03	3	0	0	50	0.01
G-04	0	1	0	100	0.01
G-05	0	0	0	70	0.01
G-06	0	0	0	70	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 602

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-07	3	0	4	50	0.01
G-08	1	0	0	80	0.01
G-09	0	1	0	50	0.01
G-10	0	2	4	50	0.01
G-11	0	0	0	50	0.01
G-12	0	0	0	50	0.01
G-13	0	0	0	50	0.01
G-14	3	0	0	70	0.01
G-15	1	0	0	70	0.01
H-01	0	0	0	50	0.01
H-02	0	0	0	5	0.01
H-03	1	0	0	50	0.01
H-04	0	0	4	70	0.01
H-05	0	0	0	60	0.01
H-06	0	0	0	50	0.01
H-07	4	0	0	60	0.01
H-08	0	5	0	50	0.01
H-09	0	0	4	50	0.01
H-10	0	0	4	50	0.01
H-11	1	0	16	60	0.01
H-12	1	0	8	50	0.01
H-13	3	2	0	50	0.01
H-14	3	0	1	50	0.01
H-15	0	0	0	70	0.01
I-01	0	2	0	80	0.01
I-02	0	0	0	60	0.01
I-03	3	0	0	50	0.01
I-04	0	0	0	50	0.01
I-05	1	0	0	60	0.01
I-06	0	0	0	70	0.01
I-07	0	0	8	50	0.01
I-08	0	0	8	80	0.01
I-09	4	0	0	80	0.01
I-10	0	0	0	60	0.01
I-11	0	0	0	80	0.01
I-12	0	0	0	50	0.01
I-13	0	0	16	50	0.01
I-14	0	0	0	50	0.01
I-15	0	0	0	50	0.01
J-01	0	0	0	60	0.01
J-02	0	0	0	50	0.01
J-03	0	0	0	50	0.01
J-04	0	0	0	80	0.01
J-05	0	0	4	50	0.01
J-06	1	1	0	70	0.01
J-07	0	0	0	50	0.01
J-08	3	0	8	50	0.01
J-09	0	0	0	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 602

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-10	0	0	4	50	0.01
J-11	0	0	0	50	0.01
J-12	0	0	1	80	0.01
J-13	0	0	0	50	0.01
J-14	0	3	1	50	0.01
J-15	0	0	12	50	0.01
K-01	0	0	0	70	0.01
K-02	0	0	0	70	0.01
K-03	0	0	0	50	0.01
K-04	0	0	0	80	0.01
K-05	0	0	12	50	0.01
K-06	0	0	0	50	0.01
K-07	0	1	0	50	0.01
K-08	0	0	8	80	0.01
K-09	0	0	12	50	0.01
K-10	0	0	0	60	0.01
K-11	0	0	4	50	0.01
K-12	0	0	0	60	0.01
K-13	0	0	0	50	0.01
K-14	0	0	0	50	0.01
K-15	0	0	0	50	0.01
L-01	0	0	0	50	0.01
L-02	0	0	0	50	0.01
L-03	0	0	0	50	0.01
L-04	0	0	1	50	0.01
L-05	0	0	0	50	0.01
L-06	1	0	0	50	0.01
L-07	0	0	0	50	0.01
L-08	0	0	0	70	0.01
L-09	0	0	0	70	0.01
L-10	0	0	8	50	0.01
L-11	3	0	0	50	0.01
L-12	0	0	0	60	0.01
L-13	0	0	0	80	0.01
L-14	0	0	0	80	0.01
L-15	0	0	0	60	0.01
AF1	0	2	0	50	0.01
AF2	1	0	0	50	0.01
BF1	0	0	0	50	0.01
BF2	0	0	0	70	0.01
BF3	0	0	0	50	0.01
CF1	0	0	0	50	0.01
CF2	0	0	0	50	0.01
CF3	3	0	8	80	0.01
DF1	0	0	0	50	0.01
DF2	0	0	4	70	0.01
DF3	0	0	5	50	0.01
EF1	0	1	0	50	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 602

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
EF2	3	0	1	70	0.01
AR1	1	0	20	50	0.01
AR2	0	0	1	50	0.01
BR1	0	0	0	50	0.01
BR2	0	0	0	70	0.01
BR3	1	0	0	70	0.01
CR1	0	0	0	50	0.01
CR2	0	0	0	50	0.01
CR3	0	0	0	50	0.01
DR1	1	0	0	50	0.01
DR2	0	0	9	50	0.01
DR3	0	0	0	50	0.01
ER1	0	0	0	50	0.06
ER2	0	0	0	50	0.01
IV	0	5	0	50	0.01
OV	0	0	0	0	0.01
	0	0	0	0	0.00

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 603

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	1	0	50	0.01
A-02	0	0	0	50	0.01
A-03	3	9	14	50	0.01
A-04	0	2	10	50	0.01
A-05	0	5	0	50	0.01
A-06	0	2	9	70	0.01
A-07	3	5	0	70	0.01
A-08	0	3	4	50	0.01
A-09	4	0	4	50	0.01
A-10	3	11	0	50	0.01
A-11	0	9	4	70	0.01
A-12	0	5	46	70	0.01
A-13	0	3	0	70	0.01
A-14	0	0	0	50	0.01
A-15	1	7	0	50	0.01
B-01	0	0	0	50	0.01
B-02	0	2	0	50	0.01
B-03	1	0	9	50	0.01
B-04	0	0	9	50	0.01
B-05	0	1	0	70	0.01
B-06	1	12	14	70	0.01
B-07	0	0	0	50	0.01
B-08	0	0	4	70	0.01
B-09	0	1	0	50	0.01
B-10	0	0	0	50	0.01
B-11	0	5	0	50	0.01
B-12	0	0	0	70	0.01
B-13	0	0	0	50	0.01
B-14	1	2	2	50	0.01
B-15	0	4	0	70	0.01
C-01	0	0	0	50	0.01
C-02	0	0	14	70	0.01
C-03	0	0	15	70	0.01
C-04	0	3	0	50	0.01
C-05	0	0	0	50	0.01
C-06	0	5	0	50	0.01
C-07	0	4	0	50	0.01
C-08	0	0	0	70	0.01
C-09	0	0	0	50	0.01
C-10	0	0	0	50	0.01
C-11	1	0	0	70	0.01
C-12	0	0	0	50	0.01
C-13	0	1	19	70	0.01
C-14	0	2	0	50	0.01
C-15	0	4	9	50	0.01
D-01	0	1	0	70	0.01
D-02	0	1	25	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 603

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	0	13	50	0.01
D-04	1	0	0	50	0.01
D-05	0	0	0	50	0.01
D-06	1	1	0	70	0.01
D-07	0	2	4	50	0.01
D-08	0	7	0	50	0.01
D-09	0	0	4	70	0.01
D-10	0	2	13	70	0.01
D-11	0	5	0	50	0.01
D-12	0	1	18	50	0.01
D-13	0	0	14	50	0.01
D-14	0	0	0	50	0.01
D-15	0	0	0	70	0.01
E-01	0	2	0	50	0.01
E-02	0	1	0	50	0.01
E-03	0	5	0	50	0.01
E-04	0	2	0	50	0.01
E-05	3	0	0	50	0.01
E-06	0	1	0	100	0.01
E-07	0	2	0	70	0.01
E-08	0	12	0	80	0.01
E-09	0	0	0	70	0.01
E-10	0	10	0	50	0.01
E-11	0	1	0	50	0.01
E-12	0	0	0	70	0.01
E-13	0	0	3	50	0.01
E-14	0	1	0	50	0.01
E-15	1	3	0	50	0.01
F-01	0	0	0	70	0.01
F-02	0	0	0	50	0.01
F-03	1	1	7	50	0.01
F-04	0	1	3	50	0.01
F-05	0	0	0	50	0.01
F-06	0	0	7	50	0.01
F-07	0	0	0	50	0.01
F-08	0	0	0	50	0.01
F-09	0	0	0	50	0.01
F-10	0	0	0	50	0.01
F-11	0	0	18	50	0.01
F-12	0	1	0	50	0.01
F-13	1	0	0	50	0.01
F-14	0	0	7	50	0.01
F-15	0	0	22	50	0.01
G-01	0	0	0	50	0.01
G-02	0	0	3	50	0.01
G-03	0	0	10	50	0.01
G-04	1	0	0	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 603

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	0	0	50	0.01
G-06	0	1	22	50	0.01
G-07	0	0	7	50	0.01
G-08	0	0	0	50	0.01
G-09	0	0	0	50	0.01
G-10	0	1	0	70	0.01
G-11	0	0	0	70	0.01
G-12	0	0	7	50	0.01
G-13	0	1	3	50	0.01
G-14	3	0	0	50	0.01
G-15	0	0	0	50	0.01
H-01	3	0	3	50	0.01
H-02	0	0	10	50	0.01
H-03	0	2	0	50	0.01
H-04	0	2	0	50	0.01
H-05	0	0	0	50	0.01
H-06	0	0	0	50	0.01
H-07	1	0	7	50	0.01
H-08	1	0	0	50	0.01
H-09	0	0	0	50	0.01
H-10	0	0	3	50	0.01
H-11	0	1	11	50	0.01
H-12	0	0	15	50	0.01
H-13	1	0	0	50	0.01
H-14	0	6	0	50	0.02
H-15	0	2	0	50	0.01
I-01	0	0	0	50	0.01
I-02	1	1	0	50	0.02
I-03	4	0	0	50	0.01
I-04	3	0	35	50	0.01
I-05	0	0	11	50	0.01
I-06	2	2	3	50	0.01
I-07	1	2	0	50	0.01
I-08	0	0	0	50	0.01
I-09	1	0	0	50	0.01
I-10	4	0	0	50	0.01
I-11	1	0	0	50	0.01
I-12	0	0	0	50	0.01
I-13	0	0	0	50	0.01
I-14	0	0	0	50	0.01
I-15	1	0	0	50	0.01
J-01	0	0	0	50	0.01
J-02	0	0	0	50	0.01
J-03	1	2	0	50	0.01
J-04	0	1	0	50	0.01
J-05	1	2	7	50	0.01
J-06	0	0	0	70	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 603

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	0	7	50	0.01
J-08	0	0	0	70	0.01
J-09	0	0	0	50	0.01
J-10	8	0	0	50	0.01
J-11	5	0	0	50	0.01
J-12	5	0	0	50	0.01
J-13	0	0	0	50	0.01
J-14	4	0	3	50	0.01
J-15	4	0	15	50	0.01
K-01	3	1	0	50	0.01
K-02	4	0	0	50	0.01
K-03	4	0	0	50	0.01
K-04	5	0	0	50	0.01
K-05	4	0	0	50	0.01
K-06	4	0	3	70	0.01
K-07	3	0	0	50	0.01
K-08	3	0	0	50	0.01
K-09	0	0	0	50	0.01
K-10	1	0	0	50	0.01
K-11	1	0	0	50	0.01
K-12	1	0	0	50	0.01
K-13	5	0	18	50	0.01
K-14	3	0	3	50	0.01
K-15	4	0	7	50	0.01
L-01	3	0	19	50	0.01
L-02	0	0	19	50	0.01
L-03	3	0	0	50	0.01
L-04	3	0	23	50	0.01
L-05	3	0	0	50	0.01
L-06	4	0	0	50	0.01
L-07	3	0	0	50	0.01
L-08	1	0	18	50	0.01
L-09	0	0	0	50	0.01
L-10	3	2	0	50	0.01
L-11	3	0	11	50	0.01
L-12	0	0	0	50	0.01
L-13	0	0	26	50	0.01
L-14	0	0	0	50	0.01
L-15	1	0	18	50	0.01
AF1	0	0	11	50	0.01
AF2	1	0	7	50	0.01
BF1	0	0	19	50	0.01
BF2	3	0	3	50	0.01
BF3	0	0	0	50	0.01
CF1	1	0	3	50	0.01
CF2	1	0	0	50	0.01
CF3	0	2	0	70	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 603

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	1	0	19	50	0.01
DF2	1	0	0	50	0.01
DF3	0	0	11	50	0.01
EF1	1	0	0	50	0.01
EF2	4	0	0	50	0.01
AR1	3	0	7	50	0.01
AR2	0	0	0	50	0.01
BR1	0	0	18	50	0.01
BR2	0	0	7	50	0.01
BR3	1	0	0	50	0.01
CR1	0	0	0	50	0.01
CR2	3	0	0	50	0.01
CR3	1	3	0	50	0.01
DR1	4	0	10	50	0.01
DR2	0	0	22	50	0.01
DR3	0	0	19	100	0.01
ER1	1	0	18	50	0.01
ER2	1	0	0	50	0.01
IV	5	0	0	50	0.00
OV	1	0	11	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 604

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	9	60	0.01
A-02	0	4	15	30	0.01
A-03	0	0	5	30	0.01
A-04	0	0	34	50	0.01
A-05	0	0	21	50	0.02
A-06	0	0	5	80	0.01
A-07	0	0	0	70	0.01
A-08	0	0	0	40	0.02
A-09	1	0	9	50	0.01
A-10	0	0	5	40	0.01
A-11	1	0	0	30	0.01
A-12	1	0	10	80	0.01
A-13	0	0	0	80	0.01
A-14	0	3	18	60	0.01
A-15	0	0	0	50	0.01
B-01	0	0	29	60	0.01
B-02	0	0	12	70	0.01
B-03	0	0	0	40	0.01
B-04	0	1	35	50	0.01
B-05	0	4	15	50	0.01
B-06	0	0	40	60	0.01
B-07	1	2	23	60	0.01
B-08	0	0	31	60	0.01
B-09	0	0	0	60	0.01
B-10	3	0	0	70	0.01
B-11	0	0	5	20	0.01
B-12	0	0	0	90	0.01
B-13	0	0	19	40	0.01
B-14	1	0	15	20	0.01
B-15	0	0	6	60	0.01
C-01	0	0	22	50	0.01
C-02	0	0	24	70	0.01
C-03	0	1	6	50	0.01
C-04	0	0	29	50	0.01
C-05	0	0	52	50	0.01
C-06	0	0	35	70	0.01
C-07	0	0	20	30	0.01
C-08	0	0	39	70	0.01
C-09	0	0	14	50	0.01
C-10	0	0	0	60	0.01
C-11	0	8	66	80	0.01
C-12	0	9	5	70	0.02
C-13	0	0	28	90	0.01
C-14	1	3	26	50	0.01
C-15	3	11	0	40	0.01
D-01	1	7	20	80	0.01
D-02	1	2	0	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 604

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	1	0	0	30	0.01
D-04	1	0	56	60	0.01
D-05	1	1	0	50	0.01
D-06	1	6	77	60	0.01
D-07	0	2	52	60	0.01
D-08	0	4	11	40	0.01
D-09	1	0	11	50	0.01
D-10	0	1	67	50	0.01
D-11	0	2	46	60	0.01
D-12	3	4	25	60	0.01
D-13	0	7	16	90	0.01
D-14	0	0	24	70	0.01
D-15	0	7	23	100	0.01
E-01	4	0	0	60	0.01
E-02	0	0	0	40	0.01
E-03	0	0	17	40	0.02
E-04	0	0	56	70	0.01
E-05	1	0	35	70	0.01
E-06	0	0	0	50	0.01
E-07	0	0	27	90	0.01
E-08	0	0	17	80	0.01
E-09	0	0	0	80	0.01
E-10	5	0	50	60	0.01
E-11	0	0	29	40	0.01
E-12	0	0	33	30	0.01
E-13	1	0	21	50	0.01
E-14	2	0	19	30	0.01
E-15	0	0	11	40	0.01
F-01	0	0	19	40	0.01
F-02	0	0	7	40	0.01
F-03	0	0	15	40	0.01
F-04	0	0	0	40	0.01
F-05	2	0	0	60	0.01
F-06	2	0	0	70	0.01
F-07	0	0	22	70	0.01
F-08	0	0	26	70	0.01
F-09	0	0	0	70	0.01
F-10	0	0	15	50	0.01
F-11	4	0	11	80	0.01
F-12	0	0	8	100	0.01
F-13	0	0	8	70	0.01
F-14	0	0	0	50	0.01
F-15	1	0	11	40	0.01
G-01	0	0	8	70	0.01
G-02	2	0	0	50	0.01
G-03	1	0	4	50	0.01
G-04	0	0	19	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 604

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	1	0	4	50	0.01
G-06	0	0	0	60	0.01
G-07	0	0	8	60	0.01
G-08	0	0	27	60	0.01
G-09	0	0	19	50	0.01
G-10	1	0	0	70	0.01
G-11	1	0	15	50	0.01
G-12	0	0	0	50	0.01
G-13	0	0	0	60	0.01
G-14	0	0	4	60	0.01
G-15	1	0	4	50	0.01
H-01	3	0	12	20	0.01
H-02	0	0	8	50	0.01
H-03	0	0	0	50	0.01
H-04	0	0	0	40	0.01
H-05	0	0	24	50	0.01
H-06	3	0	8	40	0.01
H-07	0	0	19	50	0.01
H-08	3	0	8	40	0.01
H-09	3	0	4	40	0.01
H-10	0	0	0	60	0.01
H-11	0	0	12	50	0.01
H-12	0	0	27	40	0.01
H-13	0	0	0	60	0.01
H-14	0	0	12	50	0.02
H-15	0	0	8	70	0.01
I-01	0	0	0	50	0.01
I-02	0	0	8	50	0.01
I-03	3	0	0	50	0.01
I-04	0	0	12	50	0.01
I-05	3	0	16	40	0.01
I-06	0	0	12	40	0.01
I-07	0	0	12	40	0.01
I-08	0	0	0	40	0.01
I-09	0	0	4	40	0.01
I-10	3	0	20	60	0.01
I-11	0	0	4	50	0.01
I-12	3	0	0	60	0.01
I-13	3	0	4	80	0.01
I-14	0	0	16	50	0.01
I-15	3	0	0	50	0.01
J-01	0	0	0	50	0.01
J-02	0	0	0	40	0.01
J-03	0	0	16	50	0.01
J-04	0	0	0	50	0.01
J-05	11	0	0	50	0.01
J-06	0	0	0	70	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 604

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	0	4	70	0.01
J-08	0	0	0	40	0.01
J-09	7	0	0	50	0.01
J-10	3	0	0	70	0.01
J-11	0	0	0	50	0.01
J-12	7	0	0	40	0.01
J-13	0	0	4	50	0.01
J-14	3	0	8	40	0.01
J-15	0	0	12	50	0.01
K-01	0	0	4	50	0.01
K-02	3	0	15	50	0.01
K-03	3	0	0	70	0.01
K-04	0	0	4	70	0.01
K-05	7	0	0	60	0.01
K-06	0	0	8	60	0.01
K-07	3	0	0	70	0.01
K-08	0	0	12	70	0.01
K-09	0	0	0	50	0.01
K-10	0	0	0	40	0.01
K-11	0	0	4	50	0.01
K-12	0	0	0	50	0.01
K-13	3	0	0	50	0.01
K-14	7	0	23	40	0.01
K-15	0	0	0	50	0.01
L-01	0	0	12	50	0.01
L-02	0	0	26	50	0.01
L-03	0	0	12	50	0.01
L-04	3	0	0	50	0.01
L-05	0	0	0	50	0.01
L-06	3	0	0	40	0.01
L-07	0	0	0	70	0.01
L-08	0	0	12	80	0.01
L-09	7	0	8	60	0.01
L-10	0	0	0	50	0.01
L-11	0	0	0	40	0.01
L-12	0	0	0	40	0.01
L-13	0	0	0	40	0.01
L-14	0	0	0	40	0.01
L-15	0	0	0	40	0.01
AF1	0	0	9	40	0.01
AF2	0	0	21	40	0.01
BF1	0	0	9	50	0.01
BF2	11	0	0	50	0.01
BF3	3	0	0	40	0.01
CF1	0	0	11	50	0.01
CF2	0	0	0	70	0.01
CF3	0	0	0	40	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 604

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	0	27	50	0.01
DF2	0	0	16	60	0.01
DF3	0	0	0	70	0.01
EF1	7	0	0	40	0.01
EF2	3	0	12	50	0.01
AR1	0	0	0	50	0.01
AR2	0	0	0	40	0.01
BR1	0	0	0	40	0.01
BR2	3	0	4	40	0.01
BR3	0	0	0	80	0.01
CR1	0	0	0	40	0.01
CR2	0	0	23	40	0.01
CR3	3	0	39	50	0.01
DR1	0	0	19	40	0.01
DR2	3	0	20	50	0.01
DR3	0	0	20	40	0.01
ER1	0	0	4	60	0.01
ER2	3	4	0	60	0.01
IV	3	0	16	50	0.00
OV	3	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 605

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	0	3	60	0.01
A-02	0	3	9	40	0.01
A-03	0	0	3	40	0.01
A-04	4	2	0	70	0.01
A-05	0	0	3	50	0.01
A-06	0	0	0	60	0.01
A-07	4	0	0	50	0.01
A-08	8	3	6	40	0.01
A-09	4	0	8	60	0.02
A-10	0	0	4	60	0.02
A-11	0	2	0	60	0.01
A-12	0	0	4	30	0.01
A-13	4	0	8	70	0.01
A-14	4	0	6	40	0.01
A-15	0	0	0	50	0.01
B-01	0	7	0	50	0.01
B-02	0	0	0	30	0.01
B-03	4	3	3	50	0.01
B-04	0	0	3	50	0.01
B-05	4	7	0	80	0.02
B-06	4	0	1	50	0.01
B-07	0	0	2	40	0.01
B-08	4	0	0	60	0.01
B-09	4	2	0	50	0.01
B-10	0	0	5	50	0.01
B-11	0	0	8	40	0.01
B-12	0	5	3	50	0.02
B-13	0	0	1	80	0.01
B-14	4	0	7	60	0.01
B-15	4	2	4	60	0.01
C-01	0	0	0	20	0.01
C-02	4	0	4	40	0.01
C-03	0	7	0	30	0.01
C-04	4	0	10	30	0.01
C-05	0	0	0	60	0.01
C-06	4	0	1	80	0.02
C-07	0	0	5	70	0.01
C-08	0	2	0	50	0.01
C-09	0	5	0	60	0.01
C-10	0	0	0	40	0.01
C-11	4	0	0	30	0.01
C-12	0	4	1	40	0.01
C-13	8	0	0	50	0.01
C-14	4	7	8	100	0.01
C-15	4	0	4	80	0.01
D-01	4	0	2	60	0.01
D-02	0	0	0	70	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 605

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	4	0	0	70	0.01
D-04	4	2	0	40	0.01
D-05	0	3	5	50	0.01
D-06	0	7	0	50	0.01
D-07	4	0	0	20	0.01
D-08	0	0	0	40	0.01
D-09	4	2	11	30	0.01
D-10	4	0	1	50	0.01
D-11	0	0	2	60	0.01
D-12	4	0	1	60	0.01
D-13	4	0	5	60	0.01
D-14	0	0	1	40	0.01
D-15	0	5	5	50	0.01
E-01	8	0	0	40	0.01
E-02	0	4	5	40	0.01
E-03	0	1	0	60	0.01
E-04	0	0	0	50	0.01
E-05	0	5	7	60	0.01
E-06	4	0	0	30	0.01
E-07	0	1	0	90	0.01
E-08	4	0	3	60	0.01
E-09	0	0	1	30	0.01
E-10	0	0	0	50	0.01
E-11	0	0	0	50	0.01
E-12	0	2	0	40	0.01
E-13	0	3	0	60	0.01
E-14	0	0	0	80	0.02
E-15	0	2	0	10	0.01
F-01	0	3	6	50	0.01
F-02	0	0	7	40	0.01
F-03	0	0	9	50	0.01
F-04	0	0	9	60	0.01
F-05	0	1	0	50	0.01
F-06	0	0	17	60	0.01
F-07	0	0	2	70	0.01
F-08	0	0	19	70	0.01
F-09	0	0	2	60	0.01
F-10	0	0	12	80	0.01
F-11	0	4	2	60	0.01
F-12	0	0	3	40	0.01
F-13	0	2	4	40	0.01
F-14	0	0	0	70	0.01
F-15	0	3	5	60	0.01
G-01	0	0	35	70	0.01
G-02	0	0	35	50	0.01
G-03	11	0	40	50	0.01
G-04	0	0	35	70	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 605

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	0	39	30	0.01
G-06	0	0	44	50	0.01
G-07	0	0	36	60	0.01
G-08	0	0	37	70	0.01
G-09	0	0	26	70	0.01
G-10	0	0	52	50	0.01
G-11	4	4	24	80	0.01
G-12	0	3	40	60	0.01
G-13	0	3	21	30	0.01
G-14	0	0	25	60	0.01
G-15	4	0	25	30	0.01
H-01	0	0	24	50	0.01
H-02	8	0	23	70	0.01
H-03	0	5	34	80	0.01
H-04	0	3	27	90	0.01
H-05	0	0	30	60	0.01
H-06	4	0	37	60	0.01
H-07	0	0	20	80	0.01
H-08	0	1	21	90	0.01
H-09	4	0	26	40	0.01
H-10	0	1	52	100	0.01
H-11	0	0	27	100	0.01
H-12	0	0	27	40	0.01
H-13	0	3	31	60	0.01
H-14	0	0	31	90	0.01
H-15	0	0	34	80	0.01
I-01	4	0	31	50	0.01
I-02	0	0	31	30	0.01
I-03	0	3	22	70	0.01
I-04	4	3	30	50	0.01
I-05	0	0	30	40	0.01
I-06	0	3	37	50	0.01
I-07	0	0	38	50	0.01
I-08	0	5	34	40	0.01
I-09	0	0	44	50	0.01
I-10	0	0	26	50	0.01
I-11	0	0	24	70	0.01
I-12	0	0	44	40	0.01
I-13	0	2	26	40	0.01
I-14	4	0	37	70	0.01
I-15	0	0	14	50	0.01
J-01	0	0	49	80	0.01
J-02	0	1	19	75	0.01
J-03	8	0	12	80	0.01
J-04	4	2	41	50	0.01
J-05	0	0	44	70	0.01
J-06	0	1	19	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 605

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	0	30	40	0.01
J-08	0	1	34	50	0.01
J-09	0	3	30	30	0.01
J-10	0	0	36	60	0.01
J-11	0	0	19	50	0.02
J-12	0	1	33	80	0.01
J-13	0	0	18	50	0.01
J-14	0	1	24	50	0.01
J-15	0	0	56	30	0.01
K-01	0	1	0	70	0.01
K-02	0	8	1	80	0.01
K-03	0	8	7	40	0.01
K-04	0	5	0	50	0.01
K-05	0	0	10	50	0.01
K-06	0	1	0	80	0.01
K-07	0	8	7	80	0.01
K-08	0	0	0	50	0.01
K-09	0	0	2	70	0.01
K-10	0	8	0	60	0.01
K-11	0	5	4	50	0.01
K-12	0	1	0	50	0.01
K-13	0	2	0	80	0.01
K-14	0	5	0	50	0.01
K-15	0	6	5	60	0.01
L-01	0	2	7	50	0.01
L-02	3	3	7	50	0.01
L-03	0	0	0	60	0.01
L-04	3	2	1	30	0.01
L-05	0	6	3	60	0.01
L-06	0	1	5	40	0.01
L-07	0	0	0	40	0.01
L-08	0	0	0	50	0.01
L-09	0	1	2	70	0.01
L-10	0	1	0	50	0.01
L-11	3	1	0	60	0.01
L-12	0	2	0	70	0.01
L-13	0	7	9	30	0.01
L-14	0	3	0	40	0.01
L-15	0	5	0	80	0.01
AF1	0	6	0	60	0.02
AF2	0	0	9	60	0.01
BF1	3	3	0	50	0.01
BF2	0	1	0	50	0.01
BF3	0	3	18	60	0.01
CF1	3	1	0	70	0.01
CF2	3	5	0	50	0.01
CF3	0	3	30	60	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 605

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	7	6	70	0.01
DF2	3	8	1	40	0.01
DF3	0	8	21	50	0.01
EF1	0	0	1	100	0.01
EF2	0	2	0	30	0.01
AR1	3	3	0	70	0.01
AR2	0	2	0	50	0.01
BR1	0	7	0	80	0.01
BR2	0	1	0	60	0.01
BR3	0	2	32	30	0.01
CR1	0	2	0	30	0.01
CR2	3	1	0	40	0.01
CR3	0	5	21	60	0.01
DR1	0	3	0	40	0.01
DR2	3	2	3	80	0.01
DR3	3	5	59	80	0.01
ER1	3	0	6	40	0.01
ER2	0	3	2	50	0.01
IV	2	0	7	70	0.01
OV	0	0	0	0	0.01
	0	0	0	0	0.00

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 606

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	6	0	60	0.01
A-02	0	11	0	60	0.01
A-03	7	6	0	30	0.01
A-04	0	8	0	60	0.01
A-05	0	4	0	60	0.01
A-06	0	8	0	40	0.01
A-07	0	10	0	70	0.01
A-08	3	10	4	80	0.01
A-09	0	4	0	60	0.01
A-10	0	1	7	70	0.01
A-11	0	9	0	40	0.01
A-12	0	7	0	50	0.01
A-13	0	2	0	50	0.01
A-14	0	14	0	70	0.01
A-15	0	16	0	40	0.01
B-01	3	5	0	50	0.01
B-02	3	8	0	20	0.01
B-03	0	2	0	50	0.01
B-04	0	7	0	80	0.01
B-05	0	14	0	50	0.01
B-06	0	7	0	80	0.01
B-07	0	7	0	60	0.01
B-08	0	2	0	80	0.01
B-09	0	4	0	70	0.01
B-10	0	6	0	60	0.01
B-11	0	4	0	40	0.01
B-12	0	4	0	80	0.01
B-13	0	11	0	70	0.01
B-14	0	10	0	80	0.01
B-15	0	7	0	60	0.01
C-01	0	10	0	50	0.01
C-02	0	0	0	50	0.01
C-03	7	9	0	60	0.01
C-04	0	11	8	60	0.01
C-05	0	2	1	20	0.01
C-06	0	10	0	60	0.01
C-07	0	7	0	50	0.00
C-08	3	1	0	40	0.01
C-09	0	4	0	60	0.01
C-10	0	9	0	80	0.01
C-11	0	5	0	80	0.01
C-12	3	7	0	60	0.01
C-13	0	9	0	30	0.01
C-14	3	11	0	20	0.01
C-15	3	19	0	40	0.01
D-01	3	4	0	70	0.01
D-02	0	1	0	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 606

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	3	14	0	60	0.01
D-04	10	0	3	60	0.01
D-05	3	0	3	60	0.01
D-06	3	2	0	40	0.01
D-07	0	0	0	30	0.01
D-08	0	0	0	40	0.01
D-09	3	4	3	50	0.01
D-10	0	0	1	80	0.02
D-11	0	0	11	50	0.01
D-12	0	5	0	70	0.01
D-13	3	0	0	50	0.01
D-14	3	2	0	80	0.01
D-15	0	2	0	60	0.01
E-01	3	9	0	30	0.01
E-02	3	1	3	80	0.01
E-03	3	17	0	80	0.01
E-04	0	5	0	50	0.01
E-05	3	0	0	80	0.01
E-06	3	0	0	40	0.01
E-07	3	8	0	40	0.01
E-08	0	0	0	60	0.01
E-09	0	1	0	30	0.01
E-10	0	1	0	70	0.01
E-11	0	0	2	40	0.01
E-12	3	0	0	40	0.01
E-13	0	2	0	60	0.01
E-14	3	2	0	70	0.01
E-15	0	4	0	60	0.01
F-01	3	0	1	70	0.01
F-02	0	0	0	70	0.01
F-03	0	0	2	60	0.01
F-04	3	0	7	60	0.01
F-05	0	0	9	60	0.01
F-06	0	0	2	30	0.01
F-07	0	0	0	30	0.01
F-08	0	0	4	30	0.01
F-09	0	0	4	40	0.01
F-10	0	0	2	20	0.01
F-11	6	0	1	30	0.01
F-12	6	0	1	120	0.01
F-13	10	0	11	60	0.01
F-14	0	0	5	70	0.01
F-15	0	0	0	50	0.01
G-01	3	0	0	60	0.01
G-02	0	0	0	60	0.01
G-03	0	2	3	70	0.01
G-04	0	0	5	80	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 606

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	3	1	0	40	0.01
G-06	0	0	0	50	0.01
G-07	0	0	0	20	0.01
G-08	6	0	0	70	0.01
G-09	3	0	0	60	0.01
G-10	0	0	0	10	0.01
G-11	0	0	8	40	0.01
G-12	6	0	0	100	0.01
G-13	0	0	3	60	0.01
G-14	3	0	7	70	0.01
G-15	3	1	4	100	0.01
H-01	3	0	28	30	0.01
H-02	0	0	25	60	0.01
H-03	3	0	17	20	0.01
H-04	10	5	25	80	0.01
H-05	0	0	24	60	0.01
H-06	0	0	28	70	0.01
H-07	6	3	29	60	0.01
H-08	3	0	18	60	0.01
H-09	3	0	33	40	0.01
H-10	0	0	37	70	0.01
H-11	6	0	20	40	0.01
H-12	0	0	35	60	0.01
H-13	0	0	31	90	0.01
H-14	3	0	47	50	0.01
H-15	0	0	32	50	0.01
I-01	3	0	22	60	0.01
I-02	3	0	17	50	0.01
I-03	6	0	10	40	0.01
I-04	3	0	32	80	0.01
I-05	0	5	19	60	0.01
I-06	0	0	28	80	0.01
I-07	3	0	28	40	0.01
I-08	0	0	27	30	0.01
I-09	0	0	22	90	0.01
I-10	0	0	24	40	0.01
I-11	0	0	26	30	0.01
I-12	0	0	31	60	0.01
I-13	0	0	27	60	0.01
I-14	0	3	30	30	0.01
I-15	3	0	28	80	0.01
J-01	3	0	21	50	0.01
J-02	3	3	34	60	0.01
J-03	3	0	22	40	0.01
J-04	6	0	30	50	0.01
J-05	3	0	27	30	0.01
J-06	3	0	26	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 606

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	0	30	70	0.01
J-08	3	0	21	40	0.01
J-09	0	0	23	60	0.01
J-10	0	0	16	40	0.01
J-11	3	6	16	60	0.01
J-12	0	0	3	20	0.01
J-13	0	0	0	50	0.01
J-14	0	0	0	60	0.01
J-15	0	0	1	60	0.01
K-01	6	0	1	80	0.01
K-02	0	2	0	60	0.01
K-03	3	0	9	120	0.01
K-04	3	0	11	100	0.01
K-05	3	0	0	60	0.01
K-06	3	0	2	60	0.01
K-07	3	0	5	80	0.01
K-08	0	0	2	100	0.01
K-09	3	0	0	70	0.01
K-10	3	11	0	70	0.01
K-11	3	0	10	60	0.01
K-12	3	0	6	60	0.01
K-13	0	0	0	40	0.01
K-14	0	0	1	40	0.01
K-15	0	1	3	100	0.01
L-01	3	0	4	60	0.01
L-02	3	0	2	40	0.01
L-03	0	0	1	70	0.01
L-04	0	0	0	100	0.01
L-05	3	0	0	120	0.01
L-06	0	0	0	60	0.01
L-07	0	0	5	40	0.01
L-08	0	0	10	40	0.01
L-09	0	4	3	20	0.01
L-10	0	0	0	60	0.01
L-11	3	0	0	100	0.01
L-12	0	0	0	80	0.01
L-13	0	0	5	70	0.01
L-14	0	0	13	60	0.01
L-15	1	0	3	30	0.01
AF1	0	0	7	40	0.01
AF2	0	3	0	60	0.01
BF1	1	0	0	80	0.02
BF2	0	0	0	100	0.01
BF3	1	0	4	60	0.01
CF1	0	2	0	40	0.01
CF2	0	0	0	40	0.01
CF3	0	2	0	40	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 606

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	0	0	60	0.01
DF2	0	0	0	60	0.01
DF3	0	6	2	40	0.01
EF1	0	0	0	60	0.01
EF2	0	1	6	50	0.01
AR1	1	0	7	40	0.01
AR2	1	0	0	60	0.01
BR1	0	1	0	90	0.01
BR2	0	0	0	40	0.01
BR3	1	0	1	60	0.01
CR1	0	1	0	50	0.01
CR2	0	0	0	40	0.01
CR3	0	0	0	60	0.01
DR1	0	0	1	50	0.01
DR2	0	0	0	70	0.01
DR3	0	0	0	20	0.01
ER1	0	0	3	80	0.01
ER2	1	3	0	60	0.01
IV	0	0	0	30	0.01
OV	0	0	0	0	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 607

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	5	10	12	30	0.01
A-02	0	1	5	20	0.01
A-03	1	0	0	20	0.01
A-04	0	0	0	30	0.02
A-05	0	0	0	40	0.01
A-06	0	0	0	60	0.01
A-07	0	0	0	60	0.01
A-08	0	0	0	70	0.01
A-09	0	0	0	50	0.01
A-10	0	3	0	70	0.01
A-11	0	0	0	70	0.01
A-12	0	1	0	50	0.01
A-13	5	6	0	50	0.01
A-14	1	0	0	40	0.01
A-15	0	7	0	60	0.01
B-01	5	2	0	50	0.01
B-02	1	6	0	50	0.01
B-03	0	1	0	40	0.01
B-04	1	1	0	50	0.01
B-05	0	1	0	60	0.02
B-06	0	1	0	60	0.01
B-07	1	0	0	40	0.01
B-08	1	0	0	40	0.01
B-09	1	0	0	50	0.01
B-10	0	2	0	40	0.01
B-11	0	2	0	20	0.01
B-12	1	5	0	40	0.02
B-13	1	6	3	50	0.01
B-14	1	10	0	50	0.01
B-15	1	11	0	50	0.01
C-01	0	5	0	70	0.01
C-02	4	5	0	90	0.01
C-03	0	5	0	60	0.01
C-04	0	3	6	40	0.01
C-05	0	8	3	40	0.01
C-06	0	4	0	30	0.01
C-07	0	3	0	40	0.01
C-08	4	7	0	30	0.01
C-09	4	0	0	30	0.01
C-10	0	7	0	60	0.01
C-11	0	12	0	50	0.01
C-12	0	2	0	50	0.01
C-13	0	7	0	50	0.01
C-14	0	8	0	30	0.01
C-15	0	1	0	50	0.01
D-01	0	3	0	60	0.01
D-02	0	5	0	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 607

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	0	3	0	60	0.01
D-04	0	11	0	70	0.01
D-05	0	9	0	70	0.01
D-06	0	5	0	50	0.01
D-07	0	9	0	60	0.01
D-08	0	12	0	40	0.01
D-09	0	7	0	40	0.01
D-10	0	5	0	60	0.01
D-11	0	18	0	40	0.01
D-12	0	5	0	30	0.01
D-13	0	10	0	50	0.01
D-14	0	10	0	50	0.01
D-15	0	5	0	50	0.01
E-01	4	3	0	40	0.01
E-02	4	0	0	40	0.01
E-03	0	1	0	70	0.01
E-04	0	7	0	50	0.01
E-05	0	2	0	80	0.01
E-06	0	5	0	70	0.01
E-07	0	2	2	50	0.01
E-08	0	0	0	30	0.01
E-09	4	3	2	20	0.01
E-10	0	7	0	20	0.01
E-11	4	1	0	70	0.01
E-12	7	3	0	50	0.01
E-13	0	1	0	60	0.01
E-14	4	4	0	60	0.01
E-15	0	2	1	50	0.01
F-01	4	0	7	70	0.01
F-02	0	4	21	60	0.01
F-03	0	3	9	50	0.01
F-04	0	9	7	80	0.01
F-05	0	5	7	50	0.01
F-06	0	2	11	70	0.01
F-07	0	7	6	40	0.01
F-08	0	2	0	40	0.01
F-09	0	1	0	30	0.01
F-10	0	2	2	50	0.01
F-11	0	4	11	40	0.02
F-12	0	4	3	40	0.01
F-13	0	4	6	50	0.01
F-14	0	4	4	30	0.02
F-15	0	2	14	40	0.01
G-01	0	4	10	60	0.01
G-02	0	3	16	50	0.01
G-03	0	5	0	60	0.01
G-04	0	8	0	60	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 607

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	1	1	50	0.01
G-06	0	1	0	70	0.01
G-07	0	5	1	40	0.01
G-08	0	4	0	60	0.01
G-09	0	5	0	60	0.02
G-10	0	4	0	50	0.01
G-11	4	2	0	60	0.01
G-12	0	3	0	50	0.01
G-13	0	7	0	40	0.01
G-14	0	7	1	50	0.01
G-15	0	2	0	70	0.01
H-01	0	0	0	40	0.01
H-02	0	1	0	70	0.01
H-03	0	8	0	60	0.01
H-04	0	4	0	40	0.01
H-05	0	7	0	50	0.01
H-06	0	3	0	50	0.02
H-07	0	4	0	50	0.01
H-08	0	5	0	60	0.01
H-09	0	2	6	60	0.00
H-10	0	2	0	80	0.02
H-11	0	1	0	40	0.01
H-12	4	2	0	40	0.02
H-13	0	2	0	70	0.01
H-14	0	2	2	40	0.01
H-15	0	4	2	40	0.01
I-01	0	1	5	60	0.01
I-02	0	2	0	70	0.01
I-03	0	3	5	60	0.01
I-04	0	0	0	50	0.01
I-05	0	4	0	60	0.01
I-06	7	0	0	50	0.01
I-07	0	7	0	110	0.01
I-08	0	3	0	40	0.01
I-09	0	4	3	50	0.02
I-10	0	9	0	60	0.01
I-11	0	2	0	80	0.01
I-12	0	0	0	80	0.01
I-13	0	8	0	120	0.01
I-14	4	7	0	70	0.01
I-15	0	4	2	50	0.02
J-01	0	4	0	50	0.01
J-02	0	3	0	40	0.01
J-03	0	4	0	40	0.01
J-04	0	3	0	50	0.01
J-05	0	5	0	40	0.01
J-06	0	0	0	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 607

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	4	0	0	50	0.01
J-08	0	10	0	50	0.02
J-09	0	14	4	40	0.01
J-10	0	9	0	40	0.01
J-11	4	5	0	60	0.01
J-12	0	11	1	50	0.01
J-13	0	12	0	50	0.01
J-14	4	9	0	60	0.01
J-15	0	4	0	90	0.01
K-01	0	0	0	50	0.01
K-02	0	5	17	40	0.01
K-03	0	0	1	50	0.01
K-04	0	10	0	40	0.01
K-05	0	2	0	70	0.01
K-06	0	5	3	40	0.01
K-07	0	0	3	50	0.01
K-08	0	4	1	70	0.01
K-09	0	5	2	30	0.01
K-10	0	3	10	40	0.01
K-11	0	10	10	50	0.01
K-12	0	4	8	40	0.01
K-13	4	1	3	30	0.01
K-14	0	2	3	30	0.01
K-15	0	7	7	50	0.01
L-01	0	0	0	70	0.01
L-02	11	1	0	70	0.01
L-03	0	0	0	70	0.01
L-04	0	2	3	60	0.01
L-05	4	1	0	50	0.01
L-06	0	1	9	60	0.01
L-07	0	5	13	70	0.01
L-08	0	1	3	60	0.01
L-09	0	0	4	50	0.01
L-10	11	0	1	60	0.01
L-11	0	0	0	50	0.01
L-12	0	0	2	30	0.01
L-13	0	0	12	50	0.01
L-14	0	0	0	80	0.01
L-15	0	6	5	50	0.01
AF1	0	7	0	50	0.01
AF2	4	8	0	70	0.01
BF1	4	10	0	100	0.01
BF2	0	2	0	80	0.01
BF3	7	5	0	50	0.01
CF1	0	2	0	30	0.01
CF2	4	0	0	80	0.01
CF3	0	5	0	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 607

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	0	0	30	0.01
DF2	0	5	0	50	0.01
DF3	4	2	0	90	0.01
EF1	4	2	0	50	0.01
EF2	7	10	0	20	0.01
AR1	7	7	0	70	0.01
AR2	0	7	0	80	0.01
BR1	0	2	0	50	0.01
BR2	0	7	0	60	0.01
BR3	0	9	0	70	0.01
CR1	0	2	0	70	0.01
CR2	0	8	0	70	0.01
CR3	11	5	0	80	0.01
DR1	0	0	0	30	0.01
DR2	4	1	0	70	0.01
DR3	4	5	0	30	0.01
ER1	0	0	0	40	0.01
ER2	4	10	0	30	0.01
IV	0	0	0	70	0.01
OV	0	0	0	0	0.01
	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 608

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	7	9	79	60	0.01
A-02	0	8	0	70	0.01
A-03	0	12	828	60	0.01
A-04	4	0	9	50	0.01
A-05	4	11	8	40	0.01
A-06	0	7	9	50	0.01
A-07	0	2	3	50	0.01
A-08	4	6	0	80	0.01
A-09	0	5	0	60	0.01
A-10	0	13	3	50	0.01
A-11	4	7	11	60	0.01
A-12	7	6	30	50	0.01
A-13	14	6	8	20	0.01
A-14	0	9	0	50	0.01
A-15	0	11	0	60	0.01
B-01	4	2	74	50	0.01
B-02	0	6	120	50	0.01
B-03	4	1	33	30	0.01
B-04	0	6	20	30	0.01
B-05	11	9	66	60	0.01
B-06	4	6	144	50	0.01
B-07	0	8	1	50	0.01
B-08	11	6	0	60	0.01
B-09	0	7	485	40	0.01
B-10	0	13	0	20	0.01
B-11	0	11	48	20	0.01
B-12	0	2	3	30	0.02
B-13	0	7	2	30	0.01
B-14	0	21	1	30	0.01
B-15	0	3	4	50	0.01
C-01	0	3	25	90	0.01
C-02	4	6	6	50	0.01
C-03	0	7	16	30	0.01
C-04	0	2	9	40	0.01
C-05	4	8	0	50	0.01
C-06	0	0	13	60	0.01
C-07	4	7	1	70	0.01
C-08	4	0	13	30	0.01
C-09	4	11	13	80	0.01
C-10	0	1	15	90	0.01
C-11	0	10	7	90	0.01
C-12	4	2	0	60	0.01
C-13	0	9	2	50	0.01
C-14	4	6	0	40	0.01
C-15	4	8	7	30	0.01
D-01	0	6	11	50	0.01
D-02	4	14	7	50	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 608

SAMPLE #	ALPHA	BETA	TRITIUM	LUIDLUM	LUIDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
D-03	4	5	3	50	0.01
D-04	0	7	9	40	0.01
D-05	0	9	5	70	0.01
D-06	4	3	0	30	0.01
D-07	7	12	4	60	0.01
D-08	0	8	5	70	0.01
D-09	7	19	2	80	0.01
D-10	4	13	1	70	0.01
D-11	0	11	1	60	0.01
D-12	4	11	1	30	0.01
D-13	7	13	12	50	0.01
D-14	0	5	0	60	0.01
D-15	0	8	4	40	0.01
E-01	4	10	6	20	0.01
E-02	0	3	3	50	0.01
E-03	7	12	21	60	0.01
E-04	4	6	1	50	0.01
E-05	7	6	12	40	0.01
E-06	7	2	0	70	0.01
E-07	4	8	0	30	0.01
E-08	0	7	0	50	0.01
E-09	4	5	0	50	0.01
E-10	0	8	0	70	0.01
E-11	0	7	0	90	0.01
E-12	0	8	2	60	0.01
E-13	4	7	0	70	0.01
E-14	4	7	0	70	0.01
E-15	0	8	0	30	0.01
F-01	4	1	6	50	0.01
F-02	7	0	6	70	0.01
F-03	0	1	6	70	0.01
F-04	7	1	5	60	0.01
F-05	4	3	17	50	0.01
F-06	4	1	7	30	0.01
F-07	11	3	1	100	0.01
F-08	11	2	6	50	0.01
F-09	0	2	3	40	0.01
F-10	0	3	1	50	0.01
F-11	4	9	5	50	0.01
F-12	0	2	0	60	0.01
F-13	0	0	10	60	0.01
F-14	0	2	0	70	0.01
F-15	0	6	6	100	0.01
G-01	7	5	1	50	0.01
G-02	0	9	11	50	0.01
G-03	0	3	3	60	0.01
G-04	0	8	9	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 608

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	5	9	60	0.01
G-06	0	7	5	50	0.01
G-07	4	0	3	30	0.01
G-08	7	1	0	30	0.01
G-09	0	5	0	40	0.01
G-10	4	7	1	60	0.01
G-11	4	2	0	40	0.01
G-12	0	2	0	70	0.01
G-13	0	5	0	60	0.01
G-14	0	1	2	50	0.01
G-15	0	8	11	30	0.01
H-01	0	0	5	50	0.01
H-02	0	3	14	70	0.01
H-03	0	3	17	40	0.01
H-04	0	2	8	40	0.01
H-05	0	0	11	60	0.01
H-06	4	10	0	50	0.01
H-07	0	2	6	50	0.01
H-08	4	1	13	50	0.01
H-09	7	7	7	50	0.01
H-10	0	1	10	40	0.01
H-11	4	5	7	60	0.01
H-12	4	0	3	40	0.01
H-13	0	7	6	40	0.01
H-14	4	0	3	70	0.01
H-15	4	3	14	50	0.01
I-01	7	5	5	40	0.01
I-02	0	7	13	30	0.01
I-03	4	11	12	80	0.01
I-04	7	2	83	30	0.01
I-05	0	8	0	10	0.01
I-06	0	3	3	50	0.01
I-07	4	1	7	60	0.01
I-08	0	0	5	80	0.01
I-09	0	2	14	40	0.01
I-10	0	1	7	40	0.01
I-11	7	7	3	50	0.01
I-12	4	6	5	50	0.01
I-13	0	5	5	40	0.01
I-14	0	7	0	40	0.01
I-15	4	1	5	40	0.01
J-01	4	5	0	60	0.02
J-02	7	7	7	70	0.01
J-03	4	5	0	60	0.01
J-04	0	7	2	50	0.01
J-05	0	5	4	60	0.02
J-06	4	6	6	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 608

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	5	0	60	0.02
J-08	0	6	2	50	0.01
J-09	0	6	1	70	0.01
J-10	0	6	3	30	0.01
J-11	4	8	10	60	0.01
J-12	4	2	1	70	0.01
J-13	0	8	1	40	0.01
J-14	0	2	3	50	0.01
J-15	4	10	10	40	0.01
K-01	0	5	0	40	0.01
K-02	0	1	5	60	0.01
K-03	0	6	4	70	0.01
K-04	0	2	2	70	0.01
K-05	0	1	6	20	0.01
K-06	0	0	0	50	0.01
K-07	4	9	0	20	0.01
K-08	0	8	4	80	0.01
K-09	0	3	10	70	0.01
K-10	0	2	0	80	0.01
K-11	0	7	0	70	0.01
K-12	0	0	3	30	0.01
K-13	0	1	20	50	0.01
K-14	0	1	5	50	0.01
K-15	0	6	0	40	0.01
L-01	0	3	3	40	0.01
L-02	0	5	13	60	0.01
L-03	4	8	0	40	0.01
L-04	0	0	18	70	0.01
L-05	0	5	0	30	0.01
L-06	0	5	12	70	0.01
L-07	0	5	8	30	0.01
L-08	4	8	4	60	0.01
L-09	4	5	7	70	0.01
L-10	0	7	0	50	0.01
L-11	0	7	0	50	0.01
L-12	4	1	0	40	0.01
L-13	7	3	5	40	0.01
L-14	0	6	3	30	0.01
L-15	4	5	8	40	0.01
AF1	0	3	6	20	0.01
AF2	0	1	1	20	0.02
BF1	11	1	5	40	0.01
BF2	0	5	0	30	0.01
BF3	0	2	0	50	0.01
CF1	0	7	2	60	0.01
CF2	0	3	16	80	0.01
CF3	0	3	0	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 608

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	4	4	40	0.01
DF2	0	0	6	30	0.01
DF3	0	9	6	30	0.01
EF1	0	0	16	30	0.01
EF2	0	3	0	40	0.01
AR1	0	2	0	50	0.01
AR2	0	1	9	60	0.01
BR1	0	0	6	70	0.01
BR2	0	8	5	70	0.01
BR3	0	3	0	50	0.01
CR1	7	2	13	60	0.01
CR2	0	4	14	30	0.01
CR3	0	0	0	70	0.01
DR1	0	0	1	40	0.01
DR2	0	0	0	60	0.01
DR3	0	4	0	40	0.01
ER1	0	0	5	40	0.01
ER2	0	0	0	50	0.01
IV	0	0	4	70	0.01
OV	0	0	0	0	0.01
	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 609

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
A-01	0	4	17	20	0.01
A-02	0	0	6	60	0.01
A-03	0	0	2	40	0.01
A-04	4	0	21	60	0.01
A-05	0	0	18	60	0.01
A-06	0	4	10	60	0.01
A-07	0	4	20	60	0.01
A-08	0	0	0	60	0.01
A-09	0	0	11	80	0.01
A-10	0	0	7	80	0.01
A-11	0	5	0	40	0.01
A-12	0	4	20	30	0.01
A-13	0	2	4	40	0.01
A-14	8	4	0	20	0.01
A-15	0	0	14	30	0.01
B-01	0	0	24	70	0.01
B-02	0	3	6	50	0.01
B-03	0	0	18	30	0.01
B-04	0	1	1	70	0.01
B-05	0	2	3	30	0.01
B-06	0	4	0	40	0.01
B-07	0	4	4	60	0.01
B-08	0	2	7	30	0.01
B-09	0	4	1	30	0.01
B-10	4	3	15	60	0.02
B-11	0	1	4	50	0.01
B-12	0	0	13	60	0.01
B-13	0	0	3	20	0.01
B-14	0	4	12	40	0.01
B-15	0	1	0	30	0.01
C-01	0	4	7	30	0.01
C-02	0	4	8	20	0.01
C-03	0	0	0	60	0.01
C-04	0	0	4	50	0.01
C-05	0	0	0	60	0.01
C-06	0	8	6	50	0.01
C-07	0	0	0	40	0.01
C-08	0	1	0	30	0.01
C-09	4	3	10	30	0.01
C-10	0	0	1	20	0.01
C-11	0	0	9	10	0.01
C-12	0	4	4	60	0.01
C-13	8	1	1	60	0.01
C-14	0	0	0	50	0.01
C-15	4	0	0	30	0.01
D-01	0	0	0	40	0.01
D-02	0	0	0	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 609

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
D-03	4	3	0	20	0.01
D-04	0	2	0	30	0.01
D-05	0	6	0	40	0.01
D-06	0	2	0	60	0.01
D-07	4	3	0	30	0.01
D-08	0	7	1	20	0.01
D-09	0	5	0	70	0.01
D-10	0	0	1	40	0.01
D-11	0	1	8	40	0.01
D-12	0	5	0	50	0.01
D-13	0	0	2	60	0.01
D-14	0	4	0	80	0.01
D-15	0	7	0	30	0.01
E-01	4	5	0	50	0.01
E-02	0	9	0	30	0.01
E-03	0	0	0	40	0.01
E-04	4	1	0	60	0.01
E-05	0	5	0	30	0.01
E-06	0	4	0	40	0.01
E-07	0	1	0	40	0.01
E-08	0	9	1	20	0.01
E-09	0	4	0	50	0.01
E-10	4	8	2	30	0.01
E-11	0	5	0	20	0.01
E-12	0	0	0	10	0.01
E-13	0	0	0	30	0.01
E-14	0	0	5	40	0.01
E-15	0	4	0	30	0.01
F-01	4	0	14	50	0.01
F-02	0	0	34	60	0.01
F-03	0	1	18	50	0.01
F-04	0	0	17	50	0.01
F-05	0	4	22	10	0.01
F-06	0	1	37	40	0.01
F-07	0	0	28	50	0.01
F-08	0	1	4	30	0.01
F-09	0	7	11	30	0.01
F-10	0	1	25	40	0.01
F-11	0	0	14	50	0.01
F-12	0	2	16	40	0.01
F-13	0	4	10	30	0.01
F-14	0	0	20	20	0.01
F-15	0	0	22	30	0.01
G-01	0	0	10	50	0.01
G-02	0	3	21	40	0.01
G-03	0	0	7	60	0.01
G-04	0	1	16	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 609

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	3	16	20	0.01
G-06	0	2	25	30	0.01
G-07	0	1	12	50	0.01
G-08	0	1	17	40	0.01
G-09	0	0	29	50	0.01
G-10	0	0	17	60	0.01
G-11	0	0	37	40	0.01
G-12	0	4	19	50	0.01
G-13	0	10	15	50	0.01
G-14	0	2	15	40	0.01
G-15	4	0	23	50	0.01
H-01	0	2	16	70	0.01
H-02	0	0	14	40	0.01
H-03	4	1	7	50	0.01
H-04	0	0	17	60	0.01
H-05	0	0	8	30	0.01
H-06	0	1	18	20	0.01
H-07	0	1	3	40	0.01
H-08	4	6	16	50	0.01
H-09	0	0	17	60	0.01
H-10	0	1	14	30	0.01
H-11	0	3	16	30	0.01
H-12	0	5	8	50	0.01
H-13	0	0	17	40	0.01
H-14	0	3	16	50	0.01
H-15	0	9	3	70	0.01
I-01	0	0	21	50	0.01
I-02	0	0	20	20	0.01
I-03	0	1	18	50	0.01
I-04	0	6	9	60	0.01
I-05	0	2	20	70	0.01
I-06	0	0	16	40	0.01
I-07	0	0	4	10	0.01
I-08	0	4	11	20	0.01
I-09	0	1	10	20	0.01
I-10	0	7	13	50	0.01
I-11	0	0	8	80	0.01
I-12	0	3	15	40	0.01
I-13	0	1	16	70	0.01
I-14	0	2	17	60	0.01
I-15	4	4	16	50	0.01
J-01	0	0	14	50	0.01
J-02	0	2	17	30	0.01
J-03	0	1	21	50	0.01
J-04	0	0	8	30	0.01
J-05	0	0	20	40	0.01
J-06	4	2	16	100	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 609

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDLUM MODEL 3 ALPHA IN DPM	LUDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	0	15	40	0.01
J-08	0	0	11	30	0.01
J-09	0	0	15	40	0.01
J-10	0	0	21	40	0.01
J-11	0	0	8	50	0.01
J-12	0	0	7	10	0.01
J-13	0	0	9	10	0.01
J-14	0	0	14	10	0.01
J-15	0	5	19	50	0.01
K-01	0	3	14	20	0.01
K-02	0	7	9	30	0.01
K-03	0	8	17	50	0.01
K-04	4	2	12	40	0.01
K-05	0	0	20	50	0.01
K-06	0	1	11	40	0.01
K-07	0	3	5	60	0.01
K-08	0	3	10	70	0.01
K-09	0	1	16	60	0.01
K-10	0	0	7	60	0.01
K-11	4	9	19	60	0.01
K-12	0	0	16	80	0.01
K-13	0	6	22	40	0.01
K-14	0	9	24	60	0.01
K-15	0	2	25	30	0.01
L-01	0	0	0	40	0.01
L-02	0	6	0	50	0.01
L-03	0	0	1	50	0.01
L-04	0	2	0	60	0.01
L-05	0	0	14	80	0.01
L-06	0	3	10	80	0.01
L-07	0	3	27	30	0.01
L-08	4	6	18	30	0.01
L-09	0	8	16	60	0.01
L-10	0	5	8	40	0.01
L-11	0	4	17	30	0.01
L-12	4	1	19	40	0.01
L-13	0	0	22	80	0.01
L-14	4	1	16	50	0.01
L-15	0	0	0	30	0.01
AF1	0	5	19	50	0.01
AF2	0	7	32	80	0.01
BF1	0	0	13	30	0.01
BF2	0	2	18	70	0.01
BF3	0	4	8	50	0.01
CF1	0	0	32	50	0.01
CF2	0	0	18	40	0.01
CF3	0	0	8	70	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 609

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
DF1	0	2	9	50	0.01
DF2	0	0	23	40	0.01
DF3	4	0	10	50	0.01
EF1	0	2	9	70	0.01
EF2	0	0	18	60	0.01
AR1	0	7	12	10	0.01
AR2	0	0	14	30	0.01
BR1	0	7	24	80	0.01
BR2	0	6	15	70	0.01
BR3	0	0	26	10	0.01
CR1	0	2	26	30	0.01
CR2	0	0	10	40	0.01
CR3	4	0	0	70	0.01
DR1	0	0	9	70	0.01
DR2	0	3	8	70	0.01
DR3	0	4	9	50	0.01
ER1	0	4	29	40	0.01
ER2	0	0	25	90	0.01
IV	0	0	6	40	0.01
OV	0	0	0	0	0.01
	0	0	0	0	0.00

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 610

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
A-01	4	4	14	40	0.01
A-02	0	7	22	30	0.01
A-03	0	0	18	30	0.01
A-04	0	2	27	20	0.01
A-05	0	1	12	10	0.01
A-06	0	0	0	20	0.01
A-07	0	0	6	30	0.01
A-08	0	4	19	40	0.01
A-09	0	12	5	30	0.01
A-10	0	2	2	40	0.01
A-11	0	1	2	40	0.01
A-12	0	2	2	50	0.01
A-13	0	5	5	30	0.01
A-14	0	1	5	50	0.01
A-15	0	2	16	50	0.01
B-01	0	2	0	50	0.01
B-02	0	0	6	50	0.01
B-03	0	0	6	70	0.01
B-04	0	2	6	60	0.01
B-05	0	7	0	40	0.01
B-06	0	7	12	20	0.01
B-07	0	0	6	20	0.01
B-08	0	1	0	30	0.01
B-09	0	0	10	50	0.01
B-10	0	0	11	40	0.01
B-11	0	0	0	20	0.01
B-12	0	0	6	20	0.01
B-13	0	2	6	30	0.01
B-14	0	1	3	20	0.01
B-15	0	0	14	50	0.01
C-01	0	7	0	20	0.01
C-02	0	0	5	30	0.01
C-03	0	5	0	40	0.01
C-04	0	2	0	30	0.01
C-05	0	7	0	60	0.01
C-06	0	0	6	40	0.01
C-07	2	8	11	60	0.01
C-08	0	8	0	50	0.01
C-09	5	2	0	50	0.01
C-10	0	1	0	50	0.01
C-11	2	1	0	50	0.01
C-12	0	0	0	30	0.01
C-13	5	1	0	30	0.01
C-14	0	3	0	30	0.01
C-15	0	5	0	40	0.01
D-01	0	2	0	20	0.01
D-02	0	5	0	20	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 610

SAMPLE #	ALPHA	BETA	TRITIUM	LUDLUM	LUDLUM MODEL 3
	2404 IN DPM	2404 IN DPM	IN DPM	MODEL 3 ALPHA IN DPM	BETA/GAMMA IN MR/HR
D-03	0	2	0	30	0.01
D-04	0	0	0	50	0.01
D-05	0	0	7	30	0.01
D-06	0	4	0	30	0.01
D-07	0	0	0	20	0.01
D-08	0	0	0	40	0.01
D-09	0	2	0	50	0.01
D-10	0	0	0	40	0.01
D-11	0	0	0	60	0.01
D-12	0	0	0	40	0.01
D-13	0	5	6	30	0.01
D-14	0	2	0	10	0.01
D-15	0	0	0	30	0.01
E-01	2	1	10	40	0.01
E-02	5	1	0	40	0.01
E-03	5	10	5	50	0.01
E-04	0	2	0	30	0.01
E-05	0	0	0	30	0.01
E-06	0	0	0	30	0.01
E-07	0	4	0	30	0.01
E-08	0	0	0	20	0.01
E-09	0	0	0	30	0.01
E-10	0	0	0	30	0.01
E-11	0	8	0	20	0.01
E-12	0	0	0	30	0.01
E-13	0	3	12	40	0.01
E-14	0	0	0	60	0.01
E-15	0	0	2	40	0.01
F-01	0	1	3	40	0.01
F-02	0	3	0	50	0.01
F-03	0	0	11	40	0.02
F-04	2	0	0	50	0.01
F-05	0	0	0	50	0.01
F-06	0	2	3	40	0.01
F-07	0	0	4	40	0.01
F-08	0	0	0	50	0.01
F-09	0	0	0	50	0.01
F-10	2	0	3	20	0.01
F-11	0	3	2	40	0.01
F-12	5	0	0	40	0.01
F-13	0	1	0	30	0.01
F-14	0	0	0	30	0.01
F-15	2	0	0	50	0.01
G-01	0	0	0	30	0.01
G-02	0	3	5	50	0.01
G-03	0	0	0	30	0.01
G-04	0	2	5	40	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 610

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
G-05	0	0	0	60	0.01
G-06	0	2	4	40	0.01
G-07	0	0	0	40	0.01
G-08	0	0	0	50	0.01
G-09	5	0	0	30	0.01
G-10	0	0	0	20	0.01
G-11	0	0	0	30	0.01
G-12	0	0	0	10	0.01
G-13	0	0	0	40	0.01
G-14	0	0	0	10	0.01
G-15	0	1	0	50	0.01
H-01	0	3	7	30	0.01
H-02	0	2	1	30	0.01
H-03	0	0	0	30	0.01
H-04	0	0	0	40	0.01
H-05	0	0	1	30	0.01
H-06	0	0	8	70	0.01
H-07	0	0	5	50	0.01
H-08	0	0	4	30	0.01
H-09	0	1	3	50	0.01
H-10	0	0	0	50	0.01
H-11	0	0	0	30	0.01
H-12	0	0	0	40	0.01
H-13	2	0	2	30	0.01
H-14	0	0	0	20	0.01
H-15	0	0	0	10	0.01
I-01	0	2	1	10	0.01
I-02	0	0	1	40	0.01
I-03	0	0	0	30	0.01
I-04	0	5	0	30	0.01
I-05	0	0	0	10	0.01
I-06	0	1	0	40	0.01
I-07	0	1	0	20	0.01
I-08	0	4	0	10	0.01
I-09	0	0	0	20	0.01
I-10	0	0	0	20	0.01
I-11	0	3	0	50	0.01
I-12	0	0	0	30	0.01
I-13	0	0	10	20	0.01
I-14	0	2	0	20	0.01
I-15	0	0	0	30	0.01
J-01	0	3	0	40	0.01
J-02	0	0	0	30	0.01
J-03	0	0	3	30	0.01
J-04	0	2	0	40	0.01
J-05	0	0	3	30	0.01
J-06	4	0	0	30	0.01

SENECA ARMY DEPOT
CLOSE-OUT INSPECTION
RESULTS FOR BLDG 610

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUDDLUM MODEL 3 ALPHA IN DPM	LUDDLUM MODEL 3 BETA/GAMMA IN MR/HR
J-07	0	0	0	20	0.01
J-08	0	0	6	30	0.01
J-09	0	0	15	20	0.01
J-10	0	0	4	50	0.01
J-11	0	1	0	30	0.01
J-12	0	0	0	30	0.01
J-13	0	2	0	20	0.01
J-14	0	0	7	30	0.01
J-15	0	7	0	30	0.01
K-01	0	0	0	40	0.01
K-02	0	0	0	30	0.01
K-03	2	4	6	30	0.01
K-04	0	5	6	40	0.01
K-05	0	5	7	30	0.01
K-06	0	0	0	40	0.01
K-07	0	7	0	60	0.01
K-08	0	3	0	30	0.01
K-09	0	4	8	30	0.01
K-10	0	0	0	40	0.01
K-11	0	3	1	60	0.01
K-12	0	0	11	50	0.01
K-13	0	0	0	40	0.01
K-14	0	0	7	20	0.01
K-15	0	0	0	30	0.01
L-01	0	1	0	50	0.01
L-02	0	0	0	70	0.01
L-03	0	0	0	40	0.01
L-04	0	2	4	20	0.01
L-05	0	0	0	30	0.01
L-06	0	3	8	30	0.01
L-07	0	0	6	20	0.01
L-08	0	2	3	20	0.01
L-09	0	0	0	50	0.01
L-10	0	9	0	30	0.01
L-11	0	0	5	20	0.01
L-12	0	1	0	30	0.01
L-13	0	2	9	30	0.01
L-14	0	0	0	30	0.01
L-15	0	7	0	40	0.01
AF1	2	0	0	20	0.01
AF2	0	2	0	30	0.01
BF1	2	0	0	30	0.01
BF2	0	2	0	30	0.01
BF3	0	0	1	30	0.01
CF1	0	0	0	30	0.01
CF2	0	0	0	30	0.01
CF3	0	0	0	50	0.01

SENECA ARMY DEPOT
 CLOSE-OUT INSPECTION
 RESULTS FOR BLDG 610

SAMPLE #	ALPHA 2404 IN DPM	BETA 2404 IN DPM	TRITIUM IN DPM	LUIDLUM MODEL 3 ALPHA IN DPM	LUIDLUM MODEL 3 BETA/GAMMA IN MR/HR
DF1	0	4	0	20	0.01
DF2	0	0	0	10	0.01
DF3	0	2	0	70	0.01
EF1	0	0	0	10	0.01
EF2	0	0	0	50	0.01
AR1	0	1	4	50	0.01
AR2	0	0	1	40	0.01
BR1	2	2	0	20	0.01
BR2	0	0	3	20	0.01
BR3	0	1	13	40	0.01
CR1	0	1	0	20	0.01
CR2	0	0	2	30	0.01
CR3	0	4	0	20	0.01
DR1	0	0	1	50	0.01
DR2	0	2	0	60	0.01
DR3	0	0	0	40	0.01
ER1	0	0	0	60	0.01
ER2	0	0	0	50	0.01
IV	0	0	3	60	0.01
OV	0	0	0	0	0.01
	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0.00</u>