

00419



**GROUNDWATER MONITORING  
VALIDATED ANALYTICAL RESULTS FOR THE THIRD QUARTER 1996  
OB/OD GROUNDS, SENECA ARMY DEPOT**

**PREPARED FOR:**

U.S. Army Corps of Engineers  
Huntsville, Alabama

**PREPARED BY:**

Parsons Engineering Science, Inc.  
Boston, Massachusetts

November 1996

## TABLES

Table 1	Groundwater Elevation Data
Table 2	OB Grounds Indicator Analysis Results
Table 3	OD Grounds Indicator Analysis Results
Table 4	Validated TAL Metals Analytical Results
Table 5	Historical Summary of OB Grounds Indicator Parameters Data
Table 6	Historical Summary of OD Grounds Indicator Parameter Data
Table 7	Student's t-Test Statistical Analysis Results

TABLE 1

SENECA ARMY DEPOT ACTIVITY  
1995/1996 GROUNDWATER MONITORING PROGRAM  
GROUNDWATER ELEVATION DATA  
OB/OD GROUNDS

Monitoring Well	Elevation at Top of Riser (MSL)	Fourth Quarter: 1995		First Quarter: 1996		Second Quarter: 1996		Third Quarter: 1996				
		Date	Depth from Top of Riser (ft.)	Elevation of Water Level (ft.)	Date	Depth from Top of Riser (ft.)	Elevation of Water Level (ft.)	Date	Depth from Top of Riser (ft.)	Elevation of Water Level (ft.)		
Grounds												
	634.22			03/18/96	6.24	627.98	06/24/96	9.43	624.79	09/23/96	9.49	624.73
-1	NA			03/18/96	6.74	NA	06/24/96	8.87	NA	09/23/96	8.84	NA
-4	637.99			03/18/96	Frozen	Frozen	06/24/96	4.47	633.52	09/23/96	5.73	632.26
-5	630.31			03/18/96	Not Measured	Not Measured	06/24/96	5.37	624.94	09/23/96	6.15	624.16
-6	622.94			03/18/96	Not Measured	Not Measured	06/24/96	6.51	616.43	09/23/96	5.42	617.52
-7	638.78			03/18/96	2.76	636.02	06/24/96	5.02	633.76	09/23/96	4.85	633.93
-8	634.95			03/18/96	Frozen	Frozen	06/24/96	3.38	631.57	09/23/96	3.18	631.77
-9	638.62			03/18/96	Frozen	Frozen	06/24/96	4.38	634.24	09/23/96	3.96	634.66
-10	630.65			03/18/96	Frozen	Frozen	06/24/96	3.69	626.96	09/23/96	3.72	626.93
-11	624.50		NA	03/18/96	Frozen	Frozen	06/24/96	2.86	621.64	09/23/96	2.94	621.56
-12	627.09		624.71	03/18/96	2.26	624.83	06/24/96	2.83	624.26	09/23/96	2.88	624.21
-13	624.51		NA	03/18/96	Frozen	Frozen	06/24/96	4.24	620.27	09/23/96	4.14	620.37
-14	621.99			03/18/96	Frozen	Frozen	06/24/96	3.55	618.44	09/23/96	3.25	618.74
-15	622.60			03/18/96	Frozen	Frozen	06/24/96	4.69	617.91	09/23/96	3.56	619.04
-16	624.53			03/18/96	2.82	621.71	06/24/96	2.84	621.69	09/23/96	3.26	621.27
-17	623.95			03/18/96	Frozen	Frozen	06/24/96	3.22	620.73	09/23/96	3.17	620.76
-18	636.34			03/18/96	Frozen	Frozen	06/24/96	4.83	631.51	09/23/96	3.78	632.56
-19	637.88			03/18/96	2.90	634.98	06/24/96	4.26	633.62	09/23/96	4.70	633.18
-20	623.15			03/18/96	Frozen	Frozen	06/24/96	Lock Frozen	Lock Frozen	09/23/96	Lock Frozen	Lock Frozen
-21	622.87			03/18/96	3.56	619.31	06/24/96	4.84	618.03	09/23/96	4.57	618.3
-22	627.33			03/18/96	3.45	623.88	06/24/96	5.74	621.59	09/23/96	6.00	621.33
-23	623.80			03/18/96	4.84	619.16	06/24/96	8.46	615.34	09/23/96	9.32	614.46
-24	624.31			03/18/96	4.88	619.43	06/24/96	7.22	617.09	09/23/96	7.34	616.97
-25	625.94		622.26	03/18/96	2.93	623.01	06/24/96	4.20	621.74	09/23/96	4.36	621.58
-26	631.90			03/18/96	3.66	628.24	06/24/96	5.10	626.8	09/23/96	5.99	625.91
-27	632.07			03/18/96	3.86	628.21	06/24/96	5.31	626.76	09/23/96	6.19	625.88
-28	628.12			03/18/96	3.67	624.45	06/24/96	4.37	623.75	09/23/96	4.29	623.83
-29	634.57			03/18/96	Not Measured	Not Measured	06/24/96	4.44	630.13	09/23/96	3.28	631.29
-30	634.81			03/18/96	Frozen	Frozen	06/24/96	4.64	630.17	09/23/96	4.31	630.5
-31	640.55			03/18/96	5.67	634.88	06/24/96	7.23	633.32	09/23/96	7.81	632.74
-32	640.81			03/18/96	5.58	635.23	06/24/96	6.92	633.89	09/23/96	Not Measured	Not Measured
-33	620.67			03/18/96	2.54	618.03	06/24/96	5.36	615.31	09/23/96	5.20	615.47
-34	620.14			03/18/96	3.60	616.54	06/24/96	6.55	613.59	09/23/96	5.73	614.41
-35	620.46			03/18/96	3.50	616.96	06/24/96	6.88	613.58	09/23/96	5.85	614.61
Grounds - SEAD-45 wells												
445-1	625.08	8.00	617.08	03/18/96	7.95	617.13	06/24/96	7.95	617.13	09/23/96	7.99	617.09
445-2	626.76	11.98	614.78	03/18/96	11.51	615.25	06/24/96	11.14	615.62	09/23/96	11.58	615.18
445-3	626.45	9.24	617.21	03/18/96	7.83	618.62	06/24/96	8.41	618.04	09/23/96	10.49	615.96
445-4	633.04	7.28	625.76	03/18/96	5.34	627.7	06/24/96	7.65	625.39	09/23/96	7.58	625.46

**TABLE 2**  
**SENECA ARMY DEPOT ACTIVITY**  
**OB GROUNDS THIRD QUARTER 1996 MONITORING PROGRAM**  
**INDICATOR ANALYSIS RESULTS**

PARAMETER	UNITS	WATER		WATER		WATER		WATER		WATER		WATER	
		OB	61529	OB	61529	OB	61529	OB	61529	OB	61529	OB	61529
DATE SAMPLED		09/25/96	09/25/96	09/25/96	09/25/96	09/25/96	09/25/96	06/25/96	09/25/96	09/25/96	09/25/96	09/25/96	09/25/96
MATRIX SITE		OB040a	OB040b	OB040c	OB040d	OB040c	OB040d	OB038a	OB038b	OB038b	OB038b	OB038c	OB038b
ES ID		MW12A	MW12B	MW12C	MW12D	MW12C	MW12D	MW13A	MW13B	MW13B	MW13B	MW13C	MW13B
WELL ID		61529	61529	61529	61529	61529	61529	61529	61529	61529	61529	61529	61529
LAB ID													
Conductivity	standard units	7.37	7.37	7.36	7.35	7.36	7.35	7.03	7.02	7.02	7.02	7	7.01
Total Organic Carbon	umhos/cm	868	890	878	880	878	880	860	879	879	879	841	888
Total Organic Halides	mg/L	1.6	1.6	1.6	1.5	1.6	1.5	1.9	2	2	2	1.8	1.8
	mg/L	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02

TABLE 2  
 SENECA ARMY DEPOT ACTIVITY  
 OB GROUNDS THIRD QUARTER 1996 MONITORING PROGRAM  
 INDICATOR ANALYSIS RESULTS

MATRIX SITE DATE SAMPLED	WATER OB	WATER OB	WATER OB	WATER OB	WATER OB	WATER OB	WATER OB	WATER OB	WATER OB
ES ID	09/24/96 OB036a	09/24/96 OB036b	09/24/96 OB036c	09/24/96 OB036d	09/24/96 OB035	09/25/96 OB039a	09/25/96 OB039b	09/25/96 OB039c	09/25/96 OB039c
WELL ID	MW14A	MW14B	MW14C	MW14D	MW14R	MW27A	MW27B	MW27C	MW27C
LAB ID	61529	61529	61529	61529	61529	61529	61529	61529	61529
UNITS	Field Blank								
standard units	7.21	7.2	7.16	7.17	6.54	7.02	7.23	7.23	7.23
umhos/cm	969	976	972	958	3.5	890	858	879	879
mg/L	2	2.1	2.2	2	<0.5	1.1	1.1	1.1	1.1
mg/L	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02

**TABLE 3**  
**SENECA ARMY DEPOT ACTIVITY**  
**OD GROUNDS THIRD QUARTER 1996 MONITORING PROGRAM**  
**INDICATOR ANALYSIS RESULTS**

MATRIX SITE	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER
DATE SAMPLED	OD	OD	OD	OD	OD	OD	OD	OD	OD	OD
ES ID	OB042A	OB042B	OB042C	OB042D	OB041A	OB041B	OB041C	OB041A	OB041B	OB041C
WELL ID	MW45-3A	MW45-3B	MW45-3C	MW45-3D	MW45-4A	MW45-4B	MW45-4C	MW45-4A	MW45-4B	MW45-4C
LAB ID	314322	314299	314298	314297	314293	314294	314295	314293	314294	314295
CONCENTRATION	UNITS	UNITS	UNITS	UNITS	UNITS	UNITS	UNITS	UNITS	UNITS	UNITS
Acidity	7.36	7.28	7.3	7.18	7.13	7.16	7.14	7.13	7.16	7.14
Specific Conductivity	1160	1230	1340	1370	905	884	986	905	884	986
Total Organic Carbon	1.2	1.2	1.6	1.1	1.4	1.4	1.3	1.4	1.4	1.3
Total Inorganic Halides	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02

Table 4

**OB/OD 1996 Third Quarter Groundwater Monitoring  
Validated TAL Metals Analytical Results**

WELL ID ES ID SITE	MW12 OB040 OB	MW13 OB038 OB	MW14 OB036 OB	MW27 OB039 OB	MW14(DU) OB037 OB	MW14(R) OB035 OB	MW45-3 OB042 OB	MW45-4 OB041 OB
MATRIX	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER
DATE SAMPLED	09/24/96	09/24/96	09/24/96	09/25/96	09/24/96	09/24/96	09/30/96	06/25/96
SDG No.	314287	314323	314086	314328	314091	314805	314891	314292
GROUND	UNITS	UNITS	UNITS	UNITS	UNITS	UNITS	UNITS	UNITS
Minimum	131	36.1	443 J	36.1 U	342	36.1 U	392 J	36.1
Antimony	3.6 U	3.6 U	3.6 U	3.6 U	3.6 U	3.6 U	3.6 U	3.6
As	4.4 U	4.4 U	4.4 U	4.4 U	4.4 U	4.4 U	4.4 U	4.4
Barium	102	85.3	82	83	89.8	7.7 U	19.8	76
Beryllium	0.3 U	0.3 U	0.3 U	0.3 U	0.3 U	0.3 U	.3 U	0.3
Bismuth	0.6 U	0.6 U	0.6 U	0.6 U	0.6 U	0.6 U	0.6 U	0.6
Boron	85000	152000	151000	105000	163000	173 U	163000	149000
Bromine	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1
Cadmium	2.3 U	2.3 U	2.3 U	2.3 U	2.3 U	2.3 U	2.3 U	2.3
Calcium	1.8	1.8 U	2.3 U	1.8 U	2.8	5 U	1.8	2.3
Copper	117	59.6	192	22.3 U	173	22.3 U	565 J	40.1
Lead	2.3 U	2.3 U	2.3 U	2.3 U	2.3 U	2.3 U	2.3 U	2.3
Magnesium	62200	28800	29000	48200	31200	176 U	61800	279000
Manganese	0.9	6	3.1	84.3	3.2	0.7	50.6	1.2
Mercury	.1 U	.1 U	NR	.1 U	.1 U	.1 U	0.1 U	0.1
Nickel	2.6	2.6 U	2.6 U	3.4	3.1	3.4 U	4.1	3.9
Vanadium	11000 J	2180	2150	8150 J	2500	283 U	8290	110000
Zinc	4.7 U	4.7 U	4.7 U	4.7 U	4.7 U	4.7 U	4.7 U	4.7
Chloride	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5 U	1.5
Fluoride	18700	17800	36100	16600	39100	359 U	16500	147000
Lithium	4.1 U	4.1 U	4.1 U	4.1 U	4.1 U	4.1 U	4.1	4.1
Selenium	1.8 U	1.8 U	1.8 U	1.8 U	1.8 U	1.8 U	1.8 U	1.8
Sulfate	2.3	5.8	5.9	3.2	5.3	14.4	9.4	5.1
Ammonia	5 U	5	5 U	5 U	5 U	5 U	5 U	5

TABLE 5

SENECA ARMY DEPOT ACTIVITY  
 THIRD QUARTER 1996 GROUNDWATER MONITORING PROGRAM  
 HISTORICAL SUMMARY OF OB GROUNDWATER INDICATOR PARAMETER DATA

Monitoring Well	Dec 1994	June 1995	January 1996	March 1996	June 1996	September 1996
<b>Downgradient Well:</b> MW-13	7.04	7.14	7.13	7.1	6.95	7
<b>Downgradient Wells:</b> MW-12	7.37	7.4	7.18	7.39	7.33	7.4
MW-14	7.11	7.18	6.75	7.19	7.1	7.2
MW-27	7.34	7.4	7.26	7.32	7.28	7.2
<b>Conductivity</b>						
<b>Downgradient Well:</b> MW-13	886	838	894	920	943	867
<b>Downgradient Wells:</b> MW-12	911	892	869	844	854	879
MW-14	1082	1090	1025	1047	1070	1070
MW-27	953	912	944	889	877	877
<b>Total Organic Carbon</b>						
<b>Downgradient Well:</b> MW-13	1.2	1.2	1.2	1.1	1.7	1.9
<b>Downgradient Wells:</b> MW-12	1.2	1.3	1.1	1.1	1.3	1.6
MW-14	1	1.1	1.0	0.95	1.6	2.1
MW-27	1	1.1	0.8	0.95	1.3	1.1
<b>Total Organic Halides</b>						
<b>Downgradient Well:</b> MW-13	0.03	0.02U	0.02U	<0.02	<0.02	<0.02
<b>Downgradient Wells:</b> MW-12	0.04	0.02U	0.02U	<0.02	<0.02	<0.02
MW-14	0.02U	0.02U	0.02U	<0.02	<0.02	<0.02
MW-27	0.03	0.02U	0.02U	<0.02	<0.02	<0.02



TABLE 6

SENECA ARMY DEPOT ACTIVITY  
 THIRD QUARTER 1996 GROUNDWATER MONITORING PROGRAM  
 HISTORICAL SUMMARY OF OD GROUNDS INDICATOR PARAMETER DATA

Monitoring Well	Dec 1994	June 1995	January 1996	March 1996	June 1996	September 1996
gradient Well: MW45-4	7.1	7.24	7.16	7.18	7.2	7.2
ungradient Wells: MW45-1	-	-	-	-	-	-
MW45-2	-	-	-	-	-	-
MW45-3	7.19	7.38	7.18	7.28	7.13	7.3
<b>Inductivity</b>						
gradient Well: MW45-4	1030	829	891	836	793	892
ungradient Wells: MW45-1	-	-	-	-	-	-
MW45-2	-	-	-	-	-	-
MW45-3	1430	1335	1325	1213	1350	1275
<b>Total Organic Carbon</b>						
gradient Well: MW45-4	1	0.9	1.1	0.58	0.925	1.2
ungradient Wells: MW45-1	-	-	-	-	-	-
MW45-2	-	-	-	-	-	-
MW45-3	0.8	0.9	0.65	0.78	1.1	1.3
<b>Total Organic Halides</b>						
gradient Well: MW45-4	0.02U	0.02U	0.02U	<0.02	<0.02	<0.02
ungradient Wells: MW45-1	-	-	-	-	-	-
MW45-2	-	-	-	-	-	-
MW45-3	0.02U	0.02U	0.02U	<0.02	<0.02	<0.02

Table 7

OB Grounds Second Quarter 1996 Monitoring Program  
Students t-Test Statistical Analysis Results

Background Well MW-13	TOC	pH	Specific Cond.	TOX
Mean =	1.19	7.02	909.50	0.01
Variance =	0.14	0.00	704.53	0.00
Sample Size =	16.00	16.00	16.00	16.00

ORGANIC CARBON (TOC)  
Compliance Well MW -12

Background Well MW -13  
t\* = 6.60  
tc = 3.01  
Increase

Compliance Well MW -14  
t\* = 8.51  
tc = 3.01  
Increase

Compliance Well MW  
t\* =  
tc =  
No Ch

ORGANIC CARBON (TOC)  
Compliance Well MW -12

Background Well MW -13  
t\* = -0.25  
tc = 3.01  
No Change

Compliance Well MW -14  
t\* = 8.20  
tc = 3.95  
Increase

Compliance Well MW  
t\* =  
tc =  
No Ch

SPECIFIC CONDUCTANCE  
Compliance Well MW -12

Background Well MW -13  
t\* = -3.43  
tc = 3.98  
No Change

Compliance Well MW -14  
t\* = 7.48  
tc = 4.36  
Increase

Compliance Well MW  
t\* =  
tc =  
No Ch

ORGANIC HALIDES (TOX)  
Compliance Well MW -12

Background Well MW -13  
t\* = -1.00  
tc = 2.60  
No Change

Compliance Well MW -14  
t\* = -1.00  
tc = 2.60  
No Change

Compliance Well MW  
t\* =  
tc =  
No Ch

: Indicates a statistically significant increase in the indicator parameter  
Indicates no statistically significant change in the indicator parameter

Table 7

OD Grounds Second Quarter 1996 Monitoring Program  
Students t-Test Statistical Analysis Results


Ground Well MW	TOC		pH		Spec Cond.		TOX	
	Mean =	Variance =	Mean =	Standard Deviation =	Mean =	Standard Deviation =	Mean =	Standard Deviation =
Background Well MW 45-4	0.85	0.03	7.18	0.00	875.08	0.005		
	12.00	12.00	12.00	12.00	14375.90	0.000		
					12.00	12.00		
<b>ORGANIC CARBON (TOC)</b>								
Compliance Well MW 45-1	0.00	0.00	Compliance Well MW 45-2		Compliance Well MW 45-3		Background Well MW	
			t* =	0.00	t* =	3.49	t* =	
			tc =	0.00	tc =	No Change	tc =	No Change
			Dry					
Compliance Well MW 45-1	0.00	0.00	Compliance Well MW 45-2		Compliance Well MW 45-3		Background Well MW	
			t* =	0.00	t* =	2.47	t* =	
			tc =	0.00	tc =	No Change	tc =	No Change
			Dry					
<b>FIC CONDUCTANCE</b>								
Compliance Well MW 45-1	0.00	0.00	Compliance Well MW 45-2		Compliance Well MW 45-3		Background Well MW	
			t* =	0.00	t* =	6.69	t* =	
			tc =	0.00	tc =	Increase	tc =	No Change
			Dry					
Compliance Well MW 45-1	0.00	0.00	Compliance Well MW 45-2		Compliance Well MW 45-3		Background Well MW	
			t* =	0.00	t* =	3.32	t* =	
			tc =	0.00	tc =	Increase	tc =	Increase
			Dry					

Indicates a statistically significant increase in the indicator parameter  
Indicates no statistically significant change in the indicator parameter


## FIGURES

Figure 1 OB Grounds Groundwater Elevation Plans

Figure 2 OD Grounds Groundwater Elevation Plans



- LEGEND:**
- ⊙ BURNING PAD DESIGNATION
  - ⊙ PAD OR GRID BORING
  - GROUND CONTOUR AND ELEVATION
  - W-1 WETLAND & DESIGNATION
  - ⊙ UTILITY POLE
  - ⊙ TREE
  - BRUSH
  - ⊙ MW-14 620.27 MONITORING WELL & DESIGNATION AND MSL ELEVATION DATUM
  - 635 GROUNDWATER CONTOUR LINE (DASHED WHERE INFERRED) MSL DATUM
  - ↓ ARROW INDICATES PREDOMINANT GROUNDWATER FLOW DIRECTION



**P** PARSONS  
PARSONS ENGINEERING SCIENCE, INC.

CLIENT/PROJECT TITLE  
**SENECA ARMY DEPOT ACTIVITY  
OB GROUNDS  
GROUNDWATER MONITORING PROGRAM**


DEPT. ENVIRONMENTAL ENGINEERING Dwg. No. 725980-01010

**FIGURE 1  
GROUNDWATER ELEVATION PLAN  
SEPTEMBER 23, 1996**

SCALE 1" = 200' DATE NOVEMBER 1996 REV A

R:\SENECA\GRDWATER\DRIGVSP.DWG

ACAD\SENECA\GRDWATER\SD45GM\SP.DWG




**LEGEND**

- MINOR WATERWAY
- MAJOR WATERWAY
- FENCE
- UNPAVED ROAD
- BRUSH LINE
- LANDFILL EXTENTS
- RAILROAD
- GROUND SURFACE ELEVATION CONTOUR
- ROAD SIGN
- DECIDUOUS TREE
- GUIDE POST
- FIRE HYDRANT
- MANHOLE
- COORDINATE GRID (250' GRID)
- POLE
- UTILITY BOX
- MAILBOX/RR SIGNAL
- OVERHEAD UTILITY POLE
- SURVEY MONUMENT

MW45-1 MONITORING WELL & DESIGNATION AND MSL ELEVATION DATUM  
617.08

625 GROUNDWATER CONTOUR LINE (DASHED WHERE INFERRED)

ARROW INDICATES PREDOMINANT GROUNDWATER FLOW DIRECTION



**PARSONS**  
**PARSONS ENGINEERING SCIENCE, INC.**

CLIENT/PROJECT TITLE  
**SENECA ARMY DEPOT ACTIVITY  
OD GROUNDS  
GROUNDWATER MONITORING PROGRAM**

DEPT. ENVIRONMENTAL ENGINEERING      Dwg. No. 725980-01010

**FIGURE 2**  
**GROUNDWATER ELEVATION PLAN**  
**SEPTEMBER 23, 1996**

SCALE 1" = 200'      DATE NOVEMBER 1996      REV A

**APPENDIX A**

**FIELD DATA**

**OB/OD Third Quarter 1996 Groundwater  
Monitoring Program**

- 1. Groundwater Sampling Field Notes**
- 2. Chain-of-Custody Forms**

**1. Groundwater Sampling Field Data**



SAMPLE DESCRIPTION

General Data: OB/OD 3' Quarter Monitor w/s

- 1- The LOC ID must be entered as the location identification, and not with a sampling technique prefix.  
e.g.: A soil boring sample that is collected from a monitoring well installation is given the LOC ID of that well.
- 2- Each sample ID must be used only once.
- 3 - Maximum SAMP\_ID Characters: 5
- 4 - Available QC Codes: SA=Sample, DU=Duplicate, TB=Trip Blank, FB=Field Blank (rinse)
- 5- Available Matrix entries: SOIL, SURFACE SOIL, SEDIMENT, SURFACE WATER, WATER
- 6 - Maximum SAMPLE\_DESCRIPTION Characters: 50
- 7 - Maximum SAMPLE\_COMMENTS Characters: 50

Notes:

QTY ID	LOC ID (1)	SAMP ID (2,3)	OC CODES (4)	MATRIX (5)	SAMPLE DESCRIPTION (6)	SAMPLED BY	SAMP DATE	SHIP DATE	SAMPLE COMMENTS (7)	Samp Depth Top	Samp Depth Bottom
...	MW-12	OBQ40	SA	Water					Metals + CN only		
...	MW-12	OBQ40a	SA	"					TOX TOC S.C. + PH		
...	MW-12	OBQ40b	SA	"					rep 1		
...	MW-12	OBQ40c	SA	"					rep 2		
...	MW-12	OBQ40d	SA	"					rep 3		
...	MW-13	OBQ38	SA	"					Metals + CN only		
...	MW-13	OBQ38a	SA	"					TOX TOC S.C. + PH		
...	MW-13	OBQ38b	SA	"					rep 1		
...	MW-13	OBQ38c	SA	"					rep 2		
...	MW-13	OBQ38d	SA	"					rep 3		
...	MW-14	OBQ36	SA	"					Metals + CN only (MRD NS (MSD)		
...	MW-14	OBQ36a	SA	"					TOX TOC S.C. + PH		
...	MW-14	OBQ36b	SA	"					rep 1		
...	MW-14	OBQ36c	SA	"					rep 2		
...	MW-14	OBQ36d	SA	"					rep 3		
...	MW-27	OBQ29	SA	"					Metals + CN only		
...	MW-27	OBQ29a	SA	"					TOX TOC S.C. + PH		
...	MW-27	OBQ29b	SA	"					rep 1		
...	MW-27	OBQ29c	SA	"					rep 2		
...	MW-27	OBQ29d	SA	"					rep 3		



MONITORING WELL FIELD DATA SUMMARY

act:  
eral info:

ss: Use this form only for groundwater sampling events or groundwater elevation surveys.

Study ID	Location ID	Field Activity	Parameter Measured	Value	Units	Date	Comments
DD Q3 96	MW-12	Well Sampling	Temperature	15.7	C	9.25.96	
			Specific Conductivity	0.887	mS/cm		
			pH	6.97			
			Eh	174	mV		
			Dissolved Oxygen	2.3	mg/L		
			Turbidity	7.12	NTU		
DD Q3 96	MW-13	Well Sampling	Temperature	15.9	C	9.25.96	
			Specific Conductivity	0.814	mS/cm		
			pH	6.58			
			Eh	92	mV		
			Dissolved Oxygen	2.4	mg/L		
			Turbidity	0.96	NTU		
DD Q3 96	MW-14	Well Sampling	Temperature	15.5	C	9.24.96	
			Specific Conductivity	0.757	mS/cm		
			pH	6.77			
			Eh	249	mV		
			Dissolved Oxygen	1.90	mg/L		
			Turbidity	3.56	NTU		
DD Q3 96	MW-27	Well Sampling	Temperature	15.3	C	9.25.96	
			Specific Conductivity	0.387	mS/cm		
			pH	6.85			
			Eh	136	mV		
			Dissolved Oxygen	1.2	mg/L		
			Turbidity	0.29	NTU		
DD Q3 96	MW45-1	Well Sampling	Temperature		C		
			Specific Conductivity		mS/cm		
			pH				
			Eh		mV		
			Dissolved Oxygen		mg/L		
			Turbidity		NTU		

DCP Well - Sampled  
DCP Well

ORTANT: Each combination of Loc ID, Study ID, and Parameter can be entered only once.

- ES:
- 1- Currently available PARAMETERS: Depth to Groundwater, Dissolved Oxygen, Eh, pH, Specific Conductivity, Temperature, Turbidity. Add parameter names as needed.
  - 2- Currently available FIELD\_ACTIVITIES: Well Sampling, Water Level Measurements
  - 3- Verify that the listed parameter UNITS are correct.

ments:

MONITORING WELL FIELD DATA SUMMARY

Project: \_\_\_\_\_  
 General Info: \_\_\_\_\_

Notes: Use this form only for groundwater sampling events or groundwater elevation surveys.

Study ID	Location ID	Field Activity	Parameter Measured	Value	Units	Date	Comments
/OD Q3 96	MW45-2	Well Sampling <i>Well 1-4</i>	Temperature		C		
			Specific Conductivity	<del>16.3</del>	mS/cm		
			pH		mV		
			Eh		mg/L		
			Dissolved Oxygen		NTU		
/OD Q3 96	MW45-3	Well Sampling	Temperature	16.3	C	9/25/96	
			Specific Conductivity	1.756	mS/cm		
			pH	6.29	mV		
			Eh	101	mg/L		
			Dissolved Oxygen	1.9	NTU		
/OD Q3 96	MW45-4	Well Sampling	Temperature	1.41	C	9/25/96	
			Specific Conductivity	15.8	mS/cm		
			pH	6.29	mV		
			Eh	201	mg/L		
			Dissolved Oxygen	2.1	NTU		
			Turbidity	2.0			

IMPORTANT: Each combination of Loc ID, Study ID, and Parameter can be entered only once.

- NOTES:
- 1- Currently available PARAMETERS: Depth to Groundwater, Dissolved Oxygen, Eh, pH, Specific Conductivity, Temperature, Turbidity. Add parameter names as needed.
  - 2- Currently available FIELD\_ACTIVITIES: Well Sampling, Water Level Measurements
  - 3- Verify that the listed parameter UNITS are correct.

Comments: \_\_\_\_\_

9/23/96

Arrive: 6:00 AM

0600 - Paul fesh back - Merriay

- weather: dark, clear, JSOS  
looks like rel. clear day.  
straighten up + gather equip next  
for water benches @ Ash  
landfill.

0650 leave for Ash site

\* -> wait at Post 5 for security  
to open gate.!

meet Andy S + Scott S. at trailer.

(their doing geophysics at SEAD-12)

0730 Arrive @ Ash landfill site

lock key 2508

Well	DTW	Time	OUM
MW-2D	4.79'	0740	∅
MW-41D	7.82'	0750	∅
PT-10	6.62'	0800	∅
MW-59	2.69'	0817	∅
MW-60	2.46'	0821	∅
PT-11	6.15'	0810	(no lock) ∅
MW-34	4.99'	0835	∅
PT-15	8.04'	0842	∅
MW-33	7.40'	0849	∅
<del>PT-25</del> PT-25	6.16'	0853	∅

DFM

(29)

Well	DTW	TIME	OUM
MW-31	5.26'	0856	∅
MW-32	7.42'	0903	∅
MW-30	7.17'	0907	∅
PT-17	4.99'	0912	∅
MW-37	4.34'	0921	∅
PT-16	3.62'	0927	∅
MW-38D	4.26'	0931	∅
PT-23	5.11'	0936	∅
MW-27	5.54'	0940	∅
MW-28	5.35'	0944	∅
PT-24	4.80'	0950	∅
MW-29	6.34'	1000	∅
MW-55D	6.78'	1004	∅
MW-54D	6.92	1006	∅
MW-53	7.02'	1008	∅
MW-48	3.72'	1017	∅
MW-45	3.23'	1022	∅
PT-19	6.34'	1032	∅
<del>PT-20</del> PT-20	5.92'	1037	∅
MW-40	4.78'	1042	∅
MW-43	3.16'	1045	∅
MW-39	2.16'	1057	∅
MW-46	5.94'	1100	∅
MW-49D	5.90'	1102	∅

DFM

30

WELL TIME DWTW OUM

MW-50D 5.71 1104 ♀

~~MW-50D~~

PT-21 7.02 1110 ♀ (no lock)

PT-22 (later) Huge Hornet Nest!!

PT-12 7.31 1114 ♀ (no lock)

PT-18 7.44 1120 11PPM

MW-44 9.66 1117 ♀ (no lock)

1130 Finish under beehives

return to trailer & make

phone calls & get supplies.

1140 trailer call:

Jim Jones

Mr. Mrs. Slate

1155 leave for Orford Gravel

to do water levels

1200 let Jim Jones partner know

Orford that I will in the Alto Area

WELL TIME DWTW OUM

MW-39 5.73 1225 ♀

MW-40 5.85 1230 ♀

MW-38 5.20 1236 ♀

MW45-3 10.49 1246 ♀

MW45-2 11.58 1300 ♀

MW45-1 7.99 1255 ♀

PJm

30

WELL

MW-2

DWTW

7.17

TIME

1305

OUM

♀

well is pretty much destroyed  
leaving over 50' when I  
got to well - no surface  
completion - pretty much  
useless!

MW-3 8.91' ♀

MW-1 9.49' ♀

MW-4 8.84' ♀

MW45-4 7.58' ♀

MW45-19 3.78' ♀

MW-21 4.70' ♀

→ 4.64' (next well adjacent)

MW-8 4.85' ♀

MW-35 6.96' ♀

MW-36 7.81' ♀

MW-5 5.73' ♀

MW-10 3.96' ♀

MW-9 3.18' ♀

MW-31 3.28' ♀

MW-13 2.88' ♀

MW-30 4.29' ♀

MW-11 3.72' ♀

MW-28 5.99' ♀

PJm

(32)

WELL	DIW	TIME	DOM
MW-29	6.19	1431	φ
MW-6	6.15	1435	φ
MW-32	4.31	1525	φ
MW-17	3.26	1439	φ
MW-24	6.00	1443	φ
MW-12	2.94	1445	φ
MW-27	4.36	1448	φ
MW-18	3.17	1451	φ
MW-14	4.14	1456	φ
MW-15	3.25	1459	φ
MW-23	4.57	1500	φ
MW-16	3.56	1505	φ
MW-22	-	-	-
MW-7	5.42	1510	φ
MW-25	9.32	1514	φ
MW-26	7.34	1512	φ
1515	return to trailer	to make	
ASH	phone calls		
MW-35	3.08	1617	φ
MW-36	3.30	1615	φ
MW-56	3.20	1626	φ
MW-57D	2.29	1625	φ
MW-58D	2.06	1622	φ
MW-47	4.34	1642	φ
MW-51D	4.42	1641	φ
MW-52D	4.03	1640	φ

Don

Bees!

lock totally rusted!

Get:

Drill, Teflon TAPE, bits, high pressure hose connectors, duct tape, Strapping tape, nylon rope, bubble wrap.

OB	MW-41	7.52'	1535
	MW-34	4.58'	1542
	MW-35	5.01'	1544

meet Andy S. + Scott S. we all drove to Syracuse, I pick up compressor @ Taylor Road 16889 End of Day Arhanga Lake at Site

DRIVE TO SYRACUSE!

100

Don

34

Arrive 0730  
 - weather partly cloudy, 50s  
 - A.S. + PM.  
 - Alottery sampling equipment  
 prep for calibration  
 Tally of ft of water in each well:

OB/OD Grounds  
 MW-12 9.11' - 2.94' = 6.17'  
 MW-13 10.14' - 2.88' = 7.26'  
 MW-14 10.58' - 4.14' = 6.44'  
 MW-27 15.46' - 4.36' = 11.10'  
 MW-45-1 8.49' - 7.99' = 0.5' \*  
 MW45-2 12.46' - 11.58' = 0.88' \*  
 MW45-3 14.09' - 10.49' = 3.60'  
 MW45-4 9.57' - 7.58' = 1.99'  
 \* not enough water for sample.  
FBH LANDFILL

PT-11 19.54' - 6.15' = 13.39'  
 PT-19 11.70' - 6.34' = 5.35'  
 PT-24 11.88' - 4.80' = 7.08'  
 MW-27 10.50' - 5.54' = 4.98'  
 MW-29 10.54' - 6.34' = 4.20'

RFM

JS. x 2443

35

MW-30 10.50' - 7.12' = 3.35'  
 MW-36 16.58' - 3.80' = 13.28'  
 MW-40 14.71' - 4.78' = 9.93'  
 MW-47 8.56' - 4.34' = 4.22'  
 MW-56 6.88' - 3.20' = 3.68'  
 MW-59 9.99' - 2.69' = 7.30'  
 MW-60 10.29' - 2.46' = 7.83'  
 FH-S  
 FH-D  
 BN-S

→ calibration & SI 3560  $\frac{\mu\text{mhos}}{\text{cm}}$  prob.  $\frac{\mu\text{mhos}}{\text{cm}}$   
 cond.: .866  $\frac{\mu\text{mhos}}{\text{cm}}$  for 1000  $\frac{\mu\text{mhos}}{\text{cm}}$  STD.

Corr. Sample Val =  $\frac{\text{Cal. value}}{\text{Display Val.}} \times \text{Sample Val.}$   
 @ 2 Display Value = 0.867  $\frac{\mu\text{mhos}}{\text{cm}}$   
 @ 2 ATC Display Value = 1.027  $\frac{\mu\text{mhos}}{\text{cm}}$

PH

Display Valve = 7.00  
 w/ Temp of 18.4 in 7.00  
 PH Buffer Solution  
 Display Val. = 4.00 w/ slope Adj  
 Adjustment 3.92 w/ no slope

RFM



36

Again, Buffer ? solution  
reads 6.99 on the meter  
OK!

ORP (mV)  
Display Valve in Zobell  
Solution: 240 mV 239 mV  
Temp Display: 19.0 °C

DO Meter calibration  
CAL.

Sodium Sulfate value on  
the meter = 0.06 ppm  
mg/L

CAL. to 17°C  
CAL. complete

Calc valve for Zobell solution  
(cont.)

$$\begin{aligned} &= 239 \text{ mV} + [19.0^\circ\text{C} - 25^\circ\text{C}] \times 1.3 \text{ mV} \\ &= 239 \text{ mV} + [-7.8 \text{ mV}] \\ &= 239 \text{ mV} - 7.8 \text{ mV} \\ &= 231.2 \text{ mV} \end{aligned}$$

CALC VALUE should be 231 mV  
CALCULATION shows first  
is calibrated!

John

37

1225 lunch  
1300 trailer -  
- decou pumps - + get  
sample sets organized  
(bottles) take rinsate; pick  
CAL to go to OB Grounds

Rinsate: OB 35

Loc-ID: MW-14

NOTE: MRD Samp-ID: OB 35

Time: 1350

Study ID: OB100 Q3 96

QC code: FB

Sample ID: OB 36

Loc-ID: MW-14

NOTE: MRD Samp-ID: OB 36

Duplicate Samp-ID: OB 37

Loc ID: MW-14

1500 leave for OB Grounds to  
sample

\* dial: 41448 Security for calls  
to get into out of ~~OB~~ Area

John

(38)

1600 set up on MW-14

set pump @ 8.5' intake

10.58 - 4.14 0.44' water

= 1.01 gal = 1 well volume

3 sec enhanced Fill 3 pump 6 sec total time

Temp (°C)	Cond (µmhos/cm)	pH	ORP (mv)	DO (ppm)	Total Time (min)	Turb (NTU)	Gate (mg/L)
1610 start pump							
1681	15.8	6.33	6.92	224	5.85	40	60
1625	14.8	6.38	6.89	235	5.20	25	60
1634	15.4	6.72	6.82	244	3.50	>50	200
1640	15.5	6.93	6.81	246	2.70	>50	200
1646	15.7	7.30	6.79	248	2.60	750	200
1650	15.6	7.45	6.78	248	2.00	>50	200
1655	15.6	7.59	6.78	249	1.90	30	200
1700	15.5	7.57	6.77	249	1.90	30	200

e → 2.76 gal tot. Begin sampling and going down

1700 → Begin sampling well MW-14  
It has been raining for about an hour and will continue likely

- Sample OBφ 36: TOX (Aquatec)

Spec Cond. + pH

Metals

CN

Breakdown as follows:

dfm

(39)

OBφ 36: Metals

CN

OBφ 36a TOX/TOC/ Spec Cond. + pH

OBφ 36b " " " "

OBφ 36c " " " "

OBφ 36d " " " "

dfm

- Sample OBφ 35: TOX
- TOC
- Spec Cond + pH
- Metals
- CN

dfm

- Sample OBφ 37: Metals
- CN

dfm

→ Turbidity of Metals sample collected:

Calibration:

STD 4.48 NTU → reading 4.45 NTU

STD 422 NTU → reading 426 NTU

Sample from MW-14: 3.56 NTU

1815 Done sampling and return to transfer.

dfm

(40)

1530 Uppack for the day and charge meters, get samples on ice, paper work.

Reminders:

- 1) sample labels a, b, c, d
- 2) pack & ship samples  
Agutec  
MED
- 3) decon. pump
- 4) Note setup on 13 @ 02 and then pack & ship coolers.

1720 finish for the day  
\* Also calibrate instruments!  
\* sample labels!  
\* Get GAS!

40 D

John

(41)

9.25.96

Arrive: 0635

weather: Partly cloudy, cool  
50's damp from rain prev. day.

Ful Feshbach-Merivay  
Eliza Schmitt

TO DO

- sample labels a, b, c, d
- pack & ship coolers
- decon. pump
- cal. instruments
- get GAS for compressor (tomorrow)
- labels for 3 wells to be sampled this AM.
- Bottle sets for the three wells
- LIMS # for 3rd QUARTER:

LIMS #  
0640 PACK CAR + GAS (got)  
0655 decon pump  
0710 CAL. instruments

PH STD PH 7 READING 7.00  
STD PH 4 READING 4.1 slope Adj. to 4.00

Spec Cond. Spec Cond.

STD 1000 READING 1040 mmols/cm  
RFM @ 2 ATE

08/92

Zobell Solution Reading: 252 mV  
 @ 13.2°C Temp  
 $= 252 \text{ mV} + [(13.2^\circ\text{C} - 25^\circ\text{C}) \times 1.3 \text{ mV}]$   
 $= 252 \text{ mV} + \{-11.8^\circ\text{C}\} \times 1.3 \text{ mV}$   
 $= 252 \text{ mV} - 15.34 \text{ mV}$   
 $= 236 \text{ mV}$

\* Acceptable 231  $\pm$  10 mV

OK

↑ Note: needs temp correction and this was done

DO CAT. to zero ppm with Sodium Sulfate

0245 SAT. w/ correction +

Pack coolers w/ samples

→ 3rd Quarter job # 725980 - 01011

→ Fed Ex # 0021-1475-5

0845 leave for 323 to ship coolers + get ice

0900 leave for 0360D side

0915 set up at MW-13

ppm

ppm

pH  $\pm$  .1 Cond 3% Eh 16 mV DO 1

MW-13

10.14 - 2.88 = 7.26 ' water (PT) (PTW)

7.26' x 0.163 = 1.29 gal

equals one well volume

well pt = 10.14

set screen @ 8.00'

start pumping 0945

Time rate - cond pH ORP DO  
 \* CAL. turb. → 4.48 / 4.413 48.8 / 49.8 OK!

Time	Rate	Temp	Cond	pH	ORP	DO
0955	200	14.9	901	6.54	141	4.8
1000	200	15.3	899	6.58	113	4.0

— water level stable @ 3.0

1005	200	15.6	894	6.58	99	3.3
------	-----	------	-----	------	----	-----

1011	325	15.7	896	6.57	99	3.0
------	-----	------	-----	------	----	-----

1018	325	15.8	896	6.58	94	2.6
------	-----	------	-----	------	----	-----

1020	325	15.9	894	6.58	92	2.4
------	-----	------	-----	------	----	-----

— Done w/ purge

we are at 1.3 gallons total

purged.

Sample ID: 0360D

sample time: 1025

ppm

44

OBØ38: Metals

Cyanide

Spec. Cond./pH } OBØ38  
TOX } OBØ38b  
TOC } OBØ38c  
OBØ38d

NTUs at Metals collection: 0.69

finished sampling 1045

Mass to MW-27

MW-27

15.46' - 4.36' = 11.10' water vol.

11.10' x .163 = 1.8

Well pt 15.46'

set pump screen = 9.5' TOC

Stand pumping @ 1115

PM

Time	RATE	TEMP	Cond	pH	ORP	DO	TURB
1125	250	15.6	.847	6.98	176	4.6	1.19
1133	350	15.6	.870	6.86	165	2.9	0.53
— water stable at 4.90'							
1140	350	15.5	.880	6.85	152	2.0	its low
1145	350	15.4	.882	6.85	152	1.5	"
1149	400	15.3	.887	6.85	142	1.3	0.40
1155	400	15.3	.887	6.85	136	1.2	0.29

PM

45

total gallons after purge

3.90 gallons water

— stop purge

Sample ID: OBØ39

Sample time: 1200

OBØ39: Metals

CN

Spec Cond./pH } OBØ39a

TOX } OBØ39b

TOC } OBØ39c

OBØ39d

NTUs at Metals Collection:

1215 Eliza goes to beach

2 pumps get tape

drop off samples of trailer

and pick up lunch

1220 set up on MW-12

MW-12

9.11' - 2.94' = 6.17'

6.17 x .163 = 1.0 gal well vol.

well pt = 9.11'

set pump screen = 7.0' TOC

Start pumping: 1250

PM

PM

46

Time	Rate	Temp	Cond	pH	ORP	DO	TURB
1300	300	15.2	.887	7.11	194	5.6	12.2
- water level stable @ 3.3' TOC -							
1305	300	15.5	.888	7.02	191	3.5	14.9
1310	300	15.7	.888	7.00	187	3.1	13.0
1315	300	15.8	.887	6.98	178	2.4	8.97
1320	300	15.7	.887	6.97	174	2.3	7.12

parameters look good  
its starting to RAIN!

1330: total volume 2.9 gallons purged

Sample # D OBφ40

Sample time 1335

Sample OBφ40: METALS

CN  
Spec Cond/pH } OBφ40a  
TOX } OBφ40b  
TOC } OBφ40c  
OBφ40d

NTU (wt. metals) = 4.82

1410 leave MW-12

MW 45-4

1420 set of an well  
9.57 - 7.58 = 1.99'  
1.99 x .163 = 0.32 gallons  
well PT = 9.57

pump screen @ 8.5' TOC

John

47

→ Pump on at 1435

Note: Pump sticks above the water table so we can't get water levels during purge.

John

Time	Rate	Temp	Cond	pH	ORP	DO	Turb
1450	150	15.9	.865	6.98	204	5.8	3.72
1455	150	16.0	.883	6.80	199	4.8	-(low)
1500	150	16.1	.845	6.78	196	4.1	-(low)
1505	150	15.9	.838	6.78	203	2.9	-
1510	150	15.8	.868	6.79	209	2.9	2.0

- stop purge -

Begin sampling 1520

Sample ID OBφ41

OBφ41 MET

CN

Spec Cond/pH } OBφ41a  
TOX } OBφ41b

TOC } OBφ41c  
OBφ41d

NTUs @ Metals sample: 2.0

1545 done sampling + mob to

MW 45-3

John

John

(48)

1550 set up at MW 45-3

MW 45-3

weather update: clearing!

14.07' - 10.49' = 3.60' water

3.60 x .163 = gallons

well pt 14.09'

pump intake set at 13.2

→ bot pump 13.2'

Begin pumping @ 1610

Time	Rate	Temp	Cond	pH	ORP	DO	TURB
1625	150	16.1	1.427	6.96	144	4.4	1.25
1630	130	15.9	1.429	6.87	123	3.7	(low)
1635	120	15.8	1.436	6.86	123	3.4	(low) 0.86
1640	120	15.8	1.443	6.84	115	3.0	(low)
1645	120	16.2	1.458	6.83	107	2.5	1.31
1650	110	16.3	1.477	6.81	107	2.4	(low)
1655	110	16.2	1.458	6.80	106	2.0	(low)
1700	110	16.3	1.456	6.79	101	1.9	1.41

total volume 11.1 gallons removed

Begin sampling 1700

sample OBP 42

sample time 1700

1710 well went dry!

Rain

(49)

1715 resume sampling

1720 well went dry stop

Eliza back to trailer to pick

sample & decan pumps

1725 resume sampling

1730 well went dry I will

return to trailer to help

Eliza return on our way

and we will sample as

much as possible.

OBP 42: METALS

CN

Spec Cond/pH

TDX

TOC

OBP 42a

OBP 42b

OBP 42c

OBP 42d

→ weather by 1730 mostly sunny!

+ eacm, 60.5

1745 resume sampling but no water to be had!

1810 leave site for trailer

Demo Gate key 2508

they did not leave lock so shut

it could be linked!!

WJF

## **2. Chain-of-Custody Forms**



# CHAIN-OF-CUSTODY RECORD

**INS**  
**SCIENCE, INC.**  
 Phone: 617-859-2000  
 Fax: 617-859-2043

JOB NO. 725950-01011  
 PROJECT Quarterly  
 CONTACT M. Dickerson

LABORATORY Aspirin  
 ADDRESS Cohasset VT  
 CONTACT Polly Mulk

LABORATORY SAMPLE NO.	SAMPLING		SAMPLE DEPTH	SAMPLE MATRIX	ANALYSES										NO. OF CONTAINERS	COMMENTS (Special instructions, caution)	
	DATE	TIME			VOA	SVOC	METALS	PEST/PCB	CZ	HERB	TH	Sp Cond	pH				
—	9/27/96	1000	—	water	2											2	
—	9/27/96	1000	—	water	2											2	
—	9/27/96	1000	—	water	2											2	
—	9/27/96	1000	—	water	2											2	
—	9/25/96	1700	—	water												1	

Acquisition by  
Wick  
Schuck  
ES  
 Time 1400

Received by  
 Sign  
 Print  
 Firm  
 Date  
 Time

Received by  
 Sign  
 Print  
 Firm  
 Date  
 Time

Was tampered with?  
 in remarks.  
 No  Yes

VOA Vial **X**  
 Glass Bottle  
 Plastic Bottle  
 Preservative **AE**  
 Container Volume **40 ml**

PRESCRIPTION KEY: C - Acidified with HCl  
 D - Acidified with HNO<sub>3</sub>  
 E - Acidified with H<sub>2</sub>SO<sub>4</sub>  
 F - NaOH + Ascorbic  
 G - Other  
 A - Ice  
 B - Filtered

REMARKS: (Sample standard)  
 nonstandard sample bottle

Cooler #: **34-1**

# CHAIN-OF-CUSTODY RECORD

**IG-SCIENCE, INC.**  
 Phone: 617-859-2000  
 Fax: 617-859-2043

JOB NO. 725980 - OR11  
 PROJECT Quarterly Sampling  
 CONTACT M. D'Amico

LABORATORY Agriotec  
 ADDRESS Colchester, VT  
 CONTACT Polly Malik

LABORATORY SAMPLE NO.	SAMPLING		SAMPLE DEPTH	SAMPLE MATRIX	ANALYSES							COMMENTS <small>(Special instructions, caution)</small>	
	DATE	TIME			VOA TOC	SVOC	METALS	PCB/PAH	OC	HERB	PEB		NO. OF CONTAINERS
---	9/25/96	1025	---	water		1						2	
2	9/25/96	1025	---	water	2							4	
---	9/25/96	1025	---	water	2							4	
---	9/25/96	1025	---	water	2							4	
---	9/25/96	1200	---	water		1						2	
---	9/25/96	1200	---	water	2							4	
---	9/25/96	1200	---	water	2							4	
---	9/25/96	1200	---	water	2							4	
---	9/25/96	1200	---	water	2							4	
<del>---</del>													

Received by: ES Time 1000

Received by: \_\_\_\_\_ Time \_\_\_\_\_

Sign \_\_\_\_\_  
 Print \_\_\_\_\_  
 Firm \_\_\_\_\_  
 Date \_\_\_\_\_

Sign \_\_\_\_\_  
 Print \_\_\_\_\_  
 Firm \_\_\_\_\_  
 Date \_\_\_\_\_

Time tampered with?  No  Yes

in remarks.

REMARKS: (Sample nonstandard sample)

COOLER # 296

White - return with data      Yellow - lab copy      Pink - Sampler copy

Preservation Key: C - Acidified with HCl      D - Acidified with HNO<sub>3</sub>      E - Acidified with H<sub>2</sub>SO<sub>4</sub>  
 A - Ice      B - Filtered      F - NaOH + Ascorbic      G - Other

# CHAIN-OF-CUSTODY RECORD

**DNS**  
**IG-SCIENCE, INC.**  
 Phone: 617-859-2000  
 Fax: 617-859-2043

JOB NO. 725900 - 01011  
 PROJECT Quarterly Monitoring  
 CONTACT M. Durbornice

LABORATORY Amherst  
 ADDRESS Cohasset, MA  
 CONTACT Polly Matic

LABORATORY SAMPLE NO.	SAMPLING		SAMPLE DEPTH	SAMPLE MATRIX	ANALYSES							NO. OF CONTAINERS	COMMENTS (Special instructions, caution)	
	DATE	TIME			VOA/FA	SVOC	METALS	PEST/PCB	Zn	TEMP	PH			TOX
—	9/25/96	1335	—	water	1		1						2	
—	9/25/96	1335	—	water			2						4	
—	9/25/96	1335	—	water			2						4	
—	9/25/96	1335	—	water			2						4	
—	9/25/96	1335	—	water	1		2						4	
—	9/25/96	1500	—	water			2						2	
—	9/25/96	1500	—	water			2						4	
—	9/25/96	1500	—	water			2						4	
—	9/25/96	1500	—	water			2						4	
—	9/25/96	1500	—	water			2						4	
—	9/25/96	1500	—	water			2						4	
—	9/25/96	1500	—	water			2						4	
—	9/25/96	1500	—	water			2						4	

Received by Schmid  
 Sign ES  
 Print ES  
 Firm ES  
 Date 9/25/96 Time 1000

Received by \_\_\_\_\_  
 Sign \_\_\_\_\_  
 Print \_\_\_\_\_  
 Firm \_\_\_\_\_  
 Date \_\_\_\_\_ Time \_\_\_\_\_

Preservation Key: C - Acidified with HCl    F - NaOH + Ascorbic  
 A - Ice    D - Acidified with HNO<sub>3</sub>  
 B - Filtered    E - Acidified with H<sub>2</sub>SO<sub>4</sub>  
 G - Other

Containers tampered with?  No  Yes  
 in remarks.

VOA Vial	X														
Glass Bottle															
Plastic Bottle					X										
Preservative				A	F	L									
Container Volume				40	40										

REMARKS: (Sample ; nonstandard sample )

Cooler #: 91

# CHAIN-OF-CUSTODY RECORD

JOB NO. 725980-0101 LABORATORY Agua  
 PROJECT 3rd Dunk ADDRESS Colchester, Vt  
 CONTACT M. Decker CONTACT Polly Mott

LABORATORY  
**IG-SCIENCE, INC.**  
 Phone: 617-859-2000  
 Fax: 617-859-2043

LABORATORY SAMPLE NO.	SAMPLING		SAMPLE DEPTH	SAMPLE MATRIX	ANALYSES								NO. OF CONTAINERS	COMMENTS (Special instructions, caution)
	DATE	TIME			VOA	SVOC	METALS	PEST/PCB	CZ	HERB	TPH	with, etc		
1	9/25/96	1700	—	water	<del>VOA</del>	<del>SVOC</del>	<del>METALS</del>	<del>PEST/PCB</del>	<del>CZ</del>	<del>HERB</del>	<del>TPH</del>	<del>with, etc</del>	2	
b	9/25/96	1700	—	water	<del>VOA</del>	<del>SVOC</del>	<del>METALS</del>	<del>PEST/PCB</del>	<del>CZ</del>	<del>HERB</del>	<del>TPH</del>	<del>with, etc</del>	1	
a	9/25/96	1700	—	water	<del>VOA</del>	<del>SVOC</del>	<del>METALS</del>	<del>PEST/PCB</del>	<del>CZ</del>	<del>HERB</del>	<del>TPH</del>	<del>with, etc</del>	1	
<del>2/1</del>														
Received by <u>W. Mott</u> Time <u>1000</u>					Received by <u>W. Mott</u> Time <u>1000</u>									

Received by Sign \_\_\_\_\_ Print \_\_\_\_\_ Firm \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_  
 Received by Sign \_\_\_\_\_ Print \_\_\_\_\_ Firm \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

Preservation Key: C - Acidified with HCl    F - NaOH + Ascorbic  
 A - Ice    D - Acidified with HNO<sub>3</sub>    G - Other  
 B - Filtered    E - Acidified with H<sub>2</sub>SO<sub>4</sub>

Cooler #: M/6

White - return with data    Yellow - lab copy    Pink - Sampler copy

Uninquisished by \_\_\_\_\_ Time \_\_\_\_\_  
 Samples tampered with?  No  Yes  
 in remarks.

**ONS**

**IG-SCIENCE, INC.**

Phone: 617-859-2000

Fax: 617-859-2043

## CHAIN-OF-CUSTODY RECORD

PAGE 1 OF 1

JOB NO. 725980-01011  
 PROJECT 3rd Quanta Monitoring  
 CONTACT M. Duchesneau

LABORATORY Aquatic  
 ADDRESS Colchester, VT  
 CONTACT Polly Melik

LABORATORY SAMPLE NO.	SAMPLING		SAMPLE DEPTH	SAMPLE MATRIX	ANALYSES								NO. OF CONTAINERS	COMMENTS <small>(Special instructions, caution)</small>	
	DATE	TIME			VOA	SRP	METALS	TEF/TOB	Zn	Cd	Pb	pH.com			
—	9/24/96	1350	—	water	2	1	1	1	1	1	1	1	6	Rin sate	
—	9/24/96	1700	—	water	2	1	1	1	1	1	1	1	2		
—	9/24/96	1700	—	water	2								4		
—	9/24/96	1700	—	water	2								4		
—	9/24/96	1700	—	water	2								4		
—	9/24/96	1700	—	water	2								4		
—	9/24/96	1700	—	water	2								2		
<del>9/24/96 WF</del>															
Received by					VOA Vial										REMARKS: (Sample nonstandard sample)
Sign					Glass Bottle										
Print					Plastic Bottle										
Firm					Preservative										
Date					Container Volume										
Time 1000															

PRESERVATION KEY: C - Acidified with HCl    F - NaOH + Ascorbic  
 A - Ice    D - Acidified with HNO<sub>3</sub>    G - Other  
 B - Filtered    E - Acidified with H<sub>2</sub>SO<sub>4</sub>

Time    Time

No     Yes

Time    Time

Cooler #: 318

Lims # 9247

# CHAIN-OF-CUSTODY RECORD

PAGE 1 OF

LABORATORY MRD  
ADDRESS 420 South 18th Street Om  
CONTACT Laura Perciasepe

JOB NO. 725980-01011  
PROJECT 3rd Quarter Monitoring  
CONTACT Mr. Duchesneau

**IONS**  
**NG-SCIENCE, INC.**  
Phone: 617-859-2000  
Fax: 617-859-2043

LABORATORY SAMPLE NO.	SAMPLING		SAMPLE DEPTH	SAMPLE MATRIX	ANALYSES										NO. OF CONTAINERS	COMMENTS (Special instructions, cautions)
	DATE	TIME			VOA	SP	METALS	PEST/PCB	CN	HERB	PH	PH cond	Toxicity			
60	9/24/96	1700	—	water	2		1		1		1				6	
	9/24/96	1350	—	water	2		1		1		1				6	Rinsate
<del>(Entire section crossed out with a large X)</del>																
					2											

VOA	SP	METALS	PEST/PCB	CN	HERB	PH	PH cond	Toxicity
X		X		X			X	
A		A		A			A	
E		D		F			E	
10		L		L			L	
ml								

RECEIVED BY  
*[Signature]*  
SIGNATURE  
PRINT NAME  
FIRM  
DATE

RECEIVED BY  
 No  Yes

Time 1000

REMARKS: (Sample nonstandard sample)

Cooler #: 600

Preservation Key: C - Acidified with HCl  
A - Ice  
B - Filtered  
D - Acidified with HNO<sub>3</sub>  
E - Acidified with H<sub>2</sub>SO<sub>4</sub>  
F - NaOH + Ascorbic  
G - Other

1 White - return with data Yellow - lab copy Pink - Sampler copy

**DNS**  
**SCIENCE, INC.**  
 Phone: 617-859-2000  
 Fax: 617-859-2043

JOB NO. 125980-01011  
 PROJECT Overbury Monitoring  
 CONTACT A. Duchonau

LABORATORY Aguatec  
 ADDRESS Cokwate, W.  
 CONTACT Polly Mark

# CHAIN-OF-CUSTODY RECORD

LABORATORY SAMPLE NO.	SAMPLING		SAMPLE DEPTH	SAMPLE MATRIX	ANALYSES										NO. OF CONTAINERS	COMMENTS (Special instructions, caution)	
	DATE	TIME			VOA	SVOC	METALS	PCB	CN	HRRB	TFH	SPH	PH				
<del>1</del>	<del>9/30/96</del>	<del>0825</del>	<del>-</del>	<del>water</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>
<del>2</del>	<del>9/30/96</del>	<del>0825</del>	<del>-</del>	<del>water</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>2</del>	<del>1</del>
<del>SD</del>																	
<del>3</del>	<del>9/30/96</del>	<del>1000</del>	<del>-</del>	<del>VOA Vial</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>
<del>4</del>	<del>9/30/96</del>	<del>1000</del>	<del>-</del>	<del>Glass Bottle</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>
<del>5</del>	<del>9/30/96</del>	<del>1000</del>	<del>-</del>	<del>Plastic Bottle</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>
<del>6</del>	<del>9/30/96</del>	<del>1000</del>	<del>-</del>	<del>Preservative</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>
<del>7</del>	<del>9/30/96</del>	<del>1000</del>	<del>-</del>	<del>Container Volume</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>	<del>1</del>

RECEIVED BY: W. Mark  
 SIGNATURE: [Signature]  
 DATE: 9/30/96 TIME: 1000

RECEIVED BY: [Signature]  
 SIGNATURE: [Signature]  
 DATE: 9/30/96 TIME: 1000

PRESERVATION KEY: C - Acidified with HCl  
 A - Ice D - Acidified with HNO<sub>3</sub>  
 B - Filtered E - Acidified with H<sub>2</sub>SO<sub>4</sub>  
 F - NaOH + Ascorbic  
 G - Other

Cooler #: 497

## **APPENDIX B**

### **Laboratory Analytical Packages with QA/QC Data**

- 1. Sample Delivery Group No. 61529**
  - A. Indicator Analysis Results**
  - B. TAL Metals Analysis**



1. **Sample Delivery Group No. 61529**



**Analytical Report**

Parsons Engineering Science  
Prudential Center  
Boston, MA 02199

Date : 10/18/96  
ETR Number : 61529  
Project No.: 93206  
No. Samples: 7  
Arrived : 09/26/96  
P.O. Number: \*

Attention :- Mike Duchesneau

Page 1

Case:OBASH SDG:61529

Standard analyses were performed in accordance with Methods for Analysis of Water and Wastes, EPA-600/4/79-020, Test Methods for Evaluating Solid Waste, SW-846, or Standard Methods for the Examination of Water and Wastewater. All results are in mg/l unless otherwise noted.

Lab No./ Method No.	Sample Description/ Parameter	Result
314085	OB035:09/24/96 (Water)	
9050	Conductivity (umhos/cm)	3.4
9020	Total Organic Halides	<0.02
9040	pH (std. units)	6.55
9060	Total Organic Carbon	0.6
314087	OB036a:09/24/96 (Water)	
9050	Conductivity (umhos/cm)	969
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.21
9060	Total Organic Carbon	2.0
314088	OB036b:09/24/96 (Water)	
9050	Conductivity (umhos/cm)	976
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.18
9060	Total Organic Carbon	2.1
314089	OB036c:09/24/96 (Water)	
9050	Conductivity (umhos/cm)	972
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.16
9060	Total Organic Carbon	2.2
314090	OB036d:09/24/96 (Water)	
9050	Conductivity (umhos/cm)	958
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.17
9060	Total Organic Carbon	2.0

< Last Page >

Submitted By :

Aquatec Inc.





**Analytical Report**

Parsons Engineering Science  
Prudential Center  
Boston, MA 02199

Date : 10/18/96  
ETR Number : 61561  
Project No.: 93206  
No. Samples: 13  
Arrived : 09/27/96  
P.O. Number: \*

Attention : Mike Duchesneau

Page 1

Case:OBASH SDG:61529

Standard analyses were performed in accordance with Methods for Analysis of Water and Wastes, EPA-600/4/79-020, Test Methods for Evaluating Solid Waste, SW-846, or Standard Methods for the Examination of Water and Wastewater. All results are in mg/l unless otherwise noted.

Lab No./ Method No.	Sample Description/ Parameter	Result
314288	OB040a:09/25/96 (Water)	
9050	Conductivity (umhos/cm)	868
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.37
9060	Total Organic Carbon	1.6
314289	OB040b:09/25/96 (Water)	
9050	Conductivity (umhos/cm)	890
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.37
9060	Total Organic Carbon	1.6
314290	OB040c:09/25/96 (Water)	
9050	Conductivity (umhos/cm)	878
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.36
9060	Total Organic Carbon	1.6
314291	OB040d:09/25/96 (Water)	
9050	Conductivity (umhos/cm)	880
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.35
9060	Total Organic Carbon	1.5
314293	OB041a:09/25/96 (Water)	
9050	Conductivity (umhos/cm)	905
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.13
9060	Total Organic Carbon	1.4

< Cont. Next Page >





**Analytical Report**

Parsons Engineering Science  
Prudential Center  
Boston, MA 02199

Date : 10/18/96  
ETR Number : 61561  
Project No.: 93206  
No. Samples: 13  
Arrived : 09/27/96  
P.O. Number: \*

Attention: Mike Duchesneau

Page 2

Case:OBASH SDG:61529

Standard analyses were performed in accordance with Methods for Analysis of Water and Wastes, EPA-600/4/79-020, Test Methods for Evaluating Solid Waste, SW-846, or Standard Methods for the Examination of Water and Wastewater. All results are in mg/l unless otherwise noted.

Lab No./ Method No.	Sample Description/ Parameter	Result
314294	OB041b:09/25/96 (Water)	
9050	Conductivity (umhos/cm)	884
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.16
9060	Total Organic Carbon	1.4
314295	OB041c:09/25/96 (Water)	
9050	Conductivity (umhos/cm)	986
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.14
9060	Total Organic Carbon	1.3
314296	OB041d:09/25/96 (Water)	
9050	Conductivity (umhos/cm)	1000
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.14
9060	Total Organic Carbon	1.3
314297	OB042d:09/25/96 (Water)	
9050	Conductivity (umhos/cm)	1370
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.18
314298	OB042c:09/25/96 (Water)	
9050	Conductivity (umhos/cm)	1340
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.30

< Cont. Next Page >





**Analytical Report**

Parsons Engineering Science  
Prudential Center  
Boston, MA 02199

Date : 10/18/96  
ETR Number : 61561  
Project No.: 93206  
No. Samples: 13  
Arrived : 09/27/96  
P.O. Number: \*

Attention : Mike Duchesneau

Page 3

Case:OBASH SDG:61529

Standard analyses were performed in accordance with Methods for Analysis of Water and Wastes, EPA-600/4/79-020, Test Methods for Evaluating Solid Waste, SW-846, or Standard Methods for the Examination of Water and Wastewater. All results are in mg/l unless otherwise noted.

Lab No./ Method No.	Sample Description/ Parameter	Result
314299 9020	OB042b:09/25/96 (Water) Total Organic Halides	<0.02

< Last Page >

Submitted By :

Aquatec Inc.





**Analytical Report**

Parsons Engineering Science  
Prudential Center  
Boston, MA 02199

Date : 10/18/96  
ETR Number : 61563  
Project No.: 93206  
No. Samples: 11  
Arrived : 09/27/96  
P.O. Number: \*

Attention : Mike Duchesneau

Page 2

Case:OBASH SDG:61529

Standard analyses were performed in accordance with Methods for Analysis of Water and Wastes, EPA-600/4/79-020, Test Methods for Evaluating Solid Waste, SW-846, or Standard Methods for the Examination of Water and Wastewater. All results are in mg/l unless otherwise noted.

Lab No./ Method No.	Sample Description/ Parameter	Result
314329	OB039a:09/25/96 (Water)	
9040	pH (std. units)	7.02
9060	Total Organic Carbon	1.1
314330	OB039b:09/25/96 (Water)	
9050	Conductivity (umhos/cm)	858
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.23
9060	Total Organic Carbon	1.1
314331	OB039c:09/25/96 (Water)	
9050	Conductivity (umhos/cm)	879
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.23
9060	Total Organic Carbon	1.1
314332	OB039d:09/25/96 (Water)	
9050	Conductivity (umhos/cm)	883
9020	Total Organic Halides	<0.02
9040	pH (std. units)	7.24
9060	Total Organic Carbon	1.2

< Last Page >

Submitted By :

Aquatec Inc.





**Analytical Report**

Parsons Engineering Science  
Prudential Center  
Boston, MA 02199

Date : 10/18/96  
ETR Number : 61590  
Project No.: 93206  
No. Samples: 5  
Arrived : 09/28/96  
P.O. Number: \*

Attention : Mike Duchesneau

Page 1

Case:OBASH SDG:61529

Standard analyses were performed in accordance with Methods for Analysis of Water and Wastes, EPA-600/4/79-020, Test Methods for Evaluating Solid Waste, SW-846, or Standard Methods for the Examination of Water and Wastewater. All results are in mg/l unless otherwise noted.

Lab No./ Method No.	Sample Description/ Parameter	Result
314469 OB042c:09/27/96 (Water) 9060	Total Organic Carbon	1.6
314470 OB042b:09/27/96 (Water) 9060	Total Organic Carbon	1.2
314471 OB042a:09/27/96 (Water) 9060	Total Organic Carbon	1.2
314472 OB042d:09/27/96 (Water) 9060	Total Organic Carbon	1.1
314473 OB042b:09/25/96 (Water) 9050 9040	Conductivity (umhos/cm) pH (std. units)	1230 7.28

< Last Page >

Submitted By :

Aquatec Inc.



**Analytical Report**

Parsons Engineering Science  
Prudential Center  
Boston, MA 02199

Date : 10/18/96  
ETR Number : 61679  
Project No.: 93206  
No. Samples: 14  
Arrived : 10/02/96  
P.O. Number: \*

Attention : Mike Duchesneau

Page 1

Case:OBASH SDG:61529

Standard analyses were performed in accordance with Methods for Analysis of Water and Wastes, EPA-600/4/79-020, Test Methods for Evaluating Solid Waste, SW-846, or Standard Methods for the Examination of Water and Wastewater. All results are in mg/l unless otherwise noted.

Lab No./ Method No.	Sample Description/ Parameter	Result
314890	OB042a:09/30/96 (Water)	
9050	Conductivity (umhos/cm)	1160
9040	pH (std. units)	7.36

< Last Page >

Submitted By :

Aquatec Inc.







## Quality Control Summary

Project No: 93206  
SDG No: 61529  
Units: mg/L

Parameter	Date Analyzed	Method Preparation Blank	Laboratory Control Sample		
			Reported Value	True Value	Percent Recovery
Conductivity (umhos/cm)	10/14/96	NA	1418	1413	100.4
Conductivity (umhos/cm)	10/14/96	NA	1407	1413	99.6
Conductivity (umhos/cm)	10/14/96	NA	1410	1413	99.8
pH (Std Units)	09/26/96	NA	6.00	6.00	100.0
pH (Std Units)	09/27/96	NA	5.99	6.00	99.8
pH (Std Units)	09/27/96	NA	6.00	6.00	100.0
pH (Std Units)	09/30/96	NA	6.00	6.00	100.0
pH (Std Units)	10/02/96	NA	5.99	6.00	99.8
Total Organic Carbon	10/11/96	< 0.5	57.5	58.4	98.5
Total Organic Carbon	10/11/96	< 0.5	59.2	58.4	101.4
Total Organic Carbon	10/15/96	< 0.5	62.9	58.4	107.7
Total Organic Carbon	10/16/96	< 0.5	60.4	58.4	103.4
Total Organic Halides	10/09/96	< 0.02	0.096	0.100	96.0
Total Organic Halides	10/10/96	< 0.02	0.096	0.100	96.0
Total Organic Halides	10/10/96	< 0.02	0.099	0.100	99.0

Reviewed By: K. Chigri  
Date: 10/23/96

U.S. EPA - CLP

COVER PAGE - INORGANIC ANALYSES DATA PACKAGE

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_
Lab Code: INCHVT Case No.: OBASH SAS No.: \_\_\_\_\_ SDG No.:61529\_
SOW No.: ILM02.1

Table with 2 columns: EPA Sample No. and Lab Sample ID. Rows include OB035-OB042 and corresponding IDs like 314085, 314086, etc.

Were ICP interelement corrections applied ? Yes/No YES
Were ICP background corrections applied ? Yes/No YES
If yes - were raw data generated before application of background corrections ? Yes/No NO\_

Comments:

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: \_\_\_\_\_ Name: \_\_\_\_\_
Date: \_\_\_\_\_ Title: \_\_\_\_\_

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

OB035

Lab Name: INCHCAPE\_ENVIRONMENTAL Contract: 93206

Lab Code: INCHVT Case No.: OBASH SAS No.: SDG No.: 61529

Matrix (soil/water): WATER Lab Sample ID: 314085

Level (low/med): LOW Date Received: 09/26/96

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	36.1	U		P
7440-36-0	Antimony	3.6	U		P
7440-38-2	Arsenic	4.4	U		P
7440-39-3	Barium	7.7	U		P
7440-41-7	Beryllium	0.30	U		P
7440-43-9	Cadmium	0.60	U		P
7440-70-2	Calcium	173	U		P
7440-47-3	Chromium	1.0	U		P
7440-48-4	Cobalt	2.3	U		P
7440-50-8	Copper	5.0	B		P
7439-89-6	Iron	22.3	U		P
7439-92-1	Lead	2.3	U		P
7439-95-4	Magnesium	176	U		P
7439-96-5	Manganese	0.70	U	E	P
7439-97-6	Mercury	0.10	U		CV
7440-02-0	Nickel	3.4	B		P
7440-09-7	Potassium	283	B		P
7782-49-2	Selenium	4.7	U		P
7440-22-4	Silver	1.5	U		P
7440-23-5	Sodium	359	B		P
7440-28-0	Thallium	4.1	U		P
7440-62-2	Vanadium	1.8	U		P
7440-66-6	Zinc	14.4	B		P
	Cyanide	5.0	U		AS

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

---



---



---

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

OB036

Lab Name: INCHCAPE\_ENVIRONMENTAL Contract: 93206

Lab Code: INCHVT Case No.: OBASH SAS No.: SDG No.: 61529

Matrix (soil/water): WATER Lab Sample ID: 314086

Level (low/med): LOW Date Received: 09/26/96

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	443			P
7440-36-0	Antimony	3.6	U		P
7440-38-2	Arsenic	4.4	U		P
7440-39-3	Barium	82.0	B		P
7440-41-7	Beryllium	0.30	U		P
7440-43-9	Cadmium	0.60	U		P
7440-70-2	Calcium	151000			P
7440-47-3	Chromium	1.0	U		P
7440-48-4	Cobalt	2.3	U		P
7440-50-8	Copper	2.3	B		P
7439-89-6	Iron	192			P
7439-92-1	Lead	2.3	U		P
7439-95-4	Magnesium	29000			P
7439-96-5	Manganese	3.1	B	E	P
7439-97-6	Mercury				NR
7440-02-0	Nickel	2.6	U		P
7440-09-7	Potassium	2150	B		P
7782-49-2	Selenium	4.7	U		P
7440-22-4	Silver	1.5	U		P
7440-23-5	Sodium	36100			P
7440-28-0	Thallium	4.1	U		P
7440-62-2	Vanadium	1.8	U		P
7440-66-6	Zinc	5.9	B		P
	Cyanide	5.0	U		AS

Color Before: COLORLESS Clarity Before: CLEAR Texture:

Color After: COLORLESS Clarity After: CLEAR Artifacts:

Comments:

---



---



---

U.S. EPA - CLP

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

OB037

Lab Name: INCHCAPE\_ENVIRONMENTAL Contract: 93206

Lab Code: INCHVT Case No.: OBASH SAS No.: SDG No.: 61529

Matrix (soil/water): WATER Lab Sample ID: 314091

Level (low/med): LOW Date Received: 09/26/96

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	342			P
7440-36-0	Antimony	3.6	U		P
7440-38-2	Arsenic	4.4	U		P
7440-39-3	Barium	89.8	B		P
7440-41-7	Beryllium	0.30	U		P
7440-43-9	Cadmium	0.60	U		P
7440-70-2	Calcium	163000			P
7440-47-3	Chromium	1.0	U		P
7440-48-4	Cobalt	2.3	U		P
7440-50-8	Copper	2.8	B		P
7439-89-6	Iron	173			P
7439-92-1	Lead	2.3	U		P
7439-95-4	Magnesium	31200			P
7439-96-5	Manganese	3.2	B	E	P
7439-97-6	Mercury	0.10	U		CV
7440-02-0	Nickel	3.1	B		P
7440-09-7	Potassium	2500	B		P
7782-49-2	Selenium	4.7	U		P
7440-22-4	Silver	1.5	U		P
7440-23-5	Sodium	39100			P
7440-28-0	Thallium	4.1	U		P
7440-62-2	Vanadium	1.8	U		P
7440-66-6	Zinc	5.3	B		P
	Cyanide	5.0	U		AS

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

OB038

Lab Name: INCHCAPE\_ENVIRONMENTAL Contract: 93206

Lab Code: INCHVT Case No.: OBASH SAS No.: SDG No.: 61529

Matrix (soil/water): WATER Lab Sample ID: 314323

Level (low/med): LOW Date Received: 09/27/96

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	36.1	U		P
7440-36-0	Antimony	3.6	U		P
7440-38-2	Arsenic	4.4	U		P
7440-39-3	Barium	85.3	B		P
7440-41-7	Beryllium	0.30	U		P
7440-43-9	Cadmium	0.60	U		P
7440-70-2	Calcium	152000			P
7440-47-3	Chromium	1.0	U		P
7440-48-4	Cobalt	2.3	U		P
7440-50-8	Copper	1.8	U		P
7439-89-6	Iron	59.6	B		P
7439-92-1	Lead	2.3	U		P
7439-95-4	Magnesium	28800			P
7439-96-5	Manganese	6.0	B	E	P
7439-97-6	Mercury	0.10	U		CV
7440-02-0	Nickel	2.6	U		P
7440-09-7	Potassium	2180	B		P
7782-49-2	Selenium	4.7	U		P
7440-22-4	Silver	1.5	U		P
7440-23-5	Sodium	17800			P
7440-28-0	Thallium	4.1	U		P
7440-62-2	Vanadium	1.8	U		P
7440-66-6	Zinc	5.8	B		P
	Cyanide	5.0	U		AS

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

---



---



---

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

OB039

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_ Contract: 93206\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

Matrix (soil/water): WATER Lab Sample ID: 314328

Level (low/med): LOW\_\_\_ Date Received: 09/27/96

% Solids: \_\_\_0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L\_\_\_

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	36.1	U		P
7440-36-0	Antimony	3.6	U		P
7440-38-2	Arsenic	4.4	U		P
7440-39-3	Barium	83.0	B		P
7440-41-7	Beryllium	0.30	U		P
7440-43-9	Cadmium	0.60	U		P
7440-70-2	Calcium	105000			P
7440-47-3	Chromium	1.0	U		P
7440-48-4	Cobalt	2.3	U		P
7440-50-8	Copper	1.8	U		P
7439-89-6	Iron	22.3	U		P
7439-92-1	Lead	2.3	U		P
7439-95-4	Magnesium	48200			P
7439-96-5	Manganese	84.3		E	P
7439-97-6	Mercury	0.10	U		CV
7440-02-0	Nickel	3.4	B		P
7440-09-7	Potassium	8150			P
7782-49-2	Selenium	4.7	U		P
7440-22-4	Silver	1.5	U		P
7440-23-5	Sodium	16600			P
7440-28-0	Thallium	4.1	U		P
7440-62-2	Vanadium	1.8	U		P
7440-66-6	Zinc	3.2	B		P
	Cyanide	5.0	U		AS

Color Before: COLORLESS Clarity Before: CLEAR\_\_\_ Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR\_\_\_ Artifacts: \_\_\_\_\_

Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

U.S. EPA - CLP

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

OB040

Lab Name: INCHCAPE\_ENVIRONMENTAL Contract: 93206

Lab Code: INCHVT Case No.: OBASH SAS No.: SDG No.: 61529

Matrix (soil/water): WATER Lab Sample ID: 314287

Level (low/med): LOW Date Received: 09/27/96

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	131	B		P
7440-36-0	Antimony	3.6	U		P
7440-38-2	Arsenic	4.4	U		P
7440-39-3	Barium	102	B		P
7440-41-7	Beryllium	0.30	U		P
7440-43-9	Cadmium	0.60	U		P
7440-70-2	Calcium	85000			P
7440-47-3	Chromium	1.0	U		P
7440-48-4	Cobalt	2.3	U		P
7440-50-8	Copper	1.8	U		P
7439-89-6	Iron	117			P
7439-92-1	Lead	2.3	U		P
7439-95-4	Magnesium	62200			P
7439-96-5	Manganese	0.90	B	E	P
7439-97-6	Mercury	0.10	U		CV
7440-02-0	Nickel	2.6	U		P
7440-09-7	Potassium	11000			P
7782-49-2	Selenium	4.7	U		P
7440-22-4	Silver	1.5	U		P
7440-23-5	Sodium	18700			P
7440-28-0	Thallium	4.1	U		P
7440-62-2	Vanadium	1.8	U		P
7440-66-6	Zinc	2.3	U		P
	Cyanide	5.0	U		AS

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

OB041

Lab Name: INCHCAPE\_ENVIRONMENTAL Contract: 93206

Lab Code: INCHVT Case No.: OBASH SAS No.: SDG No.: 61529

Matrix (soil/water): WATER Lab Sample ID: 314292

Level (low/med): LOW Date Received: 09/27/96

% Solids: 0.0

Concentration Units (ug/L or mg/kg-dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	36.1	U		P
7440-36-0	Antimony	3.6	U		P
7440-38-2	Arsenic	4.4	U		P
7440-39-3	Barium	76.0	B		P
7440-41-7	Beryllium	0.30	U		P
7440-43-9	Cadmium	0.60	U		P
7440-70-2	Calcium	149000			P
7440-47-3	Chromium	1.0	U		P
7440-48-4	Cobalt	2.3	U		P
7440-50-8	Copper	2.3	B		P
7439-89-6	Iron	40.1	B		P
7439-92-1	Lead	2.3	U		P
7439-95-4	Magnesium	27900			P
7439-96-5	Manganese	1.2	B	E	P
7439-97-6	Mercury	0.10	U		CV
7440-02-0	Nickel	3.9	B		P
7440-09-7	Potassium	11000			P
7782-49-2	Selenium	4.7	U		P
7440-22-4	Silver	1.5	U		P
7440-23-5	Sodium	14700			P
7440-28-0	Thallium	4.1	U		P
7440-62-2	Vanadium	1.8	U		P
7440-66-6	Zinc	5.1	B		P
	Cyanide	5.0	U		AS

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

U.S. EPA - CLP

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

OB042

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

Matrix (soil/water): WATER Lab Sample ID: 314891

Level (low/med): LOW\_\_\_ Date Received: 10/02/96

% Solids: \_\_\_0.0

Concentration Units -(ug/L or mg/kg dry weight) :- UG/L: \_\_\_\_\_

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	392	—	—	P_
7440-36-0	Antimony	3.6	U	—	P_
7440-38-2	Arsenic	4.4	U	—	P_
7440-39-3	Barium	19.8	B	—	P_
7440-41-7	Beryllium	0.30	U	—	P_
7440-43-9	Cadmium	0.60	U	—	P_
7440-70-2	Calcium	163000	—	—	P_
7440-47-3	Chromium	1.0	U	—	P_
7440-48-4	Cobalt	2.3	U	—	P_
7440-50-8	Copper	1.8	U	—	P_
7439-89-6	Iron	565	—	—	P_
7439-92-1	Lead	2.3	U	—	P_
7439-95-4	Magnesium	61800	—	—	P_
7439-96-5	Manganese	50.6	—	E	P_
7439-97-6	Mercury	0.10	U	—	CV
7440-02-0	Nickel	4.1	B	—	P_
7440-09-7	Potassium	8290	—	—	P_
7782-49-2	Selenium	4.7	U	—	P_
7440-22-4	Silver	1.5	U	—	P_
7440-23-5	Sodium	16500	—	—	P_
7440-28-0	Thallium	4.1	B	—	P_
7440-62-2	Vanadium	1.8	U	—	P_
7440-66-6	Zinc	9.4	B	—	P_
	Cyanide	5.0	U	—	AS

Color Before: COLORLESS Clarity Before: CLEAR\_ Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR\_ Artifacts: \_\_\_\_\_

Comments:

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

U.S. EPA - CLP

2A

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

Initial Calibration Source: VENTURES\_\_\_\_\_

Continuing Calibration Source: SPEX\_\_\_\_\_

Concentration Units: ug/L

Analyte	Initial Calibration			Continuing Calibration					M
	True	Found	%R(1)	True	Found	%R(1)	Found	%R(1)	
Aluminum	26000.0	25600.00	98.5	30200.0	30890.00	102.3	30780.00	101.9	P
Antimony	250.0	225.00	90.0	300.0	290.20	96.7	295.20	98.4	P
Arsenic	250.0	239.00	95.6	100.0	99.30	99.3	96.72	96.7	P
Barium	500.0	486.20	97.2	200.0	197.10	98.6	197.40	98.7	P
Beryllium	500.0	500.20	100.0	100.0	97.86	97.9	98.50	98.5	P
Cadmium	500.0	487.80	97.6	100.0	96.31	96.3	96.92	96.9	P
Calcium	25000.0	24370.00	97.5	30200.0	30790.00	102.0	30880.00	102.3	P
Chromium	500.0	497.30	99.5	200.0	196.50	98.2	197.00	98.5	P
Cobalt	500.0	487.30	97.5	200.0	195.00	97.5	194.80	97.4	P
Copper	500.0	502.50	100.5	200.0	198.60	99.3	199.70	99.8	P
Iron	25500.0	25010.00	98.1	30200.0	30570.00	101.2	30700.00	101.7	P
Lead	1000.0	972.20	97.2	400.0	390.00	97.5	392.80	98.2	P
Magnesium	25000.0	24190.00	96.8	30200.0	30300.00	100.3	30410.00	100.7	P
Manganese	500.0	491.00	98.2	200.0	194.60	97.3	195.30	97.6	P
Mercury	1.8	1.83	101.7	5.0	5.02	100.4	5.42	108.4	CV
Nickel	500.0	488.30	97.7	200.0	196.90	98.4	197.60	98.8	P
Potassium	25000.0	25240.00	101.0	30200.0	31580.00	104.6	31570.00	104.5	P
Selenium	250.0	233.70	93.5	100.0	97.65	97.6	98.19	98.2	P
Silver	500.0	491.20	98.2	100.0	100.40	100.4	101.00	101.0	P
Sodium	25000.0	23860.00	95.4	30200.0	30250.00	100.2	30270.00	100.2	P
Thallium	250.0	230.90	92.4	100.0	96.09	96.1	101.00	101.0	P
Vanadium	500.0	502.50	100.5	200.0	196.70	98.4	196.60	98.3	P
Zinc	500.0	498.70	99.7	200.0	201.10	100.6	202.20	101.1	P
Cyanide	120.0	116.50	97.1	150.0	142.00	94.7	144.00	96.0	AS

(1) Control Limits: Mercury 80-120; Other Metals 90-110; Cyanide 85-115

U.S. EPA - CLP

2A

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

Initial Calibration Source: VENTURES\_\_\_\_\_

Continuing Calibration Source: SPEX\_\_\_\_\_

Concentration Units: ug/L

Analyte	Initial Calibration			Continuing Calibration					M
	True	Found	%R(1)	True	Found	%R(1)	Found	%R(1)	
Aluminum				30200.0	30480.00	100.9	30690.00	101.6	P
Antimony				300.0	292.20	97.4	292.20	97.4	P
Arsenic				100.0	97.20	97.2	99.71	99.7	P
Barium				200.0	196.50	98.2	197.00	98.5	P
Beryllium				100.0	98.23	98.2	98.34	98.3	P
Cadmium				100.0	96.26	96.3	96.90	96.9	P
Calcium				30200.0	30710.00	101.7	30810.00	102.0	P
Chromium				200.0	196.60	98.3	196.40	98.2	P
Cobalt				200.0	194.60	97.3	194.70	97.4	P
Copper				200.0	197.90	99.0	198.40	99.2	P
Iron				30200.0	30530.00	101.1	30610.00	101.4	P
Lead				400.0	391.10	97.8	391.10	97.8	P
Magnesium				30200.0	30260.00	100.2	30320.00	100.4	P
Manganese				200.0	194.60	97.3	195.10	97.6	P
Mercury				5.0	5.32	106.4	5.40	108.0	CV
Nickel				200.0	196.60	98.3	196.30	98.2	P
Potassium				30200.0	31240.00	103.4	31170.00	103.2	P
Selenium				100.0	94.79	94.8	97.41	97.4	P
Silver				100.0	100.60	100.6	100.40	100.4	P
Sodium				30200.0	29740.00	98.5	29970.00	99.2	P
Thallium				100.0	97.98	98.0	97.87	97.9	P
Vanadium				200.0	197.00	98.5	197.00	98.5	P
Zinc				200.0	200.80	100.4	201.20	100.6	P
Cyanide				150.0	147.00	98.0			AS

(1) Control Limits: Mercury 80-120; Other Metals 90-110; Cyanide 85-115

U.S. EPA - CLP

2A

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

Initial Calibration Source: VENTURES\_\_\_\_\_

Continuing Calibration Source: SPEX\_\_\_\_\_

Concentration Units: ug/L

Analyte	Initial Calibration			Continuing Calibration					M
	True	Found	%R(1)	True	Found	%R(1)	Found	%R(1)	
Aluminum	26000.0	25610.00	98.5	30200.0	29850.00	98.8	30870.00	102.2	P
Antimony	250.0	251.00	100.4	300.0	289.20	96.4	301.40	100.5	P
Arsenic	250.0	242.20	96.9	100.0	91.12	91.1	97.71	97.7	P
Barium	500.0	503.40	100.7	200.0	194.70	97.4	202.60	101.3	P
Beryllium	500.0	518.40	103.7	100.0	97.64	97.6	100.80	100.8	P
Cadmium	500.0	499.80	100.0	100.0	95.22	95.2	98.13	98.1	P
Calcium	25000.0	24590.00	98.4	30200.0	29680.00	98.3	30650.00	101.5	P
Chromium	500.0	512.20	102.4	200.0	193.40	96.7	199.60	99.8	P
Cobalt	500.0	501.80	100.4	200.0	193.00	96.5	198.60	99.3	P
Copper	500.0	522.60	104.5	200.0	197.40	98.7	204.20	102.1	P
Iron	25500.0	25330.00	99.3	30200.0	30060.00	99.5	31060.00	102.8	P
Lead	1000.0	1015.00	101.5	400.0	391.80	98.0	404.60	101.2	P
Magnesium	25000.0	24380.00	97.5	30200.0	29830.00	98.8	30780.00	101.9	P
Manganese	500.0	505.70	101.1	200.0	192.50	96.2	198.90	99.4	P
Mercury	1.8	1.67	92.8	5.0	4.81	96.2	4.90	98.0	CV
Nickel	500.0	504.90	101.0	200.0	192.00	96.0	198.50	99.2	P
Potassium	25000.0	26780.00	107.1	30200.0	31580.00	104.6	32510.00	107.6	P
Selenium	250.0	244.97	98.0	100.0	97.44	97.4	99.40	99.4	P
Silver	500.0	529.40	105.9	100.0	97.51	97.5	101.20	101.2	P
Sodium	25000.0	23570.00	94.3	30200.0	29150.00	96.5	30210.00	100.0	P
Thallium	250.0	239.50	95.8	100.0	97.25	97.2	98.48	98.5	P
Vanadium	500.0	517.60	103.5	200.0	193.90	97.0	201.20	100.6	P
Zinc	500.0	510.20	102.0	200.0	198.40	99.2	205.10	102.6	P
Cyanide	120.0	113.50	94.6	150.0	149.00	99.3	147.00	98.0	AS

(1) Control Limits: Mercury 80-120; Other Metals 90-110; Cyanide 85-115

U.S. EPA - CLP

2A

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

Initial Calibration Source: VENTURES\_\_\_\_\_

Continuing Calibration Source: SPEX\_\_\_\_\_

Concentration Units: ug/L

Analyte	Initial Calibration			Continuing Calibration					M
	True	Found	%R(1)	True	Found	%R(1)	Found	%R(1)	
Aluminum				30200.0	29470.00	97.6			P
Antimony				300.0	285.40	95.1			P
Arsenic				100.0	89.43	89.4			P
Barium				200.0	193.00	96.5			P
Beryllium				100.0	96.88	96.9			P
Cadmium				100.0	94.74	94.7			P
Calcium				30200.0	29470.00	97.6			P
Chromium				200.0	191.90	96.0			P
Cobalt				200.0	191.60	95.8			P
Copper				200.0	195.20	97.6			P
Iron				30200.0	29870.00	98.9			P
Lead				400.0	389.40	97.4			P
Magnesium				30200.0	29640.00	98.1			P
Manganese				200.0	191.00	95.5			P
Mercury									NR
Nickel				200.0	190.90	95.4			P
Potassium				30200.0	31210.00	103.3			P
Selenium				100.0	98.44	98.4			P
Silver				100.0	96.76	96.8			P
Sodium				30200.0	29080.00	96.3			P
Thallium				100.0	95.27	95.3			P
Vanadium				200.0	193.10	96.6			P
Zinc				200.0	196.80	98.4			P
Cyanide	120.0	115.00	95.8	150.0	150.00	100.0	149.00	99.3	AS

(1) Control Limits: Mercury 80-120; Other Metals 90-110; Cyanide 85-115

U.S. EPA - CLP

2A

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

Initial Calibration Source: VENTURES\_\_\_\_\_

Continuing Calibration Source: SPEX\_\_\_\_\_

Concentration Units: ug/L

Analyte	Initial Calibration			Continuing Calibration					M
	True	Found	%R(1)	True	Found	%R(1)	Found	%R(1)	
Aluminum									NR
Antimony									NR
Arsenic									NR
Barium									NR
Beryllium									NR
Cadmium									NR
Calcium									NR
Chromium									NR
Cobalt									NR
Copper									NR
Iron									NR
Lead									NR
Magnesium									NR
Manganese									NR
Mercury									NR
Nickel									NR
Potassium									NR
Selenium									NR
Silver									NR
Sodium									NR
Thallium									NR
Vanadium									NR
Zinc									NR
Cyanide	120.0	106.50	88.8	150.0	150.00	100.0	151.00	100.7	AS

(1) Control Limits: Mercury 80-120; Other Metals 90-110; Cyanide 85-115

U.S. EPA - CLP

2B

CRDL STANDARD FOR AA AND ICP

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_

Contract: 93206\_\_\_\_\_

Lab Code: INCHVT

Case No.: OBASH\_

SAS No.: \_\_\_\_\_

SDG No.: 61529\_

AA CRDL Standard Source: VENTURES\_\_\_\_\_

ICP CRDL Standard Source: VENTURES\_\_\_\_\_

Concentration Units: ug/L

Analyte	CRDL Standard for AA			CRDL Standard for ICP				
	True	Found	%R	True	Initial Found	%R	Final Found	%R
Aluminum				4000.0	4269.00	106.7	4257.00	106.4
Antimony				120.0	116.90	97.4	116.70	97.2
Arsenic				20.0	19.87	99.4	22.33	111.6
Barium				400.0	397.70	99.4	399.70	99.9
Beryllium				10.0	9.81	98.1	9.76	97.6
Cadmium				10.0	9.83	98.3	9.72	97.2
Calcium				10000.0	10730.00	107.3	10690.00	106.9
Chromium				20.0	26.85	134.2	27.17	135.8
Cobalt				100.0	96.44	96.4	96.01	96.0
Copper				50.0	49.40	98.8	49.38	98.8
Iron				200.0	257.10	128.6	259.50	129.8
Lead				6.0	6.84	114.0	6.53	108.8
Magnesium				10000.0	10420.00	104.2	10370.00	103.7
Manganese				30.0	29.11	97.0	29.02	96.7
Mercury	0.2	0.11	55.0					
Nickel				80.0	79.01	98.8	78.63	98.3
Potassium				10000.0	11170.00	111.7	11080.00	110.8
Selenium				10.0	12.34	123.4	9.61	96.1
Silver				20.0	20.42	102.1	20.92	104.6
Sodium				10000.0	10010.00	100.1	10020.00	100.2
Thallium				20.0	18.79	94.0	16.58	82.9
Vanadium				100.0	101.10	101.1	100.80	100.8
Zinc				40.0	40.66	101.6	40.32	100.8



U.S. EPA - CLP

2B  
CRDL STANDARD FOR AA AND ICP

Lab Name: INHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

AA CRDL Standard Source: VENTURES\_\_\_\_\_

ICP CRDL Standard Source: VENTURES\_\_\_\_\_

Concentration Units: ug/L

Analyte	CRDL Standard for AA			CRDL Standard for ICP				
	True	Found	%R	True	Initial Found	%R	Final Found	%R
Aluminum				4000.0	4160.00	104.0	4162.00	104.0
Antimony				120.0	118.30	98.6	118.30	98.6
Arsenic				20.0	15.66	78.3	14.35	71.8
Barium				400.0	399.40	99.8	397.90	99.5
Beryllium				10.0	9.88	98.8	9.93	99.3
Cadmium				10.0	10.08	100.8	10.11	101.1
Calcium				10000.0	10380.00	103.8	10410.00	104.1
Chromium				20.0	20.98	104.9	21.14	105.7
Cobalt				100.0	96.78	96.8	96.41	96.4
Copper				50.0	49.98	100.0	50.05	100.1
Iron				200.0	292.60	146.3	305.10	152.6
Lead				6.0	5.48	91.3	7.52	125.3
Magnesium				10000.0	10200.00	102.0	10240.00	102.4
Manganese				30.0	29.96	99.9	29.67	98.9
Mercury	0.2	0.22	110.0					
Nickel				80.0	77.24	96.6	77.51	96.9
Potassium				10000.0	11700.00	117.0	11620.00	116.2
Selenium				10.0	6.40	64.0	8.15	81.5
Silver				20.0	20.85	104.2	20.68	103.4
Sodium				10000.0	9797.00	98.0	9802.00	98.0
Thallium				20.0	19.43	97.2	20.93	104.6
Vanadium				100.0	100.30	100.3	100.60	100.6
Zinc				40.0	42.09	105.2	42.08	105.2

U.S. EPA - CLP

3  
BLANKS

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

Preparation Blank Matrix (soil/water): WATER

Preparation Blank Concentration Units (ug/L or mg/kg): UG/L\_

Analyte	Initial Calib. Blank (ug/L)	C	Continuing Calibration Blank (ug/L)						Prepa- ration Blank		C	M
			1	C	2	C	3	C				
Aluminum	36.1	U	36.1	U	36.1	U	36.1	U	36.100	U	P	
Antimony	3.6	U	3.6	U	3.6	U	3.6	U	3.600	U	P	
Arsenic	4.4	U	4.4	U	4.4	U	4.4	U	4.400	U	P	
Barium	7.7	U	7.7	U	7.7	U	7.7	U	7.700	U	P	
Beryllium	0.3	U	0.3	U	0.3	U	0.3	U	0.300	U	P	
Cadmium	0.6	U	0.6	U	0.6	U	0.6	U	0.600	U	P	
Calcium	173.4	U	173.4	U	173.4	U	173.4	U	173.400	U	P	
Chromium	1.0	U	1.0	U	1.0	U	1.0	U	1.000	U	P	
Cobalt	2.3	U	2.3	U	2.3	U	2.3	U	2.300	U	P	
Copper	1.8	U	1.8	U	1.8	U	1.8	U	1.800	U	P	
Iron	22.3	U	22.3	U	22.3	U	22.3	U	22.300	U	P	
Lead	2.3	U	2.3	U	2.3	U	2.3	U	2.300	U	P	
Magnesium	176.0	U	176.0	U	176.0	U	176.0	U	176.000	U	P	
Manganese	0.7	U	0.7	U	0.7	U	0.7	U	0.700	U	P	
Mercury	-0.1	B	-0.1	B	-0.1	B	-0.1	B	0.100	U	CV	
Nickel	2.6	U	2.6	U	2.6	U	2.6	U	2.600	U	P	
Potassium	237.1	U	237.1	U	237.1	U	237.1	U	237.100	U	P	
Selenium	4.7	U	4.7	U	4.7	U	4.7	U	4.700	U	P	
Silver	1.5	U	1.5	U	1.5	U	1.5	U	1.500	U	P	
Sodium	328.2	U	328.2	U	328.2	U	328.2	U	328.200	U	P	
Thallium	4.1	U	4.1	U	4.1	U	4.1	U	4.100	U	P	
Vanadium	1.8	U	1.8	U	1.8	U	1.8	U	1.800	U	P	
Zinc	2.3	U	2.3	U	2.3	U	2.3	U	2.300	U	P	
Cyanide	10.0	U	10.0	U	10.0	U	10.0	U	5.000	U	AS	

U.S. EPA - CLP

3  
BLANKS

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

Preparation Blank Matrix (soil/water): WATER

Preparation Blank Concentration Units (ug/L or mg/kg): UG/L\_

Analyte	Initial Calib. Blank (ug/L)		Continuing Calibration Blank (ug/L)						Preparation Blank		M
		C	1	C	2	C	3	C		C	
Aluminum			36.1	U					36.100	U	P
Antimony			3.6	U					3.600	U	P
Arsenic			4.4	U					4.400	U	P
Barium			7.7	U					7.700	U	P
Beryllium			0.3	U					0.300	U	P
Cadmium			0.6	U					0.600	U	P
Calcium			173.4	U					173.400	U	P
Chromium			1.0	U					1.000	U	P
Cobalt			2.3	U					2.300	U	P
Copper			1.8	U					1.800	U	P
Iron			22.3	U					22.300	U	P
Lead			2.3	U					2.300	U	P
Magnesium			176.0	U					176.000	U	P
Manganese			0.7	U					0.735	B	P
Mercury			0.1	U					0.100	U	CV
Nickel			2.6	U					2.600	U	P
Potassium			237.1	U					237.100	U	P
Selenium			4.7	U					4.700	U	P
Silver			1.5	U					1.500	U	P
Sodium			328.2	U					328.200	U	P
Thallium			4.1	U					4.100	U	P
Vanadium			1.8	U					1.800	U	P
Zinc			2.3	U					2.300	U	P
Cyanide	10.0	U	10.0	U	10.0	U			5.000	U	AS

U.S. EPA - CLP

3  
BLANKS

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

Preparation Blank Matrix (soil/water): WATER

Preparation Blank Concentration Units (ug/L or mg/kg): UG/L\_

Analyte	Initial Calib. Blank (ug/L)		Continuing Calibration Blank (ug/L)						Preparation Blank		M
		C	1	C	2	C	3	C		C	
Aluminum	36.1	U	36.1	U	36.1	U	36.1	U			P
Antimony	3.6	U	3.6	U	3.6	U	3.6	U			P
Arsenic	4.4	U	-4.4	B	4.4	U	-4.6	B			P
Barium	7.7	U	7.7	U	7.7	U	7.7	U			P
Beryllium	0.3	U	1.7	B	0.3	U	0.3	U			P
Cadmium	0.6	U	0.6	U	0.6	U	0.6	U			P
Calcium	173.4	U	173.4	U	173.4	U	173.4	U			P
Chromium	1.0	U	1.0	U	1.0	U	1.0	U			P
Cobalt	2.3	U	2.3	U	2.3	U	2.3	U			P
Copper	1.8	U	1.8	U	1.8	U	1.8	U			P
Iron	22.6	B	22.3	U	22.3	U	22.3	U			P
Lead	2.4	B	2.3	U	2.3	U	2.3	U			P
Magnesium	176.0	U	176.0	U	176.0	U	176.0	U			P
Manganese	0.8	B	2.3	B	0.7	U	0.7	U			P
Mercury	0.1	U	0.1	U	0.1	U			0.100	U	CV
Nickel	2.6	U	2.6	U	2.6	U	2.6	U			P
Potassium	237.1	U	237.1	U	237.1	U	237.1	U			P
Selenium	4.7	U	4.7	U	4.7	U	4.7	U			P
Silver	1.7	B	1.5	U	1.5	U	1.5	U			P
Sodium	328.2	U	328.2	U	328.2	U	328.2	U			P
Thallium	4.1	U	4.1	U	4.1	U	4.1	U			P
Vanadium	1.8	U	3.1	B	1.8	U	1.8	U			P
Zinc	2.3	U	2.3	U	2.3	U	2.3	U			P
Cyanide	10.0	U	10.0	U	10.0	U			5.000	U	AS

U.S. EPA - CLP

3  
BLANKS

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

Preparation Blank Matrix (soil/water): \_\_\_\_\_

Preparation Blank Concentration Units (ug/L or mg/kg): \_\_\_\_\_

Analyte	Initial Calib. Blank (ug/L)		Continuing Calibration Blank (ug/L)						Preparation Blank		M
		C	1	C	2	C	3	C	C		
Aluminum											NR
Antimony											NR
Arsenic											NR
Barium											NR
Beryllium											NR
Cadmium											NR
Calcium											NR
Chromium											NR
Cobalt											NR
Copper											NR
Iron											NR
Lead											NR
Magnesium											NR
Manganese											NR
Mercury											NR
Nickel											NR
Potassium											NR
Selenium											NR
Silver											NR
Sodium											NR
Thallium											NR
Vanadium											NR
Zinc											NR
Cyanide	10.0	U	10.0	U	10.0	U					AS

U.S. EPA - CLP

4

ICP INTERFERENCE CHECK SAMPLE

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No: \_\_\_\_\_ SDG No.: 61529\_

ICP ID Number: ICP4 TJA 61E ICS Source: VENTURES\_\_\_\_\_

Concentration Units: ug/L

Analyte	True		Initial Found			Final Found		
	Sol. A	Sol. AB	Sol. A	Sol. AB	%R	Sol. A	Sol. AB	%R
Aluminum	500000	464515	499100	482800.0	103.9	500100	481000.0	103.5
Antimony	0	523	1	569.3	108.9	3	563.6	107.8
Arsenic	0	99	2	101.8	102.8	1	100.0	101.0
Barium	0	466	1	475.2	102.0	1	474.8	101.9
Beryllium	0	446	0	462.2	103.6	0	462.7	103.7
Cadmium	0	882	1	911.1	103.3	2	907.6	102.9
Calcium	500000	492600	528500	515100.0	104.6	528400	513100.0	104.2
Chromium	0	452	4	465.3	102.9	5	463.9	102.6
Cobalt	0	433	0	444.0	102.5	0	442.6	102.2
Copper	0	486	3	501.9	103.3	3	501.7	103.2
Iron	200000	176700	195500	184200.0	104.2	195600	183700.0	104.0
Lead	0	50	-4	43.9	87.8	-3	45.7	91.4
Magnesium	500000	494586	520100	516300.0	104.4	518900	513700.0	103.9
Manganese	0	451	1	465.1	103.1	1	464.2	102.9
Mercury								
Nickel	0	883	3	910.2	103.1	3	902.8	102.2
Potassium	0	0	-21	-55.9		32	21.6	
Selenium	0	50	4	50.7	101.4	4	53.0	106.0
Silver	0	169	1	173.8	102.8	1	173.7	102.8
Sodium	0	0	-82	-169.0		-163	-133.0	
Thallium	0	98	4	89.5	91.3	4	96.3	98.3
Vanadium	0	460	2	472.8	102.8	2	473.5	102.9
Zinc	0	951	19	984.4	103.5	20	982.2	103.3

U.S. EPA - CLP

4

ICP INTERFERENCE CHECK SAMPLE

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No: \_\_\_\_\_ SDG No.: 61529\_

ICP ID Number: ICP5 TJA 61E ICS Source: VENTURES\_\_\_\_\_

Concentration Units: ug/L

Analyte	True		Initial Found			Final Found		
	Sol. A	Sol. AB	Sol. A	Sol. AB	%R	Sol. A	Sol. AB	%R
Aluminum	500000	494914	502700	507200.0	102.5	501500	504200.0	101.9
Antimony	0	492	0	581.8	118.3	-3	587.3	119.4
Arsenic	0	93	-2	87.6	94.2	-4	90.2	97.0
Barium	0	474	1	497.0	104.9	1	494.7	104.4
Beryllium	0	466	0	480.7	103.2	0	478.9	102.8
Cadmium	0	883	3	908.1	102.8	3	906.2	102.6
Calcium	500000	479786	501300	499700.0	104.2	499900	498700.0	103.9
Chromium	0	459	5	475.9	103.7	5	474.0	103.3
Cobalt	0	440	1	452.9	102.9	1	451.4	102.6
Copper	0	491	4	510.9	104.1	4	508.1	103.5
Iron	200000	180600	191000	188900.0	104.6	190600	188500.0	104.4
Lead	0	44	-4	41.3	93.9	-3	42.0	95.5
Magnesium	500000	483614	495500	505400.0	104.5	493800	504100.0	104.2
Manganese	0	457	-1	469.9	102.8	-1	468.5	102.5
Mercury								
Nickel	0	878	0	899.0	102.4	-1	897.2	102.2
Potassium	0	0	25	29.9		15	30.3	
Selenium	0	69	4	62.0	89.9	1	60.8	88.1
Silver	0	197	1	214.5	108.9	0	214.2	108.7
Sodium	0	0	499	237.2		256	336.8	
Thallium	0	92	0	87.3	94.9	-1	91.4	99.3
Vanadium	0	470	1	486.4	103.5	1	485.6	103.3
Zinc	0	958	19	981.5	102.5	20	978.4	102.1

LABORATORY CONTROL SAMPLE

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_

Contract: 93206\_\_\_\_\_

Lab Code: INCHVT

Case No.: OBASH\_

SAS No.: \_\_\_\_\_

SDG No.: 61529\_

Solid LCS Source: \_\_\_\_\_

Aqueous LCS Source: VENTURES\_\_\_\_\_

Analyte	Aqueous (ug/L)			Solid (mg/kg)				
	True	Found	%R	True	Found	C	Limits	%R
Aluminum	51000.0	51900.00	101.8					
Antimony	2000.0	1964.00	98.2					
Arsenic	1050.0	1002.00	95.4					
Barium	500.0	468.50	93.7					
Beryllium	500.0	480.50	96.1					
Cadmium	525.0	488.30	93.0					
Calcium	50000.0	50070.00	100.1					
Chromium	500.0	477.90	95.6					
Cobalt	500.0	464.40	92.9					
Copper	500.0	490.80	98.2					
Iron	50500.0	50520.00	100.0					
Lead	1015.0	949.10	93.5					
Magnesium	50000.0	49840.00	99.7					
Manganese	500.0	470.00	94.0					
Mercury	1.0	1.01	101.0					
Nickel	500.0	467.60	93.5					
Potassium	50000.0	49570.00	99.1					
Selenium	525.0	502.00	95.6					
Silver	500.0	468.60	93.7					
Sodium	50000.0	50810.00	101.6					
Thallium	550.0	511.40	93.0					
Vanadium	500.0	478.70	95.7					
Zinc	500.0	482.70	96.5					
Cyanide								



U.S. EPA - CLP

7

LABORATORY CONTROL SAMPLE

Lab Name: INCHCAPE ENVIRONMENTAL

Contract: 93206

Lab Code: INCHVT

Case No.: OBASH

SAS No.:

SDG No.: 61529

Solid LCS Source:

Aqueous LCS Source: VENTURES

Analyte	Aqueous (ug/L)			Solid (mg/kg)				
	True	Found	%R	True	Found	C	Limits	%R
Aluminum								
Antimony								
Arsenic								
Barium								
Beryllium								
Cadmium								
Calcium								
Chromium								
Cobalt								
Copper								
Iron								
Lead								
Magnesium								
Manganese								
Mercury	1.0	0.96	96.0					
Nickel								
Potassium								
Selenium								
Silver								
Sodium								
Thallium								
Vanadium								
Zinc								
Cyanide								

U.S. EPA - CLP

7

LABORATORY CONTROL SAMPLE

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_

Contract: 93206\_\_\_\_\_

Lab Code: INCHVT

Case No.: OBASH\_

SAS No.: \_\_\_\_\_

SDG No.: 61529\_

Solid LCS Source: \_\_\_\_\_

Aqueous LCS Source: VENTURES\_\_\_\_\_

Analyte	Aqueous (ug/L)			Solid (mg/kg)				
	True	Found	%R	True	Found	C	Limits	%R
Aluminum	51000.0	49270.00	96.6					
Antimony	2000.0	1901.00	95.0					
Arsenic	1050.0	981.20	93.4					
Barium	500.0	457.50	91.5					
Beryllium	500.0	472.90	94.6					
Cadmium	525.0	477.30	90.9					
Calcium	50000.0	48240.00	96.5					
Chromium	500.0	466.60	93.3					
Cobalt	500.0	456.40	91.3					
Copper	500.0	477.00	95.4					
Iron	50500.0	48810.00	96.7					
Lead	1015.0	935.30	92.1					
Magnesium	50000.0	48030.00	96.1					
Manganese	500.0	458.50	91.7					
Mercury								
Nickel	500.0	457.40	91.5					
Potassium	50000.0	49470.00	98.9					
Selenium	525.0	494.74	94.2					
Silver	500.0	481.80	96.4					
Sodium	50000.0	48280.00	96.6					
Thallium	550.0	500.00	90.9					
Vanadium	500.0	470.80	94.2					
Zinc	500.0	466.90	93.4					
Cyanide								

U.S. EPA - CLP

7

LABORATORY CONTROL SAMPLE

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_

Contract: 93206\_\_\_\_\_

Lab Code: INCHVT

Case No.: OBASH\_

SAS No.: \_\_\_\_\_

SDG No.: 61529\_

Solid LCS Source: \_\_\_\_\_

Aqueous LCS Source: VENTURES\_\_\_\_\_

Analyte	Aqueous (ug/L)			Solid (mg/kg)				%R
	True	Found	%R	True	Found	C	Limits	
Aluminum								
Antimony								
Arsenic								
Barium								
Beryllium								
Cadmium								
Calcium								
Chromium								
Cobalt								
Copper								
Iron								
Lead								
Magnesium								
Manganese								
Mercury	1.0	1.08	108.0					
Nickel								
Potassium								
Selenium								
Silver								
Sodium								
Thallium								
Vanadium								
Zinc								
Cyanide								

U.S. EPA - CLP

8

STANDARD ADDITION RESULTS

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.:\_\_\_\_\_ SDG No.: 61529\_

Concentration Units: ug/L

EPA Sample No.	An	0 ADD	1 ADD		2 ADD		3 ADD		Final Conc.	r	Q
		ABS	CON	ABS	CON	ABS	CON	ABS			

ICP SERIAL DILUTION

OB042L

Lab Name: INCHCAPE\_ENVIRONMENTAL Contract: 93206

Lab Code: INCHVT Case No.: OBASH SAS No.: SDG No.: 61529

Matrix (soil/water): WATER Level (low/med): LOW

Concentration Units: ug/L

Analyte	Initial Sample Result (I)	C	Serial Dilution Result (S)	C	% Difference	Q	M
Aluminum	391.50		670.10	B	71.2		P
Antimony	3.60	U	18.00	U			P
Arsenic	4.40	U	22.00	U			P
Barium	19.77	B	38.50	U	100.0		P
Beryllium	0.30	U	1.50	U			P
Cadmium	0.60	U	3.00	U			P
Calcium	163200.00		162500.00		0.4		P
Chromium	1.00	U	5.00	U			P
Cobalt	2.30	U	11.50	U			P
Copper	1.80	U	11.06	B			P
Iron	565.00		787.60		39.4		P
Lead	2.30	U	11.50	U			P
Magnesium	61750.00		61140.00		1.0		P
Manganese	50.56		56.03	B	10.8	E	P
Mercury							NR
Nickel	4.12	B	16.36	B	297.1		P
Potassium	8292.00		9109.00	B	9.9		P
Selenium	4.70	U	23.50	U			P
Silver	1.50	U	7.50	U			P
Sodium	16480.00		17650.00	B	7.1		P
Thallium	4.12	B	20.50	U	100.0		P
Vanadium	1.80	U	9.00	U			P
Zinc	9.35	B	41.30	B	341.7		P

U.S. EPA - CLP

9  
ICP SERIAL DILUTION

EPA SAMPLE NO.

OB035L

Lab Name: INCHCAPE\_ENVIRONMENTAL Contract: 93206

Lab Code: INCHVT Case No.: OBASH SAS No.: SDG No.: 61529

Matrix (soil/water): WATER Level (low/med): LOW

Concentration Units: ug/L

Analyte	Initial Sample		Serial Dilution		Differ- ence	Q	M
	Result (I)	C	Result (S)	C			
Aluminum	36.10	U	180.50	U			P
Antimony	3.60	U	18.00	U			P
Arsenic	4.40	U	22.00	U			P
Barium	7.70	U	38.50	U			P
Beryllium	0.30	U	1.50	U			P
Cadmium	0.60	U	3.00	U			P
Calcium	173.40	U	867.00	U			P
Chromium	1.00	U	5.00	U			P
Cobalt	2.30	U	11.50	U			P
Copper	5.02	B	9.00	U	100.0		P
Iron	22.30	U	111.50	U			P
Lead	2.30	U	11.50	U			P
Magnesium	176.00	U	880.00	U			P
Manganese	0.70	U	3.50	U			P
Mercury							NR
Nickel	3.38	B	13.00	U	100.0		P
Potassium	283.30	B	1185.50	U	100.0		P
Selenium	4.70	U	23.50	U			P
Silver	1.50	U	7.50	U			P
Sodium	358.80	B	1641.00	U	100.0		P
Thallium	4.10	U	20.50	U			P
Vanadium	1.80	U	9.00	U			P
Zinc	14.38	B	34.91	B	142.8		P

U.S. EPA - CLP

10

Instrument Detection Limits (Quarterly)

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_ Contract: 93206\_\_\_  
 Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_  
 ICP ID Number: ICP4\_TJA\_61E Date: 10/01/96  
 Flame AA ID Number : \_\_\_\_\_  
 Furnace AA ID Number : \_\_\_\_\_

Analyte	Wave-length (nm)	Back-ground	CRDL (ug/L)	IDL (ug/L)	M
Aluminum	308.22		200	31.5	P
Antimony	206.84		60	3.6	P
Arsenic	189.04		10	2.8	P
Barium	493.41		200	7.7	P
Beryllium	313.04		5	0.3	P
Cadmium	226.50		5	0.4	P
Calcium	317.93		5000	173.4	P
Chromium	267.72		10	1.0	P
Cobalt	228.62		50	2.3	P
Copper	324.75		25	1.8	P
Iron	271.44		100	15.8	P
Lead	220.35		3	1.5	P
Magnesium	279.08		5000	176.0	P
Manganese	257.61		15	0.6	P
Mercury			0.2		NR
Nickel	231.60		40	2.6	P
Potassium	766.49		5000	237.1	P
Selenium	196.03		5	3.1	P
Silver	328.07		10	1.2	P
Sodium	330.23		5000	307.7	P
Thallium	190.86		10	3.6	P
Vanadium	292.40		50	1.8	P
Zinc	213.86		20	2.3	P

Comments:

---



---



---

Instrument Detection Limits (Quarterly)

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

ICP ID Number: ICP5\_TJA\_61E Date: 10/01/96

Flame AA ID Number : \_\_\_\_\_

Furnace AA ID Number : \_\_\_\_\_

Analyte	Wave-length (nm)	Back-ground	CRDL (ug/L)	IDL (ug/L)	M
Aluminum	237.31		200	36.1	P
Antimony	206.84		60	3.0	P
Arsenic	189.04		10	4.4	P
Barium	493.41		200	3.2	P
Beryllium	313.04		5	0.2	P
Cadmium	226.50		5	0.6	P
Calcium	317.93		5000	82.1	P
Chromium	267.72		10	1.0	P
Cobalt	228.61		50	1.3	P
Copper	324.75		25	1.1	P
Iron	271.44		100	22.3	P
Lead	220.35		3	2.3	P
Magnesium	279.08		5000	72.9	P
Manganese	294.92		15	0.7	P
Mercury			0.2		NR
Nickel	231.60		40	2.5	P
Potassium	766.49		5000	93.5	P
Selenium	196.03		5	4.7	P
Silver	328.07		10	1.5	P
Sodium	330.23		5000	328.2	P
Thallium	190.86		10	4.1	P
Vanadium	292.40		50	1.6	P
Zinc	213.85		20	1.4	P

Comments:

---



---



---



---



Instrument Detection Limits (Quarterly)

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

ICP ID Number: \_\_\_\_\_ Date: 07/01/96

Flame AA ID Number : CV1\_PS200II\_

Furnace AA ID Number : \_\_\_\_\_

Analyte	Wave-length (nm)	Back-ground	CRDL (ug/L)	IDL (ug/L)	M
Aluminum			200		NR
Antimony			60		NR
Arsenic			10		NR
Barium			200		NR
Beryllium			5		NR
Cadmium			5		NR
Calcium			5000		NR
Chromium			10		NR
Cobalt			50		NR
Copper			25		NR
Iron			100		NR
Lead			3		NR
Magnesium			5000		NR
Manganese			15		NR
Mercury	253.70		0.2	0.1	CV
Nickel			40		NR
Potassium			5000		NR
Selenium			5		NR
Silver			10		NR
Sodium			5000		NR
Thallium			10		NR
Vanadium			50		NR
Zinc			20		NR

Comments:

---



---



---

Instrument Detection Limits (Quarterly)

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

ICP ID Number: \_\_\_\_\_ Date: 10/01/96

Flame AA ID Number : PS1214\_\_\_\_\_

Furnace AA ID Number : \_\_\_\_\_

Analyte	Wave-length (nm)	Back-ground	CRDL (ug/L)	IDL (ug/L)	M
Aluminum			200		NR
Antimony			60		NR
Arsenic			10		NR
Barium			200		NR
Beryllium			5		NR
Cadmium			5		NR
Calcium			5000		NR
Chromium			10		NR
Cobalt			50		NR
Copper			25		NR
Iron			100		NR
Lead			3		NR
Magnesium			5000		NR
Manganese			15		NR
Mercury			0.2		NR
Nickel			40		NR
Potassium			5000		NR
Selenium			5		NR
Silver			10		NR
Sodium			5000		NR
Thallium			10		NR
Vanadium			50		NR
Zinc			20		NR

Comments:

---



---



---

ICP INTERELEMENT CORRECTION FACTORS (ANNUALLY)

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

ICP ID Number: ICP4 TJA 61E Date: 01/01/96

Analyte	Wave-length (nm)	Interelement Correction Factors for:				
		Al	Ca	Fe	Mg	CO
Aluminum	308.22	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Antimony	206.84	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Arsenic	189.04	0.0000000	0.0000000	-0.0000390	0.0000000	0.0000000
Barium	493.41	0.0000000	0.0000000	0.0000400	0.0000000	0.0000000
Beryllium	313.04	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cadmium	226.50	0.0000000	0.0000000	0.0001035	0.0000000	0.0000000
Calcium	317.93	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Chromium	267.72	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cobalt	228.62	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Copper	324.75	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Iron	271.44	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Lead	220.35	-0.0000596	-0.0000184	0.0000823	0.0000111	-0.0048710
Magnesium	279.08	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.61	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Mercury						
Nickel	231.60	0.0000000	0.0000000	0.0000000	0.0000000	-0.0011240
Potassium	766.49	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Selenium	196.03	0.0000000	0.0000000	-0.0001999	0.0000000	-0.0000465
Silver	328.07	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Sodium	330.23	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Thallium	190.86	-0.0000100	0.0000000	-0.0000800	0.0000000	0.0049700
Vanadium	292.40	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Zinc	213.86	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000

Comments:

---



---



---



---

ICP INTERELEMENT CORRECTION FACTORS (ANNUALLY)

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

ICP ID Number: ICP4 TJA 61E Date: 01/01/96

Analyte	Wave-length (nm)	Interelement Correction Factors for :			
		CR_	MN_	NI_	V_
Aluminum	308.22	0.0000000	0.0000000	0.0000000	0.0264000
Antimony	206.84	0.0055040	0.0000000	-0.0002668	-0.0036670
Arsenic	189.04	-0.0029900	0.0000000	0.0000000	0.0000000
Barium	493.41	0.0000000	0.0000000	0.0000000	0.0000000
Beryllium	313.04	0.0000000	0.0000000	0.0000000	0.0011400
Cadmium	226.50	0.0000000	0.0000000	-0.0000329	0.0000000
Calcium	317.93	0.0000000	0.0000000	0.0000000	0.0000000
Chromium	267.72	0.0000000	0.0000704	0.0000000	-0.0000540
Cobalt	228.62	0.0000000	0.0000000	0.0000000	0.0000000
Copper	324.75	0.0000000	0.0000000	0.0000000	0.0000000
Iron	271.44	0.0000000	0.0000000	0.0000000	0.0000000
Lead	220.35	-0.0001864	0.0000279	0.0002131	-0.0006255
Magnesium	279.08	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.61	0.0000000	0.0000000	0.0000000	0.0000000
Mercury					
Nickel	231.60	0.0000000	-0.0001310	0.0000000	0.0000000
Potassium	766.49	0.0000000	0.0000000	0.0000000	0.0000000
Selenium	196.03	0.0000000	0.0002108	0.0000000	0.0000188
Silver	328.07	0.0000000	0.0000000	0.0000000	0.0000000
Sodium	330.23	0.0000000	0.0000000	0.0000000	0.0000000
Thallium	190.86	0.0003750	-0.0005820	0.0000000	0.0036030
Vanadium	292.40	0.0000000	0.0000000	0.0000000	0.0000000
Zinc	213.86	0.0000000	0.0000000	0.0000000	0.0000000

Comments:

---



---



---

11A  
ICP INTERELEMENT CORRECTION FACTORS (ANNUALLY)

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

ICP ID Number: ICP5 TJA 61E Date: 04/22/96

Analyte	Wave-length (nm)	Interelement Correction Factors for :-				
		Al	Ca	Fe	Mg	CD_
Aluminum	237.31	0.0000000	0.0000000	-0.0004721	0.0000000	0.0000000
Antimony	206.84	0.0000000	0.0000000	0.0000310	0.0000000	0.0000000
Arsenic	189.04	0.0000000	0.0000000	-0.0000520	0.0000000	0.0000000
Barium	493.41	0.0000000	0.0000000	0.0000040	0.0000000	0.0000000
Beryllium	313.04	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cadmium	226.50	-0.0000020	0.0000000	0.0001380	0.0000000	0.0000000
Calcium	317.93	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Chromium	267.72	0.0000000	0.0000000	0.0000000	0.0000000	-0.0002050
Cobalt	228.61	0.0000000	0.0000000	0.0000000	0.0000000	0.0002010
Copper	324.75	0.0000000	0.0000000	-0.0000580	0.0000000	0.0000000
Iron	271.44	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Lead	220.35	0.0004860	0.0000000	0.0000960	0.0000080	0.0000000
Magnesium	279.08	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	294.92	0.0000000	0.0000000	0.0004730	0.0000000	0.0000000
Mercury						
Nickel	231.60	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Potassium	766.49	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Selenium	196.03	0.0000000	0.0000000	-0.0000210	0.0000080	0.0000000
Silver	328.07	0.0000080	0.0000070	0.0000150	0.0000020	0.0000000
Sodium	330.23	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Thallium	190.86	-0.0000080	0.0000000	-0.0000650	0.0000000	0.0000000
Vanadium	292.40	0.0000000	0.0000000	0.0000250	0.0000000	0.0000000
Zinc	213.85	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000

Comments:

---



---



---



---

11B  
ICP INTERELEMENT CORRECTION FACTORS (ANNUALLY)

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

ICP ID Number: ICP5 TJA 61E Date: 04/22/96

Analyte	Wave- length (nm)	Interelement Correction Factors for :_____				
		CO_	CR_	MN_	NI_	TI_
Aluminum	237.31	0.0010260	-0.0001500	0.0004560	0.0000000	0.0000000
Antimony	206.84	0.0000000	0.0106760	0.0000000	-0.0010930	0.0009800
Arsenic	189.04	0.0000000	0.0000130	-0.0000260	0.0000000	0.0000000
Barium	493.41	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Beryllium	313.04	0.0000000	0.0000000	0.0000000	0.0000000	0.0006000
Cadmium	226.50	0.0000190	0.0000000	0.0000000	-0.0001420	0.0001100
Calcium	317.93	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Chromium	267.72	0.0000000	0.0000000	0.0000200	0.0000000	0.0000000
Cobalt	228.61	0.0000000	0.0000760	0.0000000	0.0001550	0.0021800
Copper	324.75	-0.0006200	0.0000000	0.0000000	0.0000000	0.0000000
Iron	271.44	0.0834400	0.0000000	-0.0010430	-0.0005400	0.0000000
Lead	220.35	-0.0032100	-0.0000200	0.0000000	0.0001830	0.0002200
Magnesium	279.08	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	294.92	0.0000000	-0.0001100	0.0000000	0.0000000	0.0000000
Mercury						
Nickel	231.60	0.0005300	0.0000000	-0.0000770	0.0000000	0.0000000
Potassium	766.49	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Selenium	196.03	0.0003320	0.0000000	0.0003360	0.0000000	0.0000000
Silver	328.07	0.0000000	0.0000450	0.0001060	0.0000000	0.0004400
Sodium	330.23	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Thallium	190.86	0.0031500	0.0003050	-0.0053100	0.0000000	0.0003200
Vanadium	292.40	0.0000000	-0.0014900	-0.0000760	0.0000000	0.0005480
Zinc	213.85	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000

Comments:

---



---



---



---

U.S. EPA - CLP

11B  
ICP INTERELEMENT CORRECTION FACTORS (ANNUALLY)

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

ICP ID Number: ICP5 TJA 61E Date: 04/22/96

Analyte	Wave-length (nm)	Interelement Correction Factors for :_____				
		V__	ZN_	_____	_____	_____
Aluminum	237.31	-0.0041100	0.0000000			
Antimony	206.84	-0.0107300	0.0002410			
Arsenic	189.04	-0.0010590	0.0000000			
Barium	493.41	0.0000420	0.0000000			
Beryllium	313.04	0.0000000	0.0000000			
Cadmium	226.50	0.0000000	0.0000000			
Calcium	317.93	0.0000000	0.0000000			
Chromium	267.72	0.0000000	0.0000000			
Cobalt	228.61	0.0000000	0.0000000			
Copper	324.75	-0.0001320	0.0000000			
Iron	271.44	0.0076000	0.0000000			
Lead	220.35	0.0000000	0.0000000			
Magnesium	279.08	0.0000000	0.0000000			
Manganese	294.92	0.0048700	0.0000000			
Mercury						
Nickel	231.60	-0.0001520	0.0000000			
Potassium	766.49	0.0000000	0.0000000			
Selenium	196.03	0.0001120	0.0000000			
Silver	328.07	0.0004460	0.0000000			
Sodium	330.23	0.0000000	-0.1301000			
Thallium	190.86	0.0018800	0.0000000			
Vanadium	292.40	0.0000000	0.0000000			
Zinc	213.85	-0.0054500	0.0000000			

Comments:

---



---



---



---

U.S. EPA - CLP

12

ICP LINEAR RANGES (QUARTERLY)

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

ICP ID Number: ICP4 TJA 61E Date: 10/01/96

Analyte	Integ. Time (sec.)	Concentration (ug/L)	M
Aluminum	10.00	1000000.0	P
Antimony	10.00	100000.0	P
Arsenic	10.00	20000.0	P
Barium	10.00	10000.0	P
Beryllium	10.00	10000.0	P
Cadmium	10.00	10000.0	P
Calcium	10.00	500000.0	P
Chromium	10.00	100000.0	P
Cobalt	10.00	100000.0	P
Copper	10.00	100000.0	P
Iron	10.00	1000000.0	P
Lead	10.00	100000.0	P
Magnesium	10.00	500000.0	P
Manganese	10.00	10000.0	P
Mercury			NR
Nickel	10.00	20000.0	P
Potassium	10.00	100000.0	P
Selenium	10.00	4000.0	P
Silver	10.00	2000.0	P
Sodium	10.00	100000.0	P
Thallium	10.00	10000.0	P
Vanadium	10.00	100000.0	P
Zinc	10.00	5000.0	P

Comments:

---



---



---



U.S. EPA - CLP

12

ICP LINEAR RANGES (QUARTERLY)

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_ SAS No.: \_\_\_\_\_ SDG No.: 61529\_

ICP ID Number: ICP5 TJA 61E Date: 10/01/96

Analyte	Integ. Time (sec.)	Concentration (ug/L)	M
Aluminum	10.00	250000.0	P
Antimony	10.00	100000.0	P
Arsenic	10.00	20000.0	P
Barium	10.00	50000.0	P
Beryllium	10.00	5000.0	P
Cadmium	10.00	10000.0	P
Calcium	10.00	500000.0	P
Chromium	10.00	100000.0	P
Cobalt	10.00	20000.0	P
Copper	10.00	100000.0	P
Iron	10.00	500000.0	P
Lead	10.00	100000.0	P
Magnesium	10.00	500000.0	P
Manganese	10.00	50000.0	P
Mercury			NR
Nickel	10.00	50000.0	P
Potassium	10.00	100000.0	P
Selenium	10.00	20000.0	P
Silver	10.00	2000.0	P
Sodium	10.00	100000.0	P
Thallium	10.00	20000.0	P
Vanadium	10.00	50000.0	P
Zinc	10.00	5000.0	P

Comments:

---



---



---

PREPARATION LOG

Lab Name: INCHCAPE ENVIRONMENTAL \_\_\_\_\_ Contract: 93206 \_\_\_\_\_  
Lab Code: INCHVT Case No.: OBASH \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: 61529 \_\_\_\_\_  
Method: P\_

EPA Sample No.	Preparation Date	Weight (gram)	Volume (mL)
LCSW1	10/01/96		100
OB035	10/01/96		100
OB036	10/01/96		100
OB037	10/01/96		100
OB038	10/01/96		100
OB039	10/01/96		100
OB040	10/01/96		100
OB041	10/01/96		100
PBW1	10/01/96		100

PREPARATION LOG

Lab Name: INHCAPE ENVIRONMENTAL \_\_\_\_\_

Contract: 93206 \_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_

SAS No.: \_\_\_\_\_ SDG No.: 61529\_

Method: P\_

EPA Sample No.	Preparation Date	Weight (gram)	Volume (mL)
LCSW2	10/18/96		100
OB042	10/18/96		100
PBW2	10/18/96		100



U.S. EPA - CLP

13

PREPARATION LOG

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.:\_OBASH\_ SAS No.: \_\_\_\_\_ SDG No.:61529\_

Method: CV

EPA Sample No.	Preparation Date	Weight (gram)	Volume (mL)
LCSW3	10/15/96		100
OB038	10/15/96		100
OB039	10/15/96		100
OB042	10/15/96		100
PBW3	10/15/96		100



U.S. EPA - CLP

13

PREPARATION LOG

Lab Name: INCHCAPE\_ENVIRONMENTAL

Contract: 93206

Lab Code: INCHVT Case No.: OBASH

SAS No.: \_\_\_\_\_

SDG No.:61529

Method: AS

EPA Sample No.	Preparation Date	Weight (gram)	Volume (mL)
ICV	10/07/96		250
ICV	10/07/96		250
OB038	10/07/96		250
OB039	10/07/96		250
OB040	10/07/96		250
OB041	10/07/96		250
PBW2	10/07/96		250

U.S. EPA - CLP

13  
PREPARATION LOG

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_

Contract: 93206\_\_\_\_\_

Lab Code: INCHVT

Case No.: OBASH\_\_\_\_\_

SAS No.: \_\_\_\_\_

SDG No.: 61529\_\_\_\_\_

Method: AS

EPA Sample No.	Preparation Date	Weight (gram)	Volume (mL)
ICV	10/10/96		250
OB042	10/10/96		250
PBW3	10/10/96		250



U.S. EPA - CLP

14  
ANALYSIS RUN LOG

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_

Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_\_\_\_\_

SAS No.: \_\_\_\_\_ SDG No.: 61529\_\_

Instrument ID Number: ICP4 TJA 61E\_\_\_\_\_

Method: P\_\_\_\_\_

Start Date: 10/08/96

End Date: 10/08/96

EPA Sample No.	D/F	Time	% R	Analytes																									
				AL	SB	AS	BA	BE	CD	CA	CR	CO	CU	FE	PB	MG	MN	HG	NI	K	SE	AG	NA	TL	V	ZN	CN		
S0	1.00	1535		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
S	1.00	1539					X	X	X		X	X	X							X	X			X	X				
S	1.00	1544		X						X									X			X							
S	1.00	1548			X	X							X						X			X							
ICV	1.00	1554		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
ICB	1.00	1559		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
ICSA	1.00	1604		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
ICSAB	1.00	1609		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
CRI	1.00	1613		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
CCV	1.00	1618		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
CCB	1.00	1623		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
ZZZZZZ	1.00	1628																											
ZZZZZZ	1.00	1633																											
ZZZZZZ	1.00	1638																											
ZZZZZZ	1.00	1642																											
PBW1	1.00	1647		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
LCSW1	1.00	1652		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
ZZZZZZ	1.00	1657																											
ZZZZZZ	5.00	1702																											
ZZZZZZ	1.00	1706																											
ZZZZZZ	1.00	1711																											
CCV	1.00	1716		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
CCB	1.00	1721		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
ZZZZZZ	1.00	1726																											
OB035	1.00	1731		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
OB035L	5.00	1735		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
OB036	1.00	1740		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
OB037	1.00	1745		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
OB040	1.00	1750		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
OB041	1.00	1755		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
OB038	1.00	1759		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
OB039	1.00	1804		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		

U.S. EPA - CLP

14

ANALYSIS RUN LOG

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_

Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_\_\_\_\_

SAS No.: \_\_\_\_\_ SDG No.: 61529\_\_\_\_\_

Instrument ID Number: ICP4 TJA 61E\_\_\_\_\_

Method: P\_\_\_\_\_

Start Date: 10/08/96

End Date: 10/08/96

EPA Sample No.	D/F	Time	% R	Analytes																										
				A L	S B	A S	B A	B E	C D	C A	C R	C O	C U	F E	P B	M G	M N	H G	N I	K	S E	A G	N A	T L	V	Z N	C N			
CCV	1.00	1809		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
CCB	1.00	1814		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
ICSA	1.00	1819		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
ICSAB	1.00	1824		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
CRI	1.00	1829		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
CCV	1.00	1833		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
CCB	1.00	1838		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			

U.S. EPA - CLP

14  
ANALYSIS RUN LOG

Lab Name: INCHCAPE\_ENVIRONMENTAL

Contract: 93206

Lab Code: INCHVT Case No.: OBASH

SAS No.: SDG No.:61529

Instrument ID Number: ICP5 TJA 61E

Method: P

Start Date: 10/22/96

End Date: 10/22/96

EPA Sample No.	D/F	Time	% R	Analytes																						
				A L	S B	A S	B A	B E	C D	C A	C R	C O	C U	F E	P B	M G	M N	H G	N I	K	S E	A G	N A	T L	V	Z N
S0	1.00	1247		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
S	1.00	1250		X						X									X		X					
S	1.00	1254			X	X							X						X				X			
S	1.00	1259				X	X	X		X	X	X		X				X		X			X	X	X	X
ICV	1.00	1304		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ICB	1.00	1308		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ICSA	1.00	1313		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ICSAB	1.00	1317		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
CRI	1.00	1322		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
CCV	1.00	1326		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
CCB	1.00	1331		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
PBW2	1.00	1335		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
LCSW2	1.00	1339		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
OB042	1.00	1344		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
OB042L	5.00	1348		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ZZZZZZ	1.00	1353																								
ZZZZZZ	1.00	1357																								
ZZZZZZ	1.00	1401																								
ZZZZZZ	1.00	1406																								
ZZZZZZ	5.00	1410																								
ZZZZZZ	1.00	1415																								
CCV	1.00	1421		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
CCB	1.00	1425		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ZZZZZZ	1.00	1430																								
ZZZZZZ	1.00	1434																								
ZZZZZZ	1.00	1438																								
ZZZZZZ	5.00	1443																								
ZZZZZZ	1.00	1447																								
ICSA	1.00	1452		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ICSAB	1.00	1456		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
CRI	1.00	1500		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
CCV	1.00	1505		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Lab Name: INCHCAPE\_ENVIRONMENTAL

Contract: 93206

Lab Code: INCHVT Case No.: OBASH

SAS No.: SDG No.:61529

Instrument ID Number: ICP5 TJA 61E

Method: P

Start Date: 10/22/96

End Date: 10/22/96

EPA Sample No.	D/F	Time	% R	Analytes																								
				A L	S B	A S	B A	B E	C D	C A	C R	C O	C U	F E	P B	M G	M N	H G	N I	K	S E	A G	N A	T L	V	Z N	C N	
CCB	1.00	1509		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	

14  
ANALYSIS RUN LOG

Lab Name: INCHCAPE\_ENVIRONMENTAL

Contract: 93206

Lab Code: INCHVT Case No.: OBASH

SAS No.: SDG No.:61529

Instrument ID Number: CV1 PS200II

Method: CV

Start Date: 10/01/96

End Date: 10/01/96

EPA Sample No.	D/F	Time	% R	Analytes																											
				A L	S B	A S	B A	B E	C D	C A	C R	C O	C U	F E	P B	M G	M N	H G	N I	K	S E	A G	N A	T L	V	Z N	C N				
S0	1.00	1451																X													
S0.2	1.00	1453																X													
S0.5	1.00	1455																X													
S1	1.00	1458																X													
S5	1.00	1500																X													
S10	1.00	1503																X													
ICV	1.00	1505																X													
ICB	1.00	1508																X													
CRA	1.00	1510																X													
CCV	1.00	1512																X													
CCB	1.00	1515																X													
PBW1	1.00	1517																X													
LCSW1	1.00	1519																X													
ZZZZZZ	1.00	1521																													
ZZZZZZ	1.00	1524																													
ZZZZZZ	1.00	1526																													
ZZZZZZ	1.00	1529																													
ZZZZZZ	1.00	1531																													
ZZZZZZ	1.00	1534																													
ZZZZZZ	1.00	1537																													
CCV	1.00	1539																X													
CCB	1.00	1541																X													
ZZZZZZ	1.00	1543																													
ZZZZZZ	1.00	1546																													
ZZZZZZ	1.00	1548																													
ZZZZZZ	1.00	1550																													
ZZZZZZ	1.00	1552																													
ZZZZZZ	1.00	1555																													
ZZZZZZ	1.00	1557																													
ZZZZZZ	1.00	1559																													
ZZZZZZ	1.00	1601																													
CCV	1.00	1604																X													



U.S. EPA - CLP

14  
ANALYSIS RUN LOG

Lab Name: INCHCAPE\_ENVIRONMENTAL

Contract: 93206

Lab Code: INCHVT Case No.: OBASH

SAS No.: SDG No.:61529

Instrument ID Number: CV1 PS200II

Method: CV

Start Date: 10/16/96

End Date: 10/16/96

EPA Sample No.	D/F	Time	% R	Analytes																											
				A	S	A	B	B	C	C	C	C	C	F	P	M	M	H	N	K	S	A	N	T	V	Z	C				
				L	B	S	A	E	D	A	R	O	U	E	B	G	N	G	I		E	G	A	L	N	N					
S0	1.00	1109																X													
S0.2	1.00	1112																X													
S0.5	1.00	1115																X													
S1	1.00	1117																X													
S5	1.00	1120																X													
S10	1.00	1122																X													
ICV	1.00	1125																X													
ICB	1.00	1127																X													
CRA	1.00	1129																X													
CCV	1.00	1131																X													
CCB	1.00	1134																X													
PBW3	1.00	1137																X													
LCSW3	1.00	1139																X													
ZZZZZZ	1.00	1141																X													
OB038	1.00	1143																X													
OB039	1.00	1145																X													
OB042	1.00	1148																X													
ZZZZZZ	1.00	1150																X													
ZZZZZZ	1.00	1152																X													
ZZZZZZ	1.00	1154																X													
CCV	1.00	1157																X													
CCB	1.00	1159																X													

U.S. EPA - CLP

14  
ANALYSIS RUN LOG

Lab Name: INCHCAPE\_ENVIRONMENTAL

Contract: 93206

Lab Code: INCHVT Case No.: OBASH

SAS No.: SDG No.:61529

Instrument ID Number: PS1214

Method: AS

Start Date: 10/03/96

End Date: 10/03/96

EPA Sample No.	D/F	Time	% R	Analytes																									
				A L	S B	A S	B A	B E	C D	C A	C R	C O	C U	F E	P B	M G	M N	H G	N I	K	S E	A G	N A	T L	V	Z N	C N		
S0	1.00	2221																										X	
S10	1.00	2223																										X	
S50	1.00	2225																										X	
S100	1.00	2227																										X	
S200	1.00	2229																										X	
S300	1.00	2232																										X	
ICV	1.00	2234																										X	
ICB	1.00	2236																										X	
CCV	1.00	2238																										X	
CCB	1.00	2240																										X	
ZZZZZZ	1.00	2242																											
PBW1	1.00	2245																										X	
ZZZZZZ	1.00	2247																											
ZZZZZZ	5.00	2249																											
ZZZZZZ	1.00	2251																											
ZZZZZZ	1.00	2253																											
ZZZZZZ	1.00	2255																											
ZZZZZZ	1.00	2257																											
ZZZZZZ	1.00	2259																											
ZZZZZZ	1.00	2301																											
CCV	1.00	2303																										X	
CCB	1.00	2305																										X	
ZZZZZZ	1.00	2308																											
ZZZZZZ	1.00	2310																											
OB035	1.00	2312																										X	
OB036	1.00	2314																										X	
OB037	1.00	2316																										X	
ZZZZZZ	1.00	2318																											
ZZZZZZ	1.00	2320																											
CCV	1.00	2322																										X	
CCB	1.00	2324																										X	



14  
ANALYSIS RUN LOG

Lab Name: INCHCAPE\_ENVIRONMENTAL

Contract: 93206

Lab Code: INCHVT Case No.: OBASH

SAS No.: SDG No.: 61529

Instrument ID Number: PS1214

Method: AS

Start Date: 10/08/96

End Date: 10/08/96

EPA-Sample No.	D/F	Time	% R	Analytes																									
				A L	S B	A S	B A	B E	C D	C A	C R	C O	C U	F E	P B	M G	M N	H G	N I	K	S E	A G	N A	T L	V	Z N	C N		
S0	1.00	2238																									X		
S10	1.00	2240																									X		
S50	1.00	2242																									X		
S100	1.00	2245																									X		
S200	1.00	2247																									X		
S300	1.00	2249																									X		
ICV	1.00	2251																									X		
ICB	1.00	2254																									X		
CCV	1.00	2256																									X		
CCB	1.00	2258																									X		
ZZZZZZ	1.00	2300																									X		
PBW2	1.00	2302																									X		
ZZZZZZ	1.00	2304																									X		
ZZZZZZ	5.00	2306																									X		
ZZZZZZ	1.00	2308																									X		
OB040	1.00	2310																									X		
OB041	1.00	2313																									X		
OB038	1.00	2315																									X		
OB039	1.00	2317																									X		
CCV	1.00	2319																									X		
CCB	1.00	2321																									X		

U.S. EPA - CLP

14

ANALYSIS RUN LOG

Lab Name: INCHCAPE\_ENVIRONMENTAL\_\_\_\_\_

Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: OBASH\_\_\_\_\_

SAS No.: \_\_\_\_\_ SDG No.:61529\_

Instrument ID Number: PS1214\_\_\_\_\_

Method: AS

Start Date: 10/08/96

End Date: 10/09/96

EPA Sample No.	D/F	Time	% R	Analytes																									
				A L	S B	A S	B A	B E	C D	C A	C R	C O	C U	F E	P B	M G	M N	H G	N I	K	S E	A G	N A	T L	V	Z N	C N		
S0	1.00	2359		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X
S10	1.00	0001		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X
S50	1.00	0003		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X
S100	1.00	0005		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X
S200	1.00	0007		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X
S300	1.00	0010		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X
ICV	1.00	0012		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X
ICB	1.00	0014		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X
CCV	1.00	0016		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X
CCB	1.00	0019		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X
ZZZZZZ	1.00	0021		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZZZZZZ	1.00	0023		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OB039	1.00	0025		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CCV	1.00	0027		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X
CCB	1.00	0029		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

U.S. EPA - CLP

14  
ANALYSIS RUN LOG

Lab Name: INCHCAPE\_ENVIRONMENTAL

Contract: 93206

Lab Code: INCHVT Case No.: OBASH

SAS No.: SDG No.:61529

Instrument ID Number: PS1214

Method: AS

Start Date: 10/14/96

End Date: 10/14/96

EPA Sample No.	D/F	Time	% R	Analytes																											
				A L	S B	A S	B A	B E	C D	C A	C R	C O	C U	F E	P B	M G	M N	H G	N I	K	S E	A G	N A	T L	V	Z N	C N				
S0	1.00	2126		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
S10	1.00	2128		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
S50	1.00	2130		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
S100	1.00	2132		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
S200	1.00	2135		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
S300	1.00	2137		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
ICV	1.00	2139		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
ICB	1.00	2141		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
CCV	1.00	2144		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
CCB	1.00	2146		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
ZZZZZZ	1.00	2148		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
PBW3	1.00	2150		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
ZZZZZZ	1.00	2152		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
ZZZZZZ	5.00	2154		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
ZZZZZZ	1.00	2156		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
ZZZZZZ	1.00	2158		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
ZZZZZZ	1.00	2200		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
ZZZZZZ	1.00	2202		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
OB042	1.00	2205		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
CCV	1.00	2207		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		
CCB	1.00	2209		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X		

