

00558



ASH LANDFILL

GROUND WATER

RESULTS

for

1992



NATIONAL
ENVIRONMENTAL
TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Client: SENECA ARMY DEPOT
BUILDING 323 MAT MGT BR
ROMULUS, NY 14541

Date: 03/26/1992

Job No: 92.0386

Attention: MR. MARK PAPROCKI

Purchase Order No:
Account Number: 82680

Project: Seneca Army Depot

Subject: Samples received on 3/10/1992, identified as PT-10, PT-11,
PT-15, PT-16, PT-17, PT-23, PT-24, PT-25 and Trip Blank.

Project Manager: Bindy Dain

NET Atlantic, Syracuse Division

Janece F. Lafferty
Janece F. Lafferty
Technical Director

NET warrants that any sampling and analysis conducted as part of this report are performed in accordance with the analytical industries recognized methodologies and professional standards. NET will not assume liability for any damages resulting from deficient work other than reperformance or cost of said work and will not accept any liability as a result of data interpretation by the client.



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0386

Formerly: NET Northeast, Inc.

SAMPLE NO: 42767

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : PT-10

Time Collected: 10:30

PARAMETER		RESULTS	UNITS
Chloride	AQ	56.5	mg/L
Conductivity		824.	umhos/cm
Nitrate	AQ	<0.040	mg/L N
pH		7.2	pH units
Sulfate		20.	mg/L
Total Organic Carbon		7.0	mg/L
Total Organic Halogen-TOX		<0.01	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.185	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	0.124	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	2.28	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	37.4	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0386

Formerly: NET Northeast, Inc.

SAMPLE NO: 42767

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : PT-10

Time Collected: 10:30

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	<1.0	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



5854 Butternut Driv
East Syracuse, NY
13057
(315) 446-8795

92.0586
MONITORING WELL
SAMPLE CHARACTERIZATION AND
CHAIN OF CUSTODY SHEET

LAB SAMPLE LOG NO. 42767 JOB NO. 82680

SOURCE

CLIENT Seneca Army Depot

WELL NO. PT-10

LOCATION 8 Ash LF

WELL TYPE/SIZE 2" PVC

EVACUATION

DATE 3-9-92

WELL DEPTH 46.2'

DEPTH TO WATER 3.79'

WELL VOLUME 6.79 g.

METHOD bailed

NO. OF VOLUMES 2

TOTAL VOLUME 15 g. - Dry

ITEM	START	FINISH
TIME		11:55
pH		6.91
TEMP.	11°C	11°C
DEPTH	3.79	
COLOR	C1	Lt. Br
APPEAR	Low Turb	

SAMPLING

DATE 3-10-92

pH 6.91

TIME 1030

TEMP. 11°C

METHOD PVC Bailer

COLOR Lt. Br

CONTAINER 1/2 gal, 2 quarts, pint, 250, 2 vials

TURB Low

SAMPLED BY BRM, JS

REDOX 189.9 | COND 910

PRESERVATION

DATE 3-10-92

FILTERED YES NO

TIME _____ BY _____

PRESERVED YES NO

TIME _____ BY BRM JS

PRESERVATIVE H₂SO₄ HNO₃ NaOH H₃PO₄+C₂SO₄ Zn(C₂H₃O₂)₂
 HCL SOD. THIO.
 COOLED TO 4 C OTHER Teflon

CUSTODY

SAMPLERS SIGNATURE Joe Samilipso

TRANSFERED TO #1

RECEIVED BY [Signature] DATE 3/10/92 TIME 4:20

RECEIVED BY _____ DATE _____ TIME _____

FIELD NOTES:



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0386

SAMPLE NO: 42768

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : PT-11

Time Collected: 10:40

PARAMETER		RESULTS	UNITS
Chloride	AQ	35.4	mg/L
Conductivity		918.	umhos/cm
Nitrate	AQ	<0.040	mg/L N
pH		7.3	pH units
Sulfate		169.	mg/L
Total Organic Carbon		7.0	mg/L
Total Organic Halogen-TOX		<0.01	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.271	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	15.8	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVA A AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	4.70	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	37.1	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL
ENVIRONMENTAL
TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0386

Formerly: NET Northeast, Inc.

SAMPLE NO: 42768

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : PT-11

Time Collected: 10:40

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	<1.0	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



MONITORING WELL SAMPLE CHARACTERIZATION AND CHAIN OF CUSTODY SHEET

LAB SAMPLE LOG NO. 48768

JOB NO. 82680

SOURCE

CLIENT Seneca Army Depot

WELL NO. PT-11

LOCATION LF

WELL TYPE/SIZE 2" PVC

EVACUATION

DATE 3-9-92

WELL DEPTH 19.4

DEPTH TO WATER 4.57

WELL VOLUME 2.37

METHOD Manual

NO. OF VOLUMES 3

TOTAL VOLUME 2.5 gal Dry

ITEM	START	FINISH
TIME		1158
PH		6.96
TEMP.		8°C
DEPTH		4.57
COLOR	clear	lt. Br
APPEAR	High Turb	

SAMPLING

DATE 3-10-92 PH 6.96

TIME 1040

TEMP. 8°C

METHOD PVC Bailer

COLOR lt. Br

CONTAINER 1/2 gal, 2 quarts, pint, 250, 2 vials

TURB Med Turb

SAMPLED BY BRM, JS

REDOX 197.9 | COND 1000

PRESERVATION

DATE 3-10-92

FILTERED YES NO TIME _____ BY _____

PRESERVED YES NO TIME _____ BY BRM JS

PRESERVATIVE H₂SO₄ HNO₃ NaOH H₃PO₄+C₂SO₄ Zn(C₂H₃O₂):
 HCL SOD. THIO.
 COOLED TO 4 C OTHER Teflon

CUSTODY

SAMPLERS SIGNATURE Joe Saffilino

TRANSFERED TO #1 RECEIVED BY [Signature] DATE 3/10/92 TIME 4:20

#2 RECEIVED BY [Signature] DATE 3/10/92 TIME _____

FIELD NOTES:



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0386

Formerly: NET Northeast, Inc.

SAMPLE NO: 42769

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : PT-15

Time Collected: 11:00

PARAMETER		RESULTS	UNITS
Chloride	AQ	6.7	mg/L
Conductivity		532.	umhos/cm
Nitrate	AQ	<0.040	mg/L N
pH		7.6	pH units
Sulfate		61.4	mg/L
Total Organic Carbon		4.0	mg/L
Total Organic Halogen-TOX		<0.01	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.133	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	11.3	mg/L
Lead (Pb)	200 GFAA AQ	0.029	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	3.76	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	27.2	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0386

Formerly: NET Northeast, Inc.

SAMPLE NO: 42769

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : PT-15

Time Collected: 11:00

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	<1.0	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



5854 Butternut Drive
 East Syracuse, NY
 13057
 (315) 446-8795

MONITORING WELL
 SAMPLE CHARACTERIZATION AND
 CHAIN OF CUSTODY SHEET

LAB SAMPLE LOG NO. 48769 JOB NO. 828680

SOURCE

CLIENT Seneca Army Depot WELL NO. PT-15
 LOCATION LF WELL TYPE/SIZE 2" PVC

EVACUATION

DATE 3-9-92

WELL DEPTH 19.5
 DEPTH TO WATER 4.06
 WELL VOLUME 2.47
 METHOD Manual
 NO. OF VOLUMES 3
 TOTAL VOLUME 5g Dry

ITEM	START	FINISH
TIME		1220
PH		7.34
TEMP.		6°C
DEPTH		4.06
COLOR	Lt. Br	Lt. Br
APPEAR	Med Turb	

SAMPLING

DATE 3-10-92 PH 7.34

TIME 1100 TEMP. 6°C
 METHOD PVC Bailor COLOR Lt. Br
 CONTAINER 1/2 gal, 2 quarts, pint, 250, 2 vials TURB Med
 SAMPLED BY BRM, JS REDOX 198.5 | COND 580

PRESERVATION

DATE 3-10-92

FILTERED YES NO TIME _____ BY _____
 PRESERVED YES NO TIME _____ BY BRM, JS
 PRESERVATIVE H₂SO₄ HNO₃ NaOH H₃PO₄+C₂SO₄ Zn(C₂H₃O₂)₂
 HCL SOD. THIO.
 COOLED TO 4 C OTHER Teflon

CUSTODY

SAMPLERS SIGNATURE Joe Samfiliaro
 TRANSFERRED TO #1
 RECEIVED BY _____ DATE _____ TIME _____
 #2
 RECEIVED BY Cynthia C. Bell DATE 3/10/92 TIME 4:20

FIELD NOTES:



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0386

SAMPLE NO: 42770

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : PT-16

Time Collected: 10:52

PARAMETER		RESULTS	UNITS
Chloride	AQ	12.4	mg/L
Conductivity		516.	umhos/cm
Nitrate	AQ	0.25	mg/L N
pH		7.2	pH units
Sulfate		44.4	mg/L
Total Organic Carbon		2.0	mg/L
Total Organic Halogen-TOX		<0.01	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.046	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	2.76	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	1.38	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	5.33	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0386

SAMPLE NO: 42770

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : PT-16

Time Collected: 10:52

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	<1.0	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



MONITORING WELL
SAMPLE CHARACTERIZATION AND
CHAIN OF CUSTODY SHEET

LAB SAMPLE LOG NO. 42770

JOB NO. 82680

SOURCE _____

CLIENT Seneca Army Depot

WELL NO. DT-16

LOCATION LF

WELL TYPE/SIZE 2" PVC

EVACUATION _____

DATE 3-7-92

WELL DEPTH 11.5

DEPTH TO WATER 2.94

WELL VOLUME 1.37

METHOD Manual

NO. OF VOLUMES 3

TOTAL VOLUME 4.5 gal

ITEM	START	FINISH
TIME		1210
PH		7.29
TEMP.		5'C
DEPTH		2.94
COLOR	Lt. Br	lt. Br
APPEAR	Med Turb	

SAMPLING _____

DATE 3-10-92

PH 7.29

TIME 1052

TEMP. 5'C

METHOD PVC Bailor

COLOR Lt. Br

CONTAINER 1/2 gal, 2 quarts, pint, 250, 2 vials

TURB Med

SAMPLED BY BRM JS

REDOX 204.2 | COND 580

PRESERVATION _____

DATE 3-10-92

FILTERED YES _____ NO TIME _____ BY _____

PRESERVED YES NO _____ TIME _____ BY BRM JS

PRESERVATIVE H₂SO₄ HNO₃ NaOH H₃PO₄+C₂SO₄ Zn(C₂H₃O₂)₂
 HCL SOD. THIO.
 COOLED TO 4 C OTHER Teflon

CUSTODY _____

SAMPLERS SIGNATURE [Signature]
TRANSFERRED TO #1 _____

RECEIVED BY [Signature] DATE 3/10/92 TIME 4:30

#2 _____
RECEIVED BY _____ DATE _____ TIME _____

FIELD NOTES: _____



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0386

Formerly: NET Northeast, Inc.

SAMPLE NO: 42771

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : PT-17

Time Collected: 12:34

PARAMETER		RESULTS	UNITS
Chloride	AQ	31.6	mg/L
Conductivity		593.	umhos/cm
Nitrate	AQ	0.56	mg/L N
pH		7.3	pH units
Sulfate		65.1	mg/L
Total Organic Carbon		6.0	mg/L
Total Organic Halogen-TOX		0.07	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.062	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	6.66	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	1.92	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	21.8	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0386

SAMPLE NO: 42771

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : PT-17

Time Collected: 12:34

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	100.	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



MONITORING WELL SAMPLE CHARACTERIZATION AND CHAIN OF CUSTODY SHEET

LAB SAMPLE LOG NO. 48771

JOB NO. 82680

SOURCE

CLIENT Seneca Army Depot

WELL NO. PT-17

LOCATION LF

WELL TYPE/SIZE 2" PVC

EVACUATION

DATE 3-9-92

WELL DEPTH 11.5

DEPTH TO WATER 3.98

WELL VOLUME 1.20

METHOD Manual

NO. OF VOLUMES 3

TOTAL VOLUME 4 gal

ITEM	START	FINISH
TIME		<u>1343</u>
pH		<u>7.13</u>
TEMP.		<u>6°C</u>
DEPTH		<u>3.98</u>
COLOR	<u>lt Br</u>	<u>lt. Br</u>
APPEAR	<u>Med Turb</u>	

SAMPLING

DATE 3-10-92

pH 7.13

TIME 1234

TEMP. 6°C

METHOD PVC Bailer

COLOR lt. Br

CONTAINER 1/2 gal, 2 quarts, pint, 250, 2 vials

TURB med

SAMPLED BY BRM, JS

REDOX 207.5 | COND 750

PRESERVATION

DATE 3-10-92

FILTERED YES NO TIME _____ BY _____

PRESERVED YES NO TIME _____ BY BRM JS

PRESERVATIVE H₂SO₄ HNO₃ NaOH H₃PO₄+C₂SO₄ Zn(C₂H₃O₂)₂
 HCL SOD. THIO.
 COOLED TO 4 C OTHER Teflon

CUSTODY

SAMPLERS SIGNATURE Joe Samplisa
TRANSFERRED TO #1

RECEIVED BY [Signature] DATE 3/10/92 TIME 4:20

RECEIVED BY _____ DATE _____ TIME _____

FIELD NOTES:



**NATIONAL
ENVIRONMENTAL
TESTING, INC.**

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0386

SAMPLE NO: 42772

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : PT-23

Time Collected: 11:43

PARAMETER		RESULTS	UNITS
Chloride	AQ	9.6	mg/L
Conductivity		507.	umhos/cm
Nitrate	AQ	<0.040	mg/L N
pH		7.4	pH units
Sulfate		44.4	mg/L
Total Organic Carbon		2.0	mg/L
Total Organic Halogen-TOX		0.01	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.054	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	5.30	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	1.90	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	4.20	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0386

Formerly: NET Northeast, Inc.

SAMPLE NO: 42772

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : PT-23

Time Collected: 11:43

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	<1.0	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



5854 Butternut Drive
East Syracuse, NY
13057

(315) 446-8795

MONITORING WELL
SAMPLE CHARACTERIZATION AND
CHAIN OF CUSTODY SHEET

LAB SAMPLE LOG NO. 4277a

JOB NO. 82680

SOURCE

CLIENT Seneca Army Depot

WELL NO. PT-23

LOCATION LF

WELL TYPE/SIZE 2" PVC

EVACUATION

DATE 3-9-92

WELL DEPTH 12

DEPTH TO WATER 4.02

WELL VOLUME 1.28

METHOD Manual

NO. OF VOLUMES 3

TOTAL VOLUME 2gal Dry

ITEM	START	FINISH
TIME		1300
PH		7.23
TEMP.		5°C
DEPTH		4.02
COLOR	Lt. Br	Lt. Br
APPEAR	Med Turb	

SAMPLING

DATE 3-10-92

PH 7.23

TIME 1143

TEMP. 5°C

METHOD PVC Bailor

COLOR Lt. Br

CONTAINER 1/2 gal, 2 quarts, pint, 250, 2 liter

TURB Med Turb

SAMPLED BY BRM, JS

REDOX 207.7 | COND 540

PRESERVATION

DATE 3-10-92

FILTERED YES NO TIME _____ BY _____

PRESERVED YES NO TIME _____ BY BRM, JS

PRESERVATIVE H₂SO₄ HNO₃ NaOH H₃PO₄+C₂SO₄ Zn(C₂H₃O₂)₂
 HCL SOD. THIO.
 COOLED TO 4 C OTHER Teflon

CUSTODY

SAMPLERS SIGNATURE Joe Scarpilippo

TRANSFERED TO #1
 RECEIVED BY [Signature] DATE 3/10/92 TIME _____
 #2
 RECEIVED BY [Signature] DATE 3/10/92 TIME 4:20

FIELD NOTES:



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0386

SAMPLE NO: 42773

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : PT-24

Time Collected: 12:10

PARAMETER		RESULTS	UNITS
Chloride	AQ	21.	mg/L
Conductivity		627.	umhos/cm
Nitrate	AQ	0.11	mg/L N
pH		7.2	pH units
Sulfate		75.7	mg/L
Total Organic Carbon		4.0	mg/L
Total Organic Halogen-TOX		0.06	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.054	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	4.13	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	1.86	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	14.1	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0386

Formerly: NET Northeast, Inc.

SAMPLE NO: 42773

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : PT-24

Time Collected: 12:10

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	4.4	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



MONITORING WELL
SAMPLE CHARACTERIZATION AND
CHAIN OF CUSTODY SHEET

5854 BUTTERNUT DRIVE
EAST SYRACUSE, NY
13057
(315) 446-8795

LAB SAMPLE LOG NO. 42775 JOB NO. 8260

SOURCE				
CLIENT <u>Seneca Army Depot</u>		WELL NO. <u>PT-24</u>		
LOCATION <u>LF</u>		WELL TYPE/SIZE <u>2" PVC</u>		
EVACUATION	DATE <u>3-9-92</u>	ITEM	START	FINISH
WELL DEPTH <u>11.8</u>		TIME		<u>1320</u>
DEPTH TO WATER <u>4.55</u>		pH		<u>7.12</u>
WELL VOLUME <u>1.16</u>		TEMP.		<u>6°C</u>
METHOD <u>Manual</u>		DEPTH		<u>4.55</u>
NO. OF VOLUMES <u>3</u>		COLOR	<u>Lt. Br</u>	<u>Lt. Br</u>
TOTAL VOLUME <u>3.5 gal</u>		APPEAR	<u>Med</u>	<u>Med Turb</u>

SAMPLING	DATE <u>3-10-92</u>	pH <u>7.12</u>
TIME <u>1210</u>	TEMP. <u>6°C</u>	
METHOD <u>PVC Bailor</u>	COLOR <u>Lt. Br</u>	
CONTAINER <u>2 gal, 2 quarts, pint, 250, 2 vials</u>	TURB <u>Med</u>	
SAMPLED BY <u>BRM JS</u>	REDOX <u>211.4</u>	COND <u>700</u>

PRESERVATION	DATE <u>3-10-92</u>
FILTERED YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	TIME _____ BY _____
PRESERVED YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	TIME _____ BY <u>BRM JS</u>
PRESERVATIVE <input checked="" type="checkbox"/> H ₂ SO ₄ <input checked="" type="checkbox"/> HNO ₃ _____ NaOH _____ H ₃ PO ₄ +C ₂ SO ₄	
<input checked="" type="checkbox"/> HCL _____ SOD. THIO. _____ Zn(C ₂ H ₃ O ₂)	
<input checked="" type="checkbox"/> COOLED TO 4 C <input checked="" type="checkbox"/> OTHER <u>Teflon</u>	

CUSTODY	
SAMPLERS SIGNATURE <u>Joe Sanfilippo</u>	
TRANSFERED TO #1	
RECEIVED BY <u>[Signature]</u>	DATE <u>3/10/92</u> TIME <u>4:30</u>
#2	
RECEIVED BY <u>[Signature]</u>	DATE _____ TIME _____

FIELD NOTES:	
--------------	--



**NATIONAL
ENVIRONMENTAL
TESTING, INC.**

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0386

SAMPLE NO: 42774

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : PT-25

Time Collected: 11:26

PARAMETER		RESULTS	UNITS
Chloride	AQ	23.9	mg/L
Conductivity		495.	umhos/cm
Nitrate	AQ	0.45	mg/L N
pH		7.2	pH units
Sulfate		59.	mg/L
Total Organic Carbon		6.0	mg/L
Total Organic Halogen-TOX		0.01	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.066	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	12.8	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	2.34	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	14.5	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0386

Formerly: NET Northeast, Inc.

SAMPLE NO: 42774

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : PT-25

Time Collected: 11:26

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	<1.0	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



MONITORING WELL
SAMPLE CHARACTERIZATION AND
CHAIN OF CUSTODY SHEET

5854 BUTTERNUT DRIVE
EAST SYRACUSE, NY
13057
(315) 446-8795

LAB SAMPLE LOG NO. 42774 JOB NO. 82680

SOURCE				
CLIENT <u>Seneca Army Depot</u>		WELL NO. <u>PT-25</u>		
LOCATION <u>LF</u>		WELL TYPE/SIZE <u>2" PVC</u>		
EVACUATION	DATE <u>3-9-92</u>	ITEM	START	FINISH
WELL DEPTH <u>12</u>		TIME		<u>1242</u>
DEPTH TO WATER <u>3.87</u>		pH		<u>7.15</u>
WELL VOLUME <u>1.30</u>		TEMP.		<u>5°C</u>
METHOD <u>Manual</u>		DEPTH		<u>3.87</u>
NO. OF VOLUMES <u>3</u>		COLOR	<u>lt. Br</u>	<u>lt. Br</u>
TOTAL VOLUME <u>4 gal</u>		APPEAR	<u>High</u>	<u>High Turb</u>

SAMPLING	DATE <u>3-10-92</u>	pH <u>7.15</u>
TIME <u>1126</u>	TEMP. <u>5°C</u>	
METHOD <u>PVC Bailor</u>	COLOR <u>lt. Br</u>	
CONTAINER <u>5 gal, 2 quarts, pint, 250, 2 vials</u>	TURB <u>High</u>	
SAMPLED BY <u>BRM, JS</u>	REDOX <u>213.5</u>	COND <u>560</u>

PRESERVATION	DATE <u>3-10-92</u>
FILTERED YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	TIME _____ BY _____
PRESERVED YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	TIME _____ BY <u>BRM, JS</u>
PRESERVATIVE <input checked="" type="checkbox"/> H ₂ SO ₄ <input checked="" type="checkbox"/> HNO ₃ _____ NaOH _____ H ₃ PO ₄ +C ₂ SO ₄	
<input checked="" type="checkbox"/> HCL _____ SOD. THIO. _____ Zn(C ₂ H ₃ O ₂)	
<input checked="" type="checkbox"/> COOLED TO 4 C <input checked="" type="checkbox"/> OTHER <u>Teflon</u>	

CUSTODY	
SAMPLERS SIGNATURE <u>Joe Sanfilippo</u>	
TRANSFERED TO #1	
RECEIVED BY <u>[Signature]</u>	DATE <u>3/10/92</u> TIME <u>4:30</u>
#2	
RECEIVED BY <u>[Signature]</u>	DATE _____ TIME _____

FIELD NOTES: _____



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0386

Formerly: NET Northeast, Inc.

SAMPLE NO: 42775

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : TRIP BLANK

Time Collected: 08:15

PARAMETER	AQ	RESULTS	UNITS
Volatiles by GC/MS 624			
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L
trans-1,2-Dichloroethene		<1.0	ug/L
1,2-Dichloropropane		<1.0	ug/L
cis-1,3-Dichloropropene		<1.0	ug/L
trans-1,3-Dichloropropene		<1.0	ug/L
Ethylbenzene		<1.0	ug/L
Methylene Chloride		<1.0	ug/L
1,1,2,2-Tetrachloroethane		<1.0	ug/L
Tetrachloroethene		<1.0	ug/L
Toluene		<1.0	ug/L
1,1,1-Trichloroethane		<1.0	ug/L
1,1,2-Trichloroethane		<1.0	ug/L
Trichloroethene		<1.0	ug/L
Trichlorofluoromethane		<1.0	ug/L
Vinyl Chloride		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

SAMPLE CHARACTERIZATION/CHAIN OF CUSTODY INFORMATION

CLIENT Seneca Army Depot CLIENT # _____
 CLIENT CONTACT _____ PHONE () _____
 P.O. # _____ LOG # 42775

SAMPLING:

SAMPLE ID: Trip LOCATION: _____

SAMPLE TYPE: _____ SOIL WATER _____ OIL _____ SEDIMENT _____ WIPE
 OTHER _____

COLLECTION METHOD: _____ 24HR COMPOSITE MANUAL GRAB _____ WIPE
 _____ FLOW COMPOSITE OTHER _____

COMPOSITE:

SET:	DATE _____	TIME _____	BY _____
PICKED UP:	DATE _____	TIME _____	BY _____
MANUAL GRAB:	DATE <u>3-10-92</u>	TIME <u>0815</u>	BY <u>BRM</u>
FLOW:	_____	UNITS: _____ GPM _____ GPD _____ MGD	

PRESERVATION:

DATE 3-10-92 TIME 0815 BY BRM
 PRESERVATIVE: _____ H₂SO₄ _____ HNO₃ _____ NaOH HCl _____ Na₂S₂O₃
 _____ COOLED TO 4 DEGREES CELSIUS _____ TEFLON LINER
 OTHER _____

CONTAINERS:

2 vials

NOTES:

CUSTODY:

COLLECTED BY: Brian R. Muhler DATE: _____
 DELIVERED BY: _____ DATE: _____ TIME: _____
 RECEIVED BY: Christina C. Sch DATE: 3/10/92 TIME: 4:30
 LOGGED IN BY: _____ DATE: _____ TIME: _____



NATIONAL
ENVIRONMENTAL
TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Client: SENECA ARMY DEPOT
BUILDING 323 MAT MGT BR
ROMULUS, NY 14541

Date: 03/26/1992

Job No: 92.0387

Attention: MR. MARK PAPROCKI

Purchase Order No:
Account Number: 82680

Project: Seneca Army Depot

Subject: Samples received on 3/10/1992, identified as MW-27 through
MW-33.

Project Manager: Bindy Dain

NET Atlantic, Syracuse Division

Janece F. Lafferty
Janece F. Lafferty
Technical Director

NET warrants that any sampling and analysis conducted as part of this report are performed in accordance with the analytical industries recognized methodologies and professional standards. NET will not assume liability for any damages resulting from deficient work other than reperformance or cost of said work and will not accept any liability as a result of data interpretation by the client.



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0387

SAMPLE NO: 42776

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : MW-27

Time Collected: 11:52

PARAMETER		RESULTS	UNITS
Chloride	AQ	30.6	mg/L
Conductivity		615.	umhos/cm
Nitrate	AQ	<0.040	mg/L N
pH		7.6	pH units
Sulfate		80.8	mg/L
Total Organic Carbon		8.0	mg/L
Total Organic Halogen-TOX		0.01	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.072	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	8.13	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	3.20	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	20.1	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0387

Formerly: NET Northeast, Inc.

SAMPLE NO: 42776

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : MW-27

Time Collected: 11:52

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	<1.0	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



5854 Butternut Drive
 East Syracuse, NY
 13057
 (315) 446-8795

92.0387
 MONITORING WELL
 SAMPLE CHARACTERIZATION AND
 CHAIN OF CUSTODY SHEET

LAB SAMPLE LOG NO. 42776 JOB NO. 82680

SOURCE

CLIENT Seneca Army Depot WELL NO. MW-27
 LOCATION _____ WELL TYPE/SIZE 2" PVC

EVACUATION

DATE 3-10-92

WELL DEPTH 10.5
 DEPTH TO WATER 5.07
 WELL VOLUME .87
 METHOD Manual
 NO. OF VOLUMES 3
 TOTAL VOLUME 2 gal Dry

ITEM	START	FINISH
TIME		1306
pH		7.19
TEMP.		6°C
DEPTH		5.07
COLOR	DL Br	DL Br
APPEAR	High Turb	

SAMPLING

DATE 3-10-92 pH 7.19

TIME 1152 TEMP. 6°C
 METHOD PVC Bailor COLOR DL Br
 CONTAINER 1/2 gal, 2 quarts, pint, 250ml TURB High
2 vials
 SAMPLED BY BRM, JS REDOX 213.5 COND 660

PRESERVATION

DATE 3-10-92

FILTERED YES NO TIME _____ BY _____

PRESERVED YES NO TIME _____ BY JS BRM

PRESERVATIVE H₂SO₄ HNO₃ NaOH H₃PO₄+C₂SO₄ Zn(C₂H₃O₂)₂
 HCL SOD. THIO.
 COOLED TO 4 C OTHER Teflon

CUSTODY

SAMPLERS SIGNATURE Joe Santillo
 TRANSFERRED TO #1 _____
 RECEIVED BY [Signature] DATE 3/10/92 TIME 4:20
 #2 _____
 RECEIVED BY _____ DATE _____ TIME _____

FIELD NOTES:



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0387

SAMPLE NO: 42777

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : MW-28

Time Collected: 10:50

PARAMETER		RESULTS	UNITS
Chloride	AQ	22.5	mg/L
Conductivity		635.	umhos/cm
Nitrate	AQ	4.85	mg/L N
pH		7.3	pH units
Sulfate		73.4	mg/L
Total Organic Carbon		6.0	mg/L
Total Organic Halogen-TOX		0.04	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.091	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	16.6	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	2.72	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	8.26	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0387

Formerly: NET Northeast, Inc.

SAMPLE NO: 42777

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : MW-28

Time Collected: 10:50

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	28.4	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



5854 Butternut Driv
 East Syracuse, NY
 13057
 (315) 446-8795

MONITORING WELL
 SAMPLE CHARACTERIZATION AND
 CHAIN OF CUSTODY SHEET

LAB SAMPLE LOG NO. 43777 JOB NO. 82680

SOURCE

CLIENT Seneca Army Depot WELL NO. MW-28
 LOCATION _____ WELL TYPE/SIZE 2" PVC

EVACUATION

DATE 3-9-92 ITEM START FINISH

WELL DEPTH 10.5
 DEPTH TO WATER 4.57
 WELL VOLUME .94
 METHOD Manual
 NO. OF VOLUMES 3
 TOTAL VOLUME 3 gal

TIME		1314
pH		7.19
TEMP.		6°C
DEPTH		4.57
COLOR	lt. Br	lt. Br
APPEAR	High Turb	

SAMPLING

DATE 3-10-92 pH 7.19

TIME 1203 TEMP. 6°C
 METHOD PVC Bailor COLOR lt. Br
 CONTAINER 1/2 gal, 3 quarts, pint, 250, 2 vials TURB High
 SAMPLED BY BRM, JS REDOX 217.6 COND 710

PRESERVATION

DATE 3-10-92

FILTERED YES _____ NO TIME _____ BY _____
 PRESERVED YES NO _____ TIME _____ BY BRM, JS
 PRESERVATIVE H₂SO₄ HCL COOLED TO 4 C HNO₃ SOD. THIO. NaOH H₃PO₄+C₂SO₄ Zn(C₂H₃O₂)₂ OTHER Teflon

CUSTODY

SAMPLERS SIGNATURE Joe Sanfilippo
 TRANSFERED TO #1 _____
 RECEIVED BY [Signature] DATE 3/10/92 TIME 4:30
 #2 _____
 RECEIVED BY _____ DATE _____ TIME _____

FIELD NOTES:



Job No: 92.0387

Formerly: NET Northeast, Inc.

SAMPLE NO: 42778

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : MW-29

Time Collected: 12:17

PARAMETER		RESULTS	UNITS
Chloride	AQ	21.	mg/L
Conductivity		725.	umhos/cm
Nitrate	AQ	0.31	mg/L N
pH		7.2	pH units
Sulfate		93.6	mg/L
Total Organic Carbon		5.0	mg/L
Total Organic Halogen-TOX		0.03	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.327	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	0.088	mg/L
Iron (Fe)	200 ICP AQ	101.	mg/L
Lead (Pb)	200 GFAA AQ	0.028	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	8.42	mg/L
Selenium (Se)	200 GFAA AQ	<0.005 *	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	18.3	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0387

Formerly: NET Northeast, Inc.

SAMPLE NO: 42778

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : MW-29

Time Collected: 12:17

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	<1.0	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L

*poor spike recovery due to matrix interference.



5854 Butternut Drive
 East Syracuse, NY
 13057
 (315) 446-8795

MONITORING WELL
 SAMPLE CHARACTERIZATION AND
 CHAIN OF CUSTODY SHEET

LAB SAMPLE LOG NO. 42778 JOB NO. 82680

SOURCE

CLIENT Seneca Army Depot WELL NO. MW-29
 LOCATION LF WELL TYPE/SIZE 2" PVC

EVACUATION

DATE 3-9-92

WELL DEPTH 10.5
 DEPTH TO WATER 6.52
 WELL VOLUME .64
 METHOD Manual
 NO. OF VOLUMES 3
 TOTAL VOLUME 2 gal

ITEM	START	FINISH
TIME		<u>1325</u>
PH		<u>7.08</u>
TEMP.		<u>5°C</u>
DEPTH		<u>4.52</u>
COLOR	<u>DL Br</u>	<u>DL Br</u>
APPEAR	<u>High Turb</u>	

SAMPLING

DATE 3-10-92 PH 7.08

TIME 1217 TEMP. 5°C
 METHOD PVC Bailor COLOR DL Br
 CONTAINER 2 gal, 2 quarts, pint, 250, 2 vials TURB High
 SAMPLED BY BRM, JS REDOX 221.8 COND 816

PRESERVATION

DATE 3-10-92

FILTERED YES NO TIME BY
 PRESERVED YES NO TIME BY BRM JS
 PRESERVATIVE H₂SO₄ HNO₃ NaOH H₃PO₄+C₂SO₄ Zn(C₂H₃O₂)₂
 HCL SOD. THIO.
 COOLED TO 4 C OTHER Teflon

CUSTODY

SAMPLERS SIGNATURE Joe Santillo
 TRANSFERED TO #1
 RECEIVED BY DATE 3/10/92 TIME 4:30
 #2
 RECEIVED BY DATE TIME

FIELD NOTES:



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0387

Formerly: NET Northeast, Inc.

SAMPLE NO: 42779

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : MW-30

Time Collected: 12:28

PARAMETER		RESULTS	UNITS
Chloride	AQ	32.5	mg/L
Conductivity		645.	umhos/cm
Nitrate	AQ	<0.040	mg/L N
pH		7.4	pH units
Sulfate		88.4	mg/L
Total Organic Carbon		2.0	mg/L
Total Organic Halogen-TOX		<0.01	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.049	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	3.92	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	2.36	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	16.5	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0387

Formerly: NET Northeast, Inc.

SAMPLE NO: 42779

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : MW-30

Time Collected: 12:28

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	<1.0	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



5854 Butternut Driv
 East Syracuse, NY
 13057
 (315) 446-8795

MONITORING WELL
 SAMPLE CHARACTERIZATION AND
 CHAIN OF CUSTODY SHEET

LAB SAMPLE LOG NO. 42779 JOB NO. 82680

SOURCE

CLIENT Seneca Army Depot WELL NO. MW-30
 LOCATION LF WELL TYPE/SIZE 2" PVC

EVACUATION

DATE 3-9-92

WELL DEPTH 10.5
 DEPTH TO WATER 3.98
 WELL VOLUME 1.04
 METHOD Manual
 NO. OF VOLUMES 3
 TOTAL VOLUME 3.5 gal

ITEM	START	FINISH
TIME		<u>1335</u>
PH		<u>7.14</u>
TEMP.		<u>5°C</u>
DEPTH	<u>3.98</u>	<u>3.78</u>
COLOR	<u>4. BR</u>	<u>4. BR</u>
APPEAR	<u>Med Turb</u>	

SAMPLING

DATE 3-10-92 PH 7.14

TIME 1228 TEMP. 5°C
 METHOD PVC Bailer COLOR 4 BR
 CONTAINER 1/2 gal, 2 quarts, pint, 250, 2 vials TURB Med
 SAMPLED BY BRM, JS REDOX 219.8 | COND 720

PRESERVATION

DATE 3-10-92

FILTERED YES NO TIME _____ BY _____
 PRESERVED YES NO TIME _____ BY BRM JS
 PRESERVATIVE H₂SO₄ HNO₃ NaOH H₃PO₄+C₂SO₄ Zn(C₂H₃O₂)₂
 HCL SOD. THIO.
 COOLED TO 4 C OTHER Teflon

CUSTODY

SAMPLERS SIGNATURE Joseph Samfeliuss
 TRANSFERRED TO #1 _____
 RECEIVED BY [Signature] DATE 3/10/92 TIME 4:50
 #2 _____
 RECEIVED BY _____ DATE _____ TIME _____

FIELD NOTES:



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0387

SAMPLE NO: 42780

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : MW-31

Time Collected: 11:34

PARAMETER		RESULTS	UNITS
Chloride	AQ	17.2	mg/L
Conductivity		477.	umhos/cm
Nitrate	AQ	<0.040	mg/L N
pH		7.4	pH units
Sulfate		47.5	mg/L
Total Organic Carbon		2.0	mg/L
Total Organic Halogen-TOX		<0.01	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.260	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	0.072	mg/L
Iron (Fe)	200 ICP AQ	77.4	mg/L
Lead (Pb)	200 GFAA AQ	0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	7.10	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	7.93	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0387

Formerly: NET Northeast, Inc.

SAMPLE NO: 42780

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : MW-31

Time Collected: 11:34

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	<1.0	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



5854 Butternut Drive
 East Syracuse, NY
 13057
 (315) 446-8795

MONITORING WELL
 SAMPLE CHARACTERIZATION AND
 CHAIN OF CUSTODY SHEET

LAB SAMPLE LOG NO. 47780

JOB NO. 82860

SOURCE

CLIENT Seneca Army Depot

WELL NO. MW-31

LOCATION LF

WELL TYPE/SIZE 2" PVC

EVACUATION

DATE 3-9-92

WELL DEPTH 10.5

DEPTH TO WATER 2.88

WELL VOLUME 1.22

METHOD Manual

NO. OF VOLUMES 3

TOTAL VOLUME 4gal

ITEM	START	FINISH
TIME		1250
PH		7.25
TEMP.		5°C
DEPTH		2.88
COLOR	lt Br	lt. Br
APPEAR	High Turb	

SAMPLING

DATE 3-10-92

PH 7.25

TIME 1134

TEMP. 5°C

METHOD PVC Bailor

COLOR lt. Br

CONTAINER 1/2 gal, 2 quarts, pint, 250, 2 vials

TURB High

SAMPLED BY BRM, JS

REDOX 221.5 | COND 520

PRESERVATION

DATE 3-10-92

FILTERED YES NO TIME _____ BY _____

PRESERVED YES NO TIME _____ BY BRM JS

PRESERVATIVE H₂SO₄ HNO₃ NaOH H₂PO₄+C₂SO₄ Zn(C₂H₃O₂)₂
 HCL SOD. THIO.
 COOLED TO 4 C OTHER Teflon

CUSTODY

SAMPLERS SIGNATURE Joe Sanfilippo

TRANSFERED TO #1

RECEIVED BY [Signature] DATE 3/10/92 TIME 4:30

RECEIVED BY _____ DATE _____ TIME _____

FIELD NOTES:



**NATIONAL
ENVIRONMENTAL
TESTING, INC.**

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0387

SAMPLE NO: 42781

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : MW-32

Time Collected: 11:18

PARAMETER		RESULTS	UNITS
Chloride	AQ	28.7	mg/L
Conductivity		639.	umhos/cm
Nitrate	AQ	<0.040	mg/L N
pH		7.2	pH units
Sulfate		74.2	mg/L
Total Organic Carbon		2.3	mg/L
Total Organic Halogen-TOX		<0.01	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.099	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	25.1	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	4.09	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	16.4	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0387

Formerly: NET Northeast, Inc.

SAMPLE NO: 42781

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : MW-32

Time Collected: 11:18

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	<1.0	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



5854 Butternut Drive
 East Syracuse, NY
 13057
 (315) 446-8795

MONITORING WELL
 SAMPLE CHARACTERIZATION AND
 CHAIN OF CUSTODY SHEET

LAB SAMPLE LOG NO. 48781

JOB NO. 828680

SOURCE

CLIENT Seneca Army Depot

WELL NO. MW-32

LOCATION LF

WELL TYPE/SIZE 2" PVC

EVACUATION

DATE 3-9-92

WELL DEPTH 10.5

DEPTH TO WATER 3.82

WELL VOLUME 1.07

METHOD Manual

NO. OF VOLUMES 3

TOTAL VOLUME 3.5 gal

ITEM	START	FINISH
TIME		1235
PH		7.14
TEMP.		5'C
DEPTH		3.82
COLOR	Lt. Br	Lt. Br
APPEAR	High Turb	

SAMPLING

DATE 3-10-92

PH 7.14

TIME 1118

TEMP. 5'C

METHOD PVC Bailer

COLOR Lt. Br

CONTAINER 1/2 gal, 2 quarts, pint, 250, 2 vials

TURB High

SAMPLED BY BRM JS

REDOX 224.7 | COND 700

PRESERVATION

DATE 3-10-92

FILTERED YES NO TIME BY

PRESERVED YES NO TIME BY BRM JS

PRESERVATIVE H₂SO₄ HNO₃ NaOH H₃PO₄+C₂SO₄ Zn(C₂H₃O₂)₂
 HCL SOD. THIO.
 COOLED TO 4 C OTHER Teflon

CUSTODY

SAMPLERS SIGNATURE Joe Sorfilipp

TRANSFERED TO #1

RECEIVED BY [Signature] DATE 3/10/92 TIME 4:50

#2
 RECEIVED BY [Signature] DATE TIME

FIELD NOTES:



**NATIONAL
ENVIRONMENTAL
TESTING, INC.**

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0387

Formerly: NET Northeast, Inc.

SAMPLE NO: 42782

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : MW-33

Time Collected: 11:10

PARAMETER		RESULTS	UNITS
Chloride	AQ	23.	mg/L
Conductivity		587.	umhos/cm
Nitrate	AQ	<0.040	mg/L N
pH		7.3	pH units
Sulfate		62.6	mg/L
Total Organic Carbon		4.0	mg/L
Total Organic Halogen-TOX		<0.01	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.133	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	0.033	mg/L
Iron (Fe)	200 ICP AQ	32.7	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	3.82	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	14.4	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL
ENVIRONMENTAL
TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0387

SAMPLE NO: 42782

LABORATORY ANALYSIS REPORT

Date Received : 03/10/1992

Date Collected: 03/10/1992

LOCATION : MW-33

Time Collected: 11:10

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	<1.0	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



MONITORING WELL
SAMPLE CHARACTERIZATION AND
CHAIN OF CUSTODY SHEET

5854 BUTTERNUT DRIVE
EAST SYRACUSE, NY
13057
(315) 446-8795

LAB SAMPLE LOG NO. 4978A

JOB NO. 82680

SOURCE			
CLIENT	<u>Seneca Army Depot</u>	WELL NO.	<u>MW-33</u>
LOCATION	<u>LF</u>	WELL TYPE/SIZE	<u>2" PVC</u>
EVACUATION	DATE <u>2-9-92</u>	ITEM	START FINISH
WELL DEPTH	<u>10.5</u>	TIME	<u>1230</u>
DEPTH TO WATER	<u>3.75</u>	pH	<u>7.13</u>
WELL VOLUME	<u>1.08</u>	TEMP.	<u>4°C</u>
METHOD	<u>Manual</u>	DEPTH	<u>3.75</u>
O. OF VOLUMES	<u>3</u>	COLOR	<u>Lt. Br</u> <u>Lt. Br</u>
TOTAL VOLUME	<u>3.5 gal</u>	APPEAR	<u>High Turb</u>
SAMPLING	DATE <u>3-10-92</u>	pH	<u>7.13</u>
TIME	<u>1110</u>	TEMP.	<u>4°C</u>
METHOD	<u>PVC Bailor</u>	COLOR	<u>Lt. Br</u>
CONTAINER	<u>1/2 gal, 2 quarts, pint, 250, 2 vials</u>	TURB	<u>High</u>
SAMPLED BY	<u>BRM, JS</u>	REDOX	<u>226.5</u> ■ COND <u>650</u>
PRESERVATION	DATE <u>3-10-92</u>		
FILTERED	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	TIME	BY
PRESERVED	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	TIME	BY <u>JS BRM</u>
PRESERVATIVE	<input checked="" type="checkbox"/> H ₂ SO ₄ <input checked="" type="checkbox"/> HNO ₃ <input type="checkbox"/> NaOH <input type="checkbox"/> H ₃ PO ₄ +C ₂ SO ₄		
	<input checked="" type="checkbox"/> HCL <input type="checkbox"/> SOD. THIO. <input type="checkbox"/> Zn(C ₂ H ₃ O ₂)		
	<input checked="" type="checkbox"/> COOLED TO 4 C <input checked="" type="checkbox"/> OTHER <u>Teflon</u>		
CUSTODY			
SAMPLERS SIGNATURE <u>Joe Sanfilippo</u>			
TRANSFERED TO #1		DATE <u>3/1/92</u> TIME <u>4:20</u>	
RECEIVED BY <u>[Signature]</u>		DATE _____ TIME _____	
#2			
RECEIVED BY <u>[Signature]</u>		DATE _____ TIME _____	
FIELD NOTES:			



NATIONAL
ENVIRONMENTAL
TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Client: SENECA ARMY DEPOT
BUILDING 323 MAT MGT BR
ROMULUS, NY 14541

Date: 03/27/1992
Job No: 92.0395

Attention: MR. MARK PAPROCKI


Purchase Order No:
Account Number: 82680

Project: Seneca Army Depot

Subject: Samples received on 3/11/1992, identified as PT-12, PT-18,
PT-20, PT-21, PT-22, PT-26, Farm House Shallow, Farm House
Deep, Barn Well and Trip Blank.

Project Manager: Bindy Dain

NET Atlantic, Syracuse Division


Janece F. Lafferty
Technical Director

NET warrants that any sampling and analysis conducted as part of this report are performed in accordance with the analytical industries recognized methodologies and professional standards. NET will not assume liability for any damages resulting from deficient work other than reperformance or cost of said work and will not accept any liability as a result of data interpretation by the client.



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0395

SAMPLE NO: 42796

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : PT-12

Time Collected: 12:12

PARAMETER		RESULTS	UNITS
Chloride	AQ	19.1	mg/L
Conductivity		1025.	umhos/cm
Nitrate	AQ	0.52	mg/L N
pH		7.2	pH units
Sulfate		236.	mg/L
Total Organic Carbon		2.0	mg/L
Total Organic Halogen-TOX		0.27	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.142	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	20.3	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	4.83	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	47.4	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0395

Formerly: NET Northeast, Inc.

SAMPLE NO: 42796

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : PT-12

Time Collected: 12:12

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	5.8	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	323.	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	14.0	ug/L



98. 0395

MONITORING WELL
SAMPLE CHARACTERIZATION AND
CHAIN OF CUSTODY SHEET

5854 BUTTERNUT DRIVE
EAST SYRACUSE, NY
13057
(315) 446-8795

WELL SAMPLE LOG NO. 43796 JOB NO. 82680

SOURCE			
CLIENT	<u>Seneca Army Depot</u>	WELL NO.	<u>PT-12</u>
LOCATION	<u>LF</u>	WELL TYPE/SIZE	<u>2" PVC</u>
EVACUATION	DATE <u>3-10-92</u>	ITEM	START FINISH
WELL DEPTH	<u>12.3'</u>	TIME	<u>1300</u>
DEPTH TO WATER	<u>5.32'</u>	pH	<u>6.66</u>
WELL VOLUME	<u>1.12g.</u>	TEMP.	<u>6°C</u>
METHOD	<u>bailed</u>	DEPTH	<u>5.32'</u>
NO. OF VOLUMES	<u>2</u>	COLOR	<u>C1</u> <u>Dk. Br.</u>
TOTAL VOLUME	<u>2g - Dry</u>	APPEAR	<u>Low Turb</u> <u>High Turb</u>
SAMPLING	DATE <u>3-11-92</u>	pH	<u>6.66</u>
TIME	<u>12:12</u>	TEMP.	<u>6°C</u>
METHOD	<u>bailed</u>	COLOR	<u>Dk. Brown</u>
CONTAINER	<u>1/2g, 2qts, pint, 250, 2vials</u>	TURB	<u>High</u>
SAMPLED BY	<u>BRM, JS</u>	REDOX	<u>267.2</u> ■ <u>COND 1635</u>
PRESERVATION	DATE <u>3-11-92</u>		
FILTERED YES	<input type="checkbox"/> NO <input checked="" type="checkbox"/>	TIME	BY
PRESERVED YES	<input checked="" type="checkbox"/> NO <input type="checkbox"/>	TIME	BY
PRESERVATIVE	<input checked="" type="checkbox"/> H ₂ SO ₄ <input checked="" type="checkbox"/> HNO ₃ <input type="checkbox"/> NaOH <input type="checkbox"/> H ₃ PO ₄ +C ₂ SO ₄		
	<input checked="" type="checkbox"/> HCL <input type="checkbox"/> SOD. THIO. <input type="checkbox"/> Zn(C ₂ H ₃ O ₂)		
	<input checked="" type="checkbox"/> COOLED TO 4 C <input type="checkbox"/> OTHER		
CUSTODY			
SAMPLERS SIGNATURE <u>Brian R. Milder</u>			
TRANSFERRED TO #1			
RECEIVED BY <u>[Signature]</u>		DATE <u>3/11/92</u>	TIME <u></u>
RECEIVED BY #2 <u>[Signature]</u>		DATE <u>3/11/92</u>	TIME <u>4:30</u>
FIELD NOTES: <u>Viols taken from qrts due to Freezing</u>			



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0395

SAMPLE NO: 42797

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : PT-18

Time Collected: 12:20

PARAMETER		RESULTS	UNITS
Chloride	AQ	52.6	mg/L
Conductivity		1548.	umhos/cm
Nitrate	AQ	<0.040	mg/L N
pH		7.0	pH units
Sulfate		351.	mg/L
Total Organic Carbon		4.0	mg/L
Total Organic Halogen-TOX		4.52	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.070	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	8.14	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	2.79	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	95.9	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		11.7	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L

Fe - Previous 1.38 now 8.14
TCE also high last time



NATIONAL
ENVIRONMENTAL
TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0395

Formerly: NET Northeast, Inc.

SAMPLE NO: 42797

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : PT-18

Time Collected: 12:20

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	9840.	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



**MONITORING WELL
SAMPLE CHARACTERIZATION AND
CHAIN OF CUSTODY SHEET**

5854 BUTTERNUT DRIVE
EAST SYRACUSE, NY
13057
(315) 446-8795

LAB SAMPLE LOG NO. 42797 JOB NO. 82680

SOURCE		
CLIENT <u>Seneca Army Depot</u>	WELL NO. <u>PT-18</u>	
LOCATION <u>LF</u>	WELL TYPE/SIZE <u>2" PVC</u>	

EVACUATION	DATE <u>3-10-92</u>	ITEM	START	FINISH
WELL DEPTH <u>11.5'</u>		TIME		<u>13:08</u>
DEPTH TO WATER <u>5.29'</u>		pH		<u>6.38</u>
WELL VOLUME <u>.99 g.</u>		TEMP.		<u>6°C</u>
METHOD <u>bailed</u>		DEPTH	<u>5.29'</u>	
NO. OF VOLUMES <u>2</u>		COLOR	<u>Cl</u>	<u>Lt. Br.</u>
TOTAL VOLUME <u>2 g. - Dry</u>		APPEAR	<u>Low Turb</u>	<u>Med. Turb</u>

SAMPLING	DATE <u>3-11-92</u>	pH <u>6.38</u>
TIME <u>12:20</u>		TEMP. <u>6°C</u>
METHOD <u>bailed</u>		COLOR <u>Lt. Brown</u>
CONTAINER <u>1/2 g., 2 qrts, pint, 250, 2 vials</u>		TURB <u>Med</u>
SAMPLED BY <u>BRM, JS</u>		REDOX <u>266.4</u> COND <u>1788</u>

PRESERVATION	DATE <u>3-11-92</u>			
FILTERED YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	TIME	BY		
PRESERVED YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	TIME	BY		
PRESERVATIVE <input checked="" type="checkbox"/> H ₂ SO ₄ <input checked="" type="checkbox"/> HNO ₃ <input type="checkbox"/> NaOH <input type="checkbox"/> H ₃ PO ₄ +C ₂ SO ₄				
<input checked="" type="checkbox"/> HCL <input type="checkbox"/> SOD. THIO. <input type="checkbox"/> Zn(C ₂ H ₃ O ₂)				
<input checked="" type="checkbox"/> COOLED TO 4 C <input type="checkbox"/> OTHER				

CUSTODY			
SAMPLERS SIGNATURE <u>Brian R. Muhler</u>			
TRANSFERED TO #1	RECEIVED BY <u>[Signature]</u>	DATE <u>3/11/92</u>	TIME <u>4:30</u>
	RECEIVED BY <u>[Signature]</u>	DATE <u>3/11/92</u>	TIME <u>4:30</u>

FIELD NOTES: Viats taken from qrts due to freezing



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0395

SAMPLE NO: 42798

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : PT-20

Time Collected: 12:00

PARAMETER		RESULTS	UNITS
Chloride	AQ	21.	mg/L
Conductivity		766.	umhos/cm
Nitrate	AQ	<0.040	mg/L N
pH		7.3	pH units
Sulfate		131.	mg/L
Total Organic Carbon		3.0	mg/L
Total Organic Halogen-TOX		0.02	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.062	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	2.19	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	1.44	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	30.4	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0395

SAMPLE NO: 42798

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : PT-20

Time Collected: 12:00

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	20.9	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



MONITORING WELL
SAMPLE CHARACTERIZATION AND
CHAIN OF CUSTODY SHEET

5854 BUTTERNUT DRIVE
EAST SYRACUSE, NY
13057
(315) 446-8795

LAB SAMPLE LOG NO. 42798

JOB NO. 82680

SOURCE				
CLIENT <u>Seneca Army Depot</u>		WELL NO. <u>PT-20</u>		
LOCATION <u>LF</u>		WELL TYPE/SIZE <u>2" PVC</u>		
EVACUATION	DATE <u>3-10-92</u>	ITEM	START	FINISH
WELL DEPTH <u>11.5'</u>		TIME		<u>12:55</u>
DEPTH TO WATER <u>5.29'</u>		pH		<u>7.15</u>
WELL VOLUME <u>99 g.</u>		TEMP.		<u>6°C</u>
METHOD <u>bailed</u>		DEPTH	<u>5.29'</u>	
NO. OF VOLUMES <u>2</u>		COLOR	<u>Cl</u>	<u>Lt. Br.</u>
TOTAL VOLUME <u>2 g. - Dry</u>		APPEAR	<u>Low Turb</u>	<u>Med Turb</u>

SAMPLING	DATE <u>3-11-92</u>	pH <u>7.15</u>
TIME <u>12:00</u>	TEMP. <u>6°C</u>	
METHOD <u>bailed</u>	COLOR <u>Lt. Brown</u>	
CONTAINER <u>1/2 g., 2 qts, pint, 250, 2 vials</u>	TURB <u>Med</u>	
SAMPLED BY <u>BRM, JS</u>	REDOX <u>269.8</u>	COND <u>1162</u>

PRESERVATION	DATE <u>3-11-92</u>
FILTERED YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	TIME _____ BY _____
PRESERVED YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	TIME _____ BY _____
PRESERVATIVE <input checked="" type="checkbox"/> H ₂ SO ₄ <input checked="" type="checkbox"/> HNO ₃ _____ NaOH _____ H ₃ PO ₄ +C ₂ SO ₄	
<input checked="" type="checkbox"/> HCL _____ SOD. THIO. _____ Zn(C ₂ H ₃ O ₂)	
<input checked="" type="checkbox"/> COOLED TO 4 C _____ OTHER _____	

CUSTODY	
SAMPLERS SIGNATURE <u>Brian R. Mihler</u>	
TRANSFERED TO #1	DATE _____ TIME _____
RECEIVED BY <u>[Signature]</u>	DATE _____ TIME _____
RECEIVED BY <u>[Signature]</u>	DATE <u>3/11/92</u> TIME <u>4:10</u>

FIELD NOTES: Vials taken from qrts due to freezing



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0395

Formerly: NET Northeast, Inc.

SAMPLE NO: 42799

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : PT-21

Time Collected: 11:45

PARAMETER		RESULTS	UNITS
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L
trans-1,2-Dichloroethene		<1.0	ug/L
1,2-Dichloropropane		<1.0	ug/L
cis-1,3-Dichloropropene		<1.0	ug/L
trans-1,3-Dichloropropene		<1.0	ug/L
Ethylbenzene		<1.0	ug/L
Methylene Chloride		<1.0	ug/L
1,1,2,2-Tetrachloroethane		<1.0	ug/L
Tetrachloroethene		<1.0	ug/L
Toluene		<1.0	ug/L
1,1,1-Trichloroethane		<1.0	ug/L
1,1,2-Trichloroethane		<1.0	ug/L
Trichloroethene		2.4	ug/L
Trichlorofluoromethane		<1.0	ug/L
Vinyl Chloride		<1.0	ug/L

* well went dry during the sampling event, there was only enough sample to accomodate the organic analysis.



MONITORING WELL
SAMPLE CHARACTERIZATION AND
CHAIN OF CUSTODY SHEET

5854 BUTTERNUT DRIVE
EAST SYRACUSE, NY
13057
(315) 446-8795

LOG NO. 48799 JOB NO. 82680

SOURCE				
CLIENT <u>Seneca Army Depot</u>		WELL NO. <u>PT-21</u>		
LOCATION <u>LF</u>		WELL TYPE/SIZE <u>2" PVC</u>		
EVACUATION	DATE <u>3-10-92</u>	ITEM	START	FINISH
WELL DEPTH <u>19.2'</u>		TIME		<u>12:50</u>
DEPTH TO WATER <u>5.12'</u>		pH		<u>7.02</u>
WELL VOLUME <u>2.25g.</u>		TEMP.		<u>8°c</u>
METHOD <u>bailed</u>		DEPTH	<u>5.12'</u>	
NO. OF VOLUMES <u>1</u>		COLOR	<u>C1</u>	<u>LT. Br.</u>
TOTAL VOLUME <u>2.5g - Dry</u>		APPEAR	<u>Low Turb</u>	<u>Med Turb</u>

SAMPLING	DATE <u>3-11-92</u>	pH <u>7.02</u>
TIME <u>11:45</u>	TEMP. <u>8°c</u>	
METHOD <u>bailed</u>	COLOR <u>Lt. Brown</u>	
CONTAINER <u>2 vials</u>	TURB <u>Med</u>	
SAMPLED BY <u>BRM, JS</u>	REDOX <u>262.6</u>	COND <u>1130</u>

PRESERVATION	DATE <u>3-11-92</u>
FILTERED YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	TIME _____ BY _____
PRESERVED YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	TIME _____ BY _____
PRESERVATIVE <input checked="" type="checkbox"/> H ₂ SO ₄ <input checked="" type="checkbox"/> HNO ₃ _____ NaOH _____ H ₃ PO ₄ +C ₂ SO ₄	
<input checked="" type="checkbox"/> HCL _____ SOD. THIO. _____ Zn(C ₂ H ₃ O ₂)	
<input checked="" type="checkbox"/> COOLED TO 4 C _____ OTHER _____	

CUSTODY	
SAMPLERS SIGNATURE <u>Brian R. Mihler</u>	
TRANSFERED TO #1	RECEIVED BY _____ DATE _____ TIME _____
RECEIVED BY #2 <u>Antonia C. Cook</u>	DATE <u>3/11/92</u> TIME <u>4:30</u>

FIELD NOTES:	<u>Well went dry & only recovered enough to collect 2 vials</u>
--------------	---



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0395

SAMPLE NO: 42800

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : PT-22

Time Collected: 11:35

PARAMETER		RESULTS	UNITS
Chloride	AQ	51.7	mg/L
Conductivity		881.	umhos/cm
Nitrate	AQ	<0.040	mg/L N
pH		7.3	pH units
Sulfate		148.	mg/L
Total Organic Carbon		3.0	mg/L
Total Organic Halogen-TOX		0.08	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.060	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	4.04	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	1.51	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	51.5	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		4.4	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL
ENVIRONMENTAL
TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0395

Formerly: NET Northeast, Inc.

SAMPLE NO: 42800

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : PT-22

Time Collected: 11:35

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	1.7	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	73.9	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



MONITORING WELL
SAMPLE CHARACTERIZATION AND
CHAIN OF CUSTODY SHEET

5854 BUTTERNUT DRIVE
EAST SYRACUSE, NY
13057

(315) 446-8795

LAB SAMPLE LOG NO. 42800

JOB NO. 82680

SOURCE				
CLIENT	<u>Seneca Army Depot</u>	WELL NO.	<u>PT-22</u>	
LOCATION	<u>LF</u>	WELL TYPE/SIZE	<u>2" PVC</u>	
EVACUATION	DATE <u>3-10-92</u>	ITEM	START	FINISH
WELL DEPTH	<u>11.5'</u>	TIME		<u>12:45</u>
DEPTH TO WATER	<u>4.95'</u>	pH		<u>7.11</u>
WELL VOLUME	<u>1.05g.</u>	TEMP.		<u>5°C</u>
METHOD	<u>bailed</u>	DEPTH	<u>4.95</u>	
NO. OF VOLUMES	<u>2</u>	COLOR	<u>C1</u>	<u>Dk. Br.</u>
TOTAL VOLUME	<u>2g-Dry</u>	APPEAR	<u>Low Turb</u>	<u>High Turb</u>

SAMPLING	DATE <u>3-11-92</u>	pH	<u>7.11</u>	
TIME	<u>11:35</u>	TEMP.	<u>5°C</u>	
METHOD	<u>bailed</u>	COLOR	<u>Dk. Brown</u>	
CONTAINER	<u>1/2g, 2 qrts, pint, 250, 2 vials</u>	TURB	<u>High</u>	
SAMPLED BY	<u>BRM, JS</u>	REDOX	<u>264.3</u>	COND <u>1020</u>

PRESERVATION	DATE <u>3-11-92</u>				
FILTERED YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	TIME	BY
PRESERVED YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	TIME	BY
PRESERVATIVE	<input checked="" type="checkbox"/> H ₂ SO ₄	<input checked="" type="checkbox"/> HNO ₃	<input type="checkbox"/> NaOH	<input type="checkbox"/> H ₃ PO ₄ +C ₂ SO ₄	
	<input checked="" type="checkbox"/> HCL	<input type="checkbox"/> SOD. THIO.	<input type="checkbox"/> Zn(C ₂ H ₃ O ₂)		
	<input checked="" type="checkbox"/> COOLED TO 4 C	<input type="checkbox"/> OTHER			

CUSTODY				
SAMPLERS SIGNATURE	<u>Brian R. Mubler</u>			
TRANSFERED TO #1	RECEIVED BY	DATE	TIME	
	<u>[Signature]</u>	<u>3/11/92</u>	<u>11:00</u>	
	RECEIVED BY	DATE	TIME	
	<u>[Signature]</u>	<u>3/11/92</u>	<u>7:30</u>	

FIELD NOTES:	<u>Vials taken from glass qrts. due to freezing</u>
--------------	---



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0395

Formerly: NET Northeast, Inc.

SAMPLE NO: 42801

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : PT-26

Time Collected: 12:55

PARAMETER		RESULTS	UNITS
Chloride	AQ	17.2	mg/L
Conductivity		793.	umhos/cm
Nitrate	AQ	0.19	mg/L N
pH		7.4	pH units
Sulfate		137.	mg/L
Total Organic Carbon		4.0	mg/L
Total Organic Halogen-TOX		<0.01	mg/L
Arsenic (As)	200 GFAA AQ	0.030	mg/L
Barium (Ba)	200 ICP AQ	0.716	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	0.166	mg/L
Iron (Fe)	200 ICP AQ	201.	mg/L
Lead (Pb)	200 GFAA AQ	0.056	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	8.10	mg/L
Selenium (Se)	200 GFAA AQ	<0.005 *	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	32.7	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0395

Formerly: NET Northeast, Inc.

SAMPLE NO: 42801

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : PT-26

Time Collected: 12:55

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	<1.0	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L

*Low spike recoveries due to matrix interference.



MONITORING WELL
SAMPLE CHARACTERIZATION AND
CHAIN OF CUSTODY SHEET

5854 BUTTERNUT DRIVE
EAST SYRACUSE, NY
13057

(315) 446-8795

LAB SAMPLE LOG NO. 42801

JOB NO. 82680

SOURCE		WELL NO. <u>PT-26</u>	
CLIENT <u>Seneca Army Depot</u>		WELL TYPE/SIZE <u>2" PVC</u>	
LOCATION <u>LF</u>			
EVACUATION	DATE <u>3-10-92</u>	ITEM	START FINISH
WELL DEPTH <u>14'</u>		TIME	<u>13:30</u>
DEPTH TO WATER <u>2.82'</u>		pH	<u>7.11</u>
WELL VOLUME <u>1.79g</u>		TEMP.	<u>6°C</u>
METHOD <u>bailed</u>		DEPTH	<u>2.82'</u>
NO. OF VOLUMES <u>3</u>		COLOR	<u>Cl Lt. Br.</u>
TOTAL VOLUME <u>5.5g.</u>		APPEAR	<u>Low Turb High Turb</u>

SAMPLING	DATE <u>3-11-92</u>	pH <u>7.11</u>
TIME <u>12:55</u>	TEMP. <u>6°C</u>	
METHOD <u>bailed</u>	COLOR <u>Lt. Brown</u>	
CONTAINER <u>1/2g, 2qts, pint, 250, 2vids</u>	TURB <u>High</u>	
SAMPLED BY <u>BRM, JS</u>	REDOX <u>267.0</u>	COND <u>896</u>

PRESERVATION	DATE <u>3-11-92</u>
FILTERED YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	TIME _____ BY _____
PRESERVED YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	TIME _____ BY _____
PRESERVATIVE <input checked="" type="checkbox"/> H ₂ SO ₄ <input checked="" type="checkbox"/> HNO ₃ _____ NaOH _____ H ₃ PO ₄ +C ₂ SO ₄	
<input checked="" type="checkbox"/> HCL _____ SOD. THIO. _____ Zn(C ₂ H ₃ O ₂)	
<input checked="" type="checkbox"/> COOLED TO 4 C _____ OTHER _____	

CUSTODY
SAMPLERS SIGNATURE <u>Brian R. Mikler</u>
TRANSFERED TO #1
RECEIVED BY <u>[Signature]</u> DATE <u>3/11/92</u> TIME <u>4:00</u>
#2
RECEIVED BY <u>[Signature]</u> DATE <u>3/11/92</u> TIME <u>4:00</u>

FIELD NOTES: _____



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0395

SAMPLE NO: 42802

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : FARM HOUSE SHALLOW

Time Collected: 13:20

PARAMETER		RESULTS	UNITS
Chloride	AQ	14.3	mg/L
Conductivity		773.	umhos/cm
Nitrate	AQ	<0.040	mg/L N
pH		7.5	pH units
Sulfate		42.	mg/L
Total Organic Carbon		19.0	mg/L
Total Organic Halogen-TOX		<0.01	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.092	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	0.094	mg/L
Lead (Pb)	200 GFAA AQ	0.035	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	7.40	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	40.3	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0395

SAMPLE NO: 42802

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : FARM HOUSE SHALLOW

Time Collected: 13:20

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	<1.0	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

SAMPLE CHARACTERIZATION/CHAIN OF CUSTODY INFORMATION

CLIENT Seneca Army Depot CLIENT # 82680
 CLIENT CONTACT _____ PHONE () _____
 P.O. # _____ LOG # 42802

SAMPLING:

SAMPLE ID: Farm House-Shallow LOCATION: _____
 SAMPLE TYPE: _____ SOIL WATER _____ OIL _____ SEDIMENT _____ WIPE
 OTHER _____
 COLLECTION METHOD: _____ 24HR COMPOSITE MANUAL GRAB _____ WIPE
 _____ FLOW COMPOSITE OTHER _____
 COMPOSITE:
 SET: DATE _____ TIME _____ BY _____
 PICKED UP: DATE _____ TIME _____ BY _____
 MANUAL GRAB: DATE 3-11-92 TIME 13:20 BY BRM, JS
 FLOW: _____ UNITS: _____ GPM _____ GPD _____ MGD

PRESERVATION:

DATE 3-11-92 TIME _____ BY _____
 PRESERVATIVE: H₂SO₄ HNO₃ _____ NaOH HCl _____ Na₂S₂O₃
 COOLED TO 4 DEGREES CELSIUS _____ TEFLON LINER
 OTHER _____

CONTAINERS:

1/2g, 2qrts, pint, 250, 2 vials

NOTES:

@ H-7.00, Cond-860, Redox-271.7, Temp-9°C, Cobr-Cl, Turb-Low

CUSTODY:

COLLECTED BY: Brian R. Mihler DATE: 3-11-92
 DELIVERED BY: _____ DATE: _____ TIME: _____
 RECEIVED BY: Cynthia D. Ash DATE: 3/11/92 TIME: 4:50
 LOGGED IN BY: _____ DATE: _____ TIME: _____



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0395

SAMPLE NO: 42803

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : FARM HOUSE DEEP

Time Collected: 13:25

PARAMETER		RESULTS	UNITS
Chloride	AQ	12.4	mg/L
Conductivity		777.	umhos/cm
Nitrate	AQ	<0.040	mg/L N
pH		8.8	pH units
Sulfate		32.	mg/L
Total Organic Carbon		3.0	mg/L
Total Organic Halogen-TOX		<0.01	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.543	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	0.194	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	1.70	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	162.	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0395

Formerly: NET Northeast, Inc.

SAMPLE NO: 42803

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : FARM HOUSE DEEP

Time Collected: 13:25

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	<1.0	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

SAMPLE CHARACTERIZATION/CHAIN OF CUSTODY INFORMATION

CLIENT Seneca Army Depot CLIENT # 82680
 CLIENT CONTACT _____ PHONE () _____
 P.O. # _____ LOG # 42803

SAMPLING:

SAMPLE ID: Farm House - Deep LOCATION: _____

SAMPLE TYPE: _____ SOIL WATER _____ OIL _____ SEDIMENT _____ WIPE
 OTHER _____

COLLECTION METHOD: _____ 24HR COMPOSITE MANUAL GRAB _____ WIPE
 _____ FLOW COMPOSITE OTHER _____

COMPOSITE:

SET: DATE _____ TIME _____ BY _____
 PICKED UP: DATE _____ TIME _____ BY _____
 MANUAL GRAB: DATE 3-11-92 TIME 13:25 BY BRM, JS
 FLOW: _____ UNITS: _____ GPM _____ GPD _____ MGD

PRESERVATION:

DATE 3-11-92 TIME 13:25 BY BR
 PRESERVATIVE: H₂SO₄ HNO₃ _____ NaOH HCl _____ Na₂S₂O₃
 COOLED TO 4 DEGREES CELSIUS _____ TEFLON LINER
 OTHER _____

CONTAINERS:

1/2g, 2 qrts, pint, 250, 2 vials

NOTES:

pH-8.2, Cond-847, Redox-135.3, Color-CI, Turb-Low, Temp-8°C

CUSTODY:

COLLECTED BY: Brian R. Mihler DATE: 3-11-92
 DELIVERED BY: _____ DATE: _____ TIME: _____
 RECEIVED BY: Cynthia C. Ash DATE: 3/11/92 TIME: 4:30
 LOGGED IN BY: _____ DATE: _____ TIME: _____



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Job No: 92.0395

Formerly: NET Northeast, Inc.

SAMPLE NO: 42804

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : BARN WELL

Time Collected: 13:35

PARAMETER		RESULTS	UNITS
Chloride	AQ	5.7	mg/L
Conductivity		500.	umhos/cm
Nitrate	AQ	14.6	mg/L N
pH		7.8	pH units
Sulfate		46.4	mg/L
Total Organic Carbon		9.0	mg/L
Total Organic Halogen-TOX		0.01	mg/L
Arsenic (As)	200 GFAA AQ	<0.020	mg/L
Barium (Ba)	200 ICP AQ	0.036	mg/L
Cadmium (Cd)	200 ICP AQ	<0.010	mg/L
Chromium (Cr)	200 ICP AQ	<0.030	mg/L
Iron (Fe)	200 ICP AQ	0.116	mg/L
Lead (Pb)	200 GFAA AQ	<0.020	mg/L
Mercury (Hg)	200 CVAA AQ	<0.001	mg/L
Potassium (K)	200 ICP AQ	7.20	mg/L
Selenium (Se)	200 GFAA AQ	<0.005	mg/L
Silver (Ag)	200 ICP AQ	<0.020	mg/L
Sodium (Na)	200 ICP AQ	3.23	mg/L
Volatiles by GC/MS 624	AQ		
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

Job No: 92.0395

SAMPLE NO: 42804

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : BARN WELL

Time Collected: 13:35

PARAMETER	RESULTS	UNITS
trans-1,2-Dichloroethene	<1.0	ug/L
1,2-Dichloropropane	<1.0	ug/L
cis-1,3-Dichloropropene	<1.0	ug/L
trans-1,3-Dichloropropene	<1.0	ug/L
Ethylbenzene	<1.0	ug/L
Methylene Chloride	<1.0	ug/L
1,1,2,2-Tetrachloroethane	<1.0	ug/L
Tetrachloroethene	<1.0	ug/L
Toluene	<1.0	ug/L
1,1,1-Trichloroethane	<1.0	ug/L
1,1,2-Trichloroethane	<1.0	ug/L
Trichloroethene	<1.0	ug/L
Trichlorofluoromethane	<1.0	ug/L
Vinyl Chloride	<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

SAMPLE CHARACTERIZATION/CHAIN OF CUSTODY INFORMATION

CLIENT Seneca Army Depot CLIENT # 82690
 CLIENT CONTACT _____ PHONE () _____
 P.O. # _____ LOG # 48804

SAMPLING:

SAMPLE ID: Barn Well LOCATION: _____
 SAMPLE TYPE: _____ SOIL WATER _____ OIL _____ SEDIMENT _____ WIPE
 OTHER _____
 COLLECTION METHOD: _____ 24HR COMPOSITE MANUAL GRAB _____ WIPE
 _____ FLOW COMPOSITE OTHER _____
 COMPOSITE:
 SET: DATE _____ TIME _____ BY _____
 PICKED UP: DATE _____ TIME _____ BY _____
 MANUAL GRAB: DATE 3-11-92 TIME 13.35 BY BRM, JS
 FLOW: _____ UNITS: _____ GPM _____ GPD _____ MGD

PRESERVATION:

DATE 3-11-92 TIME _____ BY _____
 PRESERVATIVE: H₂SO₄ HNO₃ _____ NaOH HCl _____ Na₂S₂O₃
 COOLED TO 4 DEGREES CELSIUS _____ TEFLON LINER
 OTHER _____

CONTAINERS:

1/2g, 2 qrts, pint, 250, 2 vials

NOTES:

Vials taken from qrts due to freezing
pH-7.80, Cond-586, Redox-10.3, Temp-3°C, Color-Cl, Turb-Low

CUSTODY:

COLLECTED BY: Brian R. Mibler DATE: 3-11-92
 DELIVERED BY: _____ DATE: _____ TIME: _____
 RECEIVED BY: Cynthia C. Ash DATE: 3/11/92 TIME: 4:50
 LOGGED IN BY: _____ DATE: _____ TIME: _____



Job No: 92.0395

Formerly: NET Northeast, Inc.

SAMPLE NO: 42805

LABORATORY ANALYSIS REPORT

Date Received : 03/11/1992

Date Collected: 03/11/1992

LOCATION : TRIP BLANK

Time Collected: 08:30

PARAMETER	AQ	RESULTS	UNITS
Volatiles by GC/MS 624			
Benzene		<1.0	ug/L
Bromodichloromethane		<1.0	ug/L
Bromoform		<1.0	ug/L
Bromomethane		<1.0	ug/L
Carbon Tetrachloride		<1.0	ug/L
Chlorobenzene		<1.0	ug/L
Chloroethane		<1.0	ug/L
2-Chloroethylvinyl ether		<1.0	ug/L
Chloroform		<1.0	ug/L
Chloromethane		<1.0	ug/L
Dibromochloromethane		<1.0	ug/L
1,2-Dichlorobenzene		<1.0	ug/L
1,3-Dichlorobenzene		<1.0	ug/L
1,4-Dichlorobenzene		<1.0	ug/L
1,1-Dichloroethane		<1.0	ug/L
1,2-Dichloroethane		<1.0	ug/L
1,1-Dichloroethene		<1.0	ug/L
trans-1,2-Dichloroethene		<1.0	ug/L
1,2-Dichloropropane		<1.0	ug/L
cis-1,3-Dichloropropene		<1.0	ug/L
trans-1,3-Dichloropropene		<1.0	ug/L
Ethylbenzene		<1.0	ug/L
Methylene Chloride		<1.0	ug/L
1,1,2,2-Tetrachloroethane		<1.0	ug/L
Tetrachloroethene		<1.0	ug/L
Toluene		<1.0	ug/L
1,1,1-Trichloroethane		<1.0	ug/L
1,1,2-Trichloroethane		<1.0	ug/L
Trichloroethene		<1.0	ug/L
Trichlorofluoromethane		<1.0	ug/L
Vinyl Chloride		<1.0	ug/L



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Atlantic, Inc.
Syracuse Division
5854 Butternut Drive--
East Syracuse, NY 13057
Tel: (315) 446-8795
Fax: (315) 449-1611

Formerly: NET Northeast, Inc.

SAMPLE CHARACTERIZATION/CHAIN OF CUSTODY INFORMATION

CLIENT Seneca Army Depot CLIENT # 82680
 CLIENT CONTACT _____ PHONE () _____
 P.O. # _____ LOG # 48805

SAMPLING:

SAMPLE ID: Trip LOCATION: _____
 SAMPLE TYPE: _____ SOIL WATER _____ OIL _____ SEDIMENT _____ WIPE
 OTHER _____
 COLLECTION METHOD: _____ 24HR COMPOSITE MANUAL GRAB _____ WIPE
 _____ FLOW COMPOSITE OTHER _____
 COMPOSITE:
 SET: DATE _____ TIME _____ BY _____
 PICKED UP: DATE _____ TIME _____ BY _____
 MANUAL GRAB: DATE 3-11-92 TIME 08:30 BY BRM
 FLOW: _____ UNITS: _____ GPM _____ GPD _____ MGD

PRESERVATION:

DATE 3-11-92 TIME 08:30 BY _____
 PRESERVATIVE: _____ H₂SO₄ _____ HNO₃ _____ NaOH HCl _____ Na₂S₂O₃
 _____ COOLED TO 4 DEGREES CELSIUS _____ TEFLON LINER
 OTHER _____

CONTAINERS:

2 vials

NOTES:

CUSTODY:

COLLECTED BY: Brian R. Mibler DATE: 3-11-92
 DELIVERED BY: _____ DATE: _____ TIME: _____
 RECEIVED BY: [Signature] DATE: 3/11/92 TIME: 4:50
 LOGGED IN BY: _____ DATE: _____ TIME: _____