

00593



**GROUNDWATER MONITORING  
VALIDATED ANALYTICAL RESULTS FOR THE FOURTH QUARTER 1995  
ASH LANDFILL, SENECA ARMY DEPOT**

**PREPARED FOR:**  
U.S. Army Corps of Engineers  
Huntsville, Alabama

**PREPARED BY:**  
Parsons Engineering Science, Inc.  
Boston, Massachusetts

March 1996  
D#14

## TABLES

Table 1	Groundwater Elevation Data
Table 2	Summary of Validated Volatile Organic Analysis Results

**TABLE 1**  
**SENECA ARMY DEPOT ACTIVITY**  
**1995 GROUNDWATER MONITORING PROGRAM**

Monitoring Well	Elevation at Top of Riser (MSL)	First Quarter 1995			Second Quarter 1995			Third Quarter 1995			Fourth Quarter 1995		
		Date	Depth from Top of Riser (ft.)	Elevation of Water Level (ft.)	Date	Depth from Top of Riser (ft.)	Elevation of Water Level (ft.)	Date	Depth from Top of Riser (ft.)	Elevation of Water Level (ft.)	Date	Depth from Top of Riser (ft.)	Elevation of Water Level (ft.)
Ash Landfill													
PT-10	681.52				06/05/95	10.4	671.12	09/12/95	10.5	671.02	1/11/96	8.22	673.3
PT-11	658.22	03/16/95	4.28	653.94	06/05/95	7.2	651.02	09/12/95	8.39	649.83	1/11/96	4.94	653.28
PT-12	652.15				06/05/95	Destroyed							
PT-15	637.76				06/05/95	8.2	629.56	09/12/95	9.73	628.03	1/11/96	4.94	632.82
PT-16	637.51				06/05/95	4.68	632.83	09/12/95	5.36	632.15	1/11/96	3.18	634.33
PT-17	640.14				06/05/95	7.87	632.27	09/12/95	8.66	631.48	1/11/96	6.16	633.98
PT-18	656.68				06/05/95	8.24	648.44	09/12/95	8.81	647.87	1/11/96	7.22	649.46
PT-19	645.26	03/17/95	3.1	642.16	06/05/95	6.33	638.93	09/12/95	7.57	637.69	1/10/96	4.14	641.12
PT-20	647.28				06/05/95	7.69	639.59	09/12/95	8.83	638.45	1/11/96	6.89	640.39
PT-21	647.73				06/05/95	Destroyed							
PT-22	648.61				06/05/95	8.92	639.69	09/12/95	9.74	638.87	1/11/96	8.9	639.71
PT-23	641.58				06/05/95	6.95	634.63	09/12/95	7.94	633.64	1/11/96	4.74	636.84
PT-24	636.4				06/05/95	5.41	630.99	09/12/95	5.64	630.76	1/11/96	5.08	631.32
PT-25	637.09				06/05/95	7.2	629.89	09/12/95	9.84	627.25	1/10/96	5.63	631.46
PT-26	614.64				06/05/95	7.02	607.62	09/12/95	N/A	614.64	1/11/96		614.64
MW-27	639.32	03/16/95	5.13	634.19	06/05/95	6.85	632.47	09/12/95	6.74	632.58	1/11/96	6.04	633.28
MW-28	637.21				06/05/95	5.93	631.28	09/12/95	6.12	631.09	1/11/96	5.66	631.55
MW-29	637.31				06/05/95	7.38	629.93	09/12/95	7.78	629.53	1/11/96	6.68	630.63
MW-30	640.32	03/17/95	4.1	636.22	06/05/95	Dry		09/12/95	10.42	629.9	1/11/96	7.65	632.67
MW-31	636.7				06/05/95	6.49	630.21	09/12/95	8.7	628.00	1/11/96	4.88	631.82
MW-32	641.68				06/05/95	8	633.68	09/12/95	8.9	632.78	1/11/96	6.86	634.82
MW-33	639.56				06/05/95	8.76	630.8	09/12/95	9.62	629.94	1/11/96	6.24	633.32
MW-34	632.89				06/05/95	5.93	626.96	09/12/95	8.9	623.99	1/10/96	4.72	628.17
MW-35D	631.82				06/05/95	4.15	627.67	09/12/95	5.43	626.39	1/10/96	2.89	628.93
MW-36	631.79	03/16/95	2.34	629.45	06/05/95	4.36	627.43	09/12/95	5.94	625.85	1/10/96	2.97	628.82
MW-37	632.89	09/23/01			06/05/95	4.58	628.31	09/12/95	5.96	626.93	1/11/96	3.32	629.57
MW-38D	637.9	09/28/01			06/05/95	5.23	632.67	09/12/95	8.91	628.99	1/11/96	3.88	634.02
MW-39	659.54	10/20/01			06/05/95	3.96	655.58	09/12/95	5.27	654.27	1/11/96	1.91	657.63
MW-40	659.3	10/20/01	3.61	655.69	06/05/95	6.48	652.82	09/12/95	7.46	651.84	1/11/96	4.44	654.86
MW-41D	694.02	11/24/01			06/05/95	8.48	685.54	09/12/95	8.76	685.26	1/11/96	7.32	686.7
MW-42D	683.04				06/05/95	5.97	677.07	09/12/95	8.34	674.70	1/11/96	4.02	679.02
MW-43	657.73				06/05/95	4.72	653.01	09/12/95	5.73	652.00	1/11/96	ice	NA
MW-44	653.85				06/05/95	Destroyed							
MW-45	650.9	03/17/95	3.05	647.85	06/05/95	5.26	645.64	09/12/95	6.34	644.56	1/11/96	ice	NA
MW-46	650.41				06/05/95	7.06	643.35	09/12/95	7.96	642.45	1/11/96	6.16	644.25
MW-47	628.06	03/16/95	2.84	625.22	06/05/95	6.48	621.58	09/12/95	5.96	622.10	1/11/96	ice	NA
MW-48	648.32	03/17/95	3.1	645.22	06/05/95	6.13	642.19	09/12/95	6.86	641.46	1/11/96	3.7	644.62
MW-49D	650.5				06/05/95	7.1	643.4	09/12/95	7.88	642.62	1/11/96	6.09	644.41
MW-50D	649.88				06/05/95	6.88	643	09/12/95	7.69	642.19	1/11/96	6.02	643.86
MW-51D	628.24				06/05/95	6.63	621.61	09/12/95	6.12	622.12	1/11/96		628.24
MW-52D	626.35				06/05/95	6.12	620.23	09/12/95	5.68	620.67	1/11/96	3	623.35
MW-53	639.41				06/05/95	8.45	630.96	09/12/95	8.94	630.47	1/11/96	7.86	631.55
MW-54D	639.11				06/05/95	8.3	630.81	09/12/95	8.76	630.35	1/11/96	7.66	631.45
MW-55D	639.16				06/05/95	8.18	630.98	09/12/95	8.62	630.54	1/11/96	7.42	631.74
MW-56	630.51	03/16/95	2.95	627.56	06/05/95	4.14	626.37	09/12/95	4.31	626.20	1/11/96	ice	NA
MW-57D	629.82				06/05/95	3.79	626.03	09/12/95	3.7	626.12	1/11/96	2.42	627.4
MW-58D	629.69				06/05/95	3.6	626.09	09/12/95	3.52	626.17	1/11/96	2.2	627.49
MW-59	656.83	03/17/95	1.9	654.93	06/05/95	3.26	653.57	09/12/95	4.58	652.25	1/11/96	2.14	654.69
MW-60	660.15	03/17/95	2.02	658.13	06/05/95	3.83	656.32	09/12/95	5.33	654.82	1/11/96	2.34	657.81

Table 2

ASH Landfill 1995 Fourth Quarter Groundwater Monitoring  
Validated Volatile Organic Analyses Results (Method 524.2)

ES ID LOCATION MATRIX SAMPLE DATE SDG NO.	BNS ASH WATER 01/18/96 56202	FHD ASH WATER 01/18/96 56202	FHS ASH WATER 01/18/96 56202	MW27 ASH WATER 01/17/96 56202	MW30 ASH WATER 01/17/96 56202	MW338 ASH WATER 01/23/96 56202	MW36 ASH WATER 01/22/96 56202	MW36R ASH WATER 01/22/96 56202	MW40 ASH WATER 01/17/98 56202	MW45 ASH WATER 01/22/96 56202	MW47 ASH WATER 01/22/96 56202	
COMPOUND	UNITS											
Dichlorodifluoromethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Chloromethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Vinyl Chloride	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Bromomethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Chloroethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Trichlorofluoromethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Acetone	5 U	5 U	5 U	5 U	5 U	5 U	5 UJ	6	5 U	5 UJ	5 UJ	
1,1-Dichloroethene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
trans-1,2-Dichloroethene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Carbon Disulfide	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Methylene Chloride	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,1-Dichloroethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
cis-1,2-Dichloroethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
2-Butanone	5 U	5 U	5 U	5 U	5 U	5 U	5 UJ	3 J	5 U	5 UJ	5 UJ	
2,2-Dichloropropane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Chloroform	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Bromochloromethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,1,1-Trichloroethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,1-Dichloropropene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Carbon Tetrachloride	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,2-Dichloroethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Benzene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Trichloroethene	1 U	1 U	1 U	1 U	0.7 J	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,2-Dichloroethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Bromodichloromethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Dibromomethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
4-Methyl-2-Pentanone	5 U	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U	5 UJ	5 UJ	
cis-1,3-Dichloroethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Toluene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
trans-1,3-Dichloroethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Tetrachloroethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Dibromochloromethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,2-Dibromoethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Chlorobenzene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,1,1,2-Tetrachloroethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Ethylbenzene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Xylene (total)	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Styrene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Bromoform	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Isopropylbenzene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,1,2,2-Tetrachloroethane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,2,3-Trichloropropane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,3,5-Trimethylbenzene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
n-Propylbenzene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
2-Chlorotoluene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,3,5-Trimethylbenzene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
4-Chlorotoluene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
tert-Butylbenzene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,2,4-Trimethylbenzene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
sec-Butylbenzene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
p-Isopropyltoluene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,3-Dichlorobenzene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,4-Dichlorobenzene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
n-Butylbenzene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,2-Dichlorobenzene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,2-Dibromo-3-Chloropropane	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,2,4-Trichlorobenzene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Hexachlorobutadiene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
Naphthalene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	
1,2,3-Trichlorobenzene	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U	1 UJ	1 UJ	

Table 2

**ASH Landfill 1995 Fourth Quarter Groundwater Monitoring  
Validated Volatile Organic Analyses Results (Method 524.2)**

ES ID	MW48	MW56	MW59	MW60	PT11	PT19	TB11098	TB11396	
LOCATION	ASH	ASH	ASH	ASH	ASH	ASH	ASH	ASH	
MATRIX	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	
SAMPLE DATE	01/22/96	01/22/96	01/17/96	01/17/96	01/17/96	01/17/96	01/18/96	01/17/96	
SDG NO.	56202	56202	56202	56202	56202	56202	56202	56202	
COMPOUND	UNITS								
Dichlorodifluoromethane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Chloromethane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Vinyl Chloride	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Bromomethane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Chloroethane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Trichlorofluoromethane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Acetone	5 UJ	5 UJ	5 U	5 U	5 U	5 U	4 J	5 U	
1,1-Dichloroethene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
trans-1,2-Dichloroethene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Carbon Disulfide	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Methylene Chloride	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,1-Dichloroethane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
cis-1,2-Dichloroethane	1 UJ	0.5 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
2-Butanone	5 UJ	5 UJ	5 U	5 U	5 U	5 U	5 U	5 U	
2,2-Dichloropropane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Chloroform	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Bromochloromethane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,1,1-Trichloroethane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,1-Dichloropropene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Carbon Tetrachloride	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,2-Dichloroethane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Benzene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Trichloroethene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,2-Dichlorooctopane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Bromodichloromethane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Dibromomethane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
4-Methyl-2-Pentanone	5 UJ	5 UJ	5 U	5 U	5 U	5 U	5 U	5 U	
cis-1,3-Dichlorooctopene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Toluene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
trans-1,3-Dichlorooctopene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Tetrachloroethene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Dibromochloromethane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,2-Dibromoethane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Chlorobenzene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,1,1,2-Tetrachloroethane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Ethylbenzene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Xylene (total)	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Styrene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Bromoform	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Isopropylbenzene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,1,2,2-Tetrachloroethane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,2,3-Trichloropropane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,3,5-Trimethylbenzene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
n-Propylbenzene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
2-Chlorotoluene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,3,5-Trimethylbenzene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
4-Chlorotoluene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
tert-Butylbenzene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,2,4-Trimethylbenzene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
sec-Butylbenzene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
p-Isopropyltoluene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,3-Dichlorobenzene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,4-Dichlorobenzene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
n-Butylbenzene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,2-Dichlorobenzene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,2-Dibromo-3-Chloropropane	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,2,4-Trichlorobenzene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Hexachlorobutadiene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
Naphthalene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	
1,2,3-Trichlorobenzene	1 UJ	1 UJ	1 U	1 U	1 U	1 U	1 U	1 U	

**FIGURES**

Figure 1

Ash Landfill Groundwater Elevation Plan

1/11/96

# GROUNDWATER ELEVATION REPORT

PARSONS ENGINEERING-SCIENCE, INC.		CLIENT: <u>ACOE</u>			DATE: <u>1-10-96</u>			
PROJECT: <u>Seneca - ASH, O&amp;D Quarterly Monitoring</u>					PROJECT NO: <u>Seneca Quarterly 1/96</u>			
LOCATION: <u>ASH LANDFILL SITE</u>					INSPECTOR: <u>BH, AW</u>			
MONITORING EQUIPMENT:				WATER LEVEL INDICATOR:		COMMENTS:		
INSTRUMENT	DETECTOR	BGD	TIME	REMARKS	INSTRUMENT			CORRECTION FACTOR
(MW) WELL	1-10-96 TIME	DEPTH TO WATER PRODUCT		CORRECTED WATER LEVEL	MEASURED POW	INSTALLED POW	PRODUCT SPEC. GRAV.	WELL STATUS / COMMENTS <small>(Lock?, Well #?, Surface Disturbance?, Riser marked?, Condition of riser, concrete, protective casing, etc.)</small>
36	1520	2.97						Well close to farmhouse Rd. next to 56D
55D	1532	2.89						
53D	1531	2.20						MW-53D Ice - broke through to get level
57D	1532	2.42						MW-57D
56	1535	NA						MW-56 Ice (3.0' down hole)
47	1545	NA						MW-47 Ice (3.10' down)
51	1546	3.42						MW-51
52D	1548	3.00						MW-52D
59	1-11-96 1116	2.14						1-11-96
60	1119	2.34						
PT-19	1133	4.14						Well Stem (PVC) is loose.
34	1140	4.72						
PT-15	1146	6.35						
PT-25	1150	5.63						

(ALL DEPTH MEASUREMENTS FROM MARKED LOCATION ON RISER)

# GROUNDWATER ELEVATION REPORT

ENGINEERING-SCIENCE, INC.	CLIENT: <u>ACOE</u>	DATE: <u>Jan. 11, 1996</u>
PROJECT: <u>Seneca - Ash/08/0D Quarterly Monitoring</u>	PROJECT NO: <u>725980-01008</u>	
LOCATION: <u>ASH LANDFILL SITE</u>	INSPECTOR: <u>BH, AW</u>	

MONITORING EQUIPMENT:				WATER LEVEL INDICATOR:		COMMENTS:	
INSTRUMENT	DETECTOR	BGD	TIME	REMARKS	INSTRUMENT		CORRECTION FACTOR

(MW) WELL	TIME	DEPTH TO		CORRECTED WATER LEVEL	MEASURED POW	INSTALLED POW	PRODUCT SPEC. GRAV.	WELL STATUS / COMMENTS <small>(Lock?, Well #?, Surface Disturbance?, Riser marked?, Condition of riser, concrete, protective casing, etc.)</small>
		WATER	PRODUCT					
31	1154	4.88						
30	1156	7.65						Well open and uncapped when approached
42D	1310	4.02						
41D	1324	7.32						
33	1338	6.24						
32	1343	6.86						flive in casing - No tubing
PT-17	1349	6.16						
53	1353	7.86						
55D	1355	7.42						
54D	1357	7.66						
PT-11	1040	4.94						
29	1400	6.68						
PT-24	1405	5.08						
28	1408	5.66						
27	1411	6.04						

(ALL DEPTH MEASUREMENTS FROM MARKED LOCATION ON RISER)

INSPECTOR: \_\_\_\_\_

PAGE: \_\_\_\_\_ OF \_\_\_\_\_



## GROUNDWATER ELEVATION REPORT

PARSONS ENGINEERING-SCIENCE, INC.		CLIENT: <u>ALOE</u>			DATE: <u>Jan. 11, 1996</u>				
PROJECT: <u>Seneca - ASH, O&amp;GD QUARTERLY MONITORING</u>					PROJECT NO: <u>725980-01008</u>				
LOCATION: <u>ASH LANDFILL SITE</u>					INSPECTOR: <u>BH, AW</u>				
MONITORING EQUIPMENT:				WATER LEVEL INDICATOR:		COMMENTS:			
INSTRUMENT	DETECTOR	BGD	TIME	REMARKS	INSTRUMENT		CORRECTION FACTOR		
(MW)	WELL	TIME	DEPTH TO WATER	DEPTH TO PRODUCT	CORRECTED WATER LEVEL	MEASURED POW	INSTALLED POW	PRODUCT SPEC. GRAV.	WELL STATUS / COMMENTS
									(Lock?, Well #?, Surface Disturbance?, Riser marked?, Condition of riser, concrete, protective casing, etc.)
	PT-23	1414	4.74						
	PT-16	1420	3.18						
	38D	1423	3.88						
	37	1428	3.32						
	PT-20	1437	6.89						
	PT-27	1500	8.90						
	PT-21	1502	3.42			27.10 26.34			New well - no lock
	48	1512	3.70						
	45	1517	NA						Top of ice = 3.10'
	52D	1525	6.22						
	46	1533	6.16						
	47D	1536	6.09						
	44	1535	7.54			12.45			New well - needs lock.
	43	1544	N/A						Needs lock. Ice at 2.64

(ALL DEPTH MEASUREMENTS FROM MARKED LOCATION ON RISER)

# GROUNDWATER ELEVATION REPORT

PARSONS ENGINEERING-SCIENCE, INC.	CLIENT: <u>ACE</u>	DATE: <u>Jan. 11, 1996</u>
PROJECT: <u>Seneca ASH, O&amp;D QUARTERLY Monitoring</u>		PROJECT NO: <u>725980-01008</u>
LOCATION: <u>ASH LANDFILL SITE</u>		INSPECTOR: <u>B. Harvey, A. Willis</u>
MONITORING EQUIPMENT:		COMMENTS:
INSTRUMENT	DETECTOR	

WELL	TIME	DEPTH TO		CORRECTED WATER LEVEL	MEASURED POW	INSTALLED POW	PRODUCT SPEC. GRAV.	WELL STATUS / COMMENTS
		WATER	PRODUCT					
31	1550	1.91						
40	1601	4.44						
PT-12	1615	8.04			12.62			Needs lock - new well
PT-18	1621	7.22						
PT-10	1635	8.22						

(ALL DEPTH MEASUREMENTS FROM MARKED LOCATION ON RISER)

SAMPLING RECORD FOR REPLICATES - GROUNDWATER									
PARSONS ENGINEERING-SCI.,INC.			CLIENT: USACOE				DATE: 1-13-96		
PROJECT: QUARTERLY MONITORING					INSPECTOR: B. Harvey, A. Willis				
LOCATION: ASH LANDFILL					LABORATORY: Aquatec				
WELL NUMBER: PT-19					CHAIN OF CUSTODY #:				
SCREENED INTERVAL (TOC):					MONITORING				
					INSTRUMENT		DETECTOR		
					OUM/PID		0.0 ppm		
WELL DIAMETER FACTORS									
DIAMETER (INCHES):      1      1.5      2      3      4      5      6      7      8      9      10									
GALLONS/FOOT:            0.041   0.092   0.163   0.367   0.654   1.02   1.47   2.00   2.61   3.30   5.87									
PURGE INFORMATION:									
STATIC DEPTH TO WATER (TOC): 4.05					STANDING WATER VOLUME IN WELL (gallons): 1.25				
WELL DEPTH (TOC): 11.70					THREE WELL VOLUMES (gallons):				
FEET OF WATER IN WELL: 7.65					ONE: 1.25		TWO: 2.5		THREE: 3.75
<b>PURGING WITH A PERISTALTIC PUMP OR BAILER</b> (measure indicator parameters at one, two and three well volumes)									
TIME BEGIN PURGING: 0837			TIME END PURGING: 0902						
TIME:									
	0850	0855	0901						
DEPTH TO WATER (ft)	4.90	5.34	5.38						
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)	11.70	8.70	8.70						
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)	550 ml/min	870 ml/min	870 ml/min						
VOLUME OF WATER REMOVED (gals)	1.25	1.25	1.25						
TEMPERATURE (deg. C)	6°C	6°C	6°C						
SPEC. COND (umhos)	550	550	550						
PH	6.99	6.97	6.97						
<b>DEPTH TO WATER MEASUREMENTS AFTER PURGING</b>									
DATE	1-13-96								
TIME	0909								
DEPTH TO WATER (ft)	4.12								
"AFTER PURGE" WATER COLUMN (ft)	7.58								
"STATIC" WATER COLUMN (ft)	7.65								
% RECOVERY	99%								
Notes:									
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.									
(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.									

~~CONFIDENTIAL~~

SAMPLING RECORD FOR REPLICATES - GROUNDWATER						
PARSONS ENGINEERING-SCI.,INC.		CLIENT: USACOE			DATE: 1/12/96	
PROJECT: QUARTERLY MONITORING				INSPECTOR: B. Harvey, A. Willis		
LOCATION: ASH LANDFILL				LABORATORY: AQUATEC		
WELL NUMBER: PT-11				CHAIN OF CUSTODY #:		
SCREENED INTERVAL (TOC):				MONITORING		
				INSTRUMENT		DETECTOR
				OVM / PID		0.0 ppm
WELL DIAMETER FACTORS						
DIAMETER (INCHES):	1	1.5	(2) 2	3	4	5
GALLONS/FOOT:	0.041	0.092	0.163	0.367	0.654	1.02
PURGE INFORMATION:						
STATIC DEPTH TO WATER (TOC): 4.94 (1-12)			STANDING WATER VOLUME IN WELL (gallons): 2.59			
WELL DEPTH (TOC): 19.54			THREE WELL VOLUMES (gallons):			
FEET OF WATER IN WELL: 14.47			ONE: 2.39		TWO: 4.75	THREE: 7.17
PURGING WITH A PERISTALTIC PUMP OR BAILER						
(measure indicator parameters at one, two and three well volumes)						
TIME BEGIN PURGING: 0910			TIME END PURGING: 1023			
TIME:	0958	1022				
DEPTH TO WATER (ft)	11.98	16.70				
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)	15.54	15.54				
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)	250/180	300	Slow Well			
VOLUME OF WATER REMOVED (gals)	2.4	1.5				
TEMPERATURE (deg. C)	2	4 1/2				
SPEC. COND (umhos)	600	600				
PH	7.45	7.37				
DEPTH TO WATER MEASUREMENTS AFTER PURGING						
DATE	1-12-96					
TIME	1500					
DEPTH TO WATER (ft)	10.17					
"AFTER PURGE" WATER COLUMN (ft)	9.37					
"STATIC" WATER COLUMN (ft)	14.67					
% RECOVERY	64%					
Notes:						
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.						
(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.						

SAMPLING RECORD FOR REPLICATES - GROUNDWATER										
PARSONS ENGINEERING-SCI.,INC.			CLIENT: USACOE				DATE: 1-10-96			
PROJECT: QUARTERLY MONITORING						INSPECTOR: B. Harvey, A. Willis				
LOCATION: ASH LANDFILL - Farmhouse						LABORATORY: AQUATEC				
WELL NUMBER: FH-S						CHAIN OF CUSTODY #:				
SCREENED INTERVAL (TOC): NA						MONITORING				
						INSTRUMENT		DETECTOR		
						NA		NA		
WELL DIAMETER FACTORS										
DIAMETER (INCHES): 1 1.5 2 3 4 5 6 7 8 9 10										
GALLONS/FOOT: 0.041 0.092 0.163 0.367 0.654 1.02 1.47 2.00 2.61 3.30 5.87										
PURGE INFORMATION:										
STATIC DEPTH TO WATER (TOC): NA						STANDING WATER VOLUME IN WELL (gallons):				
WELL DEPTH (TOC):						THREE WELL VOLUMES (gallons):				
FEET OF WATER IN WELL:						ONE:		TWO:		THREE:
PURGING WITH A PERISTALTIC PUMP OR BAILER										
(measure indicator parameters at one, two and three well volumes)										
TIME BEGIN PURGING: NA						TIME END PURGING:				
TIME:										
DEPTH TO WATER (ft)										
DEPTH TO BOTTOM										
OPENING OF										
TEFLON TUBE (TOC)										
FLOW RATE (ml/min.)										
or										
VOL. OF BAILER (gal.)										
VOLUME OF WATER										
REMOVED (gals)										
TEMPERATURE (deg. C)										
SPEC. COND (umhos)										
PH										
DEPTH TO WATER MEASUREMENTS AFTER PURGING										
DATE		NA								
TIME										
DEPTH TO WATER (ft)										
"AFTER PURGE"										
WATER COLUMN (ft)										
"STATIC"										
WATER COLUMN (ft)										
% RECOVERY										
Notes:										
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.										
(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.										

SAMPLING RECORD FOR REPLICATES - GROUNDWATER											
PARSONS ENGINEERING-SCI.,INC.			CLIENT: USACOE				DATE: 1-10-96				
PROJECT: QUARTERLY MONITORING						INSPECTOR: B. Harvey, A. Willis					
LOCATION: ASH LANDFILL - FARMHOUSE						LABORATORY: AQUATEC					
WELL NUMBER: FH-D						MONITORING					
SCREENED INTERVAL (TOC): NA						INSTRUMENT: NA		DETECTOR: NA			
WELL DIAMETER FACTORS											
DIAMETER (INCHES):	1	1.5	2	3	4	5	6	7	8	9	10
GALLONS/FOOT:	0.041	0.092	0.163	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87
PURGE INFORMATION:											
STATIC DEPTH TO WATER (TOC): NA						STANDING WATER VOLUME IN WELL (gallons):					
WELL DEPTH (TOC):						THREE WELL VOLUMES (gallons):					
FEET OF WATER IN WELL:						ONE:	TWO:		THREE:		
PURGING WITH A PERISTALTIC PUMP OR BAILER											
(measure indicator parameters at one, two and three well volumes)											
TIME BEGIN PURGING: NA						TIME END PURGING:					
TIME:											
DEPTH TO WATER (ft)											
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)											
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)											
VOLUME OF WATER REMOVED (gals)											
TEMPERATURE (deg. C)											
SPEC. COND (umhos)											
PH											
DEPTH TO WATER MEASUREMENTS AFTER PURGING											
DATE	NA										
TIME											
DEPTH TO WATER (ft)											
"AFTER PURGE" WATER COLUMN (ft)											
"STATIC" WATER COLUMN (ft)											
% RECOVERY											
Notes:											
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.											
(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.											

SAMPLING RECORD FOR REPLICATES - GROUNDWATER											
PARSONS ENGINEERING-SCI.,INC.			CLIENT: USACOE				DATE: 1-10-96				
PROJECT: QUARTERLY MONITORING						INSPECTOR: B. Hawley, A. Willis					
LOCATION: ASH LANDFILL - Farmhouse						LABORATORY: AQUATEC					
WELL NUMBER: BN-D						MONITORING					
SCREENED INTERVAL (TOC): NA						INSTRUMENT: NA		DETECTOR: NA			
WELL DIAMETER FACTORS											
DIAMETER (INCHES):	1	1.5	2	3	4	5	6	7	8	9	10
GALLONS/FOOT:	0.041	0.092	0.163	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87
PURGE INFORMATION:											
STATIC DEPTH TO WATER (TOC): NA						STANDING WATER VOLUME IN WELL (gallons):					
WELL DEPTH (TOC): NA						THREE WELL VOLUMES (gallons):					
FEET OF WATER IN WELL:						ONE:		TWO:		THREE:	
PURGING WITH A PERISTALTIC PUMP OR BAILER											
(measure indicator parameters at one, two and three well volumes)											
TIME BEGIN PURGING: NA						TIME END PURGING:					
TIME:											
DEPTH TO WATER (ft)											
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)											
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)											
VOLUME OF WATER REMOVED (gals)											
TEMPERATURE (deg. C)											
SPEC. COND (umhos)											
PH											
DEPTH TO WATER MEASUREMENTS AFTER PURGING											
DATE	NA										
TIME											
DEPTH TO WATER (ft)											
"AFTER PURGE" WATER COLUMN (ft)											
"STATIC" WATER COLUMN (ft)											
% RECOVERY											
Notes:											
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point. (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.											

SAMPLING RECORD FOR REPLICATES - GROUNDWATER											
PARSONS ENGINEERING-SCI., INC.			CLIENT: USACOE				DATE: 1-13-96				
PROJECT: QUARTERLY MONITORING					INSPECTOR: B. Harvey, H. Willis						
LOCATION: ASH LANDFILL					LABORATORY: Aquatec						
WELL NUMBER: MW-27					CHAIN OF CUSTODY #:						
SCREENED INTERVAL (TOC):					MONITORING						
					INSTRUMENT		DETECTOR				
					C/M/PID		0.0 ppm				
WELL DIAMETER FACTORS											
DIAMETER (INCHES):	1	1.5	2	3	4	5	6	7	8	9	10
GALLONS/FOOT:	0.041	0.092	0.163	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87
PURGE INFORMATION:											
STATIC DEPTH TO WATER (TOC): 5.96					STANDING WATER VOLUME IN WELL (gallons): 0.74						
WELL DEPTH (TOC): 10.52					THREE WELL VOLUMES (gallons):						
FEET OF WATER IN WELL: 4.56					ONE: 0.74		TWO: 1.48		THREE: 2.23		
<b>PURGING WITH A PERISTALTIC PUMP OR BAILER</b>											
(measure indicator parameters at one, two and three well volumes)											
TIME BEGIN PURGING: 1005					TIME END PURGING: 1031						
	TIME:	1021	1030								
DEPTH TO WATER (ft)		9.06	10.15								
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)		10.52	10.0								
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)		180 ml/min	180 ml/min	Slows Well							
VOLUME OF WATER REMOVED (gals)		.74	.5								
TEMPERATURE (deg. C)		5°C	5°C								
SPEC. COND (umhos)		430	440								
PH		7.15	7.34								
<b>DEPTH TO WATER MEASUREMENTS AFTER PURGING</b>											
DATE		1-13-96	1-13-96								
TIME		1134	1115								
DEPTH TO WATER (ft)		9.40	8.50								
"AFTER PURGE" WATER COLUMN (ft)		1.12	2.07								
"STATIC" WATER COLUMN (ft)		4.56	4.96								
% RECOVERY		25%	44%								
Notes:											
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.											
(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.											



SAMPLING RECORD FOR REPLICATES - GROUNDWATER											
PARSONS ENGINEERING-SCI., INC.			CLIENT: USACOE				DATE: 1-13-96				
PROJECT: QUARTERLY MONITORING					INSPECTOR: B. Henry, A. Willis						
LOCATION: ASH LANDFILL					LABORATORY: Aquatec						
WELL NUMBER: MW-30					CHAIN OF CUSTODY #						
SCREENED INTERVAL (TOC):					MONITORING						
					INSTRUMENT		DETECTOR				
					OVM/PID		C. ppm				
WELL DIAMETER FACTORS											
DIAMETER (INCHES):	1	1.5	2	3	4	5	6	7	8	9	10
GALLONS/FOOT:	0.041	0.092	0.163	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87
PURGE INFORMATION:											
STATIC DEPTH TO WATER (TOC): 7.63					STANDING WATER VOLUME IN WELL (gallons): 0.47						
WELL DEPTH (TOC): 10.52					THREE WELL VOLUMES (gallons):						
FEET OF WATER IN WELL: 2.89					ONE: 0.47		TWO: 0.94		THREE: 1.41		
PURGING WITH A PERISTALTIC PUMP OR BAILER											
(measure indicator parameters at one, two and three well volumes)											
TIME BEGIN PURGING: 0925					TIME END PURGING: 0942						
	TIME:	0932	0938	0941							
DEPTH TO WATER (ft)		7.72	7.80	7.80							
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)		10.52	8.52	8.52							
FLOW RATE (ml/min.)											
or											
VOL. OF BAILER (gal.)		300 ml/min	660 ml/min	660 ml/min							
VOLUME OF WATER REMOVED (gals)		0.50	0.5	0.50							
TEMPERATURE (deg. C)		4°	4°	5°							
SPEC. COND (umhos)		480	440	450							
PH		6.58	6.83	7.04							
DEPTH TO WATER MEASUREMENTS AFTER PURGING											
DATE		1-13-96									
TIME		0947									
DEPTH TO WATER (ft)		7.66									
"AFTER PURGE" WATER COLUMN (ft)		2.86									
"STATIC" WATER COLUMN (ft)		2.89									
% RECOVERY		99.0%									
Notes:											
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.											
(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.											

SAMPLING RECORD FOR REPLICATES - GROUNDWATER																																																																																									
PARSONS ENGINEERING-SCI., INC.			CLIENT: USACOE				DATE: 1-14-96																																																																																		
PROJECT: QUARTERLY MONITORING					INSPECTOR: B. Harvey, A. Willis																																																																																				
LOCATION: ASH LANDFILL					LABORATORY: AQUATEC																																																																																				
WELL NUMBER: MW-36					CHAIN OF CUSTODY #:																																																																																				
SCREENED INTERVAL (TOC):					MONITORING: NA		INSTRUMENT: OUM 5805																																																																																		
WELL DIAMETER FACTORS					DETECTOR: PID																																																																																				
<table border="1"> <tr> <td>DIAMETER (INCHES):</td> <td>1</td> <td>1.5</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> </tr> <tr> <td>GALLONS/FOOT:</td> <td>0.041</td> <td>0.092</td> <td>0.167</td> <td>0.367</td> <td>0.654</td> <td>1.02</td> <td>1.47</td> <td>2.00</td> <td>2.61</td> <td>3.30</td> <td>5.87</td> </tr> </table>										DIAMETER (INCHES):	1	1.5	2	3	4	5	6	7	8	9	10	GALLONS/FOOT:	0.041	0.092	0.167	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87																																																								
DIAMETER (INCHES):	1	1.5	2	3	4	5	6	7	8	9	10																																																																														
GALLONS/FOOT:	0.041	0.092	0.167	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87																																																																														
PURGE INFORMATION:																																																																																									
STATIC DEPTH TO WATER (TOC): 2.79					STANDING WATER VOLUME IN WELL (gallons): 2.25																																																																																				
WELL DEPTH (TOC): 16.58					THREE WELL VOLUMES (gallons):																																																																																				
FEET OF WATER IN WELL: 13.79					ONE: 2.25		TWO: 4.50		THREE: 6.75																																																																																
PURGING WITH A PERISTALTIC PUMP OR BAILER (measure indicator parameters at one, two and three well volumes)																																																																																									
TIME BEGIN PURGING: 1543					TIME END PURGING: 1608																																																																																				
<table border="1"> <thead> <tr> <th>TIME:</th> <th>1551</th> <th>1558</th> <th>1606</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>DEPTH TO WATER (ft)</td> <td>4.12</td> <td>4.30</td> <td>4.38</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)</td> <td>16.58</td> <td>11.58</td> <td>11.58</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)</td> <td>1560 ml/min</td> <td>1560 ml/min</td> <td>1560 ml/min</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>VOLUME OF WATER REMOVED (gals)</td> <td>2.25</td> <td>2.25</td> <td>3.0</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>TEMPERATURE (deg. C)</td> <td>7</td> <td>7</td> <td>7.5</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>SPEC. COND (umhos)</td> <td>550</td> <td>525</td> <td>550</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>PH</td> <td>7.10</td> <td>7.14</td> <td>7.15</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										TIME:	1551	1558	1606							DEPTH TO WATER (ft)	4.12	4.30	4.38							DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)	16.58	11.58	11.58							FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)	1560 ml/min	1560 ml/min	1560 ml/min							VOLUME OF WATER REMOVED (gals)	2.25	2.25	3.0							TEMPERATURE (deg. C)	7	7	7.5							SPEC. COND (umhos)	550	525	550							PH	7.10	7.14	7.15						
TIME:	1551	1558	1606																																																																																						
DEPTH TO WATER (ft)	4.12	4.30	4.38																																																																																						
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)	16.58	11.58	11.58																																																																																						
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)	1560 ml/min	1560 ml/min	1560 ml/min																																																																																						
VOLUME OF WATER REMOVED (gals)	2.25	2.25	3.0																																																																																						
TEMPERATURE (deg. C)	7	7	7.5																																																																																						
SPEC. COND (umhos)	550	525	550																																																																																						
PH	7.10	7.14	7.15																																																																																						
DEPTH TO WATER MEASUREMENTS AFTER PURGING																																																																																									
<table border="1"> <thead> <tr> <th>DATE</th> <th>1-14-96</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>TIME</td> <td>1612</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>DEPTH TO WATER (ft)</td> <td>2.90</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>"AFTER PURGE" WATER COLUMN (ft)</td> <td>13.68</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>"STATIC" WATER COLUMN (ft)</td> <td>13.79</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>% RECOVERY</td> <td>99.90</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										DATE	1-14-96									TIME	1612									DEPTH TO WATER (ft)	2.90									"AFTER PURGE" WATER COLUMN (ft)	13.68									"STATIC" WATER COLUMN (ft)	13.79									% RECOVERY	99.90																												
DATE	1-14-96																																																																																								
TIME	1612																																																																																								
DEPTH TO WATER (ft)	2.90																																																																																								
"AFTER PURGE" WATER COLUMN (ft)	13.68																																																																																								
"STATIC" WATER COLUMN (ft)	13.79																																																																																								
% RECOVERY	99.90																																																																																								
Notes:																																																																																									
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.																																																																																									
(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.																																																																																									

Historic

6.08

6.60-1560 ml/min

3 vol.

15

6.50-700

7.08-7.28

13 min.

SAMPLING RECORD FOR REPLICATES - GROUNDWATER											
PARSONS ENGINEERING-SCI., INC.			CLIENT: USACOE				DATE: 1-13-96				
PROJECT: QUARTERLY MONITORING					INSPECTOR:						
LOCATION: ASH LANDFILL					LABORATORY:						
WELL NUMBER: MW-40					CHAIN OF CUSTODY #:						
SCREENED INTERVAL (TOC):					MONITORING INSTRUMENT: OVM/RID		DETECTOR: 0.00 ppm				
WELL DIAMETER FACTORS											
DIAMETER (INCHES):	1	1.5	2	3	4	5	6	7	8	9	10
GALLONS/FOOT:	0.041	0.092	0.16	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87
PURGE INFORMATION:											
STATIC DEPTH TO WATER (TOC): 4.38					STANDING WATER VOLUME IN WELL (gallons): 1.768						
WELL DEPTH (TOC): 14.71					THREE WELL VOLUMES (gallons):						
FEET OF WATER IN WELL: 10.33					ONE: 3.36		TWO: 5.05				
<b>PURGING WITH A PERISTALTIC PUMP OR BAILER</b>											
(measure indicator parameters at one, two and three well volumes)											
TIME BEGIN PURGING: 1346					TIME END PURGING: 1406						
	TIME:	1352	1359	1405							
DEPTH TO WATER (ft)		8.06	8.50	9.38							
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)		14.71	10.71	10.71							
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)		1L	1500 ml/min	1500 ml/min							
VOLUME OF WATER REMOVED (gals)		1.7	1.7	1.7							
TEMPERATURE (deg. C)		6.75	7	7							
SPEC. COND (umhos)		370	370	375							
PH		6.75	7.24	7.31							
<b>DEPTH TO WATER MEASUREMENTS AFTER PURGING</b>											
DATE		1-13-94	1-13-96								
TIME		1435	1450								
DEPTH TO WATER (ft)		5.40	4.50								
"AFTER PURGE" WATER COLUMN (ft)		9.31	10.21								
"STATIC" WATER COLUMN (ft)		10.33	10.33								
% RECOVERY		90%	99%								
Notes:											
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.											
(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.											

SAMPLING RECORD FOR REPLICATES - GROUNDWATER																																																																																																		
PARSONS ENGINEERING-SCI., INC.			CLIENT: USACOE				DATE: 1-14-96																																																																																											
PROJECT: QUARTERLY MONITORING					INSPECTOR: B. Hanley, A. Willis																																																																																													
LOCATION: ASH LANDFILL					LABORATORY: Aquatec																																																																																													
WELL NUMBER: MW-45					CHAIN OF CUSTODY:																																																																																													
SCREENED INTERVAL (TOC):					MONITORING 0.00			DETECTOR																																																																																										
WELL DIAMETER FACTORS					CVM 680B			PID																																																																																										
<table border="1"> <tr> <td>DIAMETER (INCHES):</td> <td>1</td> <td>1.5</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> </tr> <tr> <td>GALLONS/FOOT:</td> <td>0.041</td> <td>0.092</td> <td>0.163</td> <td>0.367</td> <td>0.654</td> <td>1.02</td> <td>1.47</td> <td>2.00</td> <td>2.61</td> <td>3.30</td> <td>5.87</td> </tr> </table>											DIAMETER (INCHES):	1	1.5	2	3	4	5	6	7	8	9	10	GALLONS/FOOT:	0.041	0.092	0.163	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87																																																																
DIAMETER (INCHES):	1	1.5	2	3	4	5	6	7	8	9	10																																																																																							
GALLONS/FOOT:	0.041	0.092	0.163	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87																																																																																							
PURGE INFORMATION:																																																																																																		
STATIC DEPTH TO WATER (TOC): 2.97					STANDING WATER VOLUME IN WELL (gallons): 0.88																																																																																													
WELL DEPTH (TOC): 8.34					THREE WELL VOLUMES (gallons):																																																																																													
FEET OF WATER IN WELL: 5.37					ONE: 0.88		TWO: 1.75		THREE: 2.63																																																																																									
PURGING WITH A PERISTALTIC PUMP OR BAILER (measure indicator parameters at one, two and three well volumes)																																																																																																		
TIME BEGIN PURGING: 0921					TIME END PURGING: 0958																																																																																													
<table border="1"> <thead> <tr> <th></th> <th>TIME:</th> <th>0933</th> <th>0942</th> <th>0957</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>DEPTH TO WATER (ft)</td> <td></td> <td>4.44</td> <td>5.10</td> <td>5.26</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)</td> <td></td> <td>8.34</td> <td>6.34</td> <td>6.34</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)</td> <td></td> <td>450 ml/min</td> <td>660 ml/min</td> <td>660 ml/min</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>VOLUME OF WATER REMOVED (gals)</td> <td></td> <td>0.88</td> <td>0.88</td> <td>0.88</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>TEMPERATURE (deg. C)</td> <td></td> <td>4</td> <td>4</td> <td>5</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>SPEC. COND (umhos)</td> <td></td> <td>390</td> <td>390</td> <td>395</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>PH</td> <td></td> <td>7.26</td> <td>7.23</td> <td>7.20</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>												TIME:	0933	0942	0957							DEPTH TO WATER (ft)		4.44	5.10	5.26							DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)		8.34	6.34	6.34							FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)		450 ml/min	660 ml/min	660 ml/min							VOLUME OF WATER REMOVED (gals)		0.88	0.88	0.88							TEMPERATURE (deg. C)		4	4	5							SPEC. COND (umhos)		390	390	395							PH		7.26	7.23	7.20						
	TIME:	0933	0942	0957																																																																																														
DEPTH TO WATER (ft)		4.44	5.10	5.26																																																																																														
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)		8.34	6.34	6.34																																																																																														
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)		450 ml/min	660 ml/min	660 ml/min																																																																																														
VOLUME OF WATER REMOVED (gals)		0.88	0.88	0.88																																																																																														
TEMPERATURE (deg. C)		4	4	5																																																																																														
SPEC. COND (umhos)		390	390	395																																																																																														
PH		7.26	7.23	7.20																																																																																														
DEPTH TO WATER MEASUREMENTS AFTER PURGING																																																																																																		
<table border="1"> <tbody> <tr> <td>DATE</td> <td colspan="10">1-14-96</td> </tr> <tr> <td>TIME</td> <td colspan="10">1006</td> </tr> <tr> <td>DEPTH TO WATER (ft)</td> <td colspan="10">3.10</td> </tr> <tr> <td>"AFTER PURGE" WATER COLUMN (ft)</td> <td colspan="10">5.24</td> </tr> <tr> <td>"STATIC" WATER COLUMN (ft)</td> <td colspan="10">5.37</td> </tr> <tr> <td>% RECOVERY</td> <td colspan="10">95%</td> </tr> </tbody> </table>											DATE	1-14-96										TIME	1006										DEPTH TO WATER (ft)	3.10										"AFTER PURGE" WATER COLUMN (ft)	5.24										"STATIC" WATER COLUMN (ft)	5.37										% RECOVERY	95%																															
DATE	1-14-96																																																																																																	
TIME	1006																																																																																																	
DEPTH TO WATER (ft)	3.10																																																																																																	
"AFTER PURGE" WATER COLUMN (ft)	5.24																																																																																																	
"STATIC" WATER COLUMN (ft)	5.37																																																																																																	
% RECOVERY	95%																																																																																																	
Notes:																																																																																																		
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.																																																																																																		
(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.																																																																																																		

last Rate  
480-200 ml/min

Static 6.34

1 vol.  
18

600

7.10

+ 1 hr.

SAMPLING RECORD FOR REPLICATES - GROUNDWATER																																																																																									
PARSONS ENGINEERING-SCI.,INC.			CLIENT: USACOE				DATE: 1-14-96																																																																																		
PROJECT: QUARTERLY MONITORING.					INSPECTOR: Bowman Harvey, Annika Willis																																																																																				
LOCATION: ASH LANDFILL					LABORATORY: Aquatec																																																																																				
WELL NUMBER: MW-47					CHAIN OF CUSTODY:																																																																																				
SCREENED INTERVAL (TOC):					MONITORING: NA																																																																																				
WELL DIAMETER FACTORS					INSTRUMENT: OVM 580S		DETECTOR: PID																																																																																		
<table border="1"> <tr> <td>DIAMETER (INCHES):</td> <td>1</td> <td>1.5</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> </tr> <tr> <td>GALLONS/FOOT:</td> <td>0.041</td> <td>0.092</td> <td>0.163</td> <td>0.367</td> <td>0.654</td> <td>1.02</td> <td>1.47</td> <td>2.00</td> <td>2.61</td> <td>3.30</td> <td>5.87</td> </tr> </table>										DIAMETER (INCHES):	1	1.5	2	3	4	5	6	7	8	9	10	GALLONS/FOOT:	0.041	0.092	0.163	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87																																																								
DIAMETER (INCHES):	1	1.5	2	3	4	5	6	7	8	9	10																																																																														
GALLONS/FOOT:	0.041	0.092	0.163	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87																																																																														
PURGE INFORMATION:																																																																																									
STATIC DEPTH TO WATER (TOC): 3.26					STANDING WATER VOLUME IN WELL (gallons): 0.86																																																																																				
WELL DEPTH (TOC): 8.56					THREE WELL VOLUMES (gallons):																																																																																				
FEET OF WATER IN WELL: 5.30					ONE: 1.7		THREE: 2.0																																																																																		
PURGING WITH A PERISTALTIC PUMP OR BAILER (measure indicator parameters at one, two and three well volumes)																																																																																									
TIME BEGIN PURGING: 1318					TIME END PURGING: 1344																																																																																				
<table border="1"> <thead> <tr> <th>TIME:</th> <th>1328</th> <th>1336</th> <th>1343</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>DEPTH TO WATER (ft)</td> <td>4.40</td> <td>4.68</td> <td>4.40</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)</td> <td>8.56</td> <td>6.56</td> <td>6.56</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)</td> <td>480 ml/min</td> <td>480 ml/min</td> <td>480 ml/min</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>VOLUME OF WATER REMOVED (gals)</td> <td>0.90</td> <td>0.90</td> <td>0.90</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>TEMPERATURE (deg. C)</td> <td>5</td> <td>5</td> <td>5</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>SPEC. COND (umhos)</td> <td>397</td> <td>390</td> <td>395</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>PH</td> <td>6.97</td> <td>7.11</td> <td>7.14</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										TIME:	1328	1336	1343							DEPTH TO WATER (ft)	4.40	4.68	4.40							DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)	8.56	6.56	6.56							FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)	480 ml/min	480 ml/min	480 ml/min							VOLUME OF WATER REMOVED (gals)	0.90	0.90	0.90							TEMPERATURE (deg. C)	5	5	5							SPEC. COND (umhos)	397	390	395							PH	6.97	7.11	7.14						
TIME:	1328	1336	1343																																																																																						
DEPTH TO WATER (ft)	4.40	4.68	4.40																																																																																						
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)	8.56	6.56	6.56																																																																																						
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)	480 ml/min	480 ml/min	480 ml/min																																																																																						
VOLUME OF WATER REMOVED (gals)	0.90	0.90	0.90																																																																																						
TEMPERATURE (deg. C)	5	5	5																																																																																						
SPEC. COND (umhos)	397	390	395																																																																																						
PH	6.97	7.11	7.14																																																																																						
DEPTH TO WATER MEASUREMENTS AFTER PURGING																																																																																									
<table border="1"> <thead> <tr> <th>DATE</th> <th>1-14-96</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>TIME</td> <td>1356</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>DEPTH TO WATER (ft)</td> <td>3.18</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>"AFTER PURGE" WATER COLUMN (ft)</td> <td>5.38</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>"STATIC" WATER COLUMN (ft)</td> <td>5.30</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>% RECOVERY</td> <td>100%</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										DATE	1-14-96									TIME	1356									DEPTH TO WATER (ft)	3.18									"AFTER PURGE" WATER COLUMN (ft)	5.38									"STATIC" WATER COLUMN (ft)	5.30									% RECOVERY	100%																												
DATE	1-14-96																																																																																								
TIME	1356																																																																																								
DEPTH TO WATER (ft)	3.18																																																																																								
"AFTER PURGE" WATER COLUMN (ft)	5.38																																																																																								
"STATIC" WATER COLUMN (ft)	5.30																																																																																								
% RECOVERY	100%																																																																																								
Notes:																																																																																									
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.																																																																																									
(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.																																																																																									

Historic

6.06

318-100 ml/min

3 vol.

18

550-600

7.08-7.23

13 min

SAMPLING RECORD FOR REPLICATES - GROUNDWATER																																																																		
PARSONS ENGINEERING-SCL., INC.			CLIENT: USACOE				DATE: 1-14-96																																																											
PROJECT: QUARTERLY MONITORING			INSPECTOR: B. Harvey, A. Willis				LABORATORY: Aquatec																																																											
LOCATION: ASH LANDFILL			CHAIN OF CUSTODY #:				MONITORING: 1/2																																																											
WELL NUMBER: MW-48			INSTRUMENT: DVM 5805		DETECTOR: P.I.D.																																																													
SCREENED INTERVAL (TOC):																																																																		
WELL DIAMETER FACTORS																																																																		
DIAMETER (INCHES): 1 1.5 2 3 4 5 6 7 8 9 10																																																																		
GALLONS/FOOT: 0.041 0.092 0.163 0.367 0.654 1.02 1.47 2.00 2.61 3.30 5.87																																																																		
PURGE INFORMATION:																																																																		
STATIC DEPTH TO WATER (TOC): 3.58			STANDING WATER VOLUME IN WELL (gallons): 1.29																																																															
WELL DEPTH (TOC): 11.50			THREE WELL VOLUMES (gallons):																																																															
FEET OF WATER IN WELL: 7.92			ONE: 1.29		TWO: 2.58		THREE: 3.87																																																											
PURGING WITH A PERISTALTIC PUMP OR BAILER																																																																		
(measure indicator parameters at one, two and three well volumes)																																																																		
TIME BEGIN PURGING: 1028			TIME END PURGING: 1043																																																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">TIME:</th> <th style="width: 20%;">1033</th> <th style="width: 20%;">1039</th> <th style="width: 20%;">1042</th> <th style="width: 20%;"></th> <th style="width: 20%;"></th> <th style="width: 20%;"></th> </tr> </thead> <tbody> <tr> <td>DEPTH TO WATER (ft)</td> <td>4.12</td> <td>4.18</td> <td>4.48</td> <td></td> <td></td> <td></td> </tr> <tr> <td>DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)</td> <td>11.50</td> <td>11.50</td> <td>78.50 (NW)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)</td> <td>14/min</td> <td>14/min</td> <td>1500 ml/min</td> <td></td> <td></td> <td></td> </tr> <tr> <td>VOLUME OF WATER REMOVED (gals)</td> <td>1.3</td> <td>1.3</td> <td>1.3</td> <td></td> <td></td> <td></td> </tr> <tr> <td>TEMPERATURE (deg. C)</td> <td>5</td> <td>5</td> <td>5</td> <td></td> <td></td> <td></td> </tr> <tr> <td>SPEC. COND (umhos)</td> <td>395</td> <td>395</td> <td>395</td> <td></td> <td></td> <td></td> </tr> <tr> <td>PH</td> <td>7.36</td> <td>7.28</td> <td>7.26</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>											TIME:	1033	1039	1042				DEPTH TO WATER (ft)	4.12	4.18	4.48				DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)	11.50	11.50	78.50 (NW)				FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)	14/min	14/min	1500 ml/min				VOLUME OF WATER REMOVED (gals)	1.3	1.3	1.3				TEMPERATURE (deg. C)	5	5	5				SPEC. COND (umhos)	395	395	395				PH	7.36	7.28	7.26			
TIME:	1033	1039	1042																																																															
DEPTH TO WATER (ft)	4.12	4.18	4.48																																																															
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)	11.50	11.50	78.50 (NW)																																																															
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)	14/min	14/min	1500 ml/min																																																															
VOLUME OF WATER REMOVED (gals)	1.3	1.3	1.3																																																															
TEMPERATURE (deg. C)	5	5	5																																																															
SPEC. COND (umhos)	395	395	395																																																															
PH	7.36	7.28	7.26																																																															
DEPTH TO WATER MEASUREMENTS AFTER PURGING																																																																		
<table border="1" style="width:100%; border-collapse: collapse;"> <tbody> <tr> <td style="width: 20%;">DATE</td> <td>1-14-96</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>TIME</td> <td>1049</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>DEPTH TO WATER (ft)</td> <td>3.62</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>"AFTER PURGE" WATER COLUMN (ft)</td> <td>7.88</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>"STATIC" WATER COLUMN (ft)</td> <td>7.92</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>% RECOVERY</td> <td>99%</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>											DATE	1-14-96						TIME	1049						DEPTH TO WATER (ft)	3.62						"AFTER PURGE" WATER COLUMN (ft)	7.88						"STATIC" WATER COLUMN (ft)	7.92						% RECOVERY	99%																			
DATE	1-14-96																																																																	
TIME	1049																																																																	
DEPTH TO WATER (ft)	3.62																																																																	
"AFTER PURGE" WATER COLUMN (ft)	7.88																																																																	
"STATIC" WATER COLUMN (ft)	7.92																																																																	
% RECOVERY	99%																																																																	
Notes:																																																																		
<p>(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.</p> <p>(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.</p>																																																																		

Historic

6.88

1L

1 vol.

18

600

6.70

10 min.

SAMPLING RECORD FOR REPLICATES - GROUNDWATER						
PARSONS ENGINEERING-SCI., INC.		CLIENT: USACOE			DATE: 1-14-96	
PROJECT: QUARTERLY MONITORING				INSPECTOR: B. HARVEY, A. WILLS		
LOCATION: ASH LANDFILL				LABORATORY: AQUATEC		
WELL NUMBER: MW-56				CHAIN OF CUSTODY #:		
SCREENED INTERVAL (TOC):				MONITORING: NA		
WELL DIAMETER FACTORS				INSTRUMENT: QVM 580S		DETECTOR: PID
DIAMETER (INCHES):	1	1.5	2	3	4	5
GALLONS/FOOT:	0.041	0.092	0.163	0.367	0.654	1.02
PURGE INFORMATION:						
STATIC DEPTH TO WATER (TOC): 3.16			STANDING WATER VOLUME IN WELL (gallons): 0.60			
WELL DEPTH (TOC): 6.88			THREE WELL VOLUMES (gallons): 1.80			
FEET OF WATER IN WELL: 3.72			ONE: 0.60		TWO: 1.20	
PURGING WITH A PERISTALTIC PUMP OR BAILER (measure indicator parameters at one, two and three well volumes)						
TIME BEGIN PURGING: 1439			TIME END PURGING: 1500			
TIME:	<del>1444</del> 3:50	1452	1459			
DEPTH TO WATER (ft)	3.52	3.42	3.44			
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)	6.88	5.88	5.88			
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)	450 ml/min	450 ml/min	450 ml			
VOLUME OF WATER REMOVED (gals)	0.60	0.65	0.75			
TEMPERATURE (deg. C)	38.5	3.5	4			
SPEC. COND (umhos)	440	435	440			
PH	6.98	7.07	7.09			
DEPTH TO WATER MEASUREMENTS AFTER PURGING						
DATE	1-14-96					
TIME	1507					
DEPTH TO WATER (ft)	3.09					
"AFTER PURGE" WATER COLUMN (ft)	3.79					
"STATIC" WATER COLUMN (ft)	3.72					
% RECOVERY	100%					
Notes:						
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.						
(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.						

Historic

4.04

480-870 ml/min

3 vol.

17

700

7.15-7.25

15 min.

SAMPLING RECORD FOR REPLICATES - GROUNDWATER											
PARSONS ENGINEERING-SCI.,INC.			CLIENT: USACOE				DATE: 1-12-96				
PROJECT: QUARTERLY MONITORING			INSPECTOR: B. Hawley, A. Wilk's			LABORATORY: AQUATEC			CHAIN OF CUSTODY #:		
LOCATION: ASH LANDFILL			WELL NUMBER: MW-59			MONITORING INSTRUMENT: OVM/PID			DETECTOR: NA		
SCREENED INTERVAL (TOC):											
WELL DIAMETER FACTORS											
DIAMETER (INCHES):	1	1.5	2	3	4	5	6	7	8	9	10
GALLONS/FOOT:	0.041	0.092	0.163	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87
PURGE INFORMATION:											
STATIC DEPTH TO WATER (TOC): 2.08			STANDING WATER VOLUME IN WELL (gallons): 1.28								
WELL DEPTH (TOC): 9.99			THREE WELL VOLUMES (gallons):								
FEET OF WATER IN WELL: 7.91			ONE: 1.28		TWO: 2.58		THREE: 3.87				
PURGING WITH A PERISTALTIC PUMP OR BAILER											
(measure indicator parameters at one, two and three well volumes)											
TIME BEGIN PURGING: 1038			TIME END PURGING: 1100								
TIME:	1047	1053	1059								
DEPTH TO WATER (ft)	2.82	4.70	4.80								
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)	9.99	8.99	8.99								
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)	660	1000	1000								
VOLUME OF WATER REMOVED (gals)	1.3	1.30	1.5								
TEMPERATURE (deg. C)	5	5	5								
SPEC. COND (umhos)	850	850	875								
PH	6.86	6.86	6.84								
DEPTH TO WATER MEASUREMENTS AFTER PURGING											
DATE	1-12-96										
TIME	1528										
DEPTH TO WATER (ft)	2.20										
"AFTER PURGE" WATER COLUMN (ft)	7.79										
"STATIC" WATER COLUMN (ft)	7.91										
% RECOVERY	98%										
Notes:											
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.											
(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.											



SAMPLING RECORD FOR REPLICATES - GROUNDWATER									
PARSONS ENGINEERING-SCI., INC.			CLIENT: USACOE				DATE: 1-12-96		
PROJECT: QUARTERLY MONITORING			INSPECTOR: B. Hawley; A. Wilks			LABORATORY: AQUATEC			
LOCATION: ASH LANDFILL			CHAIN OF CUSTODY #:			MONITORING			
WELL NUMBER: MW-60			INSTRUMENT: OUM/PID			DETECTOR: NA			
SCREENED INTERVAL (TOC):									
WELL DIAMETER FACTORS									
DIAMETER (INCHES): 1 1.5 2 3 4 5 6 7 8 9 10									
GALLONS/FOOT: 0.041 0.092 0.167 0.367 0.654 1.02 1.47 2.00 2.61 3.30 5.87									
PURGE INFORMATION:									
STATIC DEPTH TO WATER (TOC): 3.36			STANDING WATER VOLUME IN WELL (gallons): 1.1						
WELL DEPTH (TOC): 10.29			THREE WELL VOLUMES (gallons):						
FEET OF WATER IN WELL: 6.93			ONE: 1.1		TWO: 2.2		THREE: 3.3		
PURGING WITH A PERISTALTIC PUMP OR BAILER									
(measure indicator parameters at one, two and three well volumes)									
TIME BEGIN PURGING: 1109			TIME END PURGING: 1132						
TIME:									
	1118	1125	1131						
DEPTH TO WATER (ft)	4.92	4.06	6.56						
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)	10.29	7.29	7.29						
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)	480	870	870						
VOLUME OF WATER REMOVED (gals)	1.2	1.2	1.2						
TEMPERATURE (deg. C)	5	5	5.5						
SPEC. COND (umhos)	430	440	<del>450</del> 440						
PH	7.07	7.08	7.09						
DEPTH TO WATER MEASUREMENTS AFTER PURGING									
DATE	1-12-96								
TIME	1540								
DEPTH TO WATER (ft)	3.32								
"AFTER PURGE" WATER COLUMN (ft)	<del>4.5</del> 3.36 6.89								
"STATIC" WATER COLUMN (ft)	6.93								
% RECOVERY	99%								
Notes:									
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.									
(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.									

## 2. Chain-of-Custody Forms



ENGINEERING-SCIENCE, INC.

Prudential Center Boston, MA 02199 Phone: 617-859-2000 Fax: 617-859-2043

# CHAIN-OF-CUSTODY RECORD

PAGE 1 OF 1

JOB NO. 725980-01008  
PROJECT Seneca - 4th Quarterly Monit.  
CONTACT M. Duchesneau

LABORATORY AQUATEC  
ADDRESS 55 So. Park Dr. Colchester VT  
CONTACT Polly Malk

SAMPLE NO.	LABORATORY SAMPLE NO.	SAMPLING		SAMPLE DEPTH	SAMPLE MATRIX	ANALYSES											NO. OF CONTAINERS	COMMENTS (Special instructions, cautions, etc.)
		DATE	TIME			VOA 52412	SVOC	METALS	PEST/PCB	CN	HERB	TPH						
FH-S		1-10-96	1440	/	water	3												
FH-D		1-10-96	1450	/	water	3												
BN-S		1-10-96	1500	/	water	3												
TBL-10-96		1-10-96	1400	/	water	2												trip blank

Sampled and Relinquished by Sign: <u>[Signature]</u> Print: <u>Annika Willis</u> Firm: <u>Parsons Eng. Inc.</u> Date: <u>1-11-96</u> Time: <u>1200</u>	Received by Sign: _____ Print: _____ Firm: _____ Date: _____ Time: _____	VOA Vial	X												REMARKS: (Sample storage, nonstandard sample bottles)
		Glass Bottle													
Plastic Bottle															
Preservative	A C														
Container Volume	40 mL														
Relinquished by Sign: _____ Print: _____ Firm: _____ Date: _____ Time: _____		Received by Sign: _____ Print: _____ Firm: _____ Date: _____ Time: _____		PRESERVATION KEY: C - Acidified with HCl F - NaOH + Ascorbic A - Ice D - Acidified with HNO <sub>3</sub> G - Other B - Filtered E - Acidified with H <sub>2</sub> SO <sub>4</sub>											
Evidence Samples tampered with? <input type="checkbox"/> No <input type="checkbox"/> Yes If Yes, explain in remarks.												Cooler #: <u>930</u>			



ENGINEERING-SCIENCE, INC.

Prudential Center Boston, MA 02199 Phone: 617-859-2000 Fax: 617-859-2043

# CHAIN-OF-CUSTODY RECORD

PAGE 1 OF 1

JOB NO. 725980-01008  
PROJECT SEDA - Quarterly Monitoring  
CONTACT M. Duckesneau

LABORATORY AQUATEC  
ADDRESS 55 So. Park Drive, Colchester, VT  
CONTACT Polly Malik

SAMPLE NO.	LABORATORY SAMPLE NO.	SAMPLING		SAMPLE DEPTH	SAMPLE MATRIX	ANALYSES										NO. OF CONTAINERS	COMMENTS (Special instructions, cautions, etc.)	
		DATE	TIME			VOA 524.2	SVOC	METALS	PEST/PCB	CN	HERB	TPH						
MW-59		1-12-96	1530	—	Water	3												
MW-60		1-12-96	1545	—	Water	3												
PT-11		1-12-96	1520	—	Water	3												
MW-30		1-13-96	0950	—	Water	3												
PT-19		1-13-96	0915	—	Water	3												
MW-40		1-13-96	1500	—	Water	3												
MW-27		1-13-96	1620	—	Water	3												
TB-13-96		1-13-96	0800	—	Water	2												trip blank

Sampled and Relinquished by  
 Sign Annika Willis  
 Print Annika Willis  
 Firm Parsons Eng. Sci.  
 Date 1-13-96 Time 1800

Received by  
 Sign \_\_\_\_\_  
 Print \_\_\_\_\_  
 Firm \_\_\_\_\_  
 Date \_\_\_\_\_ Time \_\_\_\_\_

Relinquished by  
 Sign \_\_\_\_\_  
 Print \_\_\_\_\_  
 Firm \_\_\_\_\_  
 Date \_\_\_\_\_ Time \_\_\_\_\_

Received by  
 Sign \_\_\_\_\_  
 Print \_\_\_\_\_  
 Firm \_\_\_\_\_  
 Date \_\_\_\_\_ Time \_\_\_\_\_

VOA Vial

Glass Bottle

Plastic Bottle

Preservative A  
C

Container Volume 40  
ml

PRESERVATION KEY: C - Acidified with HCl F - NaOH + Ascorbic  
 A - Ice D - Acidified with HNO<sub>3</sub> G - Other  
 B - Filtered E - Acidified with H<sub>2</sub>SO<sub>4</sub>

REMARKS: (Sample storage, nonstandard sample bottles)

Cooler #: 611

Fed-Ex airbill # 1788812815



**PARSONS**  
ENGINEERING-SCIENCE, INC.

Prudential Center Phone: 617-859-2000  
Boston, MA 02199 Fax: 617-859-2043

# CHAIN-OF-CUSTODY RECORD

PAGE 1 OF 2

JOB NO. 725980-01008  
PROJECT Seneca - Quarterly Monitoring  
CONTACT M. Duchesneau

LABORATORY AQUATEC  
ADDRESS 55 So. Park Dr. Colchester VT  
CONTACT Polly Malik

SAMPLE NO.	LABORATORY SAMPLE NO.	SAMPLING		SAMPLE DEPTH	SAMPLE MATRIX	VOA	ANALYSES										NO. OF CONTAINERS	COMMENTS (Special instructions, cautions, etc.)
		DATE	TIME				SVOC	METALS	PEST/PCB	CN	HERB	TPH						
MW-45		1-14-96	1010	—	water	3											3	
MW-48		1-14-96	1055	—	water	3											3	
MW-47		1-14-96	1400	—	water	3											3	
MW-516		1-14-96	1510	—	water	3											3	
MW-316R		1-14-96	0820	—	water	3											3	
MW-336		1-14-96	1620	—	water	3											3	
MW-316		1-14-96	1620	—	water	3											3	
MW-316MS		1-14-96	1620	—	water	2											2	Matrix Spike
MW-316MSD		1-14-96	1620	—	water	2											2	Matrix Spike Duplicate

Sampled and Relinquished by  
Sign Annika Willis  
Print Annika Willis  
Firm Parsons Eng. Sci.  
Date 1-15-96 Time 2:00

Received by  
Sign  
Print  
Firm  
Date Time

VOA Vial X  
Glass Bottle  
Plastic Bottle  
Preservative A  
C  
Container Volume 40  
ML

REMARKS: (Sample storage, nonstandard sample bottles)  
Ash Landfill

Relinquished by  
Sign  
Print  
Firm  
Date Time

Received by  
Sign  
Print  
Firm  
Date Time

PRESERVATION KEY: C - Acidified with HCl F - NaOH + Ascorbic  
A - Ice D - Acidified with HNO<sub>3</sub> G - Other  
B - Filtered E - Acidified with H<sub>2</sub>SO<sub>4</sub>

Evidence Samples tampered with?  No  Yes  
If Yes, explain in remarks.

Cooler #: NA

LINS # 3788

PARSONS ENGINEERING-SCIENCE, INC. Prudential Center Boston, MA 02199 Phone: 617-859-2000 Fax: 617-859-2043		CHAIN-OF-CUSTODY RECORD											PAGE 1 OF 1					
JOB NO. <u>725980-01008</u>		LABORATORY <u>MRD Labs</u>																
PROJECT <u>Seneca - Quarterly Monitoring</u>		ADDRESS <u>Omaha, NB</u>																
CONTACT <u>M. Duchesneau</u>		CONTACT <u>Sample Custodian</u>																
SAMPLE NO.	LABORATORY SAMPLE NO.	SAMPLING		SAMPLE DEPTH	SAMPLE MATRIX	ANALYSES											COMMENTS (Special instructions, cautions, etc.)	
		DATE	TIME			VOA	SVOC	METALS	PEST/PCB	CN	HERB	TPH	Tox	Tox	Oil, Cond.	NO. OF CONTAINERS		
TBI-14-96MRD		1-14-96	0800	/	water	2											2	trip blank
MW-36 MRD		1-14-96	1620	/	water	3											3	
MW-36MRD-R		1-14-96	0820	/	water	3											3	rinsate
MW-14MRD		1-15-96	1740	/	water			1		1			1	2	1		6	
MW-14MRD-R		1-15-96	0830	/	water			1		1			1	2	1		6	rinsate
Sampled and Relinquished by: Sign <u>Annika Willis</u> Print <u>Annika Willis</u> Firm <u>Parsons Eng. Sci.</u> Date <u>1-15-96</u> Time		Received by: Sign Print Firm Date Time		VOA Vial <u>X</u>		Glass Bottle		Plastic Bottle		Preservative <u>A C</u> <u>A D</u> <u>A F</u>		Container Volume <u>40 ML</u> <u>1 L</u> <u>1 L</u>		REMARKS: (Sample storage, nonstandard sample bottles) <u>VOC analysis by Method 8260A.</u>				
Relinquished by: Sign Print Firm Date Time		Received by: Sign Print Firm Date Time		PRESERVATION KEY: C - Acidified with HCl F - NaOH + Ascorbic A - Ice D - Acidified with HNO <sub>3</sub> G - Other B - Filtered E - Acidified with H <sub>2</sub> SO <sub>4</sub>		Cooler #: <u>607</u>												
Evidence Samples tampered with? If Yes, explain in remarks.		<input type="checkbox"/> No <input type="checkbox"/> Yes																

## **APPENDIX B**

### **Laboratory Analytical Packages with QA/QC Data**

#### **1. Sample Delivery Group No. 56202**

##### **A. Volatile Organic Analysis Results**

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

BNS
-----

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 285812 ✓

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M285812V.D

Level: (low/med) LOW      Date Received: 01/12/96 ✓

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/18/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8-----	Dichlorodifluoromethane	1	U
74-87-3-----	Chloromethane	1	U
75-01-4-----	Vinyl Chloride	1	U
74-83-9-----	Bromomethane	1	U
75-00-3-----	Chloroethane	1	U
75-69-4-----	Trichlorofluoromethane	1	U
67-64-1-----	Acetone	5	U
75-35-4-----	1,1-Dichloroethene	1	U
156-60-5-----	trans-1,2-Dichloroethene	1	U
75-15-0-----	Carbon Disulfide	1	U
75-09-2-----	Methylene Chloride	1	U
75-34-3-----	1,1-Dichloroethane	1	U
156-59-2-----	cis-1,2-Dichloroethene	1	U
78-93-3-----	2-Butanone	5	U
590-20-7-----	2,2-Dichloropropane	1	U
67-66-3-----	Chloroform	1	U
74-97-5-----	Bromochloromethane	1	U
71-55-6-----	1,1,1-Trichloroethane	1	U
563-58-6-----	1,1-Dichloropropene	1	U
56-23-5-----	Carbon Tetrachloride	1	U
107-06-2-----	1,2-Dichloroethane	1	U
71-43-2-----	Benzene	1	U
79-01-6-----	Trichloroethene	1	U
78-87-5-----	1,2-Dichloropropane	1	U
75-27-4-----	Bromodichloromethane	1	U
74-95-3-----	Dibromomethane	1	U
108-10-1-----	4-Methyl-2-Pentanone	5	U
10061-01-5-----	cis-1,3-Dichloropropene	1	U
108-88-3-----	Toluene	1	U
10061-02-6-----	trans-1,3-Dichloropropene	1	U
79-00-5-----	1,1,2-Trichloroethane	1	U
591-78-6-----	2-Hexanone	5	U
142-28-9-----	1,3-Dichloropropane	1	U



1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

BNS
-----

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 285812

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M285812V.D

Level: (low/med) LOW      Date Received: 01/12/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/18/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

BNS
-----

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 285812

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M285812V.D

Level: (low/med) LOW      Date Received: 01/12/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/18/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

FHD
-----

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 285813

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M285813V.D

Level: (low/med) LOW      Date Received: 01/12/96 ✓

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/18/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

FHD

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 285813

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M285813V.D

Level: (low/med) LOW      Date Received: 01/12/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/18/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FHD

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 285813

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M285813V.D

Level: (low/med) LOW      Date Received: 01/12/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/18/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

FHS
-----

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 285814

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M285814V.D

Level: (low/med) LOW      Date Received: 01/12/96

% Moisture: not dec.      Data Analyzed: 01/18/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume:      (uL)      Soil Aliquot Volume:      (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

FHS
-----

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 285814

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M285814V.D

Level: (low/med) LOW      Date Received: 01/12/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/18/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FHS

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 285814

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M285814V.D

Level: (low/med) LOW      Date Received: 01/12/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/18/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				



1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

TB11096

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 285815

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M285815V.D

Level: (low/med) LOW      Date Received: 01/12/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/18/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone ✓	4	J
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

TB11096

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 285815

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M285815V.D

Level: (low/med) LOW      Date Received: 01/12/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/18/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

TB11096

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 285815

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M285815V.D

Level: (low/med) LOW      Date Received: 01/12/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/18/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW27

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286062

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286062V.D

Level: (low/med) LOW      Date Received: 01/15/96 ✓

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW27
------

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286062

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286062V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4-----	Tetrachloroethene	1	U
124-48-1-----	Dibromochloromethane	1	U
106-93-4-----	1,2-Dibromoethane	1	U
108-90-7-----	Chlorobenzene	1	U
630-20-6-----	1,1,1,2-Tetrachloroethane	1	U
100-41-4-----	Ethylbenzene	1	U
1330-20-7-----	Xylene (total)	1	U
100-42-5-----	Styrene	1	U
75-25-2-----	Bromoform	1	U
98-82-8-----	Isopropylbenzene	1	U
79-34-5-----	1,1,2,2-Tetrachloroethane	1	U
96-18-4-----	1,2,3-Trichloropropane	1	U
108-86-1-----	Bromobenzene	1	U
103-65-1-----	n-Propylbenzene	1	U
95-49-8-----	2-Chlorotoluene	1	U
108-67-8-----	1,3,5-Trimethylbenzene	1	U
106-43-4-----	4-Chlorotoluene	1	U
98-06-6-----	tert-Butylbenzene	1	U
95-63-6-----	1,2,4-Trimethylbenzene	1	U
135-98-8-----	sec-Butylbenzene	1	U
99-87-6-----	p-Isopropyltoluene	1	U
541-73-1-----	1,3-Dichlorobenzene	1	U
106-46-7-----	1,4-Dichlorobenzene	1	U
104-51-8-----	n-Butylbenzene	1	U
95-50-1-----	1,2-Dichlorobenzene	1	U
96-12-8-----	1,2-Dibromo-3-Chloropropane	1	U
120-82-1-----	1,2,4-Trichlorobenzene	1	U
87-68-3-----	Hexachlorobutadiene	1	U
91-20-3-----	Naphthalene	1	U
87-61-6-----	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

MW27

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286062

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M286062V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW30

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286063

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286063V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	0.7	J ✓
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW30

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286063

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286063V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U



1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

MW30

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286063

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M286063V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW40

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286064

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286064V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW40

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286064

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286064V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

MW40

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286064

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M286064V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW59

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286065

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286065V.D

Level: (low/med) LOW      Date Received: 01/15/96 ✓

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW59

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286065

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286065V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

MW59

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286065

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M286065V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW60
------

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286066 ✓

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286066V.D

Level: (low/med) LOW      Date Received: 01/15/96 ✓

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U



1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW60

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286066

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286066V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

MW60

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286066

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M286066V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

PT11

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286067

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286067V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

PT11
------

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286067

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286067V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

PT11

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286067

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M286067V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 1      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 75-45-6	Methane, chlorodifluoro-	2.379	94	NJ
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

PT19
------

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286068

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286068V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

PT19
------

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286068

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286068V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

PT19

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286068

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M286068V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				



1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

TB11396

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286069

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286069V.D

Level: (low/med)      LOW      Date Received: 01/15/96

% Moisture: not dec.      \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

TB11396

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286069

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286069V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

TB11396

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286069

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M286069V.D

Level: (low/med) LOW      Date Received: 01/15/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW36
------

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286225

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286225V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW36

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286225

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286225V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

MW36

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286225

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M286225V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW36R
-------

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286226

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286226V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	6	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	3	J
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW36R
-------

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286226

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286226V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U



1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

MW36R

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286226

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M286226V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW45 ✓

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286227

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286227V.D

Level: (low/med) LOW      Date Received: 01/16/96 ✓

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW45
------

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286227

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286227V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

MW45

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286227

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M286227V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW47

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286228

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286228V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW47

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286228

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286228V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

MW47

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286228

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M286228V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW48

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286229 /

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286229V.D

Level: (low/med) LOW      Date Received: 01/16/96 ✓

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U



1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW48

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286229

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286229V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

MW48

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286229

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M286229V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column:CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW56

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286230

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286230V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	0.5	J
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW56
------

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286230

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286230V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

MW56

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286230

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M286230V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW336

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286232

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID:      M286232V.D

Level: (low/med) LOW      Date Received: 01/16/96 ✓

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/23/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW336

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286232

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286232V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/23/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

MW336

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286232

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: M286232V.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/23/96

GC Column:CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				



1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLKS9
--------

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: VBLKS9

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID:      MEOB003AV.D

Level:      (low/med)      LOW      Date Received:      /      /

% Moisture: not dec.      \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column:CAP      ID: 0.53      (mm)      Dilution Factor: 1.0

Soil Extract Volume:      \_\_\_\_\_ (uL)      Soil Aliquot Volume:      \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLKS9

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Matrix: (soil/water) WATER      Lab Sample ID: VBLKS9  
 Sample wt/vol:      5.0 (g/mL) ML      Lab File ID:      MEOB003AV.D  
 Level: (low/med)      LOW      Date Received:      / /  
 % Moisture: not dec.      \_\_\_\_\_      Data Analyzed: 01/17/96  
 GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0  
 Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NO.	COMPOUND	Q
127-18-4	Tetrachloroethene	U
124-48-1	Dibromochloromethane	U
106-93-4	1,2-Dibromoethane	U
108-90-7	Chlorobenzene	U
630-20-6	1,1,1,2-Tetrachloroethane	U
100-41-4	Ethylbenzene	U
1330-20-7	Xylene (total)	U
100-42-5	Styrene	U
75-25-2	Bromoform	U
98-82-8	Isopropylbenzene	U
79-34-5	1,1,2,2-Tetrachloroethane	U
96-18-4	1,2,3-Trichloropropane	U
108-86-1	Bromobenzene	U
103-65-1	n-Propylbenzene	U
95-49-8	2-Chlorotoluene	U
108-67-8	1,3,5-Trimethylbenzene	U
106-43-4	4-Chlorotoluene	U
98-06-6	tert-Butylbenzene	U
95-63-6	1,2,4-Trimethylbenzene	U
135-98-8	sec-Butylbenzene	U
99-87-6	p-Isopropyltoluene	U
541-73-1	1,3-Dichlorobenzene	U
106-46-7	1,4-Dichlorobenzene	U
104-51-8	n-Butylbenzene	U
95-50-1	1,2-Dichlorobenzene	U
96-12-8	1,2-Dibromo-3-Chloropropane	U
120-82-1	1,2,4-Trichlorobenzene	U
87-68-3	Hexachlorobutadiene	U
91-20-3	Naphthalene	U
87-61-6	1,2,3-Trichlorobenzene	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

VBLKS9

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: VBLKS9

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: MEOB003AV.D

Level: (low/med) LOW      Date Received: / /

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLKT3

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: VBLKT3

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID:      MEOB001BV.D

Level:      (low/med)      LOW      Date Received:      /      /

% Moisture: not dec.      \_\_\_\_\_      Data Analyzed: 01/18/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLKT3

Lab Name: INCHCAPE ENVIRONMENTAL Contract: 93206

Lab Code: INCHVT Case No.: OBASH SAS No.: SDG No.: 56202

Matrix: (soil/water) WATER Lab Sample ID: VBLKT3

Sample wt/vol: 5.0 (g/mL) ML Lab File ID: MEOB001BV.D

Level: (low/med) LOW Date Received: / /

% Moisture: not dec. \_\_\_\_\_ Data Analyzed: 01/18/96

GC Column:CAP ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL) Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

VBLKT3

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: VBLKT3

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: MEOB001BV.D

Level: (low/med) LOW      Date Received: / /

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/18/96

GC Column:CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLKT9

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: VBLKT9

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID:      MEOB001CV.D

Level: (low/med) LOW      Date Received:      /      /

% Moisture: not dec.      \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume:      \_\_\_\_\_ (uL)      Soil Aliquot Volume:      \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLKT9

Lab Name: INCHCAPE ENVIRONMENTAL Contract: 93206

Lab Code: INCHVT Case No.: OBASH SAS No.: SDG No.: 56202

Matrix: (soil/water) WATER Lab Sample ID: VBLKT9

Sample wt/vol: 5.0 (g/mL) ML Lab File ID: MEOB001CV.D

Level: (low/med) LOW Date Received: / /

% Moisture: not dec. \_\_\_\_\_ Data Analyzed: 01/22/96

GC Column:CAP ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL) Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U



1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

VLK9

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: VLK9

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: MEOB001CV.D

Level: (low/med) LOW      Date Received: / /

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column:CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLKU2

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: VBLKU2

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID:      MEOB003DV.D

Level: (low/med)      LOW      Date Received:      /      /

% Moisture: not dec.      \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume:      \_\_\_\_\_ (uL)      Soil Aliquot Volume:      \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	U
74-87-3	Chloromethane	1	U
75-01-4	Vinyl Chloride	1	U
74-83-9	Bromomethane	1	U
75-00-3	Chloroethane	1	U
75-69-4	Trichlorofluoromethane	1	U
67-64-1	Acetone	5	U
75-35-4	1,1-Dichloroethene	1	U
156-60-5	trans-1,2-Dichloroethene	1	U
75-15-0	Carbon Disulfide	1	U
75-09-2	Methylene Chloride	1	U
75-34-3	1,1-Dichloroethane	1	U
156-59-2	cis-1,2-Dichloroethene	1	U
78-93-3	2-Butanone	5	U
590-20-7	2,2-Dichloropropane	1	U
67-66-3	Chloroform	1	U
74-97-5	Bromochloromethane	1	U
71-55-6	1,1,1-Trichloroethane	1	U
563-58-6	1,1-Dichloropropene	1	U
56-23-5	Carbon Tetrachloride	1	U
107-06-2	1,2-Dichloroethane	1	U
71-43-2	Benzene	1	U
79-01-6	Trichloroethene	1	U
78-87-5	1,2-Dichloropropane	1	U
75-27-4	Bromodichloromethane	1	U
74-95-3	Dibromomethane	1	U
108-10-1	4-Methyl-2-Pentanone	5	U
10061-01-5	cis-1,3-Dichloropropene	1	U
108-88-3	Toluene	1	U
10061-02-6	trans-1,3-Dichloropropene	1	U
79-00-5	1,1,2-Trichloroethane	1	U
591-78-6	2-Hexanone	5	U
142-28-9	1,3-Dichloropropane	1	U

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLKU2

Lab Name: INCHCAPE ENVIRONMENTAL Contract: 93206

Lab Code: INCHVT Case No.: OBASH SAS No.: SDG No.: 56202

Matrix: (soil/water) WATER Lab Sample ID: VBLKU2

Sample wt/vol: 5.0 (g/mL) ML Lab File ID: MEOB003DV.D

Level: (low/med) LOW Date Received: / /

% Moisture: not dec. \_\_\_\_\_ Data Analyzed: 01/22/96

GC Column: CAP ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL) Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	U
124-48-1	Dibromochloromethane	1	U
106-93-4	1,2-Dibromoethane	1	U
108-90-7	Chlorobenzene	1	U
630-20-6	1,1,1,2-Tetrachloroethane	1	U
100-41-4	Ethylbenzene	1	U
1330-20-7	Xylene (total)	1	U
100-42-5	Styrene	1	U
75-25-2	Bromoform	1	U
98-82-8	Isopropylbenzene	1	U
79-34-5	1,1,2,2-Tetrachloroethane	1	U
96-18-4	1,2,3-Trichloropropane	1	U
108-86-1	Bromobenzene	1	U
103-65-1	n-Propylbenzene	1	U
95-49-8	2-Chlorotoluene	1	U
108-67-8	1,3,5-Trimethylbenzene	1	U
106-43-4	4-Chlorotoluene	1	U
98-06-6	tert-Butylbenzene	1	U
95-63-6	1,2,4-Trimethylbenzene	1	U
135-98-8	sec-Butylbenzene	1	U
99-87-6	p-Isopropyltoluene	1	U
541-73-1	1,3-Dichlorobenzene	1	U
106-46-7	1,4-Dichlorobenzene	1	U
104-51-8	n-Butylbenzene	1	U
95-50-1	1,2-Dichlorobenzene	1	U
96-12-8	1,2-Dibromo-3-Chloropropane	1	U
120-82-1	1,2,4-Trichlorobenzene	1	U
87-68-3	Hexachlorobutadiene	1	U
91-20-3	Naphthalene	1	U
87-61-6	1,2,3-Trichlorobenzene	1	U

1E  
VOLATILE ORGANICS ANALYSIS DATA SHEET  
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

VBLKU2

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: VBLKU2

Sample wt/vol: 5.0      (g/mL) ML      Lab File ID: MEOB003DV.D

Level: (low/med) LOW      Date Received: / /

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

Number TICs found: 0      CONCENTRATION UNITS:  
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

LFBMEOA

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: LFBMEOA

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID:      MEOB002AV.D

Level: (low/med) LOW      Date Received:      /      /

% Moisture: not dec.      \_\_\_\_\_      Data Analyzed: 01/17/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	
74-87-3	Chloromethane	1	
75-01-4	Vinyl Chloride	1	
74-83-9	Bromomethane	1	
75-00-3	Chloroethane	1	
75-69-4	Trichlorofluoromethane	1	
67-64-1	Acetone	7	
75-35-4	1,1-Dichloroethene	0.9	J
156-60-5	trans-1,2-Dichloroethene	1	
75-15-0	Carbon Disulfide	1	
75-09-2	Methylene Chloride	1	
75-34-3	1,1-Dichloroethane	1	
156-59-2	cis-1,2-Dichloroethene	1	
78-93-3	2-Butanone	5	
590-20-7	2,2-Dichloropropane	1	
67-66-3	Chloroform	1	
74-97-5	Bromochloromethane	0.9	J
71-55-6	1,1,1-Trichloroethane	1	
563-58-6	1,1-Dichloropropene	1	
56-23-5	Carbon Tetrachloride	1	
107-06-2	1,2-Dichloroethane	1	
71-43-2	Benzene	1	
79-01-6	Trichloroethene	1	
78-87-5	1,2-Dichloropropane	1	
75-27-4	Bromodichloromethane	1	
74-95-3	Dibromomethane	0.9	J
108-10-1	4-Methyl-2-Pentanone	5	
10061-01-5	cis-1,3-Dichloropropene	1	
108-88-3	Toluene	0.9	J
10061-02-6	trans-1,3-Dichloropropene	1	
79-00-5	1,1,2-Trichloroethane	1	
591-78-6	2-Hexanone	6	
142-28-9	1,3-Dichloropropane	1	

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

LFBMEOA

Lab Name: INCHCAPE ENVIRONMENTAL Contract: 93206

Lab Code: INCHVT Case No.: OBASH SAS No.: SDG No.: 56202

Matrix: (soil/water) WATER Lab Sample ID: LFBMEOA

Sample wt/vol: 5.0 (g/mL) ML Lab File ID: MEOB002AV.D

Level: (low/med) LOW Date Received: / /

% Moisture: not dec. \_\_\_\_\_ Data Analyzed: 01/17/96

GC Column:CAP ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL) Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	
124-48-1	Dibromochloromethane	1	
106-93-4	1,2-Dibromoethane	1	
108-90-7	Chlorobenzene	1	
630-20-6	1,1,1,2-Tetrachloroethane	0.9	J
100-41-4	Ethylbenzene	1	
1330-20-7	Xylene (total)	3	
100-42-5	Styrene	0.9	J
75-25-2	Bromoform	0.9	J
98-82-8	Isopropylbenzene	1	
79-34-5	1,1,2,2-Tetrachloroethane	1	
96-18-4	1,2,3-Trichloropropane	1	
108-86-1	Bromobenzene	1	
103-65-1	n-Propylbenzene	1	
95-49-8	2-Chlorotoluene	1	
108-67-8	1,3,5-Trimethylbenzene	1	
106-43-4	4-Chlorotoluene	0.9	J
98-06-6	tert-Butylbenzene	1	
95-63-6	1,2,4-Trimethylbenzene	1	
135-98-8	sec-Butylbenzene	1	
99-87-6	p-Isopropyltoluene	1	
541-73-1	1,3-Dichlorobenzene	1	
106-46-7	1,4-Dichlorobenzene	1	
104-51-8	n-Butylbenzene	1	
95-50-1	1,2-Dichlorobenzene	1	
96-12-8	1,2-Dibromo-3-Chloropropane	1	
120-82-1	1,2,4-Trichlorobenzene	1	
87-68-3	Hexachlorobutadiene	1	
91-20-3	Naphthalene	1	
87-61-6	1,2,3-Trichlorobenzene	1	

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

LFBMEOB

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: LFBMEOB

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: MEO001BQV.D

Level: (low/med) LOW      Date Received: / /

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/18/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	0.9	J
74-87-3	Chloromethane	1	
75-01-4	Vinyl Chloride	0.9	J
74-83-9	Bromomethane	1	
75-00-3	Chloroethane	1	
75-69-4	Trichlorofluoromethane	0.9	J
67-64-1	Acetone	6	
75-35-4	1,1-Dichloroethene	0.9	J
156-60-5	trans-1,2-Dichloroethene	0.9	J
75-15-0	Carbon Disulfide	1	
75-09-2	Methylene Chloride	0.9	J
75-34-3	1,1-Dichloroethane	0.9	J
156-59-2	cis-1,2-Dichloroethene	0.9	J
78-93-3	2-Butanone	5	
590-20-7	2,2-Dichloropropane	0.9	J
67-66-3	Chloroform	1	
74-97-5	Bromochloromethane	0.8	J
71-55-6	1,1,1-Trichloroethane	0.9	J
563-58-6	1,1-Dichloropropene	0.8	J
56-23-5	Carbon Tetrachloride	0.9	J
107-06-2	1,2-Dichloroethane	0.9	J
71-43-2	Benzene	0.9	J
79-01-6	Trichloroethene	0.9	J
78-87-5	1,2-Dichloropropane	0.9	J
75-27-4	Bromodichloromethane	0.9	J
74-95-3	Dibromomethane	0.8	J
108-10-1	4-Methyl-2-Pentanone	5	
10061-01-5	cis-1,3-Dichloropropene	0.9	J
108-88-3	Toluene	0.9	J
10061-02-6	trans-1,3-Dichloropropene	0.8	J
79-00-5	1,1,2-Trichloroethane	0.9	J
591-78-6	2-Hexanone	5	
142-28-9	1,3-Dichloropropane	0.9	J

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

LFBMEOB

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: LFBMEOB

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID:      MEO001BQV.D

Level: (low/med) LOW      Date Received:      /      /

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/18/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	
124-48-1	Dibromochloromethane	0.9	J
106-93-4	1,2-Dibromoethane	0.9	J
108-90-7	Chlorobenzene	0.9	J
630-20-6	1,1,1,2-Tetrachloroethane	0.9	J
100-41-4	Ethylbenzene	0.9	J
1330-20-7	Xylene (total)	3	
100-42-5	Styrene	0.9	J
75-25-2	Bromoform	0.9	J
98-82-8	Isopropylbenzene	0.9	J
79-34-5	1,1,2,2-Tetrachloroethane	0.9	J
96-18-4	1,2,3-Trichloropropane	1	
108-86-1	Bromobenzene	0.9	J
103-65-1	n-Propylbenzene	0.9	J
95-49-8	2-Chlorotoluene	0.9	J
108-67-8	1,3,5-Trimethylbenzene	0.9	J
106-43-4	4-Chlorotoluene	0.9	J
98-06-6	tert-Butylbenzene	0.9	J
95-63-6	1,2,4-Trimethylbenzene	1	
135-98-8	sec-Butylbenzene	1	
99-87-6	p-Isopropyltoluene	0.9	J
541-73-1	1,3-Dichlorobenzene	0.9	J
106-46-7	1,4-Dichlorobenzene	0.9	J
104-51-8	n-Butylbenzene	1	
95-50-1	1,2-Dichlorobenzene	0.9	J
96-12-8	1,2-Dibromo-3-Chloropropane	1	
120-82-1	1,2,4-Trichlorobenzene	1	
87-68-3	Hexachlorobutadiene	1	
91-20-3	Naphthalene	1	
87-61-6	1,2,3-Trichlorobenzene	1	



1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

LFBMEOC
---------

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: LFBMEOC

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID:      MEO001CQV.D

Level:      (low/med)      LOW      Date Received:      /      /

% Moisture: not dec.      \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53      (mm)      Dilution Factor: 1.0

Soil Extract Volume:      \_\_\_\_\_ (uL)      Soil Aliquot Volume:      \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	0.8	J
74-87-3	Chloromethane	0.9	J
75-01-4	Vinyl Chloride	0.8	J
74-83-9	Bromomethane	1	_____
75-00-3	Chloroethane	1	_____
75-69-4	Trichlorofluoromethane	0.8	J
67-64-1	Acetone	6	_____
75-35-4	1,1-Dichloroethene	0.9	J
156-60-5	trans-1,2-Dichloroethene	0.8	J
75-15-0	Carbon Disulfide	0.9	J
75-09-2	Methylene Chloride	0.9	J
75-34-3	1,1-Dichloroethane	0.9	J
156-59-2	cis-1,2-Dichloroethene	0.9	J
78-93-3	2-Butanone	5	_____
590-20-7	2,2-Dichloropropane	0.9	J
67-66-3	Chloroform	0.9	J
74-97-5	Bromochloromethane	0.8	J
71-55-6	1,1,1-Trichloroethane	0.9	J
563-58-6	1,1-Dichloropropene	0.9	J
56-23-5	Carbon Tetrachloride	0.9	J
107-06-2	1,2-Dichloroethane	0.9	J
71-43-2	Benzene	0.9	J
79-01-6	Trichloroethene	0.9	J
78-87-5	1,2-Dichloropropane	0.9	J
75-27-4	Bromodichloromethane	0.9	J
74-95-3	Dibromomethane	0.9	J
108-10-1	4-Methyl-2-Pentanone	5	_____
10061-01-5	cis-1,3-Dichloropropene	0.9	J
108-88-3	Toluene	0.9	J
10061-02-6	trans-1,3-Dichloropropene	0.9	J
79-00-5	1,1,2-Trichloroethane	0.9	J
591-78-6	2-Hexanone	5	_____
142-28-9	1,3-Dichloropropane	1	_____

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

LFBMEOC

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: LFBMEOC

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: MEO001CQV.D

Level: (low/med) LOW      Date Received: / /

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column: CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	0.9	J
124-48-1	Dibromochloromethane	0.8	J
106-93-4	1,2-Dibromoethane	0.9	J
108-90-7	Chlorobenzene	0.9	J
630-20-6	1,1,1,2-Tetrachloroethane	0.9	J
100-41-4	Ethylbenzene	0.9	J
1330-20-7	Xylene (total)	3	J
100-42-5	Styrene	0.9	J
75-25-2	Bromoform	0.7	J
98-82-8	Isopropylbenzene	0.9	J
79-34-5	1,1,2,2-Tetrachloroethane	1	J
96-18-4	1,2,3-Trichloropropane	1	J
108-86-1	Bromobenzene	0.9	J
103-65-1	n-Propylbenzene	0.9	J
95-49-8	2-Chlorotoluene	0.9	J
108-67-8	1,3,5-Trimethylbenzene	0.9	J
106-43-4	4-Chlorotoluene	0.9	J
98-06-6	tert-Butylbenzene	0.9	J
95-63-6	1,2,4-Trimethylbenzene	1	J
135-98-8	sec-Butylbenzene	0.9	J
99-87-6	p-Isopropyltoluene	0.9	J
541-73-1	1,3-Dichlorobenzene	0.9	J
106-46-7	1,4-Dichlorobenzene	0.9	J
104-51-8	n-Butylbenzene	1	J
95-50-1	1,2-Dichlorobenzene	0.9	J
96-12-8	1,2-Dibromo-3-Chloropropane	1	J
120-82-1	1,2,4-Trichlorobenzene	1	J
87-68-3	Hexachlorobutadiene	1	J
91-20-3	Naphthalene	1	J
87-61-6	1,2,3-Trichlorobenzene	1	J

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

LFBMEOD

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: LFBMEOD

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID:      MEO004DQV.D

Level: (low/med)      LOW      Date Received:      /      /

% Moisture: not dec.      \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column:CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume:      \_\_\_\_\_ (uL)      Soil Aliquot Volume:      \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	1	
74-87-3	Chloromethane	1	
75-01-4	Vinyl Chloride	1	
74-83-9	Bromomethane	1	
75-00-3	Chloroethane	1	
75-69-4	Trichlorofluoromethane	1	
67-64-1	Acetone	12	
75-35-4	1,1-Dichloroethene	1	
156-60-5	trans-1,2-Dichloroethene	1	
75-15-0	Carbon Disulfide	1	
75-09-2	Methylene Chloride	1	
75-34-3	1,1-Dichloroethane	1	
156-59-2	cis-1,2-Dichloroethene	0.9	J
78-93-3	2-Butanone	7	
590-20-7	2,2-Dichloropropane	1	
67-66-3	Chloroform	1	
74-97-5	Bromochloromethane	1	
71-55-6	1,1,1-Trichloroethane	1	
563-58-6	1,1-Dichloropropene	1	
56-23-5	Carbon Tetrachloride	0.9	J
107-06-2	1,2-Dichloroethane	1	
71-43-2	Benzene	1	
79-01-6	Trichloroethene	1	
78-87-5	1,2-Dichloropropane	1	
75-27-4	Bromodichloromethane	1	
74-95-3	Dibromomethane	1	
108-10-1	4-Methyl-2-Pentanone	5	
10061-01-5	cis-1,3-Dichloropropene	1	
108-88-3	Toluene	1	
10061-02-6	trans-1,3-Dichloropropene	0.9	J
79-00-5	1,1,2-Trichloroethane	1	
591-78-6	2-Hexanone	7	
142-28-9	1,3-Dichloropropane	1	

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

LFBMEOD

Lab Name: INCHCAPE ENVIRONMENTAL Contract: 93206

Lab Code: INCHVT Case No.: OBASH SAS No.: SDG No.: 56202

Matrix: (soil/water) WATER Lab Sample ID: LFBMEOD

Sample wt/vol: 5.0 (g/mL) ML Lab File ID: MEO004DQV.D

Level: (low/med) LOW Date Received: / /

% Moisture: not dec. \_\_\_\_\_ Data Analyzed: 01/22/96

GC Column:CAP ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL) Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	1	
124-48-1	Dibromochloromethane	0.9	J
106-93-4	1,2-Dibromoethane	1	
108-90-7	Chlorobenzene	1	
630-20-6	1,1,1,2-Tetrachloroethane	0.9	J
100-41-4	Ethylbenzene	1	
1330-20-7	Xylene (total)	3	
100-42-5	Styrene	0.9	J
75-25-2	Bromoform	0.9	J
98-82-8	Isopropylbenzene	0.9	J
79-34-5	1,1,2,2-Tetrachloroethane	1	
96-18-4	1,2,3-Trichloropropane	1	
108-86-1	Bromobenzene	0.9	J
103-65-1	n-Propylbenzene	0.9	J
95-49-8	2-Chlorotoluene	1	
108-67-8	1,3,5-Trimethylbenzene	0.9	J
106-43-4	4-Chlorotoluene	1	
98-06-6	tert-Butylbenzene	1	
95-63-6	1,2,4-Trimethylbenzene	1	
135-98-8	sec-Butylbenzene	0.9	J
99-87-6	p-Isopropyltoluene	1	
541-73-1	1,3-Dichlorobenzene	1	
106-46-7	1,4-Dichlorobenzene	1	
104-51-8	n-Butylbenzene	1	
95-50-1	1,2-Dichlorobenzene	1	
96-12-8	1,2-Dibromo-3-Chloropropane	1	
120-82-1	1,2,4-Trichlorobenzene	1	
87-68-3	Hexachlorobutadiene	1	
91-20-3	Naphthalene	0.9	J
87-61-6	1,2,3-Trichlorobenzene	1	

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW36MS

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286225MS

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID:      M286225MSV.D

Level: (low/med)      LOW      Date Received: 01/16/96

% Moisture: not dec.      \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column:CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume:      \_\_\_\_\_ (uL)      Soil Aliquot Volume:      \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	
74-87-3	Chloromethane	10	
75-01-4	Vinyl Chloride	10	
74-83-9	Bromomethane	10	
75-00-3	Chloroethane	12	
75-69-4	Trichlorofluoromethane	10	
67-64-1	Acetone	27	
75-35-4	1,1-Dichloroethene	10	
156-60-5	trans-1,2-Dichloroethene	9	
75-15-0	Carbon Disulfide	8	
75-09-2	Methylene Chloride	9	
75-34-3	1,1-Dichloroethane	10	
156-59-2	cis-1,2-Dichloroethene	10	
78-93-3	2-Butanone	27	
590-20-7	2,2-Dichloropropane	10	
67-66-3	Chloroform	10	
74-97-5	Bromochloromethane	9	
71-55-6	1,1,1-Trichloroethane	10	
563-58-6	1,1-Dichloropropene	10	
56-23-5	Carbon Tetrachloride	10	
107-06-2	1,2-Dichloroethane	10	
71-43-2	Benzene	10	
79-01-6	Trichloroethene	10	
78-87-5	1,2-Dichloropropane	10	
75-27-4	Bromodichloromethane	9	
74-95-3	Dibromomethane	10	
108-10-1	4-Methyl-2-Pentanone	26	
10061-01-5	cis-1,3-Dichloropropene	9	
108-88-3	Toluene	10	
10061-02-6	trans-1,3-Dichloropropene	9	
79-00-5	1,1,2-Trichloroethane	10	
591-78-6	2-Hexanone	27	
142-28-9	1,3-Dichloropropane	10	

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW36MS

Lab Name: INCHCAPE ENVIRONMENTAL Contract: 93206

Lab Code: INCHVT Case No.: OBASH SAS No.: SDG No.: 56202

Matrix: (soil/water) WATER Lab Sample ID: 286225MS

Sample wt/vol: 5.0 (g/mL) ML Lab File ID: M286225MSV.D

Level: (low/med) LOW Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_ Data Analyzed: 01/22/96

GC Column:CAP ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL) Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	9	
124-48-1	Dibromochloromethane	9	
106-93-4	1,2-Dibromoethane	10	
108-90-7	Chlorobenzene	10	
630-20-6	1,1,1,2-Tetrachloroethane	9	
100-41-4	Ethylbenzene	10	
1330-20-7	Xylene (total)	31	
100-42-5	Styrene	9	
75-25-2	Bromoform	8	
98-82-8	Isopropylbenzene	10	
79-34-5	1,1,2,2-Tetrachloroethane	10	
96-18-4	1,2,3-Trichloropropane	10	
108-86-1	Bromobenzene	10	
103-65-1	n-Propylbenzene	10	
95-49-8	2-Chlorotoluene	10	
108-67-8	1,3,5-Trimethylbenzene	10	
106-43-4	4-Chlorotoluene	10	
98-06-6	tert-Butylbenzene	10	
95-63-6	1,2,4-Trimethylbenzene	10	
135-98-8	sec-Butylbenzene	10	
99-87-6	p-Isopropyltoluene	10	
541-73-1	1,3-Dichlorobenzene	10	
106-46-7	1,4-Dichlorobenzene	10	
104-51-8	n-Butylbenzene	10	
95-50-1	1,2-Dichlorobenzene	10	
96-12-8	1,2-Dibromo-3-Chloropropane	11	
120-82-1	1,2,4-Trichlorobenzene	10	
87-68-3	Hexachlorobutadiene	10	
91-20-3	Naphthalene	11	
87-61-6	1,2,3-Trichlorobenzene	10	

1A  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW36MSD

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286225MD

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286225MDV.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column:CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	
74-87-3	Chloromethane	10	
75-01-4	Vinyl Chloride	10	
74-83-9	Bromomethane	10	
75-00-3	Chloroethane	11	
75-69-4	Trichlorofluoromethane	10	
67-64-1	Acetone	28	
75-35-4	1,1-Dichloroethene	10	
156-60-5	trans-1,2-Dichloroethene	10	
75-15-0	Carbon Disulfide	7	
75-09-2	Methylene Chloride	10	
75-34-3	1,1-Dichloroethane	10	
156-59-2	cis-1,2-Dichloroethene	10	
78-93-3	2-Butanone	27	
590-20-7	2,2-Dichloropropane	10	
67-66-3	Chloroform	10	
74-97-5	Bromochloromethane	10	
71-55-6	1,1,1-Trichloroethane	10	
563-58-6	1,1-Dichloropropene	10	
56-23-5	Carbon Tetrachloride	9	
107-06-2	1,2-Dichloroethane	10	
71-43-2	Benzene	10	
79-01-6	Trichloroethene	10	
78-87-5	1,2-Dichloropropane	10	
75-27-4	Bromodichloromethane	9	
74-95-3	Dibromomethane	10	
108-10-1	4-Methyl-2-Pentanone	27	
10061-01-5	cis-1,3-Dichloropropene	9	
108-88-3	Toluene	10	
10061-02-6	trans-1,3-Dichloropropene	10	
79-00-5	1,1,2-Trichloroethane	10	
591-78-6	2-Hexanone	28	
142-28-9	1,3-Dichloropropane	10	

1A-2  
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

MW36MSD

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix: (soil/water) WATER      Lab Sample ID: 286225MD

Sample wt/vol:      5.0 (g/mL) ML      Lab File ID: M286225MDV.D

Level: (low/med) LOW      Date Received: 01/16/96

% Moisture: not dec. \_\_\_\_\_      Data Analyzed: 01/22/96

GC Column:CAP      ID: 0.53 (mm)      Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_ (uL)      Soil Aliquot Volume: \_\_\_\_\_ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
127-18-4	Tetrachloroethene	9	_____
124-48-1	Dibromochloromethane	9	_____
106-93-4	1,2-Dibromoethane	10	_____
108-90-7	Chlorobenzene	10	_____
630-20-6	1,1,1,2-Tetrachloroethane	9	_____
100-41-4	Ethylbenzene	10	_____
1330-20-7	Xylene (total)	30	_____
100-42-5	Styrene	9	_____
75-25-2	Bromoform	8	_____
98-82-8	Isopropylbenzene	10	_____
79-34-5	1,1,2,2-Tetrachloroethane	11	_____
96-18-4	1,2,3-Trichloropropane	10	_____
108-86-1	Bromobenzene	10	_____
103-65-1	n-Propylbenzene	9	_____
95-49-8	2-Chlorotoluene	10	_____
108-67-8	1,3,5-Trimethylbenzene	9	_____
106-43-4	4-Chlorotoluene	10	_____
98-06-6	tert-Butylbenzene	9	_____
95-63-6	1,2,4-Trimethylbenzene	9	_____
135-98-8	sec-Butylbenzene	9	_____
99-87-6	p-Isopropyltoluene	9	_____
541-73-1	1,3-Dichlorobenzene	10	_____
106-46-7	1,4-Dichlorobenzene	10	_____
104-51-8	n-Butylbenzene	9	_____
95-50-1	1,2-Dichlorobenzene	10	_____
96-12-8	1,2-Dibromo-3-Chloropropane	11	_____
120-82-1	1,2,4-Trichlorobenzene	10	_____
87-68-3	Hexachlorobutadiene	9	_____
91-20-3	Naphthalene	11	_____
87-61-6	1,2,3-Trichlorobenzene	10	_____



2A  
WATER VOLATILE SYSTEM MONITORING COMPOUND RECOVERY

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

	EPA SAMPLE NO.	SMC1 (DCE) #	SMC2 (BFB) #	SMC3 (DCB) #	OTHER	TOT OUT
	=====	=====	=====	=====	=====	=====
01	LFBMEOA	100	100	97		0
02	VBLKS9	90	97	96		0
03	MW27	94	93	90		0
04	MW30	99	94	88		0
05	MW40	100	98	91		0
06	MW59	96	96	89		0
07	MW60	103	90	88		0
08	PT11	99	94	88		0
09	PT19	105	97	89		0
10	TB11396	100	94	88		0
11	LFBMEOB	96	89	91		0
12	VBLKT3	101	101	96		0
13	BNS	101	100	95		0
14	FHD	103	94	88		0
15	FHS	96	94	89		0
16	TB11096	98	93	91		0
17	LFBMEOC	103	96	99		0
18	VBLKT9	98	90	92		0
19	MW36	98	99	96		0
20	MW36MS	92	94	98		0
21	MW36MSD	92	95	99		0
22	MW36R	105	100	100		0
23	MW45	94	97	97		0
24	MW47	99	95	96		0
25	MW48	101	94	94		0
26	MW56	102	93	96		0
27	LFBMEOD	110	99	101		0
28	VBLKU2	114	98	101		0
29	MW336	115	100	98		0
30						

QC LIMITS

SMC1 (DCE) = 1,2-Dichloroethane-d4 (83-143)  
 SMC2 (BFB) = Bromofluorobenzene (86-115)  
 SMC3 (DCB) = 1,2-Dichlorobenzene-d4 (80-120)

# Column to be used to flag recovery values

\* Values outside of contract required QC limits

D System Monitoring Compound diluted out

3A  
WATER VOLATILE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206

Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202

Matrix Spike - EPA Sample No.: MW36

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE CONCENTRATION (ug/L)	MS CONCENTRATION (ug/L)	MS % REC #	QC. LIMITS REC.
Vinyl Chloride	10	0	10	100	80-120
Carbon Tetrachloride	10	0	10	100	80-120
1,2-Dichloroethane	10	0	10	100	80-120
Benzene	10	0	10	100	80-120
Trichloroethene	10	0	10	100	80-120
1,2-Dichloropropane	10	0	10	100	80-120
cis-1,3-Dichloropropene	10	0	9	90	80-120
1,1,2-Trichloroethane	10	0	10	100	80-120
2-Hexanone	25	0	27	108	80-120
Tetrachloroethene	10	0	9	90	80-120
1,2-Dibromoethane	10	0	10	100	80-120
Bromoform	10	0	8	80	80-120
1,4-Dichlorobenzene	10	0	10	100	80-120

COMPOUND	SPIKE ADDED (ug/L)	MSD CONCENTRATION (ug/L)	MSD % REC #	% RPD #	QC LIMITS RPD	REC.
Vinyl Chloride	10	10	100	0	13	80-120
Carbon Tetrachloride	10	9	90	10	13	80-120
1,2-Dichloroethane	10	10	100	0	13	80-120
Benzene	10	10	100	0	13	80-120
Trichloroethene	10	10	100	0	13	80-120
1,2-Dichloropropane	10	10	100	0	13	80-120
cis-1,3-Dichloropropene	10	9	90	0	13	80-120
1,1,2-Trichloroethane	10	10	100	0	13	80-120
2-Hexanone	25	28	112	4	13	80-120
Tetrachloroethene	10	9	90	0	13	80-120
1,2-Dibromoethane	10	10	100	0	13	80-120
Bromoform	10	8	80	0	13	80-120
1,4-Dichlorobenzene	10	10	100	0	13	80-120

# Column to be used to flag recovery and RPD values with an asterisk  
\* Values outside of QC limits

RPD: 0 out of 13 outside limits  
Spike Recovery: 0 out of 26 outside limits

COMMENTS: \_\_\_\_\_

## LFB RECOVERY REPORT

Client Name: ENGSC2  
 Sample Matrix: LIQUID  
 Lab Smp Id: LFBMEOA  
 Level: LOW  
 Data Type: MS DATA  
 SpikeList File: lfbver3ketcs2.spk

Client SDG: 56202  
 Fraction: VOA  
 Client Smp ID: LFBMEOA  
 Operator: GWG  
 SampleType: MS  
 Quant Type: ISTD

SPIKE COMPOUND	CONC ADDED ug/L	CONC RECOVERED ug/L	% RECOVERED	LIMITS
1 Dichlorodifluorome	1	1	100.66	60-140
2 Chloromethane	1	1	102.94	60-140
3 Vinyl Chloride	1	1	101.53	60-140
4 Bromomethane	1	1	120.23	60-140
5 Chloroethane	1	1	125.89	60-140
6 Trichlorofluoromet	1	1	101.19	60-140
7 1,1-Dichloroethene	1	0.9	93.42	60-140
8 Acetone	5	7	144.04*	60-140
9 Carbon Disulfide	1	1.0	99.68	60-140
10 Methylene Chloride	1	1	103.29	60-140
11 trans-1,2-Dichloro	1	1.0	96.18	60-140
13 1,1-Dichloroethane	1	1.0	98.78	60-140
14 2,2-Dichloropropan	1	1	101.80	60-140
15 cis-1,2-Dichloroet	1	1.0	99.06	60-140
16 2-Butanone	5	5	96.22	60-140
17 Bromochloromethane	1	0.9	88.32	60-140
19 Chloroform	1	1.0	98.12	60-140
20 1,1,1-Trichloroeth	1	1	100.49	60-140
21 Carbon Tetrachlori	1	1.0	98.01	60-140
22 1,1-Dichloropropen	1	1.0	96.12	60-140
24 Benzene	1	1	104.73	60-140
25 1,2-Dichloroethane	1	1.0	98.20	60-140
27 Trichloroethene	1	1.0	96.63	60-140
28 1,2-Dichloropropan	1	1	100.84	60-140
29 Dibromomethane	1	0.9	93.76	60-140
31 Bromodichlorometha	1	1.0	99.05	60-140
32 cis-1,3-Dichloropr	1	1.0	97.89	60-140
33 4-Methyl-2-Pentano	5	5	105.61	60-140
34 Toluene	1	0.9	94.77	60-140
35 trans-1,3-Dichloro	1	1.0	97.21	60-140
36 1,1,2-Trichloroeth	1	1	100.06	60-140
37 Tetrachloroethene	1	1.0	99.40	60-140
38 1,3-Dichloropropan	1	1.0	99.26	60-140
39 2-Hexanone	5	6	113.25	60-140
40 Dibromochlorometha	1	1.0	95.27	60-140
41 1,2-Dibromoethane	1	1.0	98.15	60-140

## LFB RECOVERY REPORT

Client Name: ENGSC2  
 Sample Matrix: LIQUID  
 Lab Smp Id: LFBMEOA  
 Level: LOW  
 Data Type: MS DATA  
 SpikeList File: lfbver3ketcs2.spk

Client SDG: 56202  
 Fraction: VOA  
 Client Smp ID: LFBMEOA  
 Operator: GWG  
 SampleType: MS  
 Quant Type: ISTD

SPIKE COMPOUND	CONC ADDED ug/L	CONC RECOVERED ug/L	% RECOVERED	LIMITS
43 Chlorobenzene	1	1	100.42	60-140
44 1,1,1,2-Tetrachlor	1	0.9	91.36	60-140
45 Ethylbenzene	1	1.0	98.12	60-140
46 m- & p-Xylene	2	2	99.14	60-140
47 o-Xylene	1	1.0	96.17	60-140
M 48 Xylene (total)	3	3	102.12	60-140
49 Styrene	1	0.9	91.81	60-140
50 Bromoform	1	0.9	89.67	60-140
51 Isopropylbenzene	1	1	100.01	60-140
53 Bromobenzene	1	1.0	96.90	60-140
54 1,1,2,2-Tetrachlor	1	1	102.29	60-140
55 1,2,3-Trichloropro	1	1	103.61	60-140
56 n-Propylbenzene	1	1.0	95.16	60-140
57 2-Chlorotoluene	1	1	100.73	60-140
58 4-Chlorotoluene	1	0.9	91.89	60-140
59 1,3,5-Trimethylben	1	1.0	98.41	60-140
60 tert-Butylbenzene	1	1.0	97.87	60-140
61 1,2,4-Trimethylben	1	1	105.37	60-140
62 sec-Butylbenzene	1	1.0	99.60	60-140
63 1,3-Dichlorobenzen	1	1	100.35	60-140
65 p-Isopropyltoluene	1	1.0	96.93	60-140
66 1,4-Dichlorobenzen	1	1.0	97.87	60-140
68 1,2-Dichlorobenzen	1	1.0	95.70	60-140
69 n-Butylbenzene	1	1.0	97.83	60-140
70 1,2-Dibromo-3-Chlo	1	1	104.76	60-140
71 1,2,4-Trichloroben	1	1.0	98.50	60-140
72 Hexachlorobutadien	1	1	114.12	60-140
73 Naphthalene	1	1	104.92	60-140
74 1,2,3-Trichloroben	1	1.0	99.35	60-140

SURROGATE COMPOUND	CONC ADDED ug/L	CONC RECOVERED ug/L	% RECOVERED	LIMITS
\$ 23 1,2-Dichloroethane	2	2	99.97	83-143
\$ 52 Bromofluorobenzene	2	2	99.62	86-115
\$ 67 1,2-Dichlorobenzen	2	2	97.26	80-120

## LFB RECOVERY REPORT

Client Name: ENGSC2  
 Sample Matrix: LIQUID  
 Lab Smp Id: LFBMEOB  
 Level: LOW  
 Data Type: MS DATA  
 SpikeList File: lfbver3ketcs2.spk

Client SDG: 56202  
 Fraction: VOA  
 Client Smp ID: LFBMEOB  
 Operator: CMP  
 SampleType: MS  
 Quant Type: ISTD

SPIKE COMPOUND	CONC ADDED ug/L	CONC RECOVERED ug/L	% RECOVERED	LIMITS
1 Dichlorodifluorome	1	0.9	90.13	60-140
2 Chloromethane	1	1.0	95.29	60-140
3 Vinyl Chloride	1	0.9	88.88	60-140
4 Bromomethane	1	1	100.36	60-140
5 Chloroethane	1	1	118.69	60-140
6 Trichlorofluoromet	1	0.9	91.75	60-140
7 1,1-Dichloroethene	1	0.9	89.87	60-140
8 Acetone	5	6	123.77	60-140
9 Carbon Disulfide	1	1.0	95.83	60-140
10 Methylene Chloride	1	0.9	90.60	60-140
11 trans-1,2-Dichloro	1	0.9	90.65	60-140
13 1,1-Dichloroethane	1	0.9	87.06	60-140
14 2,2-Dichloropropan	1	0.9	92.28	60-140
15 cis-1,2-Dichloroet	1	0.9	86.32	60-140
16 2-Butanone	5	5	96.10	60-140
17 Bromochloromethane	1	0.8	81.38	60-140
19 Chloroform	1	1.0	96.03	60-140
20 1,1,1-Trichloroeth	1	0.9	90.04	60-140
21 Carbon Tetrachlori	1	0.9	89.18	60-140
22 1,1-Dichloropropen	1	0.8	84.48	60-140
24 Benzene	1	0.9	94.71	60-140
25 1,2-Dichloroethane	1	0.9	86.78	60-140
27 Trichloroethene	1	0.9	87.72	60-140
28 1,2-Dichloropropan	1	0.9	88.07	60-140
29 Dibromomethane	1	0.8	85.57	60-140
31 Bromodichlorometha	1	0.9	94.10	60-140
32 cis-1,3-Dichloropr	1	0.9	89.53	60-140
33 4-Methyl-2-Pentano	5	5	92.20	60-140
34 Toluene	1	0.9	90.76	60-140
35 trans-1,3-Dichloro	1	0.8	85.92	60-140
36 1,1,2-Trichloroeth	1	0.9	91.40	60-140
37 Tetrachloroethene	1	1.0	95.27	60-140
38 1,3-Dichloropropan	1	0.9	89.19	60-140
39 2-Hexanone	5	5	100.31	60-140
40 Dibromochlorometha	1	0.9	89.90	60-140
41 1,2-Dibromoethane	1	0.9	88.48	60-140

## LFB RECOVERY REPORT

Client Name: ENGSC2  
 Sample Matrix: LIQUID  
 Lab Smp Id: LFBMEOB  
 Level: LOW  
 Data Type: MS DATA  
 SpikeList File: lfbver3ketcs2.spk

Client SDG: 56202  
 Fraction: VOA  
 Client Smp ID: LFBMEOB  
 Operator: CMP  
 SampleType: MS  
 Quant Type: ISTD

SPIKE COMPOUND	CONC ADDED ug/L	CONC RECOVERED ug/L	% RECOVERED	LIMITS
43 Chlorobenzene	1	0.9	92.34	60-140
44 1,1,1,2-Tetrachlor	1	0.9	89.55	60-140
45 Ethylbenzene	1	0.9	92.91	60-140
46 m- & p-Xylene	2	2	90.88	60-140
47 o-Xylene	1	0.9	88.10	60-140
M 48 Xylene (total)	3	3	93.28	60-140
49 Styrene	1	0.9	86.24	60-140
50 Bromoform	1	0.9	86.69	60-140
51 Isopropylbenzene	1	0.9	90.66	60-140
53 Bromobenzene	1	0.9	88.53	60-140
54 1,1,2,2-Tetrachlor	1	0.9	92.41	60-140
55 1,2,3-Trichloropro	1	1.0	95.78	60-140
56 n-Propylbenzene	1	0.9	89.30	60-140
57 2-Chlorotoluene	1	0.9	88.96	60-140
58 4-Chlorotoluene	1	0.9	87.81	60-140
59 1,3,5-Trimethylben	1	0.9	91.02	60-140
60 tert-Butylbenzene	1	0.9	94.22	60-140
61 1,2,4-Trimethylben	1	1.0	99.36	60-140
62 sec-Butylbenzene	1	1.0	96.85	60-140
63 1,3-Dichlorobenzen	1	0.9	86.85	60-140
65 p-Isopropyltoluene	1	0.9	93.51	60-140
66 1,4-Dichlorobenzen	1	0.9	93.38	60-140
68 1,2-Dichlorobenzen	1	0.9	90.32	60-140
69 n-Butylbenzene	1	1.0	98.92	60-140
70 1,2-Dibromo-3-Chlo	1	1	102.43	60-140
71 1,2,4-Trichloroben	1	1	103.41	60-140
72 Hexachlorobutadien	1	1	118.74	60-140
73 Naphthalene	1	1	102.60	60-140
74 1,2,3-Trichloroben	1	1	105.58	60-140

SURROGATE COMPOUND	CONC ADDED ug/L	CONC RECOVERED ug/L	% RECOVERED	LIMITS
\$ 23 1,2-Dichloroethane	2	2	96.43	83-143
\$ 52 Bromofluorobenzene	2	2	89.49	86-115
\$ 67 1,2-Dichlorobenzen	2	2	91.36	80-120

## LFB RECOVERY REPORT

Client Name: ENGSC2  
 Sample Matrix: LIQUID  
 Lab Smp Id: LFBMEOC  
 Level: LOW  
 Data Type: MS DATA  
 SpikeList File: lfbver3ketcs2.spk

Client SDG: 56202  
 Fraction: VOA  
 Client Smp ID: LFBMEOC  
 Operator: CMP  
 SampleType: MS  
 Quant Type: ISTD

SPIKE COMPOUND	CONC ADDED ug/L	CONC RECOVERED ug/L	% RECOVERED	LIMITS
1 Dichlorodifluorome	1	0.8	79.16	60-140
2 Chloromethane	1	0.9	86.03	60-140
3 Vinyl Chloride	1	0.8	84.77	60-140
4 Bromomethane	1	1.0	95.65	60-140
5 Chloroethane	1	1	106.45	60-140
6 Trichlorofluoromet	1	0.8	84.83	60-140
7 1,1-Dichloroethene	1	0.9	87.03	60-140
8 Acetone	5	6	129.04	60-140
9 Carbon Disulfide	1	0.9	86.39	60-140
10 Methylene Chloride	1	0.9	94.54	60-140
11 trans-1,2-Dichloro	1	0.8	84.92	60-140
13 1,1-Dichloroethane	1	0.9	88.71	60-140
14 2,2-Dichloropropan	1	0.9	94.26	60-140
15 cis-1,2-Dichloroet	1	0.9	88.69	60-140
16 2-Butanone	5	5	101.62	60-140
17 Bromochloromethane	1	0.8	85.87	60-140
19 Chloroform	1	0.9	93.01	60-140
20 1,1,1-Trichloroeth	1	0.9	86.46	60-140
21 Carbon Tetrachlori	1	0.9	87.83	60-140
22 1,1-Dichloropropen	1	0.9	86.78	60-140
24 Benzene	1	0.9	92.43	60-140
25 1,2-Dichloroethane	1	0.9	91.16	60-140
27 Trichloroethene	1	0.9	88.79	60-140
28 1,2-Dichloropropan	1	0.9	90.65	60-140
29 Dibromomethane	1	0.9	90.85	60-140
31 Bromodichlorometha	1	0.9	90.41	60-140
32 cis-1,3-Dichloropr	1	0.9	90.04	60-140
33 4-Methyl-2-Pentano	5	5	101.54	60-140
34 Toluene	1	0.9	86.40	60-140
35 trans-1,3-Dichloro	1	0.9	89.56	60-140
36 1,1,2-Trichloroeth	1	0.9	93.88	60-140
37 Tetrachloroethene	1	0.9	88.75	60-140
38 1,3-Dichloropropan	1	1.0	95.48	60-140
39 2-Hexanone	5	5	104.51	60-140
40 Dibromochlorometha	1	0.8	82.67	60-140
41 1,2-Dibromoethane	1	0.9	93.88	60-140

## LFB RECOVERY REPORT

Client Name: ENGSC2  
 Sample Matrix: LIQUID  
 Lab Smp Id: LFBMEOC  
 Level: LOW  
 Data Type: MS DATA  
 SpikeList File: lfbver3ketcs2.spk

Client SDG: 56202  
 Fraction: VOA  
 Client Smp ID: LFBMEOC  
 Operator: CMP  
 SampleType: MS  
 Quant Type: ISTD

SPIKE COMPOUND	CONC ADDED ug/L	CONC RECOVERED ug/L	% RECOVERED	LIMITS
43 Chlorobenzene	1	0.9	91.06	60-140
44 1,1,1,2-Tetrachlor	1	0.9	89.33	60-140
45 Ethylbenzene	1	0.9	91.84	60-140
46 m- & p-Xylene	2	2	90.83	60-140
47 o-Xylene	1	0.9	87.73	60-140
M 48 Xylene (total)	3	3	94.22	60-140
49 Styrene	1	0.9	88.57	60-140
50 Bromoform	1	0.7	72.33	60-140
51 Isopropylbenzene	1	0.9	88.16	60-140
53 Bromobenzene	1	0.9	94.67	60-140
54 1,1,2,2-Tetrachlor	1	1.0	96.65	60-140
55 1,2,3-Trichloropro	1	1.0	98.71	60-140
56 n-Propylbenzene	1	0.9	90.21	60-140
57 2-Chlorotoluene	1	0.9	92.11	60-140
58 4-Chlorotoluene	1	0.9	88.10	60-140
59 1,3,5-Trimethylben	1	0.9	89.34	60-140
60 tert-Butylbenzene	1	0.9	92.27	60-140
61 1,2,4-Trimethylben	1	1.0	97.12	60-140
62 sec-Butylbenzene	1	0.9	94.04	60-140
63 1,3-Dichlorobenzen	1	0.9	94.32	60-140
65 p-Isopropyltoluene	1	0.9	91.80	60-140
66 1,4-Dichlorobenzen	1	0.9	94.40	60-140
68 1,2-Dichlorobenzen	1	0.9	92.01	60-140
69 n-Butylbenzene	1	1.0	96.96	60-140
70 1,2-Dibromo-3-Chlo	1	1	109.91	60-140
71 1,2,4-Trichloroben	1	1	102.80	60-140
72 Hexachlorobutadien	1	1	109.07	60-140
73 Naphthalene	1	1	114.03	60-140
74 1,2,3-Trichloroben	1	1	108.66	60-140

SURROGATE COMPOUND	CONC ADDED ug/L	CONC RECOVERED ug/L	% RECOVERED	LIMITS
\$ 23 1,2-Dichloroethane	2	2	103.19	83-143
\$ 52 Bromofluorobenzene	2	2	95.87	86-115
\$ 67 1,2-Dichlorobenzen	2	2	98.70	80-120



## LFB RECOVERY REPORT

Client Name: ENGSC2  
 Sample Matrix: LIQUID  
 Lab Smp Id: LFBMEOD  
 Level: LOW  
 Data Type: MS DATA  
 SpikeList File: lfbver3ketcs2.spk

Client SDG: 56202  
 Fraction: VOA  
 Client Smp ID: LFBMEOD  
 Operator: GWG  
 SampleType: MS  
 Quant Type: ISTD

SPIKE COMPOUND	CONC ADDED ug/L	CONC RECOVERED ug/L	% RECOVERED	LIMITS
1 Dichlorodifluorome	1	1.0	96.72	60-140
2 Chloromethane	1	1	100.57	60-140
3 Vinyl Chloride	1	1	101.99	60-140
4 Bromomethane	1	1	127.66	60-140
5 Chloroethane	1	1	106.36	60-140
6 Trichlorofluoromet	1	1.0	97.97	60-140
7 1,1-Dichloroethene	1	1.0	95.89	60-140
8 Acetone	5	12	235.01*	60-140
9 Carbon Disulfide	1	1.0	95.10	60-140
10 Methylene Chloride	1	1	100.13	60-140
11 trans-1,2-Dichloro	1	1.0	96.27	60-140
13 1,1-Dichloroethane	1	1.0	99.86	60-140
14 2,2-Dichloropropan	1	1	100.13	60-140
15 cis-1,2-Dichloroet	1	0.9	93.99	60-140
16 2-Butanone	5	7	140.63*	60-140
17 Bromochloromethane	1	1.0	99.16	60-140
19 Chloroform	1	1.0	99.24	60-140
20 1,1,1-Trichloroeth	1	1.0	96.68	60-140
21 Carbon Tetrachlori	1	0.9	93.00	60-140
22 1,1-Dichloropropen	1	1.0	97.59	60-140
24 Benzene	1	1	103.51	60-140
25 1,2-Dichloroethane	1	1.0	98.63	60-140
27 Trichloroethene	1	1.0	98.05	60-140
28 1,2-Dichloropropan	1	1	105.63	60-140
29 Dibromomethane	1	1	100.69	60-140
31 Bromodichlorometha	1	1.0	96.79	60-140
32 cis-1,3-Dichloropr	1	1.0	97.13	60-140
33 4-Methyl-2-Pentano	5	5	105.03	60-140
34 Toluene	1	1.0	97.46	60-140
35 trans-1,3-Dichloro	1	0.9	94.81	60-140
36 1,1,2-Trichloroeth	1	1	103.48	60-140
37 Tetrachloroethene	1	1.0	99.93	60-140
38 1,3-Dichloropropan	1	1.0	99.73	60-140
39 2-Hexanone	5	7	144.71*	60-140
40 Dibromochlorometha	1	0.9	92.50	60-140
41 1,2-Dibromoethane	1	1.0	97.06	60-140

## LFB RECOVERY REPORT

Client Name: ENGSC2  
 Sample Matrix: LIQUID  
 Lab Smp Id: LFBMEOD  
 Level: LOW  
 Data Type: MS DATA  
 SpikeList File: lfbver3ketcs2.spk

Client SDG: 56202  
 Fraction: VOA  
 Client Smp ID: LFBMEOD  
 Operator: GWG  
 SampleType: MS  
 Quant Type: ISTD

SPIKE COMPOUND	CONC ADDED ug/L	CONC RECOVERED ug/L	% RECOVERED	LIMITS
43 Chlorobenzene	1	1.0	96.34	60-140
44 1,1,1,2-Tetrachlor	1	0.9	92.14	60-140
45 Ethylbenzene	1	1.0	95.50	60-140
46 m- & p-Xylene	2	2	97.35	60-140
47 o-Xylene	1	0.9	91.35	60-140
M 48 Xylene (total)	3	3	98.76	60-140
49 Styrene	1	0.9	93.96	60-140
50 Bromoform	1	0.9	87.40	60-140
51 Isopropylbenzene	1	0.9	94.24	60-140
53 Bromobenzene	1	0.9	94.05	60-140
54 1,1,2,2-Tetrachlor	1	1.0	98.03	60-140
55 1,2,3-Trichloropro	1	1	101.29	60-140
56 n-Propylbenzene	1	0.9	94.21	60-140
57 2-Chlorotoluene	1	1.0	96.87	60-140
58 4-Chlorotoluene	1	1.0	96.70	60-140
59 1,3,5-Trimethylben	1	0.9	93.71	60-140
60 tert-Butylbenzene	1	1.0	95.53	60-140
61 1,2,4-Trimethylben	1	1.0	95.71	60-140
62 sec-Butylbenzene	1	0.9	93.85	60-140
63 1,3-Dichlorobenzen	1	1.0	96.77	60-140
65 p-Isopropyltoluene	1	1.0	95.15	60-140
66 1,4-Dichlorobenzen	1	1	100.65	60-140
68 1,2-Dichlorobenzen	1	1	101.15	60-140
69 n-Butylbenzene	1	1.0	97.50	60-140
70 1,2-Dibromo-3-Chlo	1	1.0	97.87	60-140
71 1,2,4-Trichloroben	1	1.0	97.42	60-140
72 Hexachlorobutadien	1	1	108.32	60-140
73 Naphthalene	1	0.9	91.60	60-140
74 1,2,3-Trichloroben	1	1.0	97.35	60-140

SURROGATE COMPOUND	CONC ADDED ug/L	CONC RECOVERED ug/L	% RECOVERED	LIMITS
\$ 23 1,2-Dichloroethane	2	2	109.66	83-143
\$ 52 Bromofluorobenzene	2	2	98.83	86-115
\$ 67 1,2-Dichlorobenzen	2	2	101.08	80-120

4A  
VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VBLKS9

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Lab File ID: MEOB003AV.D      Lab Sample ID:      VBLKS9  
 Date Analyzed: 01/17/96      Time Analyzed: 1734  
 GC Column:CAP      ID: 0.53 (mm)      Heated Purge: (Y/N) N  
 Instrument ID: M

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
	=====	=====	=====	=====
01	LFBMEOA	LFBMEOA	MEOB002AV.D	1646
02	MW27	286062	M286062V.D	1853
03	MW30	286063	M286063V.D	1936
04	MW40	286064	M286064V.D	2009
05	MW59	286065	M286065V.D	2043
06	MW60	286066	M286066V.D	2117
07	PT11	286067	M286067V.D	2151
08	PT19	286068	M286068V.D	2225
09	TB11396	286069	M286069V.D	2259
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

COMMENTS:

---



---

4A  
VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VLK3

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Lab File ID: MEOB001BV.D      Lab Sample ID:      VLK3  
 Date Analyzed: 01/18/96      Time Analyzed: 1052  
 GC Column: CAP      ID: 0.53 (mm)      Heated Purge: (Y/N) N  
 Instrument ID: M

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
	=====	=====	=====	=====
01	LFBMEOB	LFBMEOB	MEO001BQV.D	1016
02	BNS	285812	M285812V.D	1411
03	FHD	285813	M285813V.D	1445
04	FHS	285814	M285814V.D	1519
05	TB11096	285815	M285815V.D	1551
06				
07				
08				
09				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

COMMENTS:

---



---

4A  
VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VBLKT9

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Lab File ID: MEOB001CV.D      Lab Sample ID:      VBLKT9  
 Date Analyzed: 01/22/96      Time Analyzed: 1144  
 GC Column:CAP      ID: 0.53 (mm)      Heated Purge: (Y/N) N  
 Instrument ID: M

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
	=====	=====	=====	=====
01	LFBMEOC	LFBMEOC	MEO001CQV.D	1107
02	MW36	286225	M286225V.D	1228
03	MW36MS	286225MS	M286225MSV.D	1303
04	MW36MSD	286225MD	M286225MDV.D	1338
05	MW36R	286226	M286226V.D	1555
06	MW45	286227	M286227V.D	1630
07	MW47	286228	M286228V.D	1704
08	MW48	286229	M286229V.D	1737
09	MW56	286230	M286230V.D	1811
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

COMMENTS:

---



---

4A  
VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VBLKU2

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Lab File ID: MEOB003DV.D      Lab Sample ID: VBLKU2  
 Date Analyzed: 01/22/96      Time Analyzed: 2231  
 GC Column: CAP      ID: 0.53 (mm)      Heated Purge: (Y/N) N  
 Instrument ID: M

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
	=====	=====	=====	=====
01	LFBMEOD	LFBMEOD	MEO004DQV.D	2158
02	MW336	286232	M286232V.D	0444
03				
04				
05				
06				
07				
08				
09				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

COMMENTS:

---



---

5A  
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Lab File ID: MEN004PV.D      BFB Injection Date: 01/17/96  
 Instrument ID: M      BFB Injection Time: 0929  
 GC Column: CAP      ID: 0.53 (mm)      Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	23.8
75	30.0 - 80.0% of mass 95	49.3
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	7.0
173	Less than 2.0% of mass 174	0.0 ( 0.0)1
174	Greater than 50.0 of mass 95	68.2
175	5.0 - 9.0% of mass 174	5.0 ( 7.3)1
176	95.0 - 101.0% of mass 174	67.2 ( 98.6)1
177	5.0 - 9.0% of mass 176	4.7 ( 7.1)2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	VSTD010	VSTD010	MEN050B2HV.D	01/17/96	1027
02	VSTD002	VSTD002	MEO002HV.D	01/17/96	1142
03	VSTD005	VSTD005	MEO005HV.D	01/17/96	1222
04	VSTD020	VSTD020	MEO020HV.D	01/17/96	1255
05	VSTD030	VSTD030	MEO030HV.D	01/17/96	1330
06					
07					
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					

5A  
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Lab File ID: MEO002PV.D      BFB Injection Date: 01/17/96  
 Instrument ID: M      BFB Injection Time: 1506  
 GC Column: CAP      ID: 0.53 (mm)      Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	23.0
75	30.0 - 80.0% of mass 95	49.6
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.9
173	Less than 2.0% of mass 174	0.0 ( 0.0)1
174	Greater than 50.0 of mass 95	68.0
175	5.0 - 9.0% of mass 174	4.8 ( 7.0)1
176	95.0 - 101.0% of mass 174	67.4 ( 99.0)1
177	5.0 - 9.0% of mass 176	5.0 ( 7.4)2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	VSTD010	VSTD010	MEO010AHV.D	01/17/96	1512
02	LFBMEOA	LFBMEOA	MEOB002AV.D	01/17/96	1646
03	VBLKS9	VBLKS9	MEOB003AV.D	01/17/96	1734
04	MW27	286062	M286062V.D	01/17/96	1853
05	MW30	286063	M286063V.D	01/17/96	1936
06	MW40	286064	M286064V.D	01/17/96	2009
07	MW59	286065	M286065V.D	01/17/96	2043
08	MW60	286066	M286066V.D	01/17/96	2117
09	PT11	286067	M286067V.D	01/17/96	2151
10	PT19	286068	M286068V.D	01/17/96	2225
11	TB11396	286069	M286069V.D	01/17/96	2259
12	VSTD0005	VSTD0005	MEO003AV.D	01/18/96	0117
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					



5A  
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Lab File ID: MEO003PV.D      BFB Injection Date: 01/18/96  
 Instrument ID: M      BFB Injection Time: 0835  
 GC Column: CAP      ID: 0.53 (mm)      Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	24.1
75	30.0 - 80.0% of mass 95	52.5
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	7.1
173	Less than 2.0% of mass 174	0.0 ( 0.0)1
174	Greater than 50.0 of mass 95	67.3
175	5.0 - 9.0% of mass 174	5.2 ( 7.8)1
176	95.0 - 101.0% of mass 174	66.5 ( 98.8)1
177	5.0 - 9.0% of mass 176	4.6 ( 6.9)2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	VSTD010	VSTD010	MEO010BHV.D	01/18/96	0842
02	LFBMEOB	LFBMEOB	MEO001BQV.D	01/18/96	1016
03	VBLKT3	VBLKT3	MEOB001BV.D	01/18/96	1052
04	VSTD0005	VSTD0005	MEOB002BV.D	01/18/96	1133
05	BNS	285812	M285812V.D	01/18/96	1411
06	FHD	285813	M285813V.D	01/18/96	1445
07	FHS	285814	M285814V.D	01/18/96	1519
08	TB11096	285815	M285815V.D	01/18/96	1551
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					

5A  
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Lab File ID: MEO005PV.D      BFB Injection Date: 01/22/96  
 Instrument ID: M      BFB Injection Time: 0955  
 GC Column: CAP      ID: 0.53 (mm)      Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	24.5
75	30.0 - 80.0% of mass 95	50.7
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.8
173	Less than 2.0% of mass 174	0.0 ( 0.0)1
174	Greater than 50.0 of mass 95	67.1
175	5.0 - 9.0% of mass 174	4.9 ( 7.3)1
176	95.0 - 101.0% of mass 174	67.2 (100.2)1
177	5.0 - 9.0% of mass 176	4.9 ( 7.3)2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	VSTD010	VSTD010	MEO010CHV.D	01/22/96	1012
02	LFBMEOC	LFBMEOC	MEO001CQV.D	01/22/96	1107
03	VBLKT9	VBLKT9	MEOB001CV.D	01/22/96	1144
04	MW36	286225	M286225V.D	01/22/96	1228
05	MW36MS	286225MS	M286225MSV.D	01/22/96	1303
06	MW36MSD	286225MD	M286225MDV.D	01/22/96	1338
07	VSTD0005	VSTD0005	MEOB002CV.D	01/22/96	1521
08	MW36R	286226	M286226V.D	01/22/96	1555
09	MW45	286227	M286227V.D	01/22/96	1630
10	MW47	286228	M286228V.D	01/22/96	1704
11	MW48	286229	M286229V.D	01/22/96	1737
12	MW56	286230	M286230V.D	01/22/96	1811
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					

5A  
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Lab File ID: MEO006PV.D      BFB Injection Date: 01/22/96  
 Instrument ID: M      BFB Injection Time: 1859  
 GC Column: CAP      ID: 0.53 (mm)      Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	23.4
75	30.0 - 80.0% of mass 95	49.5
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.7
173	Less than 2.0% of mass 174	0.0 ( 0.0)1
174	Greater than 50.0 of mass 95	69.4
175	5.0 - 9.0% of mass 174	4.8 ( 6.9)1
176	95.0 - 101.0% of mass 174	69.0 ( 99.4)1
177	5.0 - 9.0% of mass 176	4.5 ( 6.5)2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	VSTD010	VSTD010	MEO010DHV.D	01/22/96	1936
02	LFBMEOD	LFBMEOD	MEO004DQV.D	01/22/96	2158
03	VBLKU2	VBLKU2	MEOB003DV.D	01/22/96	2231
04	VSTD0005	VSTD0005	MEO004DV.D	01/23/96	0412
05	MW336	286232	M286232V.D	01/23/96	0444
06					
07					
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					

6A-1  
VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Instrument ID: M      Calibration Date(s): 01/17/96  
 Heated Purge: (Y/N) N      Calibration Times:      1027      1330  
 GC Column: CAP      ID: 0.53 (mm)

LAB FILE ID:		RRF2 =MEO002HV.D	RRF5 =MEO005HV.D			RRF10 =MEO050B2HV.D	RRF20 =MEO020HV.D	RRF30 =MEO030HV.D		
COMPOUND	RRF2	RRF5	RRF10	RRF20	RRF30	RRF	% RSD			
Dichlorodifluoromethane	* 0.685	0.688	0.717	0.702	0.684	0.695	2.0*			
Chloromethane	* 0.397	0.401	0.404	0.396	0.382	0.396	2.1*			
Vinyl Chloride	* 0.365	0.380	0.395	0.393	0.374	0.382	3.3*			
Bromomethane	* 0.345	0.306	0.311	0.293	0.293	0.310	6.9*			
Chloroethane	* 0.222	0.229	0.181	0.176	0.164	0.194	15.0*			
Trichlorofluoromethane	* 0.610	0.630	0.657	0.650	0.504	0.610	10.2*			
Acetone	* 0.074	0.068	0.069	0.072	0.067	0.070	4.1*			
1,1-Dichloroethene	* 0.291	0.302	0.315	0.317	0.314	0.308	3.6*			
trans-1,2-Dichloroethene	* 0.310	0.322	0.337	0.339	0.339	0.329	4.0*			
Carbon Disulfide	* 1.091	1.108	1.162	1.167	1.156	1.137	3.1*			
Methylene Chloride	* 0.331	0.329	0.337	0.341	0.339	0.336	1.6*			
1,1-Dichloroethane	* 0.655	0.686	0.727	0.699	0.694	0.692	3.7*			
cis-1,2-Dichloroethene	* 0.329	0.348	0.365	0.364	0.366	0.354	4.5*			
2-Butanone	* 0.025	0.025	0.028	0.028	0.026	0.026	6.4*			
2,2-Dichloropropane	* 0.577	0.574	0.607	0.593	0.570	0.584	2.7*			
Chloroform	* 0.675	0.710	0.736	0.722	0.729	0.714	3.4*			
Bromochloromethane	* 0.234	0.250	0.261	0.268	0.272	0.257	6.0*			
1,1,1-Trichloroethane	* 0.530	0.556	0.585	0.586	0.579	0.567	4.2*			
1,1-Dichloropropene	* 0.519	0.536	0.567	0.552	0.539	0.542	3.4*			
Carbon Tetrachloride	* 0.523	0.538	0.569	0.569	0.553	0.550	3.7*			
1,2-Dichloroethane	* 0.424	0.455	0.480	0.455	0.439	0.451	4.6*			
Benzene	* 0.931	0.943	0.984	0.984	0.955	0.959	2.5*			
Trichloroethene	* 0.367	0.389	0.411	0.410	0.399	0.395	4.5*			
1,2-Dichloropropane	* 0.411	0.430	0.460	0.451	0.448	0.440	4.4*			
Bromodichloromethane	* 0.631	0.688	0.732	0.733	0.730	0.703	6.3*			
Dibromomethane	* 0.357	0.371	0.393	0.399	0.390	0.382	4.5*			
4-Methyl-2-Pentanone	* 0.363	0.391	0.402	0.414	0.379	0.390	5.1*			
cis-1,3-Dichloropropene	* 0.558	0.611	0.648	0.640	0.626	0.617	5.8*			
Toluene	* 0.551	0.597	0.614	0.615	0.607	0.597	4.4*			
trans-1,3-Dichloropropene	* 0.486	0.514	0.555	0.558	0.547	0.532	5.8*			
1,1,2-Trichloroethane	* 0.297	0.321	0.328	0.330	0.329	0.321	4.3*			
2-Hexanone	* 0.247	0.258	0.260	0.280	0.255	0.260	4.8*			
1,3-Dichloropropane	* 0.607	0.634	0.670	0.661	0.640	0.642	3.8*			
Tetrachloroethene	* 0.446	0.465	0.484	0.490	0.497	0.476	4.4*			
Dibromochloromethane	* 0.698	0.753	0.807	0.819	0.803	0.776	6.5*			
1,2-Dibromoethane	* 0.628	0.638	0.701	0.682	0.643	0.658	4.7*			

\* Compounds with required minimum RRF and maximum %RSD values.  
 All other compounds must meet a minimum RRF of 0.010.

6A-2  
VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Instrument ID: M      Calibration Date(s): 01/17/96  
 Heated Purge: (Y/N) N      Calibration Times:      1027      1330  
 GC Column: CAP      ID: 0.53 (mm)

LAB FILE ID:	RRF2 =MEO002HV.D	RRF5 =MEO005HV.D	RRF10 =MEN050B2HV.D	RRF20 =MEO020HV.D	RRF30 =MEO030HV.D		
COMPOUND	RRF2	RRF5	RRF10	RRF20	RRF30	RRF	% RSD
Chlorobenzene	* 0.925	0.955	1.007	0.987	0.961	0.967	3.2*
1,1,1,2-Tetrachloroethane	* 0.527	0.547	0.580	0.584	0.573	0.562	4.3*
Ethylbenzene	* 1.473	1.472	1.549	1.530	1.493	1.503	2.3*
Xylene (total)	* 0.516	0.514	0.543	0.543	0.527	0.529	2.6*
Styrene	* 0.858	0.877	0.939	0.948	0.915	0.907	4.3*
Bromoform	* 0.472	0.505	0.541	0.571	0.548	0.527	7.4*
Isopropylbenzene	* 1.447	1.442	1.542	1.530	1.484	1.489	3.1*
1,1,2,2-Tetrachloroethane	* 0.709	0.730	0.763	0.774	0.722	0.740	3.7*
1,2,3-Trichloropropane	* 0.492	0.499	0.518	0.512	0.474	0.499	3.5*
Bromobenzene	* 0.530	0.532	0.579	0.572	0.567	0.556	4.2*
n-Propylbenzene	* 0.413	0.391	0.432	0.414	0.399	0.410	3.9*
2-Chlorotoluene	* 0.398	0.397	0.434	0.427	0.413	0.414	4.0*
1,3,5-Trimethylbenzene	* 1.140	1.088	1.164	1.152	1.102	1.129	2.9*
4-Chlorotoluene	* 0.419	0.414	0.452	0.443	0.426	0.431	3.8*
tert-Butylbenzene	* 1.307	1.218	1.329	1.276	1.233	1.273	3.7*
1,2,4-Trimethylbenzene	* 1.056	1.029	1.119	1.103	1.059	1.073	3.4*
sec-Butylbenzene	* 1.790	1.620	1.791	1.697	1.647	1.709	4.6*
p-Isopropyltoluene	* 1.498	1.365	1.512	1.423	1.379	1.435	4.7*
1,3-Dichlorobenzene	* 0.929	0.889	0.968	0.940	0.933	0.932	3.1*
1,4-Dichlorobenzene	* 0.989	0.939	1.040	0.999	0.990	0.991	3.6*
n-Butylbenzene	* 1.474	1.280	1.445	1.331	1.284	1.363	6.7*
1,2-Dichlorobenzene	* 0.864	0.832	0.914	0.891	0.861	0.872	3.6*
1,2-Dibromo-3-Chloropropane	* 0.151	0.145	0.147	0.152	0.140	0.147	3.5*
1,2,4-Trichlorobenzene	* 0.676	0.554	0.648	0.591	0.581	0.610	8.2*
Hexachlorobutadiene	* 0.475	0.310	0.389	0.335	0.335	0.369	17.9*
Naphthalene	* 1.195	1.010	1.098	1.075	1.007	1.077	7.1*
1,2,3-Trichlorobenzene	* 0.634	0.487	0.567	0.521	0.509	0.544	10.7*
1,2-Dichloroethane-d4	* 0.378	0.366	0.389	0.355	0.335	0.365	5.8*
Bromofluorobenzene	* 0.879	0.753	0.913	0.812	0.792	0.830	7.9*
1,2-Dichlorobenzene-d4	* 0.642	0.498	0.630	0.557	0.544	0.574	10.5*

\* Compounds with required minimum RRF and maximum %RSD values.  
 All other compounds must meet a minimum RRF of 0.010.

7A  
VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Instrument ID: M      Calibration Date: 01/17/96      Time: 1512  
 Lab File ID: MEO010AHV.D      Init. Calibration Date(s): 01/17/96  
 Heated Purge: (Y/N) N      Init. Calibration Times:      1027      1330  
 GC Column: CAP      ID: 0.53 (mm)

COMPOUND	RRF	RRF10	MIN RRF	%D	MAX %D
Dichlorodifluoromethane	0.695	0.671	0.050	3.5	30.0
Chloromethane	0.396	0.369	0.192	6.7	30.0
Vinyl Chloride	0.382	0.371	0.050	2.9	30.0
Bromomethane	0.310	0.303	0.050	2.2	30.0
Chloroethane	0.194	0.173	0.050	11.1	30.0
Trichlorofluoromethane	0.610	0.617	0.050	-1.2	30.0
Acetone	0.070	0.063	0.020	10.5	30.0
1,1-Dichloroethene	0.308	0.307	0.050	0.3	30.0
trans-1,2-Dichloroethene	0.329	0.338	0.050	-2.7	30.0
Carbon Disulfide	1.137	1.130	0.050	0.6	30.0
Methylene Chloride	0.336	0.335	0.050	0.1	30.0
1,1-Dichloroethane	0.692	0.671	0.300	3.1	30.0
cis-1,2-Dichloroethene	0.354	0.357	0.050	-0.7	30.0
2-Butanone	0.026	0.027	0.020	-1.6	30.0
2,2-Dichloropropane	0.584	0.577	0.050	1.3	30.0
Chloroform	0.714	0.708	0.050	0.9	30.0
Bromochloromethane	0.257	0.258	0.050	-0.5	30.0
1,1,1-Trichloroethane	0.567	0.557	0.050	1.8	30.0
1,1-Dichloropropene	0.542	0.538	0.050	0.9	30.0
Carbon Tetrachloride	0.550	0.531	0.050	3.5	30.0
1,2-Dichloroethane	0.451	0.419	0.050	6.9	30.0
Benzene	0.959	0.950	0.050	1.0	30.0
Trichloroethene	0.395	0.402	0.050	-1.6	30.0
1,2-Dichloropropane	0.440	0.431	0.050	2.1	30.0
Bromodichloromethane	0.703	0.697	0.050	0.8	30.0
Dibromomethane	0.382	0.382	0.050	0.1	30.0
4-Methyl-2-Pentanone	0.390	0.370	0.020	5.2	30.0
cis-1,3-Dichloropropene	0.617	0.607	0.050	1.5	30.0
Toluene	0.597	0.602	0.050	-0.8	30.0
trans-1,3-Dichloropropene	0.532	0.525	0.050	1.2	30.0
1,1,2-Trichloroethane	0.321	0.320	0.050	0.3	30.0
2-Hexanone	0.260	0.242	0.020	7.1	30.0
1,3-Dichloropropane	0.642	0.628	0.050	2.2	30.0
Tetrachloroethene	0.476	0.494	0.050	-3.7	30.0
Dibromochloromethane	0.776	0.811	0.050	-4.5	30.0
1,2-Dibromoethane	0.658	0.667	0.050	-1.3	30.0

All other compounds must meet a minimum RRF of 0.010.

7A-2  
VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Instrument ID: M      Calibration Date: 01/17/96      Time: 1512  
 Lab File ID: MEO010AHV.D      Init. Calibration Date(s): 01/17/96  
 Heated Purge: (Y/N) N      Init. Calibration Times:      1027      1330  
 GC Column: CAP      ID: 0.53 (mm)

COMPOUND	RRF	RRF10	MIN RRF	%D	MAX %D
Chlorobenzene	0.967	0.975	0.300	-0.9	30.0
1,1,1,2-Tetrachloroethane	0.562	0.576	0.050	-2.5	30.0
Ethylbenzene	1.503	1.518	0.050	-1.0	30.0
Xylene (total)	0.529	0.527	0.050	0.3	30.0
Styrene	0.907	0.921	0.050	-1.5	30.0
Bromoform	0.527	0.553	0.250	-4.8	30.0
Isopropylbenzene	1.489	1.512	0.050	-1.6	30.0
1,1,2,2-Tetrachloroethane	0.740	0.733	0.300	0.9	30.0
1,2,3-Trichloropropane	0.499	0.492	0.050	1.3	30.0
Bromobenzene	0.556	0.592	0.050	-6.5	30.0
n-Propylbenzene	0.410	0.413	0.050	-0.9	30.0
2-Chlorotoluene	0.414	0.421	0.050	-1.8	30.0
1,3,5-Trimethylbenzene	1.129	1.151	0.050	-1.9	30.0
4-Chlorotoluene	0.431	0.441	0.050	-2.4	30.0
tert-Butylbenzene	1.273	1.305	0.050	-2.5	30.0
1,2,4-Trimethylbenzene	1.073	1.102	0.050	-2.6	30.0
sec-Butylbenzene	1.709	1.773	0.050	-3.8	30.0
p-Isopropyltoluene	1.435	1.492	0.050	-4.0	30.0
1,3-Dichlorobenzene	0.932	0.980	0.050	-5.2	30.0
1,4-Dichlorobenzene	0.991	1.050	0.050	-5.9	30.0
n-Butylbenzene	1.363	1.468	0.050	-7.7	30.0
1,2-Dichlorobenzene	0.872	0.940	0.050	-7.8	30.0
1,2-Dibromo-3-Chloropropane	0.147	0.141	0.020	4.0	30.0
1,2,4-Trichlorobenzene	0.610	0.671	0.050	-10.1	30.0
Hexachlorobutadiene	0.369	0.434	0.050	-17.6	30.0
Naphthalene	1.077	1.062	0.050	1.4	30.0
1,2,3-Trichlorobenzene	0.544	0.583	0.050	-7.2	30.0
1,2-Dichloroethane-d4	0.365	0.394	0.050	-8.1	30.0
Bromofluorobenzene	0.830	0.915	0.050	-10.3	30.0
1,2-Dichlorobenzene-d4	0.574	0.649	0.050	-13.1	30.0

All other compounds must meet a minimum RRF of 0.010.

7A  
VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Instrument ID: M      Calibration Date: 01/18/96      Time: 0842  
 Lab File ID: MEO010BHV.D      Init. Calibration Date(s): 01/17/96  
 Heated Purge: (Y/N) N      Init. Calibration Times:      1027      1330  
 GC Column: CAP      ID: 0.53 (mm)

COMPOUND	RRF	RRF10	MIN RRF	%D	MAX %D
Dichlorodifluoromethane	0.695	0.753	0.050	-8.3	30.0
Chloromethane	0.396	0.436	0.192	-10.2	30.0
Vinyl Chloride	0.382	0.422	0.050	-10.7	30.0
Bromomethane	0.310	0.313	0.050	-1.0	30.0
Chloroethane	0.194	0.196	0.050	-0.6	30.0
Trichlorofluoromethane	0.610	0.687	0.050	-12.5	30.0
Acetone	0.070	0.084	0.020	-19.4	30.0
1,1-Dichloroethene	0.308	0.327	0.050	-6.4	30.0
trans-1,2-Dichloroethene	0.329	0.336	0.050	-2.0	30.0
Carbon Disulfide	1.137	1.194	0.050	-5.0	30.0
Methylene Chloride	0.336	0.336	0.050	-0.2	30.0
1,1-Dichloroethane	0.692	0.755	0.300	-9.1	30.0
cis-1,2-Dichloroethene	0.354	0.371	0.050	-4.7	30.0
2-Butanone	0.026	0.031	0.020	-17.2	30.0
2,2-Dichloropropane	0.584	0.639	0.050	-9.3	30.0
Chloroform	0.714	0.747	0.050	-4.6	30.0
Bromochloromethane	0.257	0.258	0.050	-0.3	30.0
1,1,1-Trichloroethane	0.567	0.612	0.050	-8.0	30.0
1,1-Dichloropropene	0.542	0.588	0.050	-8.4	30.0
Carbon Tetrachloride	0.550	0.594	0.050	-8.0	30.0
1,2-Dichloroethane	0.451	0.497	0.050	-10.3	30.0
Benzene	0.959	1.017	0.050	-6.1	30.0
Trichloroethene	0.395	0.424	0.050	-7.2	30.0
1,2-Dichloropropane	0.440	0.473	0.050	-7.4	30.0
Bromodichloromethane	0.703	0.709	0.050	-0.8	30.0
Dibromomethane	0.382	0.404	0.050	-5.7	30.0
4-Methyl-2-Pentanone	0.390	0.479	0.020	-22.7	30.0
cis-1,3-Dichloropropene	0.617	0.639	0.050	-3.6	30.0
Toluene	0.597	0.628	0.050	-5.2	30.0
trans-1,3-Dichloropropene	0.532	0.567	0.050	-6.7	30.0
1,1,2-Trichloroethane	0.321	0.341	0.050	-6.4	30.0
2-Hexanone	0.260	0.316	0.020	-21.4	30.0
1,3-Dichloropropane	0.642	0.688	0.050	-7.1	30.0
Tetrachloroethene	0.476	0.490	0.050	-2.9	30.0
Dibromochloromethane	0.776	0.771	0.050	0.7	30.0
1,2-Dibromoethane	0.658	0.708	0.050	-7.6	30.0

All other compounds must meet a minimum RRF of 0.010.



7A-2  
VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Instrument ID: M      Calibration Date: 01/18/96      Time: 0842  
 Lab File ID: MEO010BHV.D      Init. Calibration Date(s): 01/17/96  
 Heated Purge: (Y/N) N      Init. Calibration Times:      1027      1330  
 GC Column: CAP      ID: 0.53 (mm)

COMPOUND	RRF	RRF10	MIN RRF	%D	MAX %D
Chlorobenzene	0.967	0.999	0.300	-3.3	30.0
1,1,1,2-Tetrachloroethane	0.562	0.571	0.050	-1.6	30.0
Ethylbenzene	1.503	1.568	0.050	-4.3	30.0
Xylene (total)	0.529	0.561	0.050	-6.1	30.0
Styrene	0.907	0.963	0.050	-6.1	30.0
Bromoform	0.527	0.540	0.250	-2.5	30.0
Isopropylbenzene	1.489	1.598	0.050	-7.3	30.0
1,1,2,2-Tetrachloroethane	0.740	0.809	0.300	-9.4	30.0
1,2,3-Trichloropropane	0.499	0.563	0.050	-12.8	30.0
Bromobenzene	0.556	0.569	0.050	-2.4	30.0
n-Propylbenzene	0.410	0.438	0.050	-6.9	30.0
2-Chlorotoluene	0.414	0.445	0.050	-7.5	30.0
1,3,5-Trimethylbenzene	1.129	1.228	0.050	-8.7	30.0
4-Chlorotoluene	0.431	0.463	0.050	-7.5	30.0
tert-Butylbenzene	1.273	1.373	0.050	-7.9	30.0
1,2,4-Trimethylbenzene	1.073	1.161	0.050	-8.2	30.0
sec-Butylbenzene	1.709	1.867	0.050	-9.2	30.0
p-Isopropyltoluene	1.435	1.582	0.050	-10.2	30.0
1,3-Dichlorobenzene	0.932	1.031	0.050	-10.6	30.0
1,4-Dichlorobenzene	0.991	1.031	0.050	-4.0	30.0
n-Butylbenzene	1.363	1.517	0.050	-11.3	30.0
1,2-Dichlorobenzene	0.872	0.924	0.050	-5.9	30.0
1,2-Dibromo-3-Chloropropane	0.147	0.167	0.020	-13.9	30.0
1,2,4-Trichlorobenzene	0.610	0.644	0.050	-5.6	30.0
Hexachlorobutadiene	0.369	0.400	0.050	-8.6	30.0
Naphthalene	1.077	1.143	0.050	-6.2	30.0
1,2,3-Trichlorobenzene	0.544	0.572	0.050	-5.3	30.0
1,2-Dichloroethane-d4	0.365	0.418	0.050	-14.4	30.0
Bromofluorobenzene	0.830	0.935	0.050	-12.6	30.0
1,2-Dichlorobenzene-d4	0.574	0.649	0.050	-13.0	30.0

All other compounds must meet a minimum RRF of 0.010.

7A  
VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Instrument ID: M      Calibration Date: 01/22/96      Time: 1012  
 Lab File ID: MEO010CHV.D      Init. Calibration Date(s): 01/17/96  
 Heated Purge: (Y/N) N      Init. Calibration Times:      1027      1330  
 GC Column: CAP      ID: 0.53 (mm)

COMPOUND	RRF	RRF10	MIN RRF	%D	MAX %D
Dichlorodifluoromethane	0.695	0.774	0.050	-11.3	30.0
Chloromethane	0.396	0.420	0.192	-6.1	30.0
Vinyl Chloride	0.382	0.425	0.050	-11.3	30.0
Bromomethane	0.310	0.335	0.050	-8.3	30.0
Chloroethane	0.194	0.199	0.050	-2.3	30.0
Trichlorofluoromethane	0.610	0.706	0.050	-15.7	30.0
Acetone	0.070	0.064	0.020	8.7	30.0
1,1-Dichloroethene	0.308	0.343	0.050	-11.6	30.0
trans-1,2-Dichloroethene	0.329	0.371	0.050	-12.8	30.0
Carbon Disulfide	1.137	1.277	0.050	-12.3	30.0
Methylene Chloride	0.336	0.365	0.050	-8.7	30.0
1,1-Dichloroethane	0.692	0.753	0.300	-8.8	30.0
cis-1,2-Dichloroethene	0.354	0.394	0.050	-11.3	30.0
2-Butanone	0.026	0.025	0.020	6.3	30.0
2,2-Dichloropropane	0.584	0.656	0.050	-12.3	30.0
Chloroform	0.714	0.762	0.050	-6.7	30.0
Bromochloromethane	0.257	0.279	0.050	-8.6	30.0
1,1,1-Trichloroethane	0.567	0.630	0.050	-11.1	30.0
1,1-Dichloropropene	0.542	0.603	0.050	-11.2	30.0
Carbon Tetrachloride	0.550	0.615	0.050	-11.8	30.0
1,2-Dichloroethane	0.451	0.481	0.050	-6.7	30.0
Benzene	0.959	1.052	0.050	-9.7	30.0
Trichloroethene	0.395	0.443	0.050	-12.0	30.0
1,2-Dichloropropane	0.440	0.469	0.050	-6.6	30.0
Bromodichloromethane	0.703	0.756	0.050	-7.5	30.0
Dibromomethane	0.382	0.404	0.050	-5.8	30.0
4-Methyl-2-Pentanone	0.390	0.370	0.020	5.1	30.0
cis-1,3-Dichloropropene	0.617	0.669	0.050	-8.5	30.0
Toluene	0.597	0.655	0.050	-9.7	30.0
trans-1,3-Dichloropropene	0.532	0.574	0.050	-7.9	30.0
1,1,2-Trichloroethane	0.321	0.339	0.050	-5.7	30.0
2-Hexanone	0.260	0.238	0.020	8.3	30.0
1,3-Dichloropropane	0.642	0.679	0.050	-5.7	30.0
Tetrachloroethene	0.476	0.531	0.050	-11.5	30.0
Dibromochloromethane	0.776	0.833	0.050	-7.3	30.0
1,2-Dibromoethane	0.658	0.702	0.050	-6.6	30.0

All other compounds must meet a minimum RRF of 0.010.

7A-2  
VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Instrument ID: M      Calibration Date: 01/22/96      Time: 1012  
 Lab File ID: MEO010CHV.D      Init. Calibration Date(s): 01/17/96  
 Heated Purge: (Y/N) N      Init. Calibration Times:      1027      1330  
 GC Column: CAP      ID: 0.53 (mm)

COMPOUND	RRF	RRF10	MIN RRF	%D	MAX %D
Chlorobenzene	0.967	1.074	0.300	-11.1	30.0
1,1,1,2-Tetrachloroethane	0.562	0.635	0.050	-12.8	30.0
Ethylbenzene	1.503	1.659	0.050	-10.3	30.0
Xylene (total)	0.529	0.577	0.050	-9.1	30.0
Styrene	0.907	0.986	0.050	-8.6	30.0
Bromoforn	0.527	0.553	0.250	-4.9	30.0
Isopropylbenzene	1.489	1.673	0.050	-12.3	30.0
1,1,2,2-Tetrachloroethane	0.740	0.767	0.300	-3.7	30.0
1,2,3-Trichloropropane	0.499	0.531	0.050	-6.3	30.0
Bromobenzene	0.556	0.607	0.050	-9.3	30.0
n-Propylbenzene	0.410	0.463	0.050	-12.9	30.0
2-Chlorotoluene	0.414	0.463	0.050	-11.8	30.0
1,3,5-Trimethylbenzene	1.129	1.266	0.050	-12.1	30.0
4-Chlorotoluene	0.431	0.481	0.050	-11.7	30.0
tert-Butylbenzene	1.273	1.449	0.050	-13.9	30.0
1,2,4-Trimethylbenzene	1.073	1.179	0.050	-9.8	30.0
sec-Butylbenzene	1.709	1.921	0.050	-12.4	30.0
p-Isopropyltoluene	1.435	1.631	0.050	-13.6	30.0
1,3-Dichlorobenzene	0.932	1.033	0.050	-10.9	30.0
1,4-Dichlorobenzene	0.991	1.105	0.050	-11.4	30.0
n-Butylbenzene	1.363	1.546	0.050	-13.5	30.0
1,2-Dichlorobenzene	0.872	0.950	0.050	-8.8	30.0
1,2-Dibromo-3-Chloropropane	0.147	0.149	0.020	-1.1	30.0
1,2,4-Trichlorobenzene	0.610	0.645	0.050	-5.7	30.0
Hexachlorobutadiene	0.369	0.412	0.050	-11.6	30.0
Naphthalene	1.077	1.047	0.050	2.8	30.0
1,2,3-Trichlorobenzene	0.544	0.557	0.050	-2.4	30.0
1,2-Dichloroethane-d4	0.365	0.402	0.050	-10.2	30.0
Bromofluorobenzene	0.830	0.946	0.050	-14.0	30.0
1,2-Dichlorobenzene-d4	0.574	0.549	0.050	4.5	30.0

All other compounds must meet a minimum RRF of 0.010.

7A  
VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Instrument ID: M      Calibration Date: 01/22/96      Time: 1936  
 Lab File ID: MEO010DHV.D      Init. Calibration Date(s): 01/17/96  
 Heated Purge: (Y/N) N      Init. Calibration Times:      1027      1330  
 GC Column: CAP      ID: 0.53 (mm)

COMPOUND	RRF	RRF10	MIN RRF	%D	MAX %D
Dichlorodifluoromethane	0.695	0.755	0.050	-8.6	30.0
Chloromethane	0.396	0.426	0.192	-7.6	30.0
Vinyl Chloride	0.382	0.414	0.050	-8.6	30.0
Bromomethane	0.310	0.335	0.050	-8.3	30.0
Chloroethane	0.194	0.234	0.050	-20.5	30.0
Trichlorofluoromethane	0.610	0.697	0.050	-14.3	30.0
Acetone	0.070	0.070	0.020	0.2	30.0
1,1-Dichloroethene	0.308	0.331	0.050	-7.5	30.0
trans-1,2-Dichloroethene	0.329	0.353	0.050	-7.2	30.0
Carbon Disulfide	1.137	1.204	0.050	-5.9	30.0
Methylene Chloride	0.336	0.348	0.050	-3.6	30.0
1,1-Dichloroethane	0.692	0.749	0.300	-8.1	30.0
cis-1,2-Dichloroethene	0.354	0.378	0.050	-6.5	30.0
2-Butanone	0.026	0.025	0.020	3.1	30.0
2,2-Dichloropropane	0.584	0.645	0.050	-10.3	30.0
Chloroform	0.714	0.759	0.050	-6.2	30.0
Bromochloromethane	0.257	0.267	0.050	-3.8	30.0
1,1,1-Trichloroethane	0.567	0.618	0.050	-8.9	30.0
1,1-Dichloropropene	0.542	0.587	0.050	-8.2	30.0
Carbon Tetrachloride	0.550	0.608	0.050	-10.4	30.0
1,2-Dichloroethane	0.451	0.485	0.050	-7.7	30.0
Benzene	0.959	1.017	0.050	-6.0	30.0
Trichloroethene	0.395	0.434	0.050	-9.8	30.0
1,2-Dichloropropane	0.440	0.462	0.050	-5.1	30.0
Bromodichloromethane	0.703	0.732	0.050	-4.2	30.0
Dibromomethane	0.382	0.389	0.050	-1.9	30.0
4-Methyl-2-Pentanone	0.390	0.384	0.020	1.6	30.0
cis-1,3-Dichloropropene	0.617	0.648	0.050	-5.2	30.0
Toluene	0.597	0.632	0.050	-6.0	30.0
trans-1,3-Dichloropropene	0.532	0.559	0.050	-5.1	30.0
1,1,2-Trichloroethane	0.321	0.322	0.050	-0.4	30.0
2-Hexanone	0.260	0.261	0.020	-0.2	30.0
1,3-Dichloropropane	0.642	0.653	0.050	-1.7	30.0
Tetrachloroethene	0.476	0.502	0.050	-5.4	30.0
Dibromochloromethane	0.776	0.794	0.050	-2.3	30.0
1,2-Dibromoethane	0.658	0.681	0.050	-3.4	30.0

All other compounds must meet a minimum RRF of 0.010.

7A-2  
VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Instrument ID: M      Calibration Date: 01/22/96      Time: 1936  
 Lab File ID: MEO010DHV.D      Init. Calibration Date(s): 01/17/96  
 Heated Purge: (Y/N) N      Init. Calibration Times:      1027      1330  
 GC Column: CAP      ID: 0.53 (mm)

COMPOUND	RRF	RRF10	MIN RRF	%D	MAX %D
Chlorobenzene	0.967	1.034	0.300	-6.9	30.0
1,1,1,2-Tetrachloroethane	0.562	0.601	0.050	-6.9	30.0
Ethylbenzene	1.503	1.619	0.050	-7.7	30.0
Xylene (total)	0.529	0.569	0.050	-7.6	30.0
Styrene	0.907	0.965	0.050	-6.4	30.0
Bromoform	0.527	0.524	0.250	0.6	30.0
Isopropylbenzene	1.489	1.622	0.050	-8.9	30.0
1,1,2,2-Tetrachloroethane	0.740	0.750	0.300	-1.4	30.0
1,2,3-Trichloropropane	0.499	0.515	0.050	-3.2	30.0
Bromobenzene	0.556	0.583	0.050	-4.9	30.0
n-Propylbenzene	0.410	0.446	0.050	-8.8	30.0
2-Chlorotoluene	0.414	0.439	0.050	-6.0	30.0
1,3,5-Trimethylbenzene	1.129	1.222	0.050	-8.2	30.0
4-Chlorotoluene	0.431	0.459	0.050	-6.6	30.0
tert-Butylbenzene	1.273	1.372	0.050	-7.8	30.0
1,2,4-Trimethylbenzene	1.073	1.142	0.050	-6.4	30.0
sec-Butylbenzene	1.709	1.842	0.050	-7.8	30.0
p-Isopropyltoluene	1.435	1.537	0.050	-7.1	30.0
1,3-Dichlorobenzene	0.932	0.981	0.050	-5.3	30.0
1,4-Dichlorobenzene	0.991	1.027	0.050	-3.6	30.0
n-Butylbenzene	1.363	1.458	0.050	-7.0	30.0
1,2-Dichlorobenzene	0.872	0.896	0.050	-2.6	30.0
1,2-Dibromo-3-Chloropropane	0.147	0.153	0.020	-3.8	30.0
1,2,4-Trichlorobenzene	0.610	0.617	0.050	-1.1	30.0
Hexachlorobutadiene	0.369	0.345	0.050	6.5	30.0
Naphthalene	1.077	1.110	0.050	-3.1	30.0
1,2,3-Trichlorobenzene	0.544	0.553	0.050	-1.7	30.0
1,2-Dichloroethane-d4	0.365	0.372	0.050	-2.0	30.0
Bromofluorobenzene	0.830	0.906	0.050	-9.2	30.0
1,2-Dichlorobenzene-d4	0.574	0.524	0.050	8.8	30.0

All other compounds must meet a minimum RRF of 0.010.

8A  
VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Lab File ID (Standard): MEO010AHV.D      Date Analyzed: 01/17/96  
 Instrument ID: M      Time Analyzed: 1512  
 GC Column: CAP      ID: 0.53 (mm)      Heated Purge: (Y/N) N

	IS1 (FBZ) AREA #	RT #	IS2 (CBZ) AREA #	RT #	IS3 AREA #	RT #
=====	=====	=====	=====	=====	=====	=====
12 HOUR STD	127453	10.17	101709	16.60	0	0.00
UPPER LIMIT	254906	10.67	203418	17.10	0	0.50
LOWER LIMIT	63726	9.67	50854	16.10	0	-0.50
=====	=====	=====	=====	=====	=====	=====
EPA SAMPLE No.						
=====	=====	=====	=====	=====	=====	=====
01 LFBMEOA	115251	10.16	91133	16.59		
02 VBLKS9	124282	10.18	99785	16.59		
03 MW27	126649	10.18	101478	16.59		
04 MW30	124009	10.16	100772	16.59		
05 MW40	119404	10.16	94777	16.57		
06 MW59	114143	10.16	90974	16.59		
07 MW60	117377	10.18	94048	16.59		
08 PT11	119568	10.18	95315	16.59		
09 PT19	112231	10.16	89956	16.59		
10 TB11396	108308	10.16	88078	16.59		
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS1 (FBZ) = Fluorobenzene  
 IS2 (CBZ) = Chlorobenzene-d5  
 IS3 = N/A

AREA UPPER LIMIT = +100% of internal standard area  
 AREA LOWER LIMIT = - 50% of internal standard area  
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT  
 RT LOWER LIMIT = 0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
 \* Values outside of QC limits.

8A  
VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Lab File ID (Standard): MEO010BHV.D      Date Analyzed: 01/18/96  
 Instrument ID: M      Time Analyzed: 0842  
 GC Column:CAP      ID: 0.53 (mm)      Heated Purge: (Y/N) N

	IS1 (FBZ) AREA #	RT #	IS2 (CBZ) AREA #	RT #	IS3 AREA #	RT #
=====	=====	=====	=====	=====	=====	=====
12 HOUR STD	105190	10.27	85759	16.70	0	0.00
UPPER LIMIT	210380	10.77	171518	17.20	0	0.50
LOWER LIMIT	52595	9.77	42880	16.20	0	-0.50
=====	=====	=====	=====	=====	=====	=====
EPA SAMPLE No.						
=====	=====	=====	=====	=====	=====	=====
01 LFBMEOB	112461	10.22	91458	16.64		
02 VBLKT3	107389	10.21	84002	16.64		
03 BNS *	100037	10.21	78339	16.66		
04 FHD *	105743	10.21	85863	16.64		
05 FHS *	109571	10.21	87551	16.64		
06 TB11096	106646	10.21	85669	16.64		
07						
08						
09						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS1 (FBZ) = Fluorobenzene  
 IS2 (CBZ) = Chlorobenzene-d5  
 IS3 = N/A

AREA UPPER LIMIT = +100% of internal standard area  
 AREA LOWER LIMIT = - 50% of internal standard area  
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT  
 RT LOWER LIMIT = 0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
 \* Values outside of QC limits.

8A  
VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Lab File ID (Standard): MEO010CHV.D      Date Analyzed: 01/22/96  
 Instrument ID: M      Time Analyzed: 1012  
 GC Column: CAP      ID: 0.53 (mm)      Heated Purge: (Y/N) N

	IS1 (FBZ) AREA #	RT #	IS2 (CBZ) AREA #	RT #	IS3 AREA #	RT #
12 HOUR STD	115829	10.19	92487	16.62	0	0.00
UPPER LIMIT	231658	10.69	184974	17.12	0	0.50
LOWER LIMIT	57914	9.69	46244	16.12	0	-0.50
EPA SAMPLE No.						
01 LFBMEOC	118398	10.18	94452	16.61		
02 VBLKT9	120156	10.18	98557	16.61		
03 MW36	112439	10.20	87169	16.61		
04 MW36MS	115676	10.19	90676	16.62		
05 MW36MSD	120378	10.19	95745	16.62		
06 MW36R	113017	10.20	90981	16.62		
07 MW45	119553	10.20	92588	16.62		
08 MW47	117184	10.20	92037	16.62		
09 MW48	116563	10.20	95454	16.62		
10 MW56	116174	10.20	91838	16.62		
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS1 (FBZ) = Fluorobenzene  
 IS2 (CBZ) = Chlorobenzene-d5  
 IS3 = N/A

AREA UPPER LIMIT = +100% of internal standard area  
 AREA LOWER LIMIT = - 50% of internal standard area  
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT  
 RT LOWER LIMIT = 0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
 \* Values outside of QC limits.



8A  
VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: INCHCAPE ENVIRONMENTAL      Contract: 93206  
 Lab Code: INCHVT      Case No.: OBASH      SAS No.:      SDG No.: 56202  
 Lab File ID (Standard): MEO010DHV.D      Date Analyzed: 01/22/96  
 Instrument ID: M      Time Analyzed: 1936  
 GC Column: CAP      ID: 0.53 (mm)      Heated Purge: (Y/N) N

	IS1 (FBZ) AREA #	RT #	IS2 (CBZ) AREA #	RT #	IS3 AREA #	RT #
12 HOUR STD	126661	10.19	100714	16.63	0	0.00
UPPER LIMIT	253322	10.69	201428	17.13	0	0.50
LOWER LIMIT	63330	9.69	50357	16.13	0	-0.50
EPA SAMPLE No.						
01 LFBMEOD	122477	10.20	98937	16.63		
02 VBLKU2	119097	10.20	95754	16.61		
03 MW336 /	113292	10.20	89322	16.61		
04						
05						
06						
07						
08						
09						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS1 (FBZ) = Fluorobenzene  
 IS2 (CBZ) = Chlorobenzene-d5  
 IS3 = N/A

AREA UPPER LIMIT = +100% of internal standard area  
 AREA LOWER LIMIT = - 50% of internal standard area  
 RT UPPER LIMIT = + 0.50 minutes of internal standard RT  
 RT LOWER LIMIT = 0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
 \* Values outside of QC limits.