

01008

61



**GROUNDWATER MONITORING
VALIDATED ANALYTICAL RESULTS FOR THE FOURTH QUARTER 1993
OB GROUNDS, SENECA ARMY DEPOT**

PREPARED FOR:
U.S. Army Corps of Engineers
Hunstville, Alabama

PREPARED BY:
Engineering-Science, Inc.
Boston, Massachusetts

April 1994
D#11

ENGINEERING-SCIENCE, INC.

Prudential Center • Boston, Massachusetts 02199 • (617) 859-2000 • Fax: (617) 859-2043

April 8, 1994
770454-01009

Mr. Rick Suever
U.S. Army Corps of Engineers,
Huntsville Division
ATTN: CEHND-PM-EP
106 Wynn Drive
Huntsville, AL 35807-1957

**SUBJECT: Fourth Quarter Groundwater Monitoring for 1993,
OB Grounds, Seneca Army Depot, Romulus, New York**


Dear Mr. Suever:

Enclosed are the analytical results for the fourth quarter groundwater monitoring for 1993. The analytical results are divided into two major groups: general parameters and QA/QC data (Sections 1 and 2, respectively, in the enclosed document). Generally, the results of the fourth quarter 1993 analyses are consistent with historical results.

Please do not hesitate to call me at (617) 859-2492 if you have any questions.

Sincerely,

ENGINEERING-SCIENCE, INC.



Michael Duchesneau
Project Manager

MD/cmfd/D#11

Enclosure

cc: Ms. Percifield, MRD-Lab
Mr. Randy Battaglia, SEDA
Mr. Biernacki, DESCOM

TABLE OF CONTENTS

- 1.0 Indicator Parameters
- 2.0 QA/QC Data
 - 2.1 Laboratory Control Samples and Duplicates for Indicator Parameters

Section 1.0
Indicator Parameters

**OB GROUNDS FOURTH QUARTER 1993 MONITORING
INDICATOR ANALYSIS RESULTS**

MMSC.WK3	PARAMETER	MATRIX SITE	DATE SAMPLED	WATER OB	WATER OB	WATER OB	WATER OB	WATER OB	WATER OB
	LAB ID	ES ID	ES ID	MW-1 *	MW-2 *	MW-3 *	MW-4 *	MW-5 *	MW-6 *
	UNITS								
Total Organic Carbon	mg/L			4	3	7	4	1	4
pH	units		7.16	7.43	7.26	7.18	7.33	7.53	7.53
Chloride	mg/L		4	3	3	3	3	3	3
Sulfate	mg/L		170	74	160	200	27	110	110
Specific Conductance	umhos/cm		700	520	710	830	770	600	600
Nitrate+Nitrite	mg/L as N		1.2	0.5 U	0.5 U	0.17	6.3	0.5 U	0.5 U
Total Organic Halides	mg/L		0.02 U	0.02 U	0.02	0.02	0.02 U	0.02 U	0.03

Notes:
(1) * The Lab ID is different for each parameter

**OB GROUNDS FOURTH QUARTER 1993 MONITORING
INDICATOR ANALYSIS RESULTS**

MSC:WK3	PARAMETER	MATRIX	WATER	WATER	WATER	WATER	WATER	WATER	WATER
		SITE	OB	OB	OB	OB	OB	OB	OB
		DATE SAMPL'D	12/13/93	12/08/93	12/13/93	12/14/93	12/07/93	12/06/93	
		ES ID	MW-8	MW-9	MW-10	MW-11	MW-12	MW-13	
		LAB ID	*	*	*	*	*	*	
	UNITS								
Total Organic Carbon	mg/L	1	5	2	3	4	3	3	
pH	units	7.13	7.23	7.34	7.03	7.41	7.04	7.04	
Chloride	mg/L	16	5	5	30	10	11	11	
Sulfate	mg/L	93	270	140	250	100	230	230	
Specific Conductance	umhos/cm	1800	900	650	1100	920	990	990	
Nitrate+Nitrite	mg/L as N	1.1	2.3	0.1	0.42	1.4	5	5	
Total Organic Halides	mg/L	0.02 U	0.02	0.02	0.02 U	0.02 U	0.04	0.04	

Notes:

(1) * The Lab ID is different for each parameter

**OB GROUNDS FOURTH QUARTER 1993 MONITORING
INDICATOR ANALYSIS RESULTS**

IMSC.WK3	PARAMETER	MATRIX		WATER		WATER		WATER		WATER		WATER	
		SITE	DATE	OB	OB	OB	OB	OB	OB	OB	OB	OB	OB
		ES ID	SAMPL'D	12/06/93	12/05/93	12/07/93	12/07/93	12/07/93	12/07/93	12/14/93	12/14/93	12/13/93	12/13/93
		LAB ID		MW-15	MW-16	MW-17	MW-18	MW-19	MW-19	MW-19	MW-21	MW-21	
		UNITS		*	*	*	*	*	*	*	*	*	
	Total Organic Carbon	mg/L		5	4	3	2	3	2	3	1	1	
	pH	units		7.18	7.26	7.35	7.20	7.21	7.20	7.21	7.50	7.50	
	Chloride	mg/L		7	3	4	19	24	19	24	2	2	
	Sulfate	mg/L		400	150	86	160	600	160	600	93	93	
	Specific Conductance	umhos/cm		1400	720	600	870	1500	870	1500	1800	1800	
	Nitrate+Nitrite	mg/L as N		2.2	0.32	0.5 U	0.5	1.4	0.5	1.4	0.53	0.53	
	Total Organic Halides	mg/L		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	

Notes:

(1) * The Lab ID is different for each parameter

**OB GROUNDS FOURTH QUARTER 1993 MONITORING
INDICATOR ANALYSIS RESULTS**

MSC:WK3	PARAMETER	MATRIX	WATER	WATER	WATER	WATER	WATER	WATER	WATER
		SITE	OB	OB	OB	OB	OB	OB	OB
		DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
		SAMPL'D	12/07/93	12/15/93	12/15/93	12/15/93	12/07/93	12/07/93	12/02/93
		ES/ID	MW-24	MW-25	MW-26	MW-27	MW-28	MW-28	MW-28
		LAB ID	*	*	*	*	*	*	*
		UNITS							
Total Organic Carbon	mg/L	3	3	1	8	5	5	5	5
pH	units	7.21	7.22	7.26	11.96	7.39	11.40	11.40	11.40
Chloride	mg/L	17	33	2	2	13	10	10	10
Sulfate	mg/L	260	190	87	42	110	130	130	130
Specific Conductance	umhos/cm	990	1200	630	1900	940	560	560	560
Nitrate+Nitrite	mg/L as N	0.22	13	0.05 U	0.31	2.1	0.83	0.83	0.83
Total Organic Halides	mg/L	0.02	0.03	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U

Notes:

(1) * The Lab ID is different for each parameter

**OB GROUNDS FOURTH QUARTER 1993 MONITORING
INDICATOR ANALYSIS RESULTS**

IMSC.WK3	PARAMETER	MATRIX SITE		WATER		WATER		WATER		WATER		WATER	
		DATE	SAMPL'D	OB	OB	OB	OB	OB	OB	OB	OB	OB	OB
	ES ID												
	LAB ID												
	UNITS												
Total Organic Carbon	mg/L	3		3	5	2	2	2	2	2	2	2	2
pH	units	7.02		7.29	7.28	7.44	7.44	7.44	7.44	7.34	7.34	7.39	7.39
Chloride	mg/L	27		5	3	2	2	2	2	2	2	1 U	1 U
Sulfate	mg/L	25		260	93	35	35	35	35	69	69	3	3
Specific Conductance	umhos/cm	1000		910	670	450	450	450	450	600	600	18	18
Nitrate+Nitrite	mg/L as N	0.45		3.4	0.07	0.1	0.1	0.1	0.1	0.45	0.45	0.05 U	0.05 U
Total Organic Halides	mg/L	0.02		0.02 U	0.03	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U

(Rinstate of MW-11) (D)

Notes:
(1) * The Lab ID is different for each parameter

**OB GROUNDS FOURTH QUARTER 1993 MONITORING
INDICATOR ANALYSIS RESULTS**

MSC.WK3	PARAMETER	MATRIX SITE DATE SAMPL'D ES ID LAB ID UNITS	WATER OB 12/07/93 MW-18R * (Rinsate of MW-18)	WATER SITE 12/07/93 MW-91 * (Duplicate of MW-18)
	Total Organic Carbon	mg/L	2	2
	pH	units	7.15	7.24
	Chloride	mg/L	1 U	19
	Sulfate	mg/L	3	160
	Specific Conductance	umhos/cm	19	870
	Nitrate+Nitrite	mg/L as N	0.05 U	0.5
	Total Organic Halides	mg/L	0.02	0.02 U

Notes:

(1) * The Lab ID is different for each parameter.

Section 2.0
QA/QC Data

**2.1 Laboratory Control Samples and
Duplicates for Indicator Parameters**

Field Identification: AMW14

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	4	1	38668-009	12/10/93	821	415.1/1
Chloride (mg/L)	23	1	38668-014	12/10/93	562	325.1/1
Sulfate (mg/L)	240	10	38668-014	12/14/93	441	300.0/1
Specific Conductance (umhos/cm)	1100		38668-014	12/09/93	183	120.1/1
Nitrate + Nitrite (mg/L as N)	15	0.5	38668-019	12/08/93	535	353.2/1
pH (units)	7.17		38668-024	12/08/93	259	150.1/1

Field Identification: AMW15

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	5	1	38668-010	12/10/93	821	415.1/1
Chloride (mg/L)	7	1	38668-015	12/10/93	562	325.1/1
Sulfate (mg/L)	400	10	38668-015	12/14/93	441	300.0/1
Specific Conductance (umhos/cm)	1400		38668-015	12/09/93	183	120.1/1
Nitrate + Nitrite (mg/L as N)	2.2	0.05	38668-020	12/08/93	535	353.2/1
pH (units)	7.18		38668-025	12/08/93	259	150.1/1

References: 1) 40 CFR Part 136, Friday, October 26, 1984

500007

Field Identification: AMW30

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	3	1	38668-006	12/13/93	821	415.1/1
Chloride (mg/L)	27	1	38668-011	12/10/93	561	325.1/1
Sulfate (mg/L)	25	1	38668-011	12/14/93	441	300.0/1
Specific Conductance (umhos/cm)	1000		38668-011	12/09/93	183	120.1/1
Nitrate + Nitrite (mg/L as N)	0.45	0.05	38668-016	12/08/93	535	353.2/1
pH (units)	7.02		38668-021	12/08/93	259	150.1/1

Field Identification: AMW1

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	4	1	38668-007	12/10/93	821	415.1/1
Chloride (mg/L)	4	1	38668-012	12/10/93	562	325.1/1
Sulfate (mg/L)	170	10	38668-012	12/14/93	441	300.0/1
Specific Conductance (umhos/cm)	700		38668-012	12/09/93	183	120.1/1
Nitrate + Nitrite (mg/L as N)	1.2	0.05	38668-017	12/08/93	535	353.2/1
pH (units)	7.16		38668-022	12/08/93	259	150.1/1

Field Identification: AMW13

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	3	1	38668-008	12/10/93	821	415.1/1
Chloride (mg/L)	11	1	38668-013	12/10/93	562	325.1/1
Sulfate (mg/L)	230	10	38668-013	12/14/93	441	300.0/1
Specific Conductance (umhos/cm)	990		38668-013	12/09/93	183	120.1/1
Nitrate + Nitrite (mg/L as N)	5.0	0.05	38668-018	12/08/93	535	353.2/1
pH (units)	7.04		38668-023	12/08/93	259	150.1/1

500006

Field Identification: AMW27

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	4	1	38656-008	12/10/93	821	415.1/1
Chloride (mg/L)	35	1	38656-013	12/10/93	561	325.1/1
Sulfate (mg/L)	62	1	38656-013	12/08/93	552	300.0/1
Specific Conductance (umhos/cm)	710		38656-013	12/09/93	183	120.1/1
Nitrate + Nitrite (mg/L as N)	BDL	0.05	38656-018	12/08/93	535	353.2/1
pH (units)	7.42		38656-024	12/07/93	258	150.1/1

Field Identification: OMW16

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	4	1	38656-009	12/10/93	821	415.1/1
Chloride (mg/L)	3	1	38656-014	12/10/93	561	325.1/1
Sulfate (mg/L)	150	10	38656-014	12/13/93	553	300.0/1
Specific Conductance (umhos/cm)	720		38656-014	12/09/93	183	120.1/1
Nitrate + Nitrite (mg/L as N)	0.32	0.05	38656-019	12/08/93	535	353.2/1
pH (units)	7.26		38656-025	12/07/93	258	150.1/1

Field Identification: OMW23

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	3	1	38656-010	12/10/93	821	415.1/1
Chloride (mg/L)	17	1	38656-015	12/10/93	561	325.1/1
Sulfate (mg/L)	260	10	38656-015	12/13/93	553	300.0/1
Specific Conductance (umhos/cm)	990		38656-015	12/09/93	183	120.1/1
Nitrate + Nitrite (mg/L as N)	0.22	0.05	38656-020	12/08/93	535	353.2/1
pH (units)	7.21		38656-026	12/07/93	258	150.1/1

Field Identification: OMW7

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	2	1	38656-011	12/10/93	821	415.1/1
Chloride (mg/L)	2	1	38656-016	12/10/93	562	325.1/1
Sulfate (mg/L)	51	1	38656-016	12/13/93	553	300.0/1
Specific Conductance (umhos/cm)	530		38656-016	12/09/93	183	120.1/1
Nitrate + Nitrite (mg/L as N)	0.25	0.05	38656-021	12/08/93	535	353.2/1
pH (units)	7.35		38656-027	12/07/93	258	150.1/1

500004

Field Identification: OMW22

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	2	1	38656-012	12/10/93	821	415.1/1
Chloride (mg/L)	2	1	38656-017	12/10/93	562	325.1/1
Sulfate (mg/L)	140	10	38656-017	12/13/93	553	300.0/1
Specific Conductance (umhos/cm)	640		38656-017	12/09/93	183	120.1/1
Nitrate + Nitrite (mg/L as N)	0.18	0.05	38656-023	12/08/93	535	353.2/1
pH (units)	7.40		38656-029	12/07/93	258	150.1/1

Field Identification: APT21

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Nitrate + Nitrite (mg/L as N)	0.41	0.05	38656-022	12/08/93	535	353.2/1
pH (units)	7.49		38656-028	12/07/93	258	150.1/1

References: 1) 40 CFR Part 136, Friday, October 26, 1984

500005

Field Identification: OMW28

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	5	1	38635-008	12/06/93	815	415.1/1
pH (units)	11.40		38635-019	12/04/93	256	150.1/1
Chloride (mg/L)	10	1	38635-025	12/06/93	560	325.1/1
Sulfate (mg/L)	130	10	38635-025	12/13/93	553	300.0/1
Specific Conductance (umhos/cm)	560		38635-025	12/07/93	182	120.1/1
Nitrate + Nitrite (mg/L as N)	0.83	0.05	38635-030	12/08/93	535	353.2/1

Field Identification: OMW29

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	4	1	38635-009	12/06/93	815	415.1/1
pH (units)	7.32		38635-020	12/04/93	256	150.1/1
Chloride (mg/L)	10	1	38635-026	12/06/93	560	325.1/1
Sulfate (mg/L)	160	10	38635-026	12/13/93	553	300.0/1
Specific Conductance (umhos/cm)	870		38635-026	12/07/93	182	120.1/1
Nitrate + Nitrite (mg/L as N)	1.4	0.05	38635-031	12/08/93	535	353.2/1

References: 1) 40 CFR Part 136, Friday, October 26, 1984

500002

Page 5

December 17, 1993
 PACE Project Number: 131207502

Client Reference: N31204502/N31206503

PACE Sample Number: 97 0116192
 Date Collected: 12/05/93
 Date Received: 12/10/93
 Client Sample ID: 38656-5
 Parameter Units MDL METHOD DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen mg/L 0.02 0.02 SW846 9020 12/14/93

PACE Sample Number: 97 0116206
 Date Collected: 12/05/93
 Date Received: 12/10/93
 Client Sample ID: 38656-6
 Parameter Units MDL METHOD DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen mg/L 0.02 0.06 SW846 9020 12/14/93

PACE Sample Number: 97 0116214
 Date Collected: 12/05/93
 Date Received: 12/10/93
 Client Sample ID: 38656-7
 Parameter Units MDL METHOD DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen mg/L 0.02 ND SW846 9020 12/14/93



REPORT OF LABORATORY ANALYSIS

Page 4

December 17, 1993
 PACE Project Number: 131207502

Client Reference: N31204502/N31206503

PACE Sample Number: 97 0114378
 Date Collected: 12/04/93
 Date Received: 12/07/93
 Client Sample ID: 38642-3

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
------------------	--------------	------------	---------------	----------------------

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen	mg/L	0.02	ND	SW846 9020 12/13/93
-----------------------	------	------	----	---------------------

PACE Sample Number: 97 0116176
 Date Collected: 12/05/93
 Date Received: 12/10/93
 Client Sample ID: 38656-3

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
------------------	--------------	------------	---------------	----------------------

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen	mg/L	0.02	0.05	SW846 9020 12/13/93
-----------------------	------	------	------	---------------------

PACE Sample Number: 97 0116184
 Date Collected: 12/05/93
 Date Received: 12/10/93
 Client Sample ID: 38656-4

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
------------------	--------------	------------	---------------	----------------------

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen	mg/L	0.02	ND	SW846 9020 12/14/93
-----------------------	------	------	----	---------------------



REPORT OF LABORATORY ANALYSIS

Page 2

December 17, 1993
PACE Project Number: 131207502

Client Reference: N31204502/N31206503

PACE Sample Number: 97 0114319
Date Collected: 12/02/93
Date Received: 12/07/93
Client Sample ID: 38635-15

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u> </u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
------------------	--------------	------------	-----------------------------	---------------	----------------------

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen	mg/L	0.02	0.02	SW846 9020	12/13/93
-----------------------	------	------	------	------------	----------

PACE Sample Number: 97 0114327
Date Collected: 12/03/93
Date Received: 12/07/93
Client Sample ID: 38635-16

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u> </u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
------------------	--------------	------------	-----------------------------	---------------	----------------------

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen	mg/L	0.02	ND	SW846 9020	12/13/93
-----------------------	------	------	----	------------	----------

PACE Sample Number: 97 0114335
Date Collected: 12/03/93
Date Received: 12/07/93
Client Sample ID: 38635-17

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u> </u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
------------------	--------------	------------	-----------------------------	---------------	----------------------

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen	mg/L	0.02	ND	SW846 9020	12/13/93
-----------------------	------	------	----	------------	----------

Page 6

December 17, 1993
PACE Project Number: 131207502

Client Reference: N31204502/N31206503

PACE Sample Number:			97 0116222		
Date Collected:			12/06/93		
Date Received:			12/10/93		
Client Sample ID:			38668-1		
<u>Parameter</u>	<u>Units</u>	<u>MDL</u>		<u>METHOD</u>	<u>DATE ANALYZED</u>

INORGANIC ANALYSIS

<u>INDIVIDUAL PARAMETERS</u>					
Total Organic Halogen	mg/L	0.02	0.02	SW846 9020	12/14/93

PACE Sample Number:			97 0116230		
Date Collected:			12/06/93		
Date Received:			12/10/93		
Client Sample ID:			38668-2		
<u>Parameter</u>	<u>Units</u>	<u>MDL</u>		<u>METHOD</u>	<u>DATE ANALYZED</u>

INORGANIC ANALYSIS

<u>INDIVIDUAL PARAMETERS</u>					
Total Organic Halogen	mg/L	0.02	ND	SW846 9020	12/14/93

PACE Sample Number:			97 0116249		
Date Collected:			12/06/93		
Date Received:			12/10/93		
Client Sample ID:			38668-3		
<u>Parameter</u>	<u>Units</u>	<u>MDL</u>		<u>METHOD</u>	<u>DATE ANALYZED</u>

INORGANIC ANALYSIS

<u>INDIVIDUAL PARAMETERS</u>					
Total Organic Halogen	mg/L	0.02	0.04	SW846 9020	12/14/93

Page 7

December 17, 1993
 PACE Project Number: 131207502

Client Reference: N31204502/N31206503

PACE Sample Number: 97 0116257
 Date Collected: 12/06/93
 Date Received: 12/10/93
 Client Sample ID: 38668-4

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
<u>INORGANIC ANALYSIS</u>				
INDIVIDUAL PARAMETERS				
Total Organic Halogen	mg/L	0.02	0.04	SW846 9020 12/14/93

PACE Sample Number: 97 0116265
 Date Collected: 12/06/93
 Date Received: 12/10/93
 Client Sample ID: 38668-5

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
<u>INORGANIC ANALYSIS</u>				
INDIVIDUAL PARAMETERS				
Total Organic Halogen	mg/L	0.02	ND	SW846 9020 12/14/93

These data have been reviewed and are approved for release.

Frances P. McConahy
 Frances P. McConahy
 Project Manager

QUALITY CONTROL

Total Organic Carbon

Method: 415.1 EPA-600/4-84-017

QC Batch: 815 For: 38635

Matrix: WATER

METHOD BLANK: Result
mg/L

< 1.00

LABORATORY CONTROL SAMPLES:		Accuracy	Precision
	True Value mg/L	Observed Value mg/L	Recovery %
			Relative Percent Difference %
LCS1	5.0	4.650	93.0
LCS2	5.0	5.010	100.2

FIELD SAMPLE:

Precision		Relative Percent Difference		
Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	%
38638-17	< 1.00	< 1.00	NC	NC

FIELD SAMPLE:

Accuracy		Recovery		
Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	%
38638-17 MS	< 1.00	5	6.64	114.4
38638-17 MSD	< 1.00	5	6.84	118.4
				RPD= 3.436

NC = Not calculable due to result below detection limit.

QUALITY CONTROL

Total Organic Carbon

Method: 415.1 EPA-600/4-84-017

QC Batch: 821

Matrix: WATER

METHOD BLANK:

Result

mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

Accuracy

Precision

	True Value mg/L	Observed Value mg/L	Recovery %	Relative Percent Difference %
LCS1	5.0	4.800	96.0	0.8
LCS2	5.0	4.840	96.8	

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
38668-6	2.99	2.51	2.75	17.5

FIELD SAMPLE:

Accuracy

Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
38668-6 MS	2.99	5	7.10	82.2
38668-6 MSD	2.99	5	7.45	89.2

RPD= 8.168

500017

QUALITY CONTROL

Chloride

Method: 325.1 EPA-600/4-84-017

QC Batch: 560 For: 38635

Matrix: WATER

METHOD BLANK: Result
mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

	True Value mg/L	Observed Value mg/L	Accuracy Recovery %	Precision Relative Percent Difference %
	-----	-----	-----	-----
LCS1	200.0	197.994	99.0	0.5
LCS2	200.0	198.948	99.5	

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
-----	-----	-----	-----	-----
38619-26	42.10	42.48	42.29	0.9

FIELD SAMPLE:

Accuracy

Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
-----	-----	-----	-----	-----
38619-26 MS	42.10	50	95.89	107.6
38619-26 MSD	42.10	50	93.86	103.5
			RPD=	3.843

500039

QUALITY CONTROL

Chloride

Method: 325.1 EPA-600/4-84-017

QC Batch: 561

Matrix: WATER

METHOD BLANK:

Result
mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

	True Value mg/L	Observed Value mg/L	Accuracy Recovery %	Precision Relative Percent Difference %
	-----	-----	-----	-----
LCS1	200.0	197.953	99.0	0.5
LCS2	200.0	197.024	98.5	

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
-----	-----	-----	-----	-----
38668-11	26.55	26.45	26.50	0.4

FIELD SAMPLE:

Accuracy

Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
-----	-----	-----	-----	-----
38668-11 MS	26.55	50	77.42	101.7
38668-11 MSD	26.55	50	76.84	100.6
			RPD=	1.157

500040

QUALITY CONTROL

Chloride

Method: 325.1 EPA-600/4-84-017

QC Batch: 562

Matrix: WATER

METHOD BLANK:

Result
mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

	True Value mg/L	Observed Value mg/L	Accuracy Recovery %	Precision Relative Percent Difference %
	-----	-----	-----	-----
LCS1	200.0	201.844	100.9	2.2
LCS2	200.0	197.370	98.7	

FIELD SAMPLE:

Precision	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
Lab No.	-----	-----	-----	-----
38668-12	3.80	3.51	3.66	8.2

FIELD SAMPLE:

Accuracy	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
Lab No.	-----	-----	-----	-----
38668-12 MS	3.80	50	53.50	99.4
38668-12 MSD	3.80	50	54.08	100.5
			RPD=	1.152

500041

QUALITY CONTROL

Sulfate

Method: EPA-600 300.0 / SW846 9056

QC Batch: 552 For: 38635

Matrix: WATER

METHOD BLANK: Result
mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

	True Value mg/L	Observed Value mg/L	Accuracy Recovery %	Precision Relative Percent Difference %
	-----	-----	-----	-----
LCS1	50.0	47.100	94.2	0.6
LCS2	50.0	46.800	93.6	

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
-----	-----	-----	-----	-----
38619-26	40.90	42.10	41.50	2.9

FIELD SAMPLE:

Accuracy

Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
-----	-----	-----	-----	-----
38619-26 MS SNR	40.90	10	50.60	97.0
38619-26 MSD SNR	40.90	10	50.00	91.0
			RPD=	6.383

SNR=Spike not required. Sample greater than four times spike level.

500055

QUALITY CONTROL

Sulfate

Method: EPA-600 300.0 / SW846 9056

QC Batch: 553 For: 38642

Matrix: WATER

METHOD BLANK:

Result
mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

	True Value mg/L	Observed Value mg/L	Accuracy	Precision
			Recovery %	Relative Percent Difference %
LCS1	50.0	51.800	103.6	3.1
LCS2	50.0	50.200	100.4	

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
38619-26	40.90	42.10	41.50	2.9

FIELD SAMPLE:

Accuracy

Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
38619-26 MS SNR	40.90	10	50.60	97.0
38619-26 MSD SNR	40.90	10	50.00	91.0
			RPD=	6.383

SNR=Spike not required. Sample greater than four times spike level.

500056

QUALITY CONTROL

Sulfate

Method: EPA-600 300.0 / SW846 9056

QC Batch: 554

Matrix: WATER

METHOD BLANK:

Result

mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

Accuracy

Precision

	True Value mg/L	Observed Value mg/L	Recovery %	Relative Percent Difference %
	-----	-----	-----	-----
LCS1	50.0	51.100	102.2	1.0
LCS2	50.0	50.600	101.2	

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
-----	-----	-----	-----	-----
38668-11	247.00	247.00	247.00	0.0

FIELD SAMPLE:

Accuracy

Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
-----	-----	-----	-----	-----
38668-11 MS	247.00	100	336.00	89.0
38668-11 MSD	247.00	100	338.00	91.0
			RPD=	2.222

NC = Not calculable due to result below detection limit.

500057

QUALITY CONTROL
 Specific Conductance
 Method: 120.1 EPA-600/4-84-017

QC Batch: 182 For: 38635
 Matrix: WATER

METHOD BLANK: Result
 mg/L

 1.18

	True Value mg/L	Observed Value mg/L	Accuracy	Precision
			Recovery %	Relative Percent Difference %
LCS1	141.3	144.7	102.4	1.7
LCS2	141.3	147.2	104.2	

FIELD SAMPLE:

Lab No.	Precision		Average mg/L	Relative Percent Difference
	Replicate 1 mg/L	Replicate 2 mg/L		%
38619-26	583.00	575.00	579.00	1.4

500098

QUALITY CONTROL

Specific Conductance

Method: 120.1 EPA-600/4-84-017

QC Batch: 183

Matrix: WATER

METHOD BLANK:

Result
mg/L

1.59

LABORATORY CONTROL SAMPLES:

Accuracy

Precision

	True Value mg/L	Observed Value mg/L	Recovery %	Relative Percent Difference %
	-----	-----	-----	-----
LCS1	141.3	145.400	102.9	0.1
LCS2	141.3	145.600	103.0	

FIELD SAMPLE:

Precision

	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
	-----	-----	-----	-----
Lab No. -----				
38668-11	1025.00	1027.00	1026.00	0.2

500099

QUALITY CONTROL

Nitrate plus Nitrite Nitrogen (combined)

Method: 353.2 EPA-600/4-84-017

QC Batch: 535

Matrix: WATER

METHOD BLANK: Result
mg/L

< 0.05

LABORATORY CONTROL SAMPLES:

Accuracy

Precision

	True Value mg/L	Observed Value mg/L	Recovery %	Relative Percent Difference %
	-----	-----	-----	-----
LCS1	2.0	2.253	112.7	0.5
LCS2	2.0	2.241	112.1	

FIELD SAMPLE:

Precision

	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
Lab No.	-----	-----	-----	-----
38668-16	0.45	0.46	0.46	1.8

FIELD SAMPLE:

Accuracy

	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
Lab No.	-----	-----	-----	-----
38668-16 MS	0.45	1	1.62	117.0
38668-16 MSD	0.45	1	1.61	115.4
			RPD=	1.377

500104

QUALITY CONTROL

pH

Method: 150.1 EPA-600/4-84-017

QC Batch: 256 For: 38635

Matrix: WATER

LABORATORY CONTROL SAMPLES:

	True Value Units	Observed Value Units
	-----	-----
LCS1	7.0	7.03
LCS2	7.0	7.03

500117

QUALITY CONTROL

pH

Method: 150.1 EPA-600/4-84-017

QC Batch: 257 For: 38642

Matrix: WATER

LABORATORY CONTROL SAMPLES:

	True Value Units	Observed Value Units
	-----	-----
LCS1	7.0	7.02
LCS2	7.0	7.02

QUALITY CONTROL

pH

Method: 150.1 EPA-600/4-84-017

QC Batch: 258 For: 38656

Matrix: WATER

LABORATORY CONTROL SAMPLES:

	True Value Units	Observed Value Units
	-----	-----
LCS1	7.0	7.03
LCS2	7.0	7.02

500119

QUALITY CONTROL

pH

Method: 150.1 EPA-600/4-84-017

QC Batch: 259

Matrix: WATER

LABORATORY CONTROL SAMPLES:

	True Value Units	Observed Value Units
	-----	-----
LCS1	7.0	7.02
LCS2	7.0	7.02

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 Units	Replicate 2 Units
-----	-----	-----
38668-21	7.02	7.05

500120

Page 9

QUALITY CONTROL DATA

December 17, 1993
 PACE Project Number: 131207502

Client Reference: N31204502/N31206503

Total Organic Halogen

Batch: 97 33956

Samples: 97 0114300, 97 0114327, 97 0114343, 97 0114360, 97 0116176

METHOD BLANK AND SAMPLE DUPLICATE:

Parameter	Units	MDL	Method	970114327	of	RPD
Total Organic Halogen	mg/L	0.01	Blank	38635-16	97 0114327	NC
			ND	ND	ND	

SPIKE:

Parameter	Units	MDL	970114327	Spike	Spike
Total Organic Halogen	mg/L	0.02	38635-16	0.10	Recv 100%
			ND		

LABORATORY CONTROL SAMPLE AND CONTROL SAMPLE DUPLICATE:

Parameter	Units	MDL	Reference	Recv	Dupl	RPD
Total Organic Halogen	mg/L	0.01	Value	100%	Recv 100%	0%
			0.05			

Page 10

QUALITY CONTROL DATA

December 17, 1993
 PACE Project Number: 131207502

Client Reference: N31204502/N31206503

Total Organic Halogen

Batch: 97 33957

Samples: 97 0114297, 97 0114319, 97 0114335, 97 0114351, 97 0114378

METHOD BLANK AND SAMPLE DUPLICATE:

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u>Method</u>	<u>970114319</u>	<u>Duplicate</u>	<u>RPD</u>
Total Organic Halogen	mg/L	0.01	Blank	38635-15	of 97 0114319	NC
			ND	0.02	ND	

SPIKE:

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u>970114319</u>	<u>Spike</u>	<u>Spike</u>
Total Organic Halogen	mg/L	0.02	38635-15	0.10	Recv 90%
			0.02		

LABORATORY CONTROL SAMPLE AND CONTROL SAMPLE DUPLICATE:

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u>Reference</u>	<u>Recv</u>	<u>Dupl</u>	<u>RPD</u>
Total Organic Halogen	mg/L	0.01	Value	100%	Recv	0%
			0.05		100%	

Page 11

QUALITY CONTROL DATA

December 17, 1993
 PACE Project Number: 131207502

Client Reference: N31204502/N31206503

Total Organic Halogen

Batch: 97 33993

Samples: 97 0116184, 97 0116206, 97 0116222, 97 0116249, 97 0116265

METHOD BLANK AND SAMPLE DUPLICATE:

Parameter	Units	MDL	Method	970116222	Duplicate of	RPD
Total Organic Halogen	mg/L	0.01	Blank	38668-1	97 0116222	NC
			ND	0.02	ND	

SPIKE:

Parameter	Units	MDL	970116222	Spike	Spike Recv
Total Organic Halogen	mg/L	0.02	38668-1	0.10	100%
			0.02		

LABORATORY CONTROL SAMPLE AND CONTROL SAMPLE DUPLICATE:

Parameter	Units	MDL	Reference Value	Recv	Dupl Recv	RPD
Total Organic Halogen	mg/L	0.01	0.05	80%	80%	0%

Page 12

QUALITY CONTROL DATA

December 17, 1993
 PACE Project Number: 131207502

Client Reference: N31204502/N31206503

Total Organic Halogen
 Batch: 97 33994
 Samples: 97 0116192, 97 0116214, 97 0116230, 97 0116257

METHOD BLANK AND SAMPLE DUPLICATE:

Parameter	Units	MDL	Method	970116214	Duplicate of	RPD
Total Organic Halogen	mg/L	0.01	Blank	38656-7	97 0116214	NC
			ND	ND	ND	

SPIKE:

Parameter	Units	MDL	970116214	Spike	Spike Recv
Total Organic Halogen	mg/L	0.02	38656-7	0.10	90%
			ND		

LABORATORY CONTROL SAMPLE AND CONTROL SAMPLE DUPLICATE:

Parameter	Units	MDL	Reference Value	Recv	Dupl Recv	RPD
Total Organic Halogen	mg/L	0.01	0.05	80%	80%	0%

Page 13

FOOTNOTES
for pages 9 through 12

December 17, 1993
PACE Project Number: 131207502

Client Reference: N31204502/N31206503

MDL Method Detection Limit
NC No calculation due to value below detection limit.
ND Not detected at or above the MDL.
RPD Relative Percent Difference

Field Identification: MW18R

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	2	1	38792-002	12/20/93	828	415.1/1
Chloride (mg/L)	BDL	1	38792-003	12/21/93	568	325.1/1
Sulfate (mg/L)	3	1	38792-003	12/17/93	558	300.0/1
Specific Conductance (umhos/cm)	19		38792-003	12/21/93	187	120.1/1
Nitrate + Nitrite (mg/L as N)	BDL	0.05	38792-004	12/23/93	539	353.2/1
pH (units)	7.15		38792-005	12/16/93	264	150.1/1

References: 1) 40 CFR Part 136, Friday, October 26, 1984

500018

Field Identification: MW3

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	7	1	38698-013	12/10/93	822	415.1/1
Chloride (mg/L)	3	1	38698-025	12/10/93	562	325.1/1
Sulfate (mg/L)	160	5	38698-025	12/14/93	441	300.0/1
Specific Conductance (umhos/cm)	710		38698-025	12/10/93		184 120.1/1
Nitrate + Nitrite (mg/L as N)	BDL	0.5	38698-037	12/10/93	536	353.2/1
pH (units)	7.26		38698-049	12/09/93	260	150.1/1

Field Identification: MW9

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	5	1	38698-014	12/10/93	822	415.1/1
Chloride (mg/L)	5	1	38698-026	12/10/93	562	325.1/1
Sulfate (mg/L)	270	10	38698-026	12/14/93	441	300.0/1
Specific Conductance (umhos/cm)	900		38698-026	12/10/93		184 120.1/1
Nitrate + Nitrite (mg/L as N)	2.3	0.5	38698-038	12/10/93	536	353.2/1
pH (units)	7.23		38698-050	12/09/93	260	150.1/1

Field Identification: MW31

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	3	1	38698-015	12/10/93	822	415.1/1
Chloride (mg/L)	5	1	38698-027	12/10/93	562	325.1/1
Sulfate (mg/L)	260	10	38698-027	12/14/93	441	300.0/1
Specific Conductance (umhos/cm)	910		38698-027	12/10/93		184 120.1/1
Nitrate + Nitrite (mg/L as N)	3.4	0.5	38698-039	12/10/93	536	353.2/1
pH (units)	7.29		38698-051	12/09/93	260	150.1/1

Field Identification: MW2

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	3	1	38698-016	12/10/93	822	415.1/1
Chloride (mg/L)	3	1	38698-028	12/10/93	562	325.1/1
Sulfate (mg/L)	74	1	38698-028	12/14/93	441	300.0/1
Specific Conductance (umhos/cm)	520		38698-028	12/10/93		184 120.1/1
Nitrate + Nitrite (mg/L as N)	BDL	0.5	38698-040	12/10/93	536	353.2/1
pH (units)	7.43		38698-052	12/09/93	260	150.1/1

500013

Field Identification: OMW12

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	4	1	38698-017	12/10/93	822	415.1/1
Chloride (mg/L)	10	1	38698-029	12/10/93	562	325.1/1
Sulfate (mg/L)	100	10	38698-029	12/16/93	555	300.0/1
Specific Conductance (umhos/cm)	920		38698-029	12/10/93		184 120.1/1
Nitrate + Nitrite (mg/L as N)	1.4	0.5	38698-041	12/10/93	536	353.2/1
pH (units)	7.41		38698-053	12/09/93	260	150.1/1

Field Identification: OMW27

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	5	1	38698-018	12/10/93	822	415.1/1
Chloride (mg/L)	13	1	38698-030	12/10/93	562	325.1/1
Sulfate (mg/L)	110	10	38698-030	12/16/93	555	300.0/1
Specific Conductance (umhos/cm)	940		38698-030	12/10/93		184 120.1/1
Nitrate + Nitrite (mg/L as N)	2.1	0.5	38698-042	12/10/93	536	353.2/1
pH (units)	7.39		38698-054	12/09/93	260	150.1/1

Field Identification: OMW17

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	3	1	38698-019	12/10/93	822	415.1/1
Chloride (mg/L)	4	1	38698-031	12/10/93	562	325.1/1
Sulfate (mg/L)	86	1	38698-031	12/14/93	441	300.0/1
Specific Conductance (umhos/cm)	600		38698-031	12/10/93		184 120.1/1
Nitrate + Nitrite (mg/L as N)	BDL	0.5	38698-043	12/10/93	536	353.2/1
pH (units)	7.35		38698-055	12/09/93	260	150.1/1

Field Identification: OMW18

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	2	1	38698-020	12/10/93	822	415.1/1
Chloride (mg/L)	19	1	38698-032	12/10/93	562	325.1/1
Sulfate (mg/L)	160	10	38698-032	12/14/93	441	300.0/1
Specific Conductance (umhos/cm)	870		38698-032	12/10/93		184 120.1/1
Nitrate + Nitrite (mg/L as N)	0.5	0.5	38698-044	12/10/93	536	353.2/1
pH (units)	7.20		38698-056	12/09/93	260	150.1/1

500014

Field Identification: OMW91

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	2	1	38698-022	12/10/93	822	415.1/1
Chloride (mg/L)	19	1	38698-034	12/10/93	562	325.1/1
Sulfate (mg/L)	160	5	38698-034	12/14/93	441	300.0/1
Specific Conductance (umhos/cm)	870		38698-034	12/10/93		184 120.1/1
Nitrate + Nitrite (mg/L as N)	0.5	0.5	38698-046	12/10/93	536	353.2/1
pH (units)	7.24		38698-058	12/09/93	260	150.1/1

Field Identification: OMW6

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	4	1	38698-023	12/10/93	822	415.1/1
Chloride (mg/L)	3	1	38698-035	12/10/93	562	325.1/1
Sulfate (mg/L)	110	1	38698-035	12/14/93	441	300.0/1
Specific Conductance (umhos/cm)	600		38698-035	12/10/93		184 120.1/1
Nitrate + Nitrite (mg/L as N)	BDL	0.5	38698-047	12/10/93	536	353.2/1
pH (units)	7.53		38698-059	12/09/93	260	150.1/1

Field Identification: OMW24

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	3	1	38698-024	12/10/93	822	415.1/1
Chloride (mg/L)	33	1	38698-036	12/10/93	562	325.1/1
Sulfate (mg/L)	190	10	38698-036	12/14/93	441	300.0/1
Specific Conductance (umhos/cm)	1200		38698-036	12/10/93		184 120.1/1
Nitrate + Nitrite (mg/L as N)	13	5	38698-048	12/16/93	536	353.2/1
pH (units)	7.22		38698-060	12/09/93	260	150.1/1

References: 1) 40 CFR Part 136, Friday, October 26, 1984

500015

PACE Interregional-New England
P.O. Box 2130
One Lafayette Road
Hampton, NH 03842

January 05, 1994
PACE Project Number: 131222506

Attn: Ms. Gretchen Franzheim

Client Reference: Seneca Army Depot Quarterly SEN13

PACE Sample Number:

Date Collected:

Date Received:

Client Sample ID:

Parameter

Units

MDL

METHOD DATE ANALYZED

97 0120041

12/16/93

12/21/93

38792-1

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen


mg/L

0.02

0.02

SW846 9020 12/30/93

These data have been reviewed and are approved for release.



Frances P. McConahy
Project Manager

500016

Page 2 FOOTNOTES
for page 1
Client Reference: Seneca Army Depot Quarterly SEN13

January 05, 1994
PACE Project Number: 131222506

MDL Method Detection Limit

500017



REPORT OF LABORATORY ANALYSIS

PACE Interregional-New England
P.O. Box 2130
One Lafayette Road
Hampton, NH 03842

December 22, 1993
PACE Project Number: 131210509
WPPLAB5357

Attn: Gretchen Franzheim:

Client Reference: N31209.510 SEN13

PACE Sample Number:
Date Collected:
Date Received:

3

97 0116273
12/08/93
12/10/93
38698-1

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u>MDL</u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
<u>INORGANIC ANALYSIS</u>					
<u>INDIVIDUAL PARAMETERS</u>					
Total Organic Halogen	mg/L	0.02	0.02	SW846 9020	12/15/93

Page 2

December 22, 1993
 PACE Project Number: 131210509

Client Reference: N31209.510 SEN13

PACE Sample Number: 97 0116281
 Date Collected: 12/08/93
 Date Received: 12/10/93
 Client Sample ID: 38698-2

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u> </u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
------------------	--------------	------------	-----------------------------	---------------	----------------------

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen	mg/L	0.02	0.02	SW846 9020	12/15/93
-----------------------	------	------	------	------------	----------

Page 3

December 22, 1993
PACE Project Number: 131210509

Client Reference: N31209.510 SEN13

PACE Sample Number:

31
97 0116290

Date Collected:

12/08/93

Date Received:

12/10/93

Client Sample ID:

38698-3

Parameter

Units

MDL

METHOD

DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen

mg/L

0.02

ND

SW846 9020

12/15/93

Page 4

December 22, 1993
 PACE Project Number: 131210509

Client Reference: N31209.510 SEN13

PACE Sample Number: 97 0116303
 Date Collected: 12/08/93
 Date Received: 12/10/93
 Client Sample ID: 38698-4

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u> </u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
<u>INORGANIC ANALYSIS</u>					
INDIVIDUAL PARAMETERS					
Total Organic Halogen	mg/L	0.02	ND	SW846 9020	12/15/93



REPORT OF LABORATORY ANALYSIS

Page 5

December 22, 1993
PACE Project Number: 131210509

Client Reference: N31209.510 SEN13

PACE Sample Number:	97 0116311
Date Collected:	12/07/93
Date Received:	12/10/93
Client Sample ID:	38698-5

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
------------------	--------------	------------	---------------	----------------------

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen	mg/L	0.02	ND	SW846 9020	12/15/93
-----------------------	------	------	----	------------	----------

Page 6

December 22, 1993
 PACE Project Number: 131210509

Client Reference: N31209.510 SEN13

PACE Sample Number: 97 0116320
 Date Collected: 12/07/93
 Date Received: 12/10/93
 Client Sample ID: 38698-6

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u>_____</u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
------------------	--------------	------------	--------------	---------------	----------------------

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen	mg/L	0.02	ND	SW846 9020	12/15/93
-----------------------	------	------	----	------------	----------

Page 7

December 22, 1993
 PACE Project Number: 131210509

Client Reference: N31209.510 SEN13

PACE Sample Number: 97 0116338
 Date Collected: 12/07/93
 Date Received: 12/10/93
 Client Sample ID: 38698-7

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
------------------	--------------	------------	---------------	----------------------

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS
 Total Organic Halogen

mg/L	0.02	ND	SW846 9020	12/15/93
------	------	----	------------	----------

Page 8

December 22, 1993
 PACE Project Number: 131210509

Client Reference: N31209.510 SEN13

PACE Sample Number: 97 0116346
 Date Collected: 12/07/93
 Date Received: 12/10/93
 Client Sample ID: 38698-8

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>		<u>METHOD</u>	<u>DATE ANALYZED</u>
------------------	--------------	------------	--	---------------	----------------------

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen	mg/L	0.02	ND	SW846 9020	12/15/93
-----------------------	------	------	----	------------	----------

Page 9

December 22, 1993
 PACE Project Number: 131210509

Client Reference: N31209.510 SEN13

PACE Sample Number: 97 0116362
 Date Collected: 12/07/93
 Date Received: 12/10/93
 Client Sample ID: 38698-10

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u> </u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
------------------	--------------	------------	-----------------------------	---------------	----------------------

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen	mg/L	0.02	ND	SW846 9020	12/15/93
-----------------------	------	------	----	------------	----------

Page 10

December 22, 1993
 PACE Project Number: 131210509

Client Reference: N31209.510 SEN13

PACE Sample Number: 97 0116370
 Date Collected: 12/07/93
 Date Received: 12/10/93
 Client Sample ID: 38698-11

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
<u>INORGANIC ANALYSIS</u>				
<u>INDIVIDUAL PARAMETERS</u>				
Total Organic Halogen	mg/L	0.02	0.03	SW846 9020 12/16/93

500010

Page 11

December 22, 1993
PACE Project Number: 131210509

Client Reference: N31209.510 SEN13

PACE Sample Number: 97 0116389
Date Collected: 12/07/93
Date Received: 12/10/93
Client Sample ID: 38698-12

<u>Parameter</u>	<u>Units</u>	<u>MDL</u>	<u> </u>	<u>METHOD</u>	<u>DATE ANALYZED</u>
------------------	--------------	------------	-----------------------------	---------------	----------------------

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen	mg/L	0.02	0.03	SW846 9020	12/16/93
-----------------------	------	------	------	------------	----------

These data have been reviewed and are approved for release.

Frances P. McConahy

Frances P. McConahy
Project Manager

500011

Page 12

FOOTNOTES
for pages 1 through 11

December 22, 1993
PACE Project Number: 131210509

Client Reference: N31209.510 SEN13

MDL Method Detection Limit
ND Not detected at or above the MDL.

500012

QUALITY CONTROL

Total Organic Carbon

Method: 415.1 EPA-600/4-84-017

QC Batch: 822 For: 38698

Matrix: WATER

METHOD BLANK: Result
mg/L

< 1.00

LABORATORY CONTROL SAMPLES:		Accuracy	Precision
	True Value mg/L	Observed Value mg/L	Recovery % Relative Percent Difference %
	-----	-----	-----
LCS1	5.0	4.810	96.2 1.2
LCS2	5.0	4.870	97.4

FIELD SAMPLE:

Precision		Relative Percent Difference %		
Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Difference %
-----	-----	-----	-----	-----
38662-32	5.68	5.19	5.44	9.0

FIELD SAMPLE:

Accuracy		Recovery %		
Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
-----	-----	-----	-----	-----
38662-32 MS	5.68	5	10.85	103.4
38662-32 MSD	5.68	5	10.96	105.6
			RPD=	2.105

500025

QUALITY CONTROL

Total Organic Carbon

Method: 415.1 EPA-600/4-84-017

QC Batch: 828 For: 38792

Matrix: WATER

METHOD BLANK:	Result mg/L

	< 1.00

LABORATORY CONTROL SAMPLES:		Accuracy	Precision	
True Value mg/L	Observed Value mg/L	Recovery %	Relative Percent Difference %	
-----	-----	-----	-----	
LCS1	5.0	4.830	96.6	1.8
LCS2	5.0	4.920	98.4	

FIELD SAMPLE:

Precision		Relative Percent Difference		
Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	%
-----	-----	-----	-----	-----
38807-78	1.50	1.24	1.37	19.0

Accuracy		Recovery		
Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	%
-----	-----	-----	-----	-----
38807-78	1.50	5	7.10	112.0

QUALITY CONTROL

Chloride

Method: 325.1 EPA-600/4-84-017

QC Batch: 562 For: 38698

Matrix: WATER

METHOD BLANK:

Result
mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

Accuracy

Precision

	True Value mg/L	Observed Value mg/L	Recovery %	Relative Percent Difference %
LCS1	200.0	201.844	100.9	2.2
LCS2	200.0	197.370	98.7	

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
38668-12	3.80	3.51	3.66	8.2

FIELD SAMPLE:

Accuracy

Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
38668-12 MS	3.80	50	53.50	99.4
38668-12 MSD	3.80	50	54.08	100.5

RPD= 1.152

500046

QUALITY CONTROL

Chloride

Method: 325.1 EPA-600/4-84-017

QC Batch: 568 For: 38792

Matrix: WATER

METHOD BLANK:

Result
mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

	True Value mg/L	Observed Value mg/L	Accuracy Recovery %	Precision Relative Percent Difference %
	-----	-----	-----	-----
LCS1	200.0	196.195	98.1	0.0
LCS2	200.0	196.145	98.1	

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
-----	-----	-----	-----	-----
38769-10	15.85	16.06	15.96	1.3

FIELD SAMPLE:

Accuracy

Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
-----	-----	-----	-----	-----
38769-10 MS	15.85	50	63.99	96.3
38769-10 MSD	15.85	50	67.44	103.2
			RPD=	6.909

500047

QUALITY CONTROL

Sulfate

Method: EPA-600 300.0 / SW846 9056

QC Batch: 554 For: 38698

Matrix: WATER

METHOD BLANK:

Result
mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

	True Value mg/L	Observed Value mg/L	Accuracy Recovery %	Precision Relative Percent Difference %
	-----	-----	-----	-----
LCS1	50.0	51.100	102.2	1.0
LCS2	50.0	50.600	101.2	

FIELD SAMPLE:

Precision	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
Lab No.	-----	-----	-----	-----
38668-11	247.00	247.00	247.00	0.0

FIELD SAMPLE:

Accuracy	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
Lab No.	-----	-----	-----	-----
38668-11 MS	247.00	100	336.00	89.0
38668-11 MSD	247.00	100	338.00	91.0
			RPD=	2.222

NC = Not calculable due to result below detection limit.

QUALITY CONTROL

Sulfate

Method: EPA-600 300.0 / SW846 9056

QC Batch: 555 For: 38698

Matrix: WATER

METHOD BLANK:

Result
mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

	True Value mg/L	Observed Value mg/L	Accuracy	Precision
			Recovery %	Relative Percent Difference %
LCS1	50.0	47.300	94.6	0.4
LCS2	50.0	47.500	95.0	

FIELD SAMPLE:

Precision Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference
				%
38711-1	3739.06	3510.34	3624.70	6.3

Accuracy Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
38711-1	3739.06	1000	4823.99	108.5

500062

QUALITY CONTROL

Sulfate

Method: EPA-600 300.0 / SW846 9056

QC Batch: 558 For: 38792

Matrix: WATER

METHOD BLANK: Result
mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

	True Value mg/L	Observed Value mg/L	Accuracy Recovery %	Precision Relative Percent Difference %
	-----	-----	-----	-----
LCS1	50.0	48.200	96.4	0.4
LCS2	50.0	48.400	96.8	

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
-----	-----	-----	-----	-----
38769-10	925.00	928.00	926.50	0.3

FIELD SAMPLE:

Accuracy

Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
-----	-----	-----	-----	-----
38769-10 MS SNR	925.00	100	1040.00	115.0
38769-10 MSD SNR	925.00	100	1040.00	115.0
			RPD=	0.000

SNR=Spike not required. Sample greater than four times spike level.

500063

QUALITY CONTROL
 Specific Conductance
 Method: 120.1 EPA-600/4-84-017

QC Batch: 184
 Matrix: WATER

METHOD BLANK:	Result mg/L -----
	0.64

LABORATORY CONTROL SAMPLES:	True Value mg/L -----	Observed Value mg/L -----	Accuracy Recovery % -----	Precision Relative Percent Difference % -----
LCS1	141.3	144.9	102.5	0.5
LCS2	141.3	145.6	103.0	

FIELD SAMPLE:

Precision	Replicate 1 mg/L -----	Replicate 2 mg/L -----	Average mg/L -----	Relative Percent Difference % -----
Lab No. -----				
38698-36	1153.00	1155.00	1154.00	0.2

500087

QUALITY CONTROL
 Specific Conductance
 Method: 120.1 EPA-600/4-84-017

QC Batch: 187
 Matrix: WATER

METHOD BLANK:	Result mg/L

	0.90

LABORATORY CONTROL SAMPLES:	True Value mg/L	Observed Value mg/L	Accuracy	Precision
			Recovery %	Relative Percent Difference %
LCS1	141.3	146.700	103.8	1.4
LCS2	141.3	148.700	105.2	

FIELD SAMPLE:

Precision	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference
				%
Lab No.				
-----	-----	-----	-----	-----
38792-3	19.30	19.20	19.25	0.5

QUALITY CONTROL

Nitrate plus Nitrite Nitrogen (combined)

Method: 353.2 EPA-600/4-84-017

QC Batch: 536

Matrix: WATER

METHOD BLANK:

Result
mg/L

< 0.05

LABORATORY CONTROL SAMPLES:

	True Value mg/L	Observed Value mg/L	Accuracy Recovery %	Precision Relative Percent Difference %
	-----	-----	-----	-----
LCS1	2.0	1.919	96.0	0.5
LCS2	2.0	1.928	96.4	

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
-----	-----	-----	-----	-----
38698-37	0.10	0.10	0.10	3.1

FIELD SAMPLE:

Accuracy

Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
-----	-----	-----	-----	-----
38698-37 MS	0.10	1	1.10	99.9
38698-37 MSD	0.10	1	1.07	97.5
			RPD=	2.432

QUALITY CONTROL

Nitrate plus Nitrite Nitrogen (combined)

Method: 353.2 EPA-600/4-84-017

QC Batch: 539

Matrix: WATER

METHOD BLANK:

Result
mg/L

< 0.05

LABORATORY CONTROL SAMPLES:

	True Value mg/L	Observed Value mg/L	Accuracy	Precision
			Recovery %	Relative Percent Difference %
LCS1	2.0	1.954	97.7	0.3
LCS2	2.0	1.960	98.0	

FIELD SAMPLE:

Lab No.	Precision		Average mg/L	Relative Percent Difference
	Replicate 1 mg/L	Replicate 2 mg/L		%
38792-4	< 0.05	< 0.05	NC	NC

FIELD SAMPLE:

Lab No.	Accuracy		Spike Found mg/L	Recovery
	Replicate 1 mg/L	Spike Added mg/L		%
38792-4 MS	< 0.05	1	0.93	92.9
38792-4 MSD	< 0.05	1	0.90	89.6
				RPD= 3.616

NC = Not calculable due to result below detection limit.

500094

QUALITY CONTROL

pH

Method: 150.1 EPA-600/4-84-017

QC Batch: 260 For: 38698

Matrix: WATER

LABORATORY CONTROL SAMPLES:

	True Value Units	Observed Value Units
	-----	-----
LCS1	7.0	7.04
LCS2	7.0	7.04

QUALITY CONTROL

pH

Method: 150.1 EPA-600/4-84-017

QC Batch: 264 For: 38792

Matrix: WATER

LABORATORY CONTROL SAMPLES:

	True Value Units	Observed Value Units
	-----	-----
LCS1	7.0	7.01
LCS2	7.0	7.03

Page 13

QUALITY CONTROL DATA

December 22, 1993
 PACE Project Number: 131210509

Client Reference: N31209.510 SEN13

Total Organic Halogen
 Batch: 97 34012
 Samples: 97 0116273, 97 0116290, 97 0116311, 97 0116338

METHOD BLANK AND SAMPLE DUPLICATE:

Parameter	Units	MDL	Method	970116273	Duplicate of	RPD
Total Organic Halogen	mg/L	0.01	Blank	38698-1	97 0116273	0%
			ND	0.02	0.02	

SPIKE:

Parameter	Units	MDL	970116273	Spike	Spike Recv
Total Organic Halogen	mg/L	0.02	38698-1	0.10	90%

LABORATORY CONTROL SAMPLE AND CONTROL SAMPLE DUPLICATE:

Parameter	Units	MDL	Reference Value	Recv	Dupl Recv	RPD
Total Organic Halogen	mg/L	0.01	0.05	100%	120%	18%

500019

Page 14

QUALITY CONTROL DATA

December 22, 1993
 PACE Project Number: 131210509

Client Reference: N31209.510 SEN13

Total Organic Halogen

Batch: 97 34013

Samples: 97 0116281, 97 0116303, 97 0116320, 97 0116346, 97 0116362

METHOD BLANK AND SAMPLE DUPLICATE:

Parameter	Units	MDL	Method	970116281	Duplicate of	RPD
Total Organic Halogen	mg/L	0.01	Blank	38698-2	97 0116281	0%
			ND	0.02	0.02	

SPIKE:

Parameter	Units	MDL	970116281	Spike	Spike Recv
Total Organic Halogen	mg/L	0.02	38698-2	0.10	110%
			0.02		

LABORATORY CONTROL SAMPLE AND CONTROL SAMPLE DUPLICATE:

Parameter	Units	MDL	Reference Value	Recv	Dupl Recv	RPD
Total Organic Halogen	mg/L	0.01	0.05	100%	120%	18%

500020

QUALITY CONTROL DATA

December 22, 1993
 PACE Project Number: 131210509

Page 15

Client Reference: N31209.510 SEN13

Total Organic Halogen
 Batch: 97 34050
 Samples: 97 0116370, 97 0116389

METHOD BLANK AND SAMPLE DUPLICATE:

Parameter	Units	MDL	Method	970116370	Duplicate of	RPD
Total Organic Halogen	mg/L	0.01	Blank	38698-11	97 0116370	0%
			ND	0.03	0.03	

SPIKE:

Parameter	Units	MDL	970116370	Spike	Spike Recv
Total Organic Halogen	mg/L	0.02	38698-11	0.10	100%
			0.03		

LABORATORY CONTROL SAMPLE AND CONTROL SAMPLE DUPLICATE:

Parameter	Units	MDL	Reference Value	Recv	Dupl Recv	RPD
Total Organic Halogen	mg/L	0.01	0.05	80%	80%	0%

500021

Page 16

FOOTNOTES
for pages 13 through 15

December 22, 1993
PACE Project Number: 131210509

Client Reference: N31209.510 SEN13

MDL Method Detection Limit
ND Not detected at or above the MDL.
RPD Relative Percent Difference

500022

QUALITY CONTROL DATA

January 05, 1994
 PACE Project Number: 131222506

Page 3

Client Reference: Seneca Army Depot Quarterly SEN13

Total Organic Halogen
 Batch: 97 34358
 Samples: 97 0120041

METHOD BLANK AND SAMPLE DUPLICATE:

Parameter	Units	MDL	Method Blank	970120009	Duplicate of 97 0120009	RPD
Total Organic Halogen	mg/L	0.01	ND	0.05	0.05	0%

SPIKE:

Parameter	Units	MDL	970120009	Spike	Spike Recv
Total Organic Halogen	mg/L	0.02	0.05	0.10	100%

LABORATORY CONTROL SAMPLE AND CONTROL SAMPLE DUPLICATE:

Parameter	Units	MDL	Reference Value	Recv	Dupl Recv	RPD
Total Organic Halogen	mg/L	0.01	0.05	100%	100%	0%

500023

Page 4

FOOTNOTES
for page 3

January 05, 1994
PACE Project Number: 131222506

Client Reference: Seneca Army Depot Quarterly SEN13

MDL Method Detection Limit
ND Not detected at or above the MDL.
RPD Relative Percent Difference

500024

Field Identification: MW5

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	1	1	38769-005	12/17/93	827	415.1/1
Chloride (mg/L)	3	1	38769-009	12/21/93	568	325.1/1
Sulfate (mg/L)	27	1	38769-009	12/17/93	558	300.0/1
Specific Conductance (umhos/cm)	770		38769-009	12/16/93	186	120.1/1
Nitrate + Nitrite (mg/L as N)	6.3	0.3	38769-013	12/16/93	537	353.2/1
pH (units)	7.33		38769-017	12/15/93	263	150.1/1

Field Identification: MW8

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	1	1	38769-006	12/17/93	827	415.1/1
Chloride (mg/L)	16	1	38769-010	12/21/93	568	325.1/1
Sulfate (mg/L)	93	1	38769-010	12/17/93	558	300.0/1
Specific Conductance (umhos/cm)	1800		38769-010	12/16/93	186	120.1/1
Nitrate + Nitrite (mg/L as N)	1.1	0.05	38769-014	12/16/93	537	353.2/1
pH (units)	7.13		38769-018	12/15/93	263	150.1/1

Field Identification: MW10

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	2	1	38769-007	12/17/93	827	415.1/1
Chloride (mg/L)	5	1	38769-011	12/21/93	568	325.1/1
Sulfate (mg/L)	140	10	38769-011	12/21/93	560	300.0/1
Specific Conductance (umhos/cm)	650		38769-011	12/16/93	186	120.1/1
Nitrate + Nitrite (mg/L as N)	0.10	0.05	38769-015	12/16/93	537	353.2/1
pH (units)	7.34		38769-019	12/15/93	263	150.1/1

Field Identification: MW21

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	1	1	38769-008	12/17/93	827	415.1/1
Chloride (mg/L)	2	1	38769-012	12/21/93	568	325.1/1
Sulfate (mg/L)	93	1	38769-012	12/16/93	556	300.0/1
Specific Conductance (umhos/cm)	1800		38769-012	12/16/93	186	120.1/1
Nitrate + Nitrite (mg/L as N)	0.53	0.05	38769-016	12/16/93	537	353.2/1
pH (units)	7.50		38769-020	12/15/93	263	150.1/1

References: 1) 40 CFR Part 136, Friday, October 26, 1984

500008



Field Identification: MW4

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
pH (units)	7.18		38793-001	12/16/93	264	150.1/1
Total Organic Carbon (mg/L)	4	1	38793-007	12/20/93	829	415.1/1
Chloride (mg/L)	3	1	38793-019	12/21/93	568	325.1/1
Sulfate (mg/L)	200	10	38793-019	12/21/93	560	300.0/1
Specific Conductance (umhos/cm)	830		38793-019	12/21/93	187	120.1/1
Nitrate + Nitrite (mg/L as N)	0.17	0.05	38793-025	12/23/93	539	353.2/1

Field Identification: MW11

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
pH (units)	7.03		38793-002	12/16/93	264	150.1/1
Total Organic Carbon (mg/L)	3	1	38793-008	12/20/93	829	415.1/1
Chloride (mg/L)	30	1	38793-020	12/21/93	568	325.1/1
Sulfate (mg/L)	250	10	38793-020	12/21/93	560	300.0/1
Specific Conductance (umhos/cm)	1100		38793-020	12/21/93	187	120.1/1
Nitrate + Nitrite (mg/L as N)	0.42	0.05	38793-026	12/23/93	539	353.2/1

Field Identification: MW93

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
pH (units)	7.05		38793-003	12/16/93	264	150.1/1
Total Organic Carbon (mg/L)	4	1	38793-009	12/20/93	829	415.1/1
Chloride (mg/L)	29	1	38793-021	12/21/93	568	325.1/1
Sulfate (mg/L)	250	10	38793-021	12/21/93	560	300.0/1
Specific Conductance (umhos/cm)	1000		38793-021	12/21/93	187	120.1/1
Nitrate + Nitrite (mg/L as N)	0.43	0.05	38793-027	12/23/93	539	353.2/1

Field Identification: MW11R

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
pH (units)	7.39		38793-004	12/16/93	264	150.1/1
Total Organic Carbon (mg/L)	BDL	1	38793-010	12/20/93	829	415.1/1
Chloride (mg/L)	BDL	1	38793-022	12/21/93	568	325.1/1
Sulfate (mg/L)	3	1	38793-022	12/17/93	558	300.0/1
Specific Conductance (umhos/cm)	18		38793-022	12/21/93	187	120.1/1
Nitrate + Nitrite (mg/L as N)	BDL	0.05	38793-028	12/23/93	539	353.2/1

500009

Field Identification: MW19

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
pH (units)	7.21		38793-005	12/16/93	264	150.1/1
Total Organic Carbon (mg/L)	3	1	38793-011	12/20/93	829	415.1/1
Chloride (mg/L)	24	1	38793-023	12/21/93	568	325.1/1
Sulfate (mg/L)	600	100	38793-023	12/21/93	560	300.0/1
Specific Conductance (umhos/cm)	1500		38793-023	12/21/93	187	120.1/1
Nitrate + Nitrite (mg/L as N)	1.4	0.05	38793-029	12/23/93	539	353.2/1

Field Identification: MW32

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
pH (units)	7.28		38793-006	12/16/93	264	150.1/1
Total Organic Carbon (mg/L)	5	1	38793-012	12/20/93	829	415.1/1
Chloride (mg/L)	3	1	38793-024	12/21/93	568	325.1/1
Sulfate (mg/L)	93	1	38793-024	12/17/93	558	300.0/1
Specific Conductance (umhos/cm)	670		38793-024	12/21/93	187	120.1/1
Nitrate + Nitrite (mg/L as N)	0.07	0.05	38793-030	12/23/93	539	353.2/1

References: 1) 40 CFR Part 136, Friday, October 26, 1984

500010

Field Identification: OMW25

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	1	1	38809-001	12/20/93	829	415.1/1
Chloride (mg/L)	2	1	38809-009	12/21/93	568	325.1/1
Sulfate (mg/L)	87	1	38809-009	12/21/93	560	300.0/1
Specific Conductance (umhos/cm)	630		38809-009	12/21/93	187	120.1/1
Nitrate + Nitrite (mg/L as N)	BDL	0.05	38809-013	12/23/93	539	353.2/1
pH (units)	7.26		38809-017	12/17/93	265	150.1/1

Field Identification: OMW26

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	8	1	38809-002	12/20/93	829	415.1/1
Chloride (mg/L)	2	1	38809-010	12/21/93	568	325.1/1
Sulfate (mg/L)	42	1	38809-010	12/21/93	560	300.0/1
Specific Conductance (umhos/cm)	1900		38809-010	12/21/93	187	120.1/1
Nitrate + Nitrite (mg/L as N)	0.31	0.05	38809-014	12/23/93	539	353.2/1
pH (units)	11.96		38809-018	12/17/93	265	150.1/1

Field Identification: OMW34

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	2	1	38809-003	12/20/93	829	415.1/1
Chloride (mg/L)	2	1	38809-011	12/21/93	568	325.1/1
Sulfate (mg/L)	35	1	38809-011	12/21/93	560	300.0/1
Specific Conductance (umhos/cm)	450		38809-011	12/21/93	187	120.1/1
Nitrate + Nitrite (mg/L as N)	0.1	0.05	38809-015	12/23/93	539	353.2/1
pH (units)	7.44		38809-019	12/17/93	265	150.1/1

Field Identification: OMW35

Matrix: WATER

Parameter	Result	Reporting Limit	Lab No.	Date Analyzed	QC Batch	Method/Ref.
Total Organic Carbon (mg/L)	2	1	38809-004	12/20/93	829	415.1/1
Chloride (mg/L)	2	1	38809-012	12/21/93	568	325.1/1
Sulfate (mg/L)	69	1	38809-012	12/21/93	560	300.0/1
Specific Conductance (umhos/cm)	600		38809-012	12/21/93	187	120.1/1
Nitrate + Nitrite (mg/L as N)	0.45	0.05	38809-016	12/23/93	539	353.2/1
pH (units)	7.34		38809-020	12/17/93	265	150.1/1

References: 1) 40 CFR Part 136, Friday, October 26, 1984

500011



REPORT OF LABORATORY ANALYSIS

PACE Interregional-New England
P.O. Box 2130
One Lafayette Road
Hampton, NH 03842

January 05, 1994
PACE Project Number: 131221509

Attn: Ms. Gretchen Franzheim

Client Reference: Seneca Army Depot Quarterly

PACE Sample Number:				97 0119884	
Date Collected:				12/15/93	
Date Received:				12/21/93	
Client Sample ID:				38809-5	
Parameter	Units	MDL		METHOD	DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS					
Total Organic Halogen	mg/L	0.02	ND	SW846 9020	12/29/93

PACE Sample Number:				97 0119892	
Date Collected:				12/16/93	
Date Received:				12/21/93	
Client Sample ID:				38809-6	
Parameter	Units	MDL		METHOD	DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS					
Total Organic Halogen	mg/L	0.02	ND	SW846 9020	12/29/93

Page 2

January 05, 1994
 PACE Project Number: 131221509

Client Reference: Seneca Army Depot Quarterly

PACE Sample Number:				97 0119906	
Date Collected:				12/15/93	
Date Received:	3			12/21/93	
Client Sample ID:				38809-7	
Parameter	Units	MDL		METHOD	DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS					
Total Organic Halogen	mg/L	0.02	ND	SW846 9020	12/29/93

PACE Sample Number:				97 0119914	
Date Collected:				12/15/93	
Date Received:	35			12/21/93	
Client Sample ID:				38809-8	
Parameter	Units	MDL		METHOD	DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS					
Total Organic Halogen	mg/L	0.02	ND	SW846 9020	12/29/93

PACE Sample Number:				97 0119922	
Date Collected:				12/13/93	
Date Received:	5			12/21/93	
Client Sample ID:				38769-1	
Parameter	Units	MDL		METHOD	DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS					
Total Organic Halogen	mg/L	0.02	ND	SW846 9020	12/29/93

Page 3

January 05, 1994
 PACE Project Number: 131221509

Client Reference: Seneca Army Depot Quarterly

PACE Sample Number:				97 0119930	
Date Collected:				12/13/93	
Date Received:				12/21/93	
Client Sample ID:				38769-2	
Parameter	Units	MDL		METHOD	DATE ANALYZED
INORGANIC ANALYSIS					
INDIVIDUAL PARAMETERS					
Total Organic Halogen	mg/L	0.02	ND	SW846 9020	12/29/93

PACE Sample Number:				97 0119949	
Date Collected:				12/13/93	
Date Received:				12/21/93	
Client Sample ID:				38769-2 MS	
Parameter	Units	MDL		METHOD	DATE ANALYZED
INORGANIC ANALYSIS					
INDIVIDUAL PARAMETERS					
Total Organic Halogen	mg/L	0.02	0.09	SW846 9020	12/29/93

PACE Sample Number:				97 0119957	
Date Collected:				12/13/93	
Date Received:				12/21/93	
Client Sample ID:				38769-2	
Parameter	Units	MDL	MSD	METHOD	DATE ANALYZED
INORGANIC ANALYSIS					
INDIVIDUAL PARAMETERS					
Total Organic Halogen	mg/L	0.02	0.08	SW846 9020	12/29/93

Page 4

January 05, 1994
 PACE Project Number: 131221509

Client Reference: Seneca Army Depot Quarterly

PACE Sample Number: 97 0119965
 Date Collected: 12/13/93
 Date Received: 12/21/93
 Client Sample ID: 38769-3
 Parameter Units MDL METHOD DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS
 Total Organic Halogen mg/L 0.02 0.02 SW846 9020 12/29/93

PACE Sample Number: 97 0119973
 Date Collected: 12/13/93
 Date Received: 12/21/93
 Client Sample ID: 38769-4
 Parameter Units MDL METHOD DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS
 Total Organic Halogen mg/L 0.02 ND SW846 9020 12/29/93

PACE Sample Number: 97 0119981
 Date Collected: 12/14/93
 Date Received: 12/21/93
 Client Sample ID: 38793-13
 Parameter Units MDL METHOD DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS
 Total Organic Halogen mg/L 0.02 0.02 SW846 9020 12/29/93

Page 5

January 05, 1994
 PACE Project Number: 131221509

Client Reference: Seneca Army Depot Quarterly

PACE Sample Number: 97 0119990
 Date Collected: 12/14/93
 Date Received: 12/21/93
 Client Sample ID: 38793-14
 Parameter Units MDL METHOD DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen mg/L 0.02 ND SW846 9020 12/30/93

PACE Sample Number: 97 0120009
 Date Collected: 12/14/93
 Date Received: 12/21/93
 Client Sample ID: 38793-15
 Parameter Units MDL METHOD DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen mg/L 0.02 0.05 SW846 9020 12/30/93

PACE Sample Number: 97 0120017
 Date Collected: 12/14/93
 Date Received: 12/21/93
 Client Sample ID: 38793-16
 Parameter Units MDL METHOD DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen mg/L 0.02 ND SW846 9020 12/30/93

Page 6

January 05, 1994
 PACE Project Number: 131221509

Client Reference: Seneca Army Depot Quarterly

PACE Sample Number:				97 0120025	
Date Collected:				12/14/93	
Date Received:				12/21/93	
Client Sample ID:				38793-17	
Parameter	Units		MDL		METHOD DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen	mg/L	0.02	ND	SW846 9020	12/30/93
-----------------------	------	------	----	------------	----------

PACE Sample Number:				97 0120033	
Date Collected:				12/14/93	
Date Received:		32		12/21/93	
Client Sample ID:				38793-18	
Parameter	Units		MDL		METHOD DATE ANALYZED

INORGANIC ANALYSIS

INDIVIDUAL PARAMETERS

Total Organic Halogen	mg/L	0.02	0.03	SW846 9020	12/30/93
-----------------------	------	------	------	------------	----------

These data have been reviewed and are approved for release.

Frances P. McConahy
 Frances P. McConahy
 Project Manager

Page 7 FOOTNOTES for pages 1 through 6 January 05, 1994
PACE Project Number: 131221509

Client Reference: Seneca Army Depot Quarterly

MDL Method Detection Limit
ND Not detected at or above the MDL.

QUALITY CONTROL

Total Organic Carbon

Method: 415.1 EPA-600/4-84-017

QC Batch: 827

Matrix: WATER

METHOD BLANK:

Result
mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

	True Value mg/L	Observed Value mg/L	Accuracy Recovery %	Precision Relative Percent Difference %
	-----	-----	-----	-----
LCS1	5.0	4.630	92.6	6.1
LCS2	5.0	4.920	98.4	

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
-----	-----	-----	-----	-----
38769-6	1.29	1.43	1.36	10.3

FIELD SAMPLE:

Accuracy

Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
-----	-----	-----	-----	-----
38769-6 MS	1.29	5	5.90	92.2
38769-6 MSD	1.29	5	5.98	93.8
			RPD=	1.720

500017

QUALITY CONTROL

Total Organic Carbon

Method: 415.1 EPA-600/4-84-017

QC Batch: 829 For: 38793

Matrix: WATER

METHOD BLANK: Result
mg/L

< 1.00

LABORATORY CONTROL SAMPLES:		Accuracy	Precision
	True Value mg/L	Observed Value mg/L	Recovery %
			Relative Percent Difference %
LCS1	5.0	4.940	98.8
LCS2	5.0	4.950	99.0

FIELD SAMPLE:

Precision	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
Lab No.				
-----	-----	-----	-----	-----
38807-79	< 1.00	< 1.00	NC	NC

FIELD SAMPLE:

Accuracy	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
Lab No.				
-----	-----	-----	-----	-----
38807-79 MS	< 1.00	5	5.92	105.0
38807-79 MSD	< 1.00	5	5.75	101.0
			RPD=	3.883

NC = Not calculable due to result below detection limit.

500018

QUALITY CONTROL

Chloride

Method: 325.1 EPA-600/4-84-017

QC Batch: 568

Matrix: WATER

METHOD BLANK:

Result

mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

Accuracy

Precision

	True Value mg/L	Observed Value mg/L	Recovery %	Relative Percent Difference %
	-----	-----	-----	-----
LCS1	200.0	196.195	98.1	0.0
LCS2	200.0	196.145	98.1	

FIELD SAMPLE:

Precision

Relative Percent

Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
-----	-----	-----	-----	-----
38769-10	15.85	16.06	15.96	1.3

FIELD SAMPLE:

Accuracy

Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
-----	-----	-----	-----	-----
38769-10 MS	15.85	50	63.99	96.3
38769-10 MSD	15.85	50	67.44	103.2
			RPD=	6.909

500033

QUALITY CONTROL

Sulfate

Method: EPA-600 300.0 / SW846 9056

QC Batch: 556 For: 38769

Matrix: WATER

METHOD BLANK:

Result

mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

Accuracy

Precision

	True Value mg/L	Observed Value mg/L	Recovery %	Relative Percent Difference %
	-----	-----	-----	-----
LCS1	50.0	47.000	94.0	0.6
LCS2	50.0	47.300	94.6	

500040

QUALITY CONTROL

Sulfate

Method: EPA-600 300.0 / SW846 9056

QC Batch: 558

Matrix: WATER

METHOD BLANK:

Result
mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

	True Value mg/L	Observed Value mg/L	Accuracy Recovery %	Precision Relative Percent Difference %
	-----	-----	-----	-----
LCS1	50.0	48.200	96.4	0.4
LCS2	50.0	48.400	96.8	

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
-----	-----	-----	-----	-----
38769-10	925.00	928.00	926.50	0.3

FIELD SAMPLE:

Accuracy

Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
-----	-----	-----	-----	-----
38769-10 MS SNR	925.00	100	1040.00	115.0
38769-10 MSD SNR	925.00	100	1040.00	115.0
			RPD=	0.000

SNR=Spike not required. Sample greater than four times spike level.

500041

QUALITY CONTROL

Sulfate

Method: EPA-600 300.0 / SW846 9056

QC Batch: 560 For: 38793

Matrix: WATER

METHOD BLANK: Result
mg/L

< 1.00

LABORATORY CONTROL SAMPLES:

	True Value mg/L	Observed Value mg/L	Accuracy Recovery %	Precision Relative Percent Difference %
	-----	-----	-----	-----
LCS1	50.0	49.200	98.4	4.6
LCS2	50.0	51.500	103.0	

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference %
-----	-----	-----	-----	-----
38825-16	4.44	4.14	4.29	7.0

FIELD SAMPLE:

Accuracy

Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery %
-----	-----	-----	-----	-----
38825-16 MS	4.44	10	13.20	87.6
38825-16 MSD	4.44	10	13.80	93.6
			RPD=	6.623

500042

QUALITY CONTROL
 Specific Conductance
 Method: 120.1 EPA-600/4-84-017

QC Batch: 186
 Matrix: WATER

METHOD BLANK:	Result mg/L

	1.08

LABORATORY CONTROL SAMPLES:		Accuracy	Precision
	True Value mg/L	Observed Value mg/L	Relative Percent Difference
	-----	-----	-----
LCS1	141.3	145.900	103.3
LCS2	141.3	145.600	103.0

FIELD SAMPLE:		Precision		
Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference
-----	-----	-----	-----	-----
38769-10	1826.00	1820.00	1823.00	0.3

500072

QUALITY CONTROL
 Specific Conductance
 Method: 120.1 EPA-600/4-84-017

QC Batch: 187 For: 38793
 Matrix: WATER

METHOD BLANK:	Result mg/L

	0.90

LABORATORY CONTROL SAMPLES:		Accuracy	Precision
	True Value mg/L	Observed Value mg/L	Recovery %
	-----	-----	Relative Percent Difference %
	-----	-----	-----
LCS1	141.3	146.700	103.8
LCS2	141.3	148.700	105.2

FIELD SAMPLE:

Precision		Relative Percent Difference		
Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	%
-----	-----	-----	-----	-----
38792-3	19.30	19.20	19.25	0.5

500073

QUALITY CONTROL

Nitrate plus Nitrite Nitrogen (combined)

Method: 353.2 EPA-600/4-84-017

QC Batch: 537

Matrix: WATER

METHOD BLANK:

Result
mg/L

< 0.05

LABORATORY CONTROL SAMPLES:

	True Value mg/L	Observed Value mg/L	Accuracy	Precision
			Recovery %	Relative Percent Difference %
LCS1	2.0	1.944	97.2	0.7
LCS2	2.0	1.930	96.5	

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	Relative Percent Difference
				%
38769-14	1.08	1.07	1.08	1.0

FIELD SAMPLE:

Accuracy

Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	Recovery
				%
38769-14 MS	1.08	1	2.11	102.4
38769-14 MSD	1.08	1	2.08	99.9
			RPD=	2.472

QUALITY CONTROL

Nitrate plus Nitrite Nitrogen (combined)

Method: 353.2 EPA-600/4-84-017

QC Batch: 539 For: 38793

Matrix: WATER

METHOD BLANK: Result
mg/L

< 0.05

LABORATORY CONTROL SAMPLES:		Accuracy	Precision	
	True Value mg/L	Observed Value mg/L	Recovery %	Relative Percent Difference %
	-----	-----	-----	-----
LCS1	2.0	1.954	97.7	0.3
LCS2	2.0	1.960	98.0	

FIELD SAMPLE:

Precision		Relative Percent Difference		
Lab No.	Replicate 1 mg/L	Replicate 2 mg/L	Average mg/L	%
-----	-----	-----	-----	-----
38792-4	< 0.05	< 0.05	NC	NC

FIELD SAMPLE:

Accuracy		Recovery		
Lab No.	Replicate 1 mg/L	Spike Added mg/L	Spike Found mg/L	%
-----	-----	-----	-----	-----
38792-4 MS	< 0.05	1	0.93	92.9
38792-4 MSD	< 0.05	1	0.90	89.6
			RPD=	3.616

NC = Not calculable due to result below detection limit.

500079

QUALITY CONTROL

pH

Method: 150.1 EPA-600/4-84-017

QC Batch: 263

Matrix: WATER

LABORATORY CONTROL SAMPLES:

	True Value Units	Observed Value Units
	-----	-----
LCS1	7.0	7.02
LCS2	7.0	7.04

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 Units	Replicate 2 Units
-----	-----	-----
38769-18	7.13	7.18

500098

QUALITY CONTROL

pH

Method: 150.1 EPA-600/4-84-017

QC Batch: 264 For: 38793

Matrix: WATER

LABORATORY CONTROL SAMPLES:

	True Value Units	Observed Value Units
	-----	-----
LCS1	7.0	7.01
LCS2	7.0	7.03

500099

QUALITY CONTROL

pH

Method: 150.1 EPA-600/4-84-017

QC Batch: 265

Matrix: WATER

LABORATORY CONTROL SAMPLES:

	True Value Units	Observed Value Units
	-----	-----
LCS1	7.0	7.02
LCS2	7.0	7.02

FIELD SAMPLE:

Precision

Lab No.	Replicate 1 Units	Replicate 2 Units
-----	-----	-----
38809-17	7.26	7.31

500100

QUALITY CONTROL DATA

January 05, 1994
 PACE Project Number: 131221509

Page 8

Client Reference: Seneca Army Depot Quarterly

Total Organic Halogen

Batch: 97 34321

Samples: 97 0119884, 97 0119906, 97 0119922, 97 0119965, 97 0119973

METHOD BLANK AND SAMPLE DUPLICATE:

Parameter	Units	MDL	Method Blank	970119906 38809-7	Duplicate of 97 0119906	RPD
Total Organic Halogen	mg/L	0.01	ND	ND	ND	NC

SPIKE:

Parameter	Units	MDL	970119906 38809-7	Spike	Spike Recv	_____
Total Organic Halogen	mg/L	0.02	ND	0.10	90%	

LABORATORY CONTROL SAMPLE AND CONTROL SAMPLE DUPLICATE:

Parameter	Units	MDL	Reference Value	Recv	Dupl Recv	RPD
Total Organic Halogen	mg/L	0.01	0.05	100%	100%	0%

QUALITY CONTROL DATA

January 05, 1994
 PACE Project Number: 131221509

Page 9

Client Reference: Seneca Army Depot Quarterly

Total Organic Halogen

Batch: 97 34322

Samples: 97 0119892, 97 0119914, 97 0119930, 97 0119949, 97 0119957
 97 0119981

METHOD BLANK:

Parameter	Units	MDL	Method Blank
Total Organic Halogen	mg/L	0.01	ND

SPIKE AND SPIKE DUPLICATE:

Parameter	Units	MDL	970119930 38769-2	Spike	Spike Recv	Dupl Recv	RPD
Total Organic Halogen	mg/L	0.02	ND	0.10	90%	80%	12%

LABORATORY CONTROL SAMPLE AND CONTROL SAMPLE DUPLICATE:

Parameter	Units	MDL	Reference Value	Recv	Dupl Recv	RPD
Total Organic Halogen	mg/L	0.01	0.05	80%	80%	0%

Page 10

QUALITY CONTROL DATA

January 05, 1994
 PACE Project Number: 131221509

Client Reference: Seneca Army Depot Quarterly

Total Organic Halogen
 Batch: 97 34357
 Samples: 97 0119990, 97 0120017, 97 0120033

METHOD BLANK AND SAMPLE DUPLICATE:

Parameter	Units	MDL	Method Blank	970119990 38793-14	Duplicate of 97 0119990	RPD
Total Organic Halogen	mg/L	0.01	ND	ND	ND	NC

SPIKE:

Parameter	Units	MDL	970119990 38793-14	Spike	Spike Recv	
Total Organic Halogen	mg/L	0.02	ND	0.10	90%	

LABORATORY CONTROL SAMPLE AND CONTROL SAMPLE DUPLICATE:

Parameter	Units	MDL	Reference Value	Recv	Dupl Recv	RPD
Total Organic Halogen	mg/L	0.01	0.05	80%	100%	22%

QUALITY CONTROL DATA

January 05, 1994
 PACE Project Number: 131221509

Page 11

Client Reference: Seneca Army Depot Quarterly

Total Organic Halogen
 Batch: 97 34358
 Samples: 97 0120009, 97 0120025

METHOD BLANK AND SAMPLE DUPLICATE:

Parameter	Units	MDL	Method Blank	970120009 38793-15	Duplicate of 97 0120009	RPD
Total Organic Halogen	mg/L	0.01	ND	0.05	0.05	0%

SPIKE:

Parameter	Units	MDL	970120009 38793-15	Spike	Spike Recv
Total Organic Halogen	mg/L	0.02	0.05	0.10	100%

LABORATORY CONTROL SAMPLE AND CONTROL SAMPLE DUPLICATE:

Parameter	Units	MDL	Reference Value	Recv	Dupl Recv	RPD
Total Organic Halogen	mg/L	0.01	0.05	100%	100%	0%

Page 12

FOOTNOTES
for pages 8 through 11

January 05, 1994
PACE Project Number: 131221509

Client Reference: Seneca Army Depot Quarterly

MDL Method Detection Limit
NC No calculation due to value below detection limit.
ND Not detected at or above the MDL.
RPD Relative Percent Difference