




US Army, Engineering & Support Center
Huntsville, AL



Seneca Army Depot Activity
Romulus, NY

01066



FINAL
SUPPLEMENTAL REMEDIAL INVESTIGATION REPORT
RADIOACTIVE WASTE BURIAL SITES (SEAD-12)
SENECA ARMY DEPOT ACTIVITY

EPA Site ID# NY0213820830
NY Site ID# 8-50-006
CONTRACT NO. DACA87-02-D-0005
DELIVERY ORDER NO. 0011

PARSONS
October 2006

FINAL

SUPPLEMENTAL REMEDIAL INVESTIGATION REPORT
RADIOACTIVE WASTE BURIAL SITES (SEAD-12)

SENECA ARMY DEPOT ACTIVITY
ROMULUS, NEW YORK 14541

and

US ARMY CORPS OF ENGINEERS
HUNTSVILLE, ALABAMA 35816

Prepared by:

PARSONS

150 Federal Street, 4th Floor
Boston, Massachusetts 02110

EPA Site ID# NY0213820830
NY Site ID# 8-50-006
Contract Number DACA87-02-D-0005
Delivery Order No. 0011
Project No. 743156

October 2006

TABLE OF CONTENTS

| <u>Description</u> | <u>Page</u> |
|--|--------------------|
| ES <u>EXECUTIVE SUMMARY</u> | ES-1 |
| 1 <u>INTRODUCTION</u> | 1-1 |
| 1.1 Purpose of Report | 1-1 |
| 1.2 Site Background..... | 1-1 |
| 1.2.1 Depot..... | 1-1 |
| 1.2.2 Buildings 813 and 814 | 1-3 |
| 1.2.3 EM-5 | 1-3 |
| 1.3 Site Physical Characteristics | 1-3 |
| 1.4 Comparison Criteria for Investigation Results..... | 1-4 |
| 1.5 Previous Remedial Investigation Results..... | 1-5 |
| 1.5.1 VOC Concentrations Proximate to Buildings 813 and 814 | 1-5 |
| 1.5.1.1 Soil Gas Survey Results | 1-5 |
| 1.5.1.2 Groundwater Chemistry | 1-6 |
| 1.5.1.3 Surface Water/Ditch Soil Chemistry | 1-6 |
| 1.5.1.4 Soil Chemistry | 1-7 |
| 1.5.2 Investigation of Radionuclides at EM-5 | 1-7 |
| 1.6 Report Organization..... | 1-7 |
| 2 <u>STUDY AREA INVESTIGATION</u> | 2-1 |
| 2.1 Introduction..... | 2-1 |
| 2.2 Buildings 813 and 814 Investigation | 2-1 |
| 2.2.1 Groundwater Investigation | 2-1 |
| 2.2.1.1 Temporary Monitoring Well Installation..... | 2-1 |
| 2.2.1.2 Groundwater Sampling | 2-2 |
| 2.2.1.3 Sample Analysis | 2-3 |
| 2.2.2 Surface Water/Sediment Investigation | 2-3 |
| 2.2.3 TCE Source Investigation..... | 2-4 |
| 2.2.3.1 Phase I Test Pit - November 3, 2004 | 2-4 |
| 2.2.3.2 Phase II - November 10 and 11, 2004 | 2-5 |
| 2.2.3.3 Phase III - December 20 - 22, 2004 | 2-6 |
| 2.2.3.4 Soil Sampling and Analysis..... | 2-7 |
| 2.3 EM-5 Soil Investigation..... | 2-7 |
| 2.3.1 Surface and Subsurface Soil Sampling | 2-7 |
| 2.3.2 Sample Analysis | 2-7 |
| 2.4 Site Survey..... | 2-8 |
| 2.5 Data Validation | 2-8 |

| | | |
|---------|--|-----|
| 3 | <u>RESULTS</u> | 3-1 |
| 3.1 | Groundwater Results..... | 3-1 |
| 3.2 | Surface Water and Ditch Soil Sample Results..... | 3-3 |
| 3.3 | Soil Results | 3-3 |
| 3.3.1 | TCE Source Investigation | 3-3 |
| 3.3.1.1 | Phase I Test Pitting - November 3, 2004 | 3-3 |
| 3.3.1.2 | Phase II - November 10 and 11, 2004 | 3-4 |
| 3.3.1.3 | Phase III - December 20-22, 2004 | 3-4 |
| 3.3.2 | Stockpiles..... | 3-5 |
| 3.3.3 | EM-5 | 3-6 |
| 4 | <u>CONCLUSIONS AND RECOMMENDATIONS</u> | 4-1 |
| 4.1 | Conclusions..... | 4-1 |
| 4.1.1 | VOC Contamination at Building 813/814 | 4-1 |
| 4.1.1.1 | Groundwater | 4-1 |
| 4.1.1.2 | Surface Water/Ditch Soil..... | 4-1 |
| 4.1.1.3 | Soil | 4-2 |
| 4.1.2 | EM-5 Soils..... | 4-2 |
| 4.2 | Recommendations..... | 4-3 |

LIST OF TABLES

| <u>Number</u> | <u>Table Name</u> |
|----------------------|---|
| Table 1-1 | Soil Gas Survey Results – Original RI |
| Table 2-1 | Preliminary Temporary Well Placement Rationales |
| Table 2-2 | Groundwater Elevation Data from the Building 813/814 Area |
| Table 3-1 | Groundwater VOC Detections |
| Table 3-2 | Sediment VOC Detections |
| Table 3-3 | Test Pit Soil VOC Detections |
| Table 3-4 | Stockpile Soil VOC Detections |
| Table 3-5 | Comparison of Pb-210 Results from RI and SRI |

LIST OF FIGURES

| <u>Number</u> | <u>Figure Title</u> |
|----------------------|--|
| Figure 1-1 | Future Land Use |
| Figure 1-2 | SEAD-12 Site Plan |
| Figure 1-3 | Buildings 813 and 814 |
| Figure 1-4 | SEAD-12 Site Topography |
| Figure 1-5 | RI Sample Locations – Building 813 and 814 |
| Figure 1-6 | Previous Soil Sample Locations at EM-5 |
| Figure 2-1 | TCE Detected During RI |
| Figure 2-2 | Proposed Temporary Well Locations |
| Figure 2-3 | Temporary Well and Surface Water/Ditch Soil Sample Locations |
| Figure 2-4 | Sample Locations from Test Pit at Building 813/814 |
| Figure 2-5 | Building 813/814 Excavation As Built |
| Figure 2-6 | EM-5 Soil Sample Locations |
| Figure 3-1 | Groundwater and Surface Water/Ditch Soil Detections |
| Figure 3-2 | Soil Sample TCE Results in Building 813/814 Test Pit |
| Figure 3-3 | TCE Concentrations in Stockpile Samples at Building 813/814 |

LIST OF APPENDICES

| | |
|-------------|---|
| Appendix A: | Temporary Well Construction Diagrams |
| Appendix B: | Sampling Records |
| Appendix C: | Test Pit Logs |
| Appendix D: | Laboratory SOP – Method HASL 300 |
| Appendix E: | Analytical Results |
| Appendix F: | Laboratory Certifications and Groundwater Method Detection Limits |
| Appendix G: | Excavation Photos |
| Appendix H: | Response to Comments |

ACRONYMS AND ABBREVIATIONS

| | |
|-------------|---|
| ASP | Analytical Services Protocol |
| AWQS | Ambient Water Quality Standards |
| BCT | BRAC Closure Team |
| bgs | Below Grade Surface or Below Ground Surface |
| BRAC | Base Realignment and Closure |
| BTEX | Benzene, Toluene, Ethylbenzene, and Xylene |
| CAS | Columbia Analytical Services |
| CERCLA | Comprehensive Environmental Responsibility, Compensation, and Liability Act |
| Cis-1,2-DCE | cis-1,2-dichloroethene |
| CLP | Contract Laboratory Program |
| DCE | 1,2-Dichloroethene |
| DCGL | Derived Concentration Guideline Level |
| DO | Dissolved Oxygen |
| et al. | and others |
| FFA | Federal Facilities Agreement |
| FID | Flame Ionization Detector |
| FS | Feasibility Study |
| ft. | Feet |
| GEL | General Engineering Laboratories |
| HTRW | Hazardous, Toxic, and Radioactive Waste |
| i.e., | that is |
| IAG | Interagency Agreement |
| LRA | Local Development Authority |
| MDL | Method Detection Limit |
| MS | Matrix Spike Sample Designation |
| MSD | Matrix Spike Duplicate Sample Designation |
| MW | Permanent Monitoring Well Designation |
| NPL | National Priority List |
| NYSDEC | New York State Department of Environmental Conservation |
| ORP | Oxidation-Reduction Potential |
| PCB | Polychlorinated Biphenyl |
| pCi/g | Pico-curies/gram |
| PID | Photoionization Detector |

| | |
|-------|--|
| QA/QC | Quality Assurance/Quality Control |
| QC | Quality Control |
| RI | Remedial Investigation |
| RL | Reporting Limit |
| SD | Ditch Soil or Sediment Designation |
| SEDA | Seneca Army Depot Activity |
| SOP | Standard Operating Procedure |
| SQL | Sample Quantitation Limit |
| SRI | Supplemental Remedial Investigation |
| SVOC | Semivolatile Organic Compound |
| SW | Surface Water Sample Designation |
| TAGM | Technical and Administrative Guidance Memorandum |
| TBC | To Be Considered |
| TCE | Trichloroethene |
| TCL | Target Compound List |
| TIC | Tentatively Identified Compound |
| TOC | Total Organic Carbon |
| TOGS | Technical Operating Guidance Series |
| USACE | United States Army Corps of Engineers |
| USEPA | United States Environmental Protection Agency |
| VOC | Volatile Organic Compound |
| µg/Kg | Microgram or Micrograms per Kilogram |
| µg/L | Microgram or Micrograms per Liter |

REFERENCES

- API Soil and Groundwater Technical Task Force. 2006. Downward Solute Plume Migration: Assessment, Significance, and Implications for Characterization and Monitoring of "Diving Plumes". April.
- Army, United States Environmental Protection Agency (USEPA) Region 2, New York State Department of Environmental Conservation (NYSDEC). 1993. Federal Facilities Agreement (FFA).
- Code of Federal Regulations (CFR), 1993. National Oil and Hazardous Substances Pollution Contingency Plan (NCP). 42 CFR 9620.
- Department of Defense, Department of Energy, Environmental Protection Agency, Nuclear Regulatory Commission. 2000. Multi-Agency Radiation Survey and Site Investigation Manual.
- New York State Department of Environmental Conservation (NYSDEC). 2000. Analytical Services Protocol. June.
- New York State Department of Environmental Conservation (NYSDEC). 1998 with 2000 and 2004 Addendum. Ambient Water Quality Standard and Guidance Values and Groundwater Effluent Limitations.
- New York State Department of Environmental Conservation (NYSDEC). 1994. Technical and Administrative Guidance Memorandum (TAGM): Fish and Wildlife Impact Analysis for Inactive Hazardous Waste Sites, October.
- New York State Department of Health (NYSDOH). 2005. Guidance for Evaluating Soil Vapor Intrusion in the State of New York. Public Comment Draft. February.
- Parsons, 2004. Final Workplan for the Supplemental Remedial Investigations at the Radioactive Waste Burial Sites (SEAD-12). Prepared for U.S. Army Engineer Division, Huntsville and Seneca Army Depot.
- Parsons, 2002a. Revised Final Remedial Investigation (RI) Report at the Radioactive Waste Burial Sites (SEAD-12). Prepared for U.S. Army Engineer Division, Huntsville and Seneca Army Depot. August.

Parsons, 2002b. Draft Feasibility Study (FS) Report for the Radioactive Waste Burial Sites (SEAD-12). Prepared for U.S. Army Engineer Division, Huntsville and Seneca Army Depot. May.

Parsons, 1995. Generic Installation Remedial Investigation/Feasibility Study (RI/FS) Work Plan for Seneca Army Depot Activity.

United States Environmental Protection Agency (USEPA). 1999. USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review. October.

United States Environmental Protection Agency (USEPA) Region II. 1998. Ground Water Sampling Procedure Low Stress (Low Flow) Purging And Sampling. March 16.

United States Environmental Protection Agency (USEPA) Region II. Region II RCRA and CERCLA Data Validation Standard Operating Procedures (SOPs). On-line resources at <http://www.epa.gov/region02/desa/hsw/sops.htm>

EXECUTIVE SUMMARY

This Supplemental Remedial Investigation (SRI) report summarizes SRI site investigation activities, presents data on the nature and extent of contamination, and makes recommendations for the path forward at Buildings 813/814 and the EM-5 area in the Radioactive Waste Burial Sites (SEAD-12) area at the Seneca Army Depot Activity (SEDA) in Romulus, NY. The two areas were recommended for further investigation in a Feasibility Study (FS) prepared following a Remedial Investigation (RI) performed at SEAD-12 in 1995 through 1999. The additional investigation at Buildings 813/814 was recommended due to elevated volatile organic compound (VOC) concentrations detected in a monitoring well adjacent to the buildings, and further investigation of EM-5 was recommended to further evaluate elevated levels of Pb-210 detected in soil samples.

Thirteen temporary wells were installed in the vicinity of the elevated VOC concentrations detected during the RI. Groundwater samples were collected from these temporary wells and two existing permanent wells to determine the extent of VOC contamination. Results of the sample analysis indicated that VOC contamination, primarily in the form of trichloroethene (TCE), was limited to the area immediately adjacent to one of the permanent wells, MW12-37. Based on these results, a test pit investigation was initiated to determine the source of the TCE contamination in the groundwater. The investigation traced elevated TCE levels to the footer of the building, where exploration halted due to concerns for the structural integrity of the building. An abandoned 6-inch clay sewer pipe along with clay pipe fragments and a 4-inch ductile iron (DI) pipe were found during the test pitting. The majority of the sewer pipe and all of the DI pipe past the northern wall of the building were removed during the test pitting operation. Nine of the 13 temporary wells were abandoned in place since no VOCs were detected in these wells and they were not considered necessary for any potential future investigation at the site.

The ten RI soil sample locations at EM-5 exhibiting the highest Pb-210 concentrations were re-sampled as part of the SRI. The SRI samples were analyzed using a modified DOE EML HASL-300 method which was intended to lower uncertainty levels that had been relatively high in the samples analyzed during the RI. Results of the analysis of the soil from the re-sampled locations indicated that Pb-210 was not a concern at EM-5.

Recommendations were developed for the two areas based on the conclusions drawn from the field investigation. These include an environmental easement to be placed on Buildings 813/814, and backfilling the remaining stockpiled test pit soil (Phase II, Phase IIIA, and Phase IIIB soils). No further action is proposed at EM-5. It is proposed that these recommendations be incorporated into the forthcoming Draft Final Feasibility Study Report for the Radioactive Waste Burial Sites (SEAD-12) that also addresses the Disposal Pit areas within SEAD-12.

1 INTRODUCTION

1.1 PURPOSE OF REPORT

The purpose of this report is to present the findings of the Supplemental Remedial Investigation (SRI) conducted at the Radioactive Waste Burial Sites (SEAD-12) at the Seneca Army Depot Activity (SEDA) in Romulus, New York. The work for the SRI was undertaken in response to issues noted in the Revised Final Remedial Investigation (RI) Report at the Radiological Waste Burial Sites (SEAD-12; Parsons, 2002a) and the Draft Feasibility Study (FS) Report for the Radioactive Waste Burial Sites (SEAD-12; Parsons, 2002b), which presented the results of several different investigations designed to characterize the nature and extent of risks posed by the conditions at SEAD-12. As indicated in the RI and FS reports, there were two issues within SEAD-12 that required additional investigation: the volatile organic compound (VOC) contamination in the vicinity of Buildings 813 and 814 and the elevated concentrations of Pb-210, a radionuclide, in the soil at the EM-5 area. The SRI work was conducted in accordance with the Final Workplan for the Supplemental Remedial Investigations at the Radioactive Waste Burial Sites (Parsons, 2004).

The Supplemental Remedial Investigation activities carried out at these two areas were performed as part of the United States Army Corps of Engineers (USACE) remedial response activities under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) at SEDA. The SRI activities followed the requirements of the New York State Department of Environmental Conservation (NYSDEC), the U.S. Environmental Protection Agency (USEPA) Region II, and the Interagency Agreement (IAG; Army et al., 1993).

1.2 SITE BACKGROUND

1.2.1 Seneca Army Depot

Seneca Army Depot Activity (or the Depot) was constructed in 1941 on approximately 10,600 acres of former farmland in western New York. The Depot was owned by the United States Government and operated by the Department of the Army. From its inception in 1941 until its recommended closure in 1995, SEDA's primary mission was the receipt, storage, maintenance, and supply of military items, including munitions and equipment. A number of hazardous wastes were stored and generated at the Depot as part of its mission, and SEDA was proposed for inclusion on the National Priority List (NPL) as a Federal Facility site in July of 1989. The Depot's listing was approved by Congress and finalized in August of 1990. The Depot's USEPA identification number is NY0213820830. The site is also identified by NYSDEC as Inactive Hazardous Waste Site Number 8-50-006.

In accordance with requirements of Section 120 of CERCLA (Title 42, *U.S. Code*, Sec. 9620), the US Army, the USEPA, and the NYSDEC negotiated and signed a Federal Facilities Agreement (FFA) or an Interagency Agreement (IAG) governing site investigation and remediation of the Depot in January 1993. This agreement determined that future investigations were to be based on CERCLA

guidelines and RCRA was considered an Applicable or Relevant and Appropriate Requirement (ARAR) pursuant to Section 121 of CERCLA. In October 1995, SEDA was designated as a facility recommended for closure under the provisions of the Base Realignment and Closure (BRAC) process. In 2000, the facility was closed.

Pursuant to the requirements of BRAC, the Seneca County Board of Supervisors had established the Seneca Army Depot Local Redevelopment Authority (LRA) in October 1995. The primary responsibility assigned to the LRA was to plan and oversee the redevelopment of the Depot. The Reuse Plan and Implementation Strategy for SEDA was adopted by the LRA and approved by the Seneca County Board of Supervisors on October 22, 1996. The Seneca County Industrial Development Authority (SCIDA) revised the future land use of the Depot in 2005. Under this plan and subsequent amendment, areas within the Depot were classified according to their most likely future use. The proposed future use designations identified by the SCIDA and approved by the Board of Supervisors included:

- Housing;
- Institutional;
- Institutional training;
- Green energy;
- Development reserve;
- Residential resort;
- Utility;
- Training area;
- Industrial;
- Warehousing;
- Conservation/recreational land;
- An area designated for a prison;
- An area for an airfield, special events, institutional, and training; and
- An area to be transferred from one federal entity to another (i.e., the area of the existing navigational LORAN transmitter).

A map showing the SCIDA's recommended future land use for the Depot is provided as **Figure 1-1**. As shown in the figure, SEAD-12 is located within the area planned for Institutional Training. The Fed to Fed transfer, Prison, and Institutional areas have already been transferred to new owners. The majority of the Airfield and Institutional Training, Green Energy, Development Reserve, and Training area have been transferred except for pieces that have been retained by the Army pending forthcoming environmental action.

1.2.2 Buildings 813 and 814

Buildings 813 and 814 were primarily used for painting operations that took place in SEAD-12, the Former Weapons Storage Area (**Figure 1-2**). The buildings were originally constructed in the 1950s, and modifications were made to both over time. Building 813 originally contained a number of small offices and equipment rooms along with one large, open room. This large room contained the paint booth, which was a completely self-contained, pre-fabricated room that was replaced at least once during the period the building was used. An addition to this building was completed in the late 1980s and included a new sand blasting room. This addition covered what was once an open area between Building 813 and Building 814.

Building 814 originally contained one furnace room and a large, open room. The building was lengthened in the late 1960s, at which point an office was constructed in the southeast corner of the building. Two storage rooms were constructed inside the main room of the building and two other rooms were added to the building's exterior between 1970 and 1990; however, the exact timeframe of these modifications is not known. The basic layouts of the buildings are shown in **Figure 1-3**.

1.2.3 EM-5

As part of the original RI, a geophysical investigation was performed at SEAD-12 using an EM-31 ground conductivity meter. The survey detected 44 conductivity anomalies which were designated EM-1 through EM-44. Test pits were excavated at a number of these EM anomalies, including two in the location of anomaly EM-5 (**Figure 1-2**). The test pit operation at EM-5 uncovered items such as horseshoes, square nails, and broken glass, which were apparently associated with an original farmstead that predated SEDA. None of the debris recovered appeared to be related to military activities.

1.3 SITE PHYSICAL CHARACTERISTICS

SEAD-12 is fairly flat with a slight downward trend to the west, towards Seneca Lake. **Figure 1-4** presents a topographic map of the SEAD-12 area. The only notable topographic features in the area are a series of surface water control ditches that run along the sides of most of the roads in the Depot. The bottoms of some of these ditches can be nearly 6 feet below the nearby ground surface elevation. Although there are some wooded spots in SEAD-12, most of the area has been cleared and is either open field or is occupied by buildings or ammunition storage igloos. Buildings 813 and 814 are located on the eastern side of SEAD-12, adjacent to Building 815 to the west and an open field to the east. There is a paved parking lot between Building 815 and Buildings 813/814 and one of the deeper ditches runs along the north, east, and south sides of the connected buildings. EM-5 lies in the middle of a grassy field on the western side of SEAD-12.

Geologically, the areas around Buildings 813/814 and EM-5 are similar to the rest of the Depot, which is located within one distinct unit of glacial till that covers the area between the western shore of Lake Cayuga and the eastern shore of Lake Seneca. Depth to competent bedrock in the area around SEAD-12 varies; areas upgradient of Buildings 813/814 have a depth to bedrock ranging from 10 to 15 feet bgs. whereas the area immediately downgradient ranges from 5 to 10 feet bgs. The till ranges in thickness from less than 2 feet to as much as 15 feet, with the average being only a few feet thick. This till is generally characterized by brown to gray-brown silt, clay, and fine sand with few fine to coarse gravel-sized inclusions of weathered shale. Larger diameter weathered shale clasts (as large as 6 inches in diameter) are more prevalent in basal portions of the till and are probably rip-up clasts removed by the active glacier during the late Pleistocene era. A zone of gray weathered shale of variable thickness is present below the till in almost all locations at SEDA. This zone is characterized by fissile shale with a large amount of brown interstitial silt and clay.

The groundwater flow direction in the areas around Buildings 813/814 is generally toward the northwest. In the areas immediately adjacent to the buildings, the groundwater flow direction may be closely related to the local topography and geological conditions.

1.4 COMPARISON CRITERIA FOR INVESTIGATION RESULTS

The investigation of SEAD-12 falls under the jurisdiction of both the State of New York regulations (administered by NYSDEC) and Federal regulations (administered by USEPA Region II). Applicable or Relevant and Appropriate Requirements (ARARs) are promulgated regulatory standards or requirements and as such are legally enforceable and generally applicable and equivalent to the media or conditions at the site. In addition to ARARs, advisories, criteria, or guidance may be evaluated as "To Be Considered" (TBC) regulatory items. CERCLA indicates that the TBC category could include advisories, criteria, or guidance that were developed by USEPA, other federal agencies, or states that may be useful in developing CERCLA remedies. These advisories, criteria, or guidance are not promulgated and, therefore, are not legally enforceable standards such as ARARs. To date, ARARs have only been propagated for groundwater and surface water at the site.

In reviewing ARARs and TBCs for the site, the following documents were used for comparison of chemical constituents at the site:

- Soils and Ditch Soils - New York State Department of Environmental Conservation Technical and Administrative Guidance Memorandum (TAGM) HWR-94-4046 (January 1994) - TBC.
- Surface Water – NYSDEC Technical and Operation Guidance Series (TOGS, 1.1.1), Class C Standards (1998) – ARAR.
- Surface Water – NYSDEC TOGS, 1.1.1, Class C Guidance Values (1998) – TBC.
- Groundwater – NYSDEC TOGS, 1.1.1, Class GA Standards (1998) – ARAR.
- Groundwater – NYSDEC TOGS, 1.1.1, Class GA Guidance Values (1998) – TBC.

For constituents in surface water and groundwater, the NYSDEC TOGS Standards (considered ARARs) and the NYSDEC TOGS guidance values (considered TBCs) from the above published documents were used for comparison to field data. For soil, criteria from TAGM-4046 are considered TBCs. These criteria are referenced during the evaluation of previous investigations as well as the evaluation of the data collected during the SRI.

1.5 PREVIOUS REMEDIAL INVESTIGATION RESULTS

As indicated in **Section 1.1**, the complete results of the original RI conducted at SEAD-12 are contained in the Revised Final RI Report at the Radiological Waste Burial Sites (SEAD-12; Parsons, 2002a) and the Draft Feasibility Study Report for the Radioactive Waste Burial Sites (SEAD-12; Parsons, 2002b). The specific RI results that led to the implementation of the SRI are briefly discussed below.

1.5.1 VOC Concentrations Proximate to Buildings 813 and 814

1.5.1.1 Soil Gas Survey Results

Thirty-nine soil gas survey samples were collected in and around Buildings 813 and 814 to determine if the area had been impacted by VOCs (**Figure 1-5**) as a result of the former painting operations conducted in the buildings. The soil gas samples collected were analyzed for benzene, toluene, and p-xylenes (three of the four components of BTEX) as well as 1,2-dichloroethene (DCE), trichloroethene (TCE), and total VOCs. Of the individual VOCs analyzed, TCE exhibited the highest concentrations across the site, with values as high as 2,400 ppbv. A number of other soil gas locations around the buildings were identified as having elevated concentrations of total VOCs that did not appear to be particularly related to high TCE values or to any of the other specific constituents analyzed.

The locations of these elevated TCE and total VOC concentrations were noted as sites that required further investigation. Soil gas results are used as a qualitative tool to plan additional investigations such as groundwater monitoring. Elevated TCE and total VOC concentrations do not necessarily predict the concentrations of VOCs in groundwater immediately underlying them. Soil gas originating from groundwater will follow preferential paths within the matrix toward an accumulation or exit point. However, results may be used to plan additional investigations. The complete soil gas survey results are presented in **Table 1-1** and were used to plan the groundwater investigation in both the RI and the Supplemental RI.

1.5.1.2 Groundwater Chemistry

In the area of Buildings 813 and 814, four (4) overburden monitoring wells (**Figure 1-5**) were installed, with the locations of the wells based primarily on the soil gas survey results. Monitoring well MW12-37 was placed approximately 10 feet from the northeast corner of Building 813 to further investigate the potential impact to groundwater based on the elevated soil gas TCE concentrations detected in that location. Monitoring wells MW12-38 and MW12-39 were placed in approximately the same locations as soil gas sample locations SG12-122 and SG12-148, respectively, in order to investigate the total VOCs detected in soil gas samples at those locations. Monitoring well location MW12-38 is in the downgradient direction of the highest TCE detection at soil gas sample location SG12-147. The fourth monitoring well location, MW12-40, was placed approximately 300 feet downgradient of Buildings 813 and 814 to determine the extent of impact to groundwater by VOC contamination in the area.

The results of the groundwater sampling program during the RI (April 1999 and December 1999) at SEAD-12 indicated that VOCs were present in groundwater at two of these four wells. The samples collected at monitoring well MW12-37, located at the northeast corner of Building 813, contained a concentration of 1,600 µg/L of TCE during both of the two sampling events conducted; the NYSDEC Class GA Standard for groundwater is 5µg/L. The groundwater samples collected during the second sampling event also showed an estimated DCE concentration of 30 µg/L, which also exceeds the NYSDEC Class GA Standard of 5 µg/L. The sample collected during the second event at MW12-40 showed a TCE concentration of 1.7 µg/L, below the GA Standard.

1.5.1.3 Surface Water/Ditch Soil Chemistry

Surface water and ditch soil samples were collected from three locations within the ditch that runs adjacent to Buildings 813 and 814 as indicated in **Figure 1-5**. In the surface water samples, only metals were detected; and of the metals detected, only concentrations of iron and aluminum exceeded the NYSDEC Ambient Water Quality Standards (AWQS) for Class C water. Although the iron and aluminum concentrations exceeded the Class C Standards, the concentrations of these two metals were in line with background values across the site and therefore iron or aluminum was not considered a contaminant of concern. Sample SW12-30 contained a concentration of 1 µg/L of TCE, which is below the Class C Standard.

Each of the three ditch soil samples, which were co-located with the surface water sample locations, contained detectable concentrations of VOCs, semivolatile organic compounds (SVOCs), pesticides/Polychlorinated Biphenyls (PCBs), and metals. Risk assessment performed for the RI indicated that nothing in the SEAD-12 ditch soil posed a threat to human health or the environment, and the medium was not considered to be of concern in the FS.

1.5.1.4 Soil Chemistry

Both surface and subsurface soil samples were collected in the vicinity of Buildings 813 and 814 during the RI (**Figure 1-5**). Three surface soil samples, SS12-66, SS12-67, and SS12-68, were collected to the northwest of the Buildings 813 and 814, near monitoring well MW12-40. The subsurface soil samples were collected during the installation of the four monitoring wells, MW12-37, MW12-38, MW12-39, and MW12-40, to the north and west of the Buildings 813 and 814. The analytical results of the surface and subsurface soil samples indicated that there were metals that exceeded TAGM values at these locations. However, the values were below the maximum background concentrations for SEDA. In addition, none of the VOC or SVOC detections in surface or subsurface soils exceeded their respective TAGM values. The RI reported that no risk was found within this area due to the presence of heavy metals in soils. The presence of TCE in groundwater at MW12-37 was the only significant source of risk in this area.

1.5.2 Investigation of Radionuclides at EM-5

In addition to the test pitting performed at EM-5 during the RI, a total of 30 surface soil and subsurface soil samples were collected and analyzed for radionuclides (**Figure 1-6**). Using the Wilcoxon Rank Sum statistical analysis, the EM-5 soils were compared to a background data set to determine if there were any radionuclides that exceeded background concentrations. For the radionuclides distinguishable from background at EM-5, both the residential and worker Derived Concentration Guideline Level (DCGLs) were added to the background dataset as described in MARSSIM (Department of Defense et al., 2000) and in Section 4.1.2.3 of the RI (Parsons, 2002a). When compared to the worker DCGLs, Lead-210 exceeded DCGLs; Lead-210 is part of the Radium-226 decay series. The DCGL exceedances were not extremely high, and it was believed that the elevated Pb-210 levels may have been naturally occurring and associated with the archaeological anomalies found during test pit activities performed in the area; there was no indication of Army activity in this area. Since the analytical uncertainty associated with the RI samples was rather large, NYSDEC comments on the Draft FS recommended a different analytical method for gamma spectroscopy that would minimize analytical error. The RI suggested further investigation of the area to confirm the detections.

1.6 REPORT ORGANIZATION

The remaining sections of this report discuss the activities performed during the SRI and the conclusions resulting from the fieldwork. **Section 2** describes the fieldwork performed during the project and the analyses run on the samples collected. **Section 3** summarizes the results of sample analysis performed for the project. **Section 4** summarizes the conclusions drawn from the work completed during the project and presents recommendations for the two areas (area adjacent to Buildings 813/814 and EM-5) based on the data collected.

2 STUDY AREA INVESTIGATION

2.1 INTRODUCTION

Supplemental investigations were performed within the SEAD-12 area based on the results of the Remedial Investigation at the Radiological Waste Burial Sites (Parsons, 2002a). Based on comments received from the regulatory community, additional investigation of trichloroethene detections in groundwater outside Buildings 813/814, as well as evaluation of Pb-210 concentrations in soil within the EM-5 area of the site were performed. The SRI was conducted in accordance with the Final Workplan for the Supplemental Remedial Investigations at the Radioactive Waste Burial Sites, submitted in March, 2004. The purpose of the Supplemental RI was to determine the extent of TCE contamination in groundwater by installing temporary monitoring wells using a phased approach. In addition, several soil sample locations within the EM-5 area were re-sampled and analyzed using a different method (as requested by NYSDEC) for the analysis of Pb-210. The following sections describe the fieldwork performed during the SRI.

2.2 BUILDINGS 813 AND 814 INVESTIGATION

2.2.1 Groundwater Investigation

2.2.1.1 Temporary Well Installation

The TCE concentrations detected in MW12-37 during the two sampling events in the original RI were above the NYSDEC GA Standard. The DCE concentration detected in MW12-37 in December 1999 was above the NYSDEC GA Standard. TCE was also detected in one surface water sample and VOCs were detected in a number of soil gas samples. As a result, the SRI fieldwork at Buildings 813 and 814 focused on delineating potential VOC plumes in this area, in particular, the TCE plume that appeared to extend downgradient from MW12-37. To further delineate the VOC contamination, the Army proposed the installation of 15 temporary wells in locations where elevated VOCs were detected in the soil gas survey or in areas downgradient from the RI TCE and DCE detections (**Figure 2-1**). The proposed placement of each temporary well is shown in **Figure 2-2**, and the rationale for the proposed locations is presented in **Table 2-1**. As indicated in the figure, the wells were installed in two phases to ensure that the outer boundaries of any VOC plumes were well defined.

The nine Phase I temporary wells, TW12-1 through TW12-9, were installed on May 24 and 25, 2004 with the exception of TW12-2. The boring advanced in this location hit bedrock prior to reaching the water table, so the hole was abandoned. Groundwater samples were collected from the eight temporary wells and the samples were analyzed for VOCs. The VOC results from Phase I, which will be discussed in detail in **Section 3**, indicated that the elevated TCE concentration detected in MW12-37 during the RI was relatively localized. Therefore, five additional wells, rather than the originally projected six, were located between the buildings and the Phase I locations in an effort to determine the boundary of any plume, if one existed. The five Phase II temporary wells were installed on June

9 and 10, 2004. The locations of the 13 temporary wells installed during the SRI are shown in **Figure 2-3**.

The temporary monitoring wells were installed according to the monitoring well installation procedures outlined in the Field Sampling and Analysis Plan of the *Generic RI/FS Workplan* (Parsons, 1995), with the exception that the temporary wells were not finished with bollards, casings, or concrete collars. All soil boring points were advanced to auger refusal, which was taken to represent the depth to bedrock. Monitoring wells were then established in the completed borings using 2" PVC with a maximum screen length of ten feet. The completion report for each of the wells is contained in **Appendix A**. Groundwater elevation data are presented in **Table 2-2** and **Figure 2-3**. The groundwater flow direction in the areas around Buildings 813/814 is generally to the northwest. In the areas immediately adjacent to the buildings, the groundwater flow direction may be closely related to the local topography and geological conditions.

In June 2005, temporary wells TW12-1, TW12-4, TW12-5, TW12-7, TW12-8, TW12-22, TW12-23, TW12-25, and TW12-26 were abandoned in accordance with the Generic RI/FS Workplan (Parsons, 1995), NYSDEC Well Abandonment Protocols, and the Supplemental RI Workplan. TW12-6 along with MW12-37 was removed during test pit operations. TW12-3, TW12-9, and TW12-24 remain at the site along with MW12-38, MW12-39, and MW12-40.

2.2.1.2 Groundwater Sampling

Groundwater samples were collected from each of the temporary monitoring wells installed during the SRI. As stated in **Section 2.2.1.1**, the sampling of these wells took place in two phases to ensure that any VOC plumes were accurately defined. Phase I samples were collected from the first eight temporary wells installed and were analyzed for VOCs. The results of this analysis were used to position the five Phase II temporary wells, which were also sampled following installation. In order to confirm the TCE concentrations observed during the original RI, permanent wells MW12-37 and MW12-40 were re-sampled during Phase II of the SRI. The Phase II samples were analyzed for VOCs.

Unless otherwise specified, all temporary well and permanent well samples were collected in accordance with the procedures specified in the USEPA Region II (1998) Standard Operating Procedure (SOP) titled *Groundwater Sampling Procedure, Low Flow Pump Purging and Sampling*. In general, each well was purged and sampled using a bladder pump. Samples were collected only after water quality indicator parameters including turbidity, temperature, specific conductivity, pH, dissolved oxygen content (DO), and oxidation-reduction potential (ORP) stabilized in the well (i.e. were constant for three consecutive readings). As the water volume in TW12-9 was not sufficient for low-flow sampling, a bailer was used for sampling at TW12-9. All samples were collected when the turbidity reading was below 50 Nephelometric Turbidity Units (NTUs) with the exception of the samples collected from TW12-1, -5, -6, -8, and -26. The groundwater sampling records are contained in **Appendix B**.

Based on the fact that groundwater results from three wells (TW12-24, TW12-9, and TW12-3) installed during the SRI within 45 feet of MW12-37 showed no detections of VOCs, it was concluded that the groundwater impacts at MW12-37 were isolated. A final, post-excavation groundwater sampling round was not performed since there were no exceedances of TCE in the groundwater except for MW12-37 and this well, in addition to the soils surrounding it, were removed during the SRI.

2.2.1.3 Sample Analysis

Groundwater samples were submitted to Chemtech located in Mountainside, New Jersey. The laboratory is certified by New York State's Contract Laboratory Program (CLP), Analytical Services Protocol (administered by New York State Department of Health (NYSDOH) and the US Army Corp of Engineers (USACE), Hazardous, Toxic, and Radioactive Waste (HTRW) Center of Expertise (i.e., former Missouri River Division) for CLP VOC analysis. Certifications for CLP VOC analyses were provided in **Appendix F**. Organic compounds characterized during this investigation focused on compounds listed on the CLP Target Compound List (TCL). Additionally, attempts were made to identify and quantify the 10 volatile tentatively identified compounds (TICs) of greatest concentrations, in accordance with the NYSDEC Analytical Services Protocol (ASP). A field duplicate sample, a rinsate blank, and a Matrix Spike/Matrix Spike Duplicate (MS/MSD) sample were collected during each phase of sampling and were submitted to the laboratory with the rest of the groundwater samples and a trip blank supplied by the laboratory for quality control (QC) purposes. A detailed discussion of the groundwater results is contained in **Section 3**.

2.2.2 Surface Water/Ditch Soil Investigation

Seven surface water/ditch soil samples were collected on June 24, 2004 from the drainage ditch adjacent to Buildings 813 and 814. SW/SD 12-69, re-examined RI sample location SW/SD12-30, which showed a 1 µg/L concentration of TCE during the RI. Three sample locations, SW/SD 12-70, -71, and -74, were to the north of SW/SD 12-69 at an approximate 100-foot interval to assess whether or not VOCs were discharging to the surface water. SW/SD 12-72 and 73 were both to the northwest of the elevated TCE detection at MW12-37 to determine if TCE was migrating downgradient from that location via the ditches rather than through groundwater. Finally, SW/SD 12-68 was collected south of SW/SD12-69 to ensure that VOCs were not migrating in the suspected upgradient direction via the surface water in the ditch. **Figure 2-3** shows the locations of the collected surface water/ditch soil samples.

The surface water samples and ditch soil samples were collected according to the sampling methods outlined in the Field Sampling and Analysis Plan of the *Generic RI/FS Workplan* (Parsons, 1995). Both the surface water and ditch soil samples were submitted to Chemtech for VOC analysis by Method 8260B, and the ditch soil samples were also analyzed for total organic carbon (TOC) by USEPA Method 9060. As with the groundwater samples, a full set of QC samples was collected and submitted to the laboratory for both the surface water and ditch soil samples. The surface water/ditch

soil sampling records are contained in **Appendix B**, and detailed discussion of the results is contained in **Section 3**.

2.2.3 TCE Source Investigation

2.2.3.1 Phase I Test Pitting - November 3, 2004

The results obtained from the groundwater and surface water/ditch soil sampling operations performed during the SRI indicated that the TCE plume detected in MW12-37 was localized. However, TCE continued to be detected in groundwater at MW12-37 as it had been in 1999. Based on the continued presence of elevated TCE concentrations in this location, the Army proposed a test pit investigation to determine if there was a subsurface point source for the TCE, such as buried debris associated with the painting operations in the buildings. Representatives from the US Environmental Protection Agency (USEPA) and New York State Department of Environmental Conservation (NYSDEC) concurred with the plan for a test pit investigation during a conference call on July 6, 2004.

Test pit excavation and test pit sample collection were conducted in accordance with the test pitting techniques outlined in the Field Sampling and Analysis Plan of the *Generic RI/FS Workplan* (Parsons, 1995).

On November 3, 2004, approximately 20 cubic yards of soil were removed from the area immediately surrounding MW12-37. Three soil samples, TP813-1T, TP813-2T, and TP813-3T, were collected from the south, north, and east sides of the pit, respectively. The “T” suffix signifies a temporary sample location that was removed in a later phase of excavation; an “F” suffix signifies locations remaining after the final phase of the investigation. One stockpile sample, SP813-1, was collected on November 3 from the stockpile of excavated soil, which had been staged immediately adjacent to the pit. This stockpile was re-sampled (SP813-3) on November 10 and moved prior to the initiation of Phase II of the investigation. The locations of the test pit samples and the final location of the stockpiles are shown in **Figure 2-4**.

Photos of the excavation can be found in **Appendix G**. The test pit and stockpile soil samples were submitted to Chemtech (Mountainside, New Jersey) and Columbia Analytical Services (Rochester, New York) for CLP VOC analysis. A detailed discussion of the test pit sample results and stockpile sample results is contained in **Section 3**.

2.2.3.2 Phase II Test Pitting - November 10 and 11, 2004

TCE concentrations exceeding the TAGM limit were detected in all three of the sidewall samples collected on November 3, 2004. As a result, the Army decided to expand the scope of the test pit investigation in an attempt to determine the location of the TCE source. The test pit was expanded by approximately 160 cubic yards on November 10 and 11, 2004. During test pitting activities, a flame ionization detector (FID) was used as field screen for VOC concentrations.

The pit was excavated to bedrock depth, and the only notable object discovered were a piece of rusting metal debris and an abandoned 6-inch clay sewer pipe along with clay pipe fragments. Metal debris was found near the northern limit of the Phase II test pit, approximately 22 feet from the Northeastern corner of the buildings. Soils were not discolored near this debris nor were there any elevated FID readings. One sample, TP813-4F, was collected from the soil immediately surrounding the debris. The 6-inch clay sewer pipe appeared to run north from the building and was approximately 1 foot to the west of the former MW12-37, which was removed during the Phase I excavation. The pipe appeared to be empty, and no visible contamination was sighted in the soil removed from the hole. There were no elevated readings detected by the FID in the area where the pipe was found. No as-built records showing existing sewer lines were available for this building; and it is not known when this sewer line was in service. Additionally, stained soils were observed in the weathered shale in the southern portion of the test pit near the east side of the building. Two samples, TP813-7T and TP813-8T, were collected from the area of the stained shale. Three more samples were collected from the eastern (TP813-5F), northern (TP813-6F), and western (TP813-9T) sides of the pit to determine if a source could still be present in those directions. No samples were collected from the base of the test pit, as it extended down to competent bedrock.

The soil removed during the Phase II excavation was stockpiled in the same area as the material removed during Phase I while the piles from the two Phases were kept separate. An effort was made to segregate soil from differing areas of the pit itself, with the stained shale and the soil containing metal debris separated from the soil that was not visually impacted. **Figure 2-4** illustrates how the material was grouped in the stockpile area. Samples were collected from the stockpiled material on December 9 to determine which, if any, of the material could be used to refill the excavation when it was completed. Samples SP813-3 through SP813-7 were collected from the stockpiles on December 9, with each collected from a pile that was deemed to be representative of a set of piles exhibiting relatively similar properties. At least one sample was collected for every 50 cubic yards of soil in the stockpile area.

Photos of the excavation can be found in **Appendix G**. The test pit soil samples and stockpile samples collected during the second phase of investigation were submitted to Columbia Analytical Services (CAS) located in Rochester, New York for VOC analyses using the USEPA SW-846 8260B. Some samples were also analyzed for TOC using the USEPA approved Lloyd Kahn analytical method. A detailed discussion of the test pit sample results and stockpile sample results is contained in **Section 3**.

2.2.3.3 Phase III Test Pitting - December 20 - 22, 2004

The VOC results from the second phase of investigation indicated that the northern and eastern bank wall samples were below the NYSDEC TAGM levels for TCE and other VOC analytes. However, the TCE levels in the samples collected from the southern wall and western wall exceeded the TAGM value. The Army decided to extend the test pit to the south and west in a further attempt to determine the extent of the TCE impacted soil.

Phase III of the investigation was conducted on December 20 and 21, 2004. An additional 50 cubic yards of soil was removed from the southern and western ends of the existing test pit during the Phase III test pitting. The southeastern side of the pit was extended to TW12-24, which contained no detectable VOCs in groundwater during the groundwater investigation. Following the extension of the excavation to TW12-24, no further evidence of any stained soil was observed in the shale at the base or side of the pit. A 4-inch ductile iron (DI) pipe was found during the excavation near the 4-inch DI end within the foundation. No definitive bedding was found in the area of the pipes. The invert of the pipe was found approximately 4 to 5 feet bgs. and the excavation was taken down to native bedrock (approximately 7 feet bgs.). To preserve the structural integrity of the building, the southwestern side of the test pit was extended only to the northern edge of the building. Finally, the western side was extended approximately 15 feet to halfway between the eastern and western sides of the building. This extension was based on the location of TW12-6, which was approximately 30 feet west of MW12-37. No VOCs were detected in groundwater from TW12-6, indicating that TCE was not present in the soils at concentrations contributing to groundwater contamination in this area. Three samples, TP813-10F through TP813-12F, were collected from beneath the edge of the building, with TP813-11F collected from the eastern side where the stained soils were originally observed. A pair of sidewall samples (TP813-13F and its field duplicate) was collected from the western wall of the pit near the excavation bottom (i.e., 3-4 ft bgs. vs. 5 ft bgs.), and one stockpile sample, SP813-8, was collected from the area of the stockpiled Phase III soil exhibiting the highest Photoionization Detector (PID) readings.

The test pit soil samples and stockpile soil samples collected during the third phase of investigation were submitted to Columbia Analytical Services in Rochester, New York for VOC analyses using the USEPA SW-846 8260B. A detailed discussion of the test pit sample results and stockpile sample results is contained in **Section 3**.

The test pit was backfilled on December 21 and 22 using soil removed during the first two phases of the investigation. Only those piles that were determined to be below TAGMs based on the results of the stockpile samples were used in backfilling. These included the Phase I soil and the Phase II soils that were not visibly impacted. The visibly impacted Phase II stockpiles and the stockpiles of soil removed during the third phase of test pitting were sampled again in 2005 and 2006 and are currently remain at the site. **Figure 2-5** is an as-built diagram of the final pit. The test pit logs for the final excavation boundaries are included in **Appendix C**. Photos of the excavation can be found in **Appendix G**.

2.2.3.4 Soil Sampling and Analysis

The soil samples were collected from the pit according to the methods outlined in the Field Sampling and Analysis Plan of the *Generic RI/FS Workplan* (Parsons, 1995). Both the samples collected in the excavation and the stockpile samples were grab samples. Grab samples, rather than composite samples, were collected from the stockpiles due to the risk of volatilizing VOCs in the soil during the

mixing of a composite from more than one pile. Each of the stockpile samples was judged to be representative of the material removed from the same area in the excavation. All of the soil samples were analyzed for VOCs by Method 8260B, and one set of QC samples was collected and submitted to the laboratory for each sampling event. Some Phase II soil samples were also analyzed for TOC using the USEPA approved Lloyd Kahn analytical method. A detailed discussion of the test pit and stockpile soil sample results is contained in **Section 3**.

2.3 EM-5 SOIL INVESTIGATION

2.3.1 Surface and Subsurface Soil Sampling

Due to the elevated levels of Pb-210 detected at EM-5, soil re-sampling and re-analyzing was conducted for this area to verify the results of the RI investigation. The SRI sampling locations were selected from existing sample locations based on the highest detections of Pb-210 during the RI. One modification was made to the sampling plan proposed in the SRI Workplan; the subsurface sample to be collected at MW12-23 was replaced by a subsurface sample collected at TP12-15A, as further review of the RI data indicated that the Pb-210 concentration in this location had been higher than the one seen at MW12-23. Eight surface soil and two subsurface soil samples were collected from ten locations on June 24, 2004 (**Figure 2-6**). The soil samples were collected according to the sampling methods outlined in the Field Sampling and Analysis Plan of the *Generic RI/FS Workplan* (Parsons, 1995). All samples were collected using a hand driven split-spoon. If necessary, a hand auger was used to remove material above the sample depth at the subsurface locations. The soil sampling records are contained in **Appendix B**.

2.3.2 Sample Analysis

All samples were analyzed for Ra-226 (the parent of Pb-210) and its daughter products by General Engineering Laboratories (GEL) located in Charleston, South Carolina using a Modified DOE EML HASL-300 Method. NYSDEC had requested the use of this method to verify the RI results and minimize the uncertainty of the RI results. GEL's Standard Operating Procedures for the Determination of Gamma Isotopes (Modified DOE EML HASL-300) is included as **Appendix D**. One set of quality assurance/quality control (QA/QC) samples was collected (MS/MSD and field duplicate samples were collected from surface soil location SS12-107) and submitted to the laboratory with the rest of the samples. The results of Ra-226 and its daughter products in soil are contained in **Section 3**.

2.4 SITE SURVEY

A surveyor, licensed by the State of New York, was contracted to determine the locations of all temporary wells installed during this program as well as the locations of the surface water/ditch soil samples. Site surveys were performed in accordance with good land surveying practices and conformed to all pertinent state, federal, and USACE laws and regulations governing land surveying.

The procedures are outlined in Section 3.13.1 of the Field Sampling and Analysis Plan of the *Generic RI/FS Workplan* (Parsons, 1995).

2.5 DATA VALIDATION

Validation of soil, groundwater, surface water, and ditch soil analytical data was performed in a manner that is generally consistent with procedures defined in the Contract Laboratory Program National Functional Guidelines for Organic Data Review (USEPA, 1999), Region 2 Resource Conservation and Recovery Act and Comprehensive Environmental Responsibility, Compensation, and Liability Act Data Validation Standard Operating Procedures, and NYSDEC (2000) Contract Laboratory Program ASP, with consideration for the methodology requirements and the Final Workplan for the Supplemental Remedial Investigations at the Radioactive Waste Burial Sites (SEAD-12; Parsons, 2004).

The data validation included performance of a completeness audit and a review of the following parameters, where applicable: holding times, sample preservations, percentage of solids, quality control results of equipment/rinsate blanks, trip blanks, method blanks, matrix spike /matrix spike duplicate analyses, laboratory control sample performances, laboratory and field duplicates, surrogate recoveries, instrument performance and calibration, chromatograms and mass spectrums, internal standard recovery, and reporting limits. In performing the data validation, the raw data were spot-checked in accordance with the Region II SOP to evaluate whether there was any transcription error.

3 **RESULTS**

3.1 **GROUNDWATER RESULTS**

A total of 15 temporary and permanent monitoring wells were sampled during the Supplemental Remedial Investigation and analyzed for VOCs. The detections observed in the groundwater VOC analysis are summarized in **Table 3-1** and shown in **Figure 3-1**. A complete record of the analytical results is presented in **Appendix E**. As shown in **Table 3-1**, there were no exceedances of NYSDEC Class GA Groundwater Standards in the samples collected from the Phase I temporary wells, TW12-1 and TW12-3 through TW12-9. The only detections in the Phase I wells were for trichloroethene and acetone. TCE was detected in wells TW12-1 and TW12-3 at concentrations of 4.1 µg/L (J) and 4.2 µg/L (J), respectively. Both of these concentrations are below the NYSDEC Class GA Standard for TCE (i.e., 5 µg/L). Acetone was detected at a concentration of 47 µg/L (J) at TW12-9 and a concentration of 51 µg/L at TW12-4. There is no NYSDEC GA Standard for acetone, but these two detections were near the NYSDEC GA guidance value of 50 µg/L. No volatile TICs were identified in any groundwater samples collected in 2004.

Some nondetects were reported with their reporting limits above the NYSDEC GA Standards. To further evaluate whether or not the nondetects in groundwater were consistent with the NYSDEC GA Standards, the Method Detection Limits (MDLs) associated with the samples were evaluated. Whether an analyte was reported as a detect or as a nondetect was based on the fact whether or not the concentration was above the laboratory MDL. However, a nondetect (i.e., an analyte with concentration below the MDL) would be reported using the reporting limit (RL) versus the MDL due to the fact that the reporting limit was considered the lowest concentration that could be accurately measured, as opposed to just detected. As a result, the MDLs were lower than the RLs. For example, the reporting limit for TCE is 10 µg/L for the groundwater samples collected during the SRI while the MDL for TCE was 0.50 µg/L, much lower than the NYSDEC GA Standard of 5 µg/L for TCE.

All values less than the MDLs were reported as U (Undetected) by the laboratory and all values between the MDL and RL were reported as J (estimated). The nondetects, although reported with the respective RLs, were actually not detected above the laboratory MDLs. As the MDLs (0.50 µg/L for all target analytes in the groundwater samples) were below the NYSDEC Class GA Standards for all analytes with few exceptions (i.e., cis-1,3-Dichloropropene, trans-1,3-Dichloropropene, 1,2-Dibromoethane, and 1,2-Dibromo-3-chloropropane), the groundwater nondetect results generally demonstrated compliance with the NYSDEC GA Standards. The MDLs for the groundwater samples are presented in **Appendix F**.

Because there was no significant detection of TCE in the first round results, the Phase II temporary wells were generally positioned between Buildings 813/814 and the Phase I well locations. The five Phase II wells installed, TW12-22 through TW12-26, were positioned to better define the area adjacent to MW12-37, the only well containing a TCE exceedance in the RI samples, and the area

adjacent to the TCE detection at TW12-1. Two permanent wells, MW12-37 and MW12-40, were also sampled with the Phase II temporary wells. The only detections observed during the Phase II groundwater investigation were for TCE and cis-1,2-dichloroethene (cis-1,2,-DCE) in MW12-37. Both detections exceeded the Class GA Standards, with TCE detected at a concentration of 2,400 µg/L and cis-1,2-DCE at a concentration of 41 µg/L. The Phase II groundwater investigation results indicated that the TCE observed during the RI was still present but was localized to the area in adjacent to MW12-37.

Temporary monitoring wells were installed during the SRI in areas where high VOC concentrations were observed in the soil gas during the RI, as well as between MW12-37 and MW12-40 (the two wells where TCE was detected during the RI). Soil gas investigations were generally conducted to assist in the planning of additional investigations. Therefore, an elevated VOC concentration in soil gas does not necessarily indicate an elevated VOC concentration in the groundwater at that point. Soil gas originating from groundwater will follow preferential paths within the matrix toward an accumulation or exit point. Some correlation between soil gas and groundwater impacts were found during the RI. Soil gas results near the northeastern portion of the building led to the installation of MW12-37 during the RI where groundwater impacts were found. Soil gas readings in other locations further investigated during the SRI were not indicative of groundwater impacts at those points. In summary, the RI and SRI groundwater results indicate that the impacts to groundwater have been limited and localized to area adjacent to MW12-37.

Although bedrock wells were not installed during the SRI, based on the following facts observed at the site, it is concluded that groundwater contamination does not extend into the competent bedrock at the site:

- Although TCE in the pure phase has a greater density than water, groundwater with dissolved TCE at the ppm levels should be neutrally buoyant and will not sink. This fact is supported by a paper titled “Downward Solute Plume Migration: Assessment, Significance, and Implications for Characterization and Implications for Characterization and Monitoring of “Diving Plumes” (API Soil and Groundwater Technical Task Force, 2006).
- A bedrock well (MW12-815) exists approximately 300 ft southwest of MW12-37. Two rounds of samples were collected in April and December 1999, respectively from deep water (i.e., 20 ft bgs.) at MW12-815. No VOCs, SVOCs, pesticides, or PCBs were detected in either round except that toluene was detected in one round at 3.1 µg/L (below the GA Standard of 5 µg/L) and benzo(g,h,i)perylene was detected in one round at 0.052 µg/L (below the reporting limit of 1 µg/L). Several metals were detected in the samples collected from MW12-815 but all metal concentrations were below the GA Standards except that iron concentration detected in one round was slightly above the GA Standard (355 µg/L vs. 300 µg/L) but was considered consistent with Seneca background (a maximum concentration of 69,400 µg/L was observed in the Seneca background data set).

- Excavation of soil was extended to competent bedrock. That is, contamination in weathered bedrock, if any, would have been excavated during the SRI.
- The competent bedrock at SEDA generally has very low yield. There has been no connection found at SEDA between contaminant concentrations in the overburden and competent bedrock.

3.2 SURFACE WATER AND DITCH SOIL SAMPLE RESULTS

Seven surface water and ditch soil locations were investigated in the drainage ditch near Buildings 813/814. The surface water and ditch soil samples were co-located and shared location IDs with the exception of the SW or SD prefix. As with the groundwater samples collected, the surface water and ditch soil samples were analyzed for VOCs. The surface water results are shown in **Figure 3-1**, and the ditch soil detections are summarized in **Table 3-2** and shown in **Figure 3-1**. A complete record of surface water and ditch soil analytical results is presented in **Appendix E**. There were no detections of VOCs in the surface water samples; and two analytes, toluene and acetone, were detected in the ditch soil samples. Toluene was detected in samples SD12-68, -69, -71, and -72; and acetone was detected in samples SD12-68 and -70. The toluene detections were all well below the NYSDEC TAGM 4046 value of 1,500 µg/Kg. The highest toluene concentration observed in the samples was 7.4 µg/Kg. The two acetone detections were 110 µg/Kg at SD12-70 and 72 µg/Kg at SD12-68; both are below the TAGM limit of 200 µg/Kg.

3.3 SOIL RESULTS

3.3.1 TCE Source Investigation

3.3.1.1 Phase I Test Pitting- November 3, 2004

Three samples and a duplicate were collected from the north, east, and south sidewalls of the initial test pit excavated north of Building 813. All four samples were analyzed for VOCs, and all four contained concentrations of TCE that exceeded the NYSDEC TAGM value; the TCE results are shown in **Figure 3-2**. The highest TCE concentration was 65,000 µg/Kg in the field duplicate sample for location TP813-3T, which was on the east side of the test pit. The concentration in sample TP813-3T was comparable to this at 60,000 µg/Kg. The TCE concentrations in TP813-1T (south sidewall) and TP813-2T (north sidewall) were not as high as those on the east side, with concentrations of 11,000 µg/Kg and 7,000 µg/Kg, respectively. However, both of these concentrations were at least 10 times the TAGM value of 700 µg/Kg. A number of other VOCs were also detected in the four test pit samples, but none of these detected VOC concentrations exceeded the TAGM values and the concentrations detected were approximately 1,000 times lower than those for TCE.

3.3.1.2 Phase II Test Pitting - November 10 and 11, 2004

Following the detection of elevated levels of TCE in the sidewalls of the test pit, the pit was expanded to determine if the TCE source material was located outside of the area investigated on November 3, 2004. Six more sidewall samples were collected following the enlargement of the test pit to determine the potential location of a source. TP813-4F was collected from the area immediately beneath rusted metal debris that had been discovered and removed during the exploration activities, and TP813-5F, TP813-6F, TP813-7T, -8T, and -9T were collected from the sidewalls of the pit.

No TCE was detected in TP813-4F, the sample collected under the rusted debris, suggesting that the debris was not associated with a source of TCE in the subsurface. All of the samples collected from the sidewalls contained detectable concentrations of TCE, with concentrations above the TAGM values in three of the five samples, TP813-7T, -8T, and -9T. The three TCE exceedances were between 1,000 and 1,400 µg/Kg. TP813-7T and TP813-8T had been collected near visually stained soils. The two detections not exceeding the TAGM were 160 µg/Kg (J) at TP813-5F and 590 µg/Kg at TP813-6F. The two locations with TCE concentrations below the TAGM were immediately adjacent to the drainage ditch on the northern and eastern sides of the pit. These data, in conjunction with the surface water and ditch soil data that indicated no TCE was present, suggested that source material would not be present further out in these directions (i.e. towards the ditch). No further investigation was planned to the east or north of the November 11 pit boundaries. The exceedances on the west and south sides of the test pit indicated that a source could be present in either of those directions, and a Phase II exploration was conducted. The only analytes other than TCE detected in the soil samples were toluene at a concentration of 100 µg/Kg in sample TP813-6F and cis-1,2,-DCE at a concentration of 2,800 µg/Kg in sample TP813-7T.

3.3.1.3 Phase III Test Pitting - December 20 - 22, 2004

The final phase of source investigation, Phase III, extended the walls of the pit further to the south, southeast, and west based on sample results from TP813-7T, TP813-8T, and TP813-9T. Four more sidewall samples and a field duplicate were collected following the completion of this phase of investigation. VOC analysis of these samples indicated that two of the four contained TCE concentrations exceeding the TAGM values. The higher of the two exceedances, 4,800 µg/Kg (J), was detected in sample TP813-10F. This sample was collected immediately beneath the northern footer of Building 813, underneath the outlet of an abandoned 4-inch DI pipe exiting the building. This pipe had extended farther to the north, but all of the pipe past the northern wall of the building was removed during test pitting activities. The other TCE exceedance was detected in TP813-12F at a concentration of 1,000 µg/Kg (J). This sample was collected approximately 10 feet west of TP813-10F. TP813-11F, collected underneath the eastern footer of the building near the location of stained soils that had been removed, contained 11 µg/Kg of TCE, a concentration well below the TAGM. The analytical results for TP813-13F and its field duplicate collected from the western side of the test

pit showed a concentration of 1.3 µg/Kg (J) and a non-detect with a sample quantitation limit (SQL) of 4.5 µg/Kg, respectively. The detected concentration was well below the TAGM.

Of the non-TCE compounds, acetone was detected at the highest concentration of 32 µg/Kg. None of the non-TCE VOCs exceeded any of the established TAGMs. A list of the VOCs detected in the excavation is summarized in **Table 3-3**, and a complete record of the test pit results is contained in **Appendix E**.

The limit of the TCE source (i.e. where the TCE in soil was less than the NYSDEC TAGM) had been identified in all directions except at the northern boundary of Building 813. Due to the impracticality of excavating further beneath the footer of the building, no additional investigation was pursued. Test pit activities ceased after discussions among the Army, NYSDEC, and USEPA at the BRAC Closure Team (BCT) meeting on January 18, 2005.

3.3.2 Stockpiles

A total of eight soil samples (SP813-1 through SP813-8) and a field duplicate (field duplicate of SP813-3) were collected from stockpiled soils during the SRI. A list of the VOCs detected in the stockpiles is summarized in **Table 3-4**, and a complete record of the stockpile sample results is contained in **Appendix E**. **Figure 3-3** shows the locations of the stockpile groups (i.e., Phase I, Phase II, Phase IIIA, and Phase IIIB) and the TCE concentrations of the stockpile samples. Stockpiled soil with TCE concentrations below the TAGM value was backfilled following the completion of the test pit investigation. Two stockpile samples, SP813-1 and SP813-2, are not shown in the figure. , SP813-1 was collected on November 3, 2004 from the Phase I soil when it was located immediately adjacent to the test pit; SP813-2 was collected on November 10, 2004 from the Phase II soil when it was located immediately adjacent to the test pit. The Phase I and Phase II soil was later moved to the location shown on the figure and sampled on December 9, 2004. The average TCE concentration detected on December 9 of the Phase I and visually unimpacted Phase II stockpile samples was below the NYSDEC TAGM value (588 µg/Kg vs. 700 µg/Kg); therefore, the soil within the Phase I and visually unimpacted Phase II stockpiles were backfilled on December 21 and 22, 2004.

Two grab samples were collected from the visually impacted Phase II stockpiles on December 9, 2004. The TCE concentrations in both samples were above the NYSDEC TAGM value of 700 µg/Kg. The stockpiles were re-sampled on July 22, 2005 and three grab samples were collected at random grid locations within the stockpile. The TCE concentrations were all below the TAGM value of 700 µg/Kg.

One grab sample was collected from the Phase IIIA stockpile on December 21, 2004 and the TCE concentration was 18,000 µg/Kg. Phase IIIA stockpiles were re-sampled on July 22, 2005 and three grab samples were collected at random grid locations within the stockpile. An additional sample was

collected from this stockpile on November 28, 2005. The TCE concentrations detected in the 2005 samples were all below the TAGM value of 700 µg/Kg.

Two samples were collected from the Phase IIIB stockpiles on July 22, 2005. One sample had a concentration that was below the TAGM for TCE. However, the other sample SP813-16 had TCE levels at 22,000 µg/Kg. This location was staked in the stockpile and was re-sampled on February 14, 2006. In addition, three samples were collected at random grid locations at the same time. The average TCE concentration detected in the February 2006 sampling event was 229 µg/Kg, below the NYSDEC TAGM value.

In brief, the stockpile results indicated that TCE was detected below action levels for the remaining stockpiles and that the soil could be backfilled.

3.3.3 EM-5

A total of 10 locations were sampled during the SRI and analyzed for Ra-226 and its daughter products using Modified DOE EML HASL 300 Method. Ra-226 is the parent of Pb-210, which was the only radiological contaminant of concern at EM-5 based on analysis performed during the original RI. The RI analysis used a Wilcoxon Rank Sum (WRS) Test to compare Depot-wide background radiological concentrations with the concentrations detected at EM-5. Prior to the background to site comparison, Derived Concentration Guideline Levels were developed for each isotope and added to each background data point. The DCGLs were developed according to procedures outlined in the Multi-Agency Radiation Survey and Site Investigation Manual (Department of Defense et al., 2000) using RESRAD version 5.82 and the NYSDEC TAGM-4003 total effective dose equivalent of 10 millirems per year. Using the WRS, Pb-210 was the only isotope detected that exceeded the background value adjusted using the DCGL calculated for a worker at EM-5. The Pb-210 DCGL for a worker at EM-5 was calculated to be 33.05 pico-curies/gram (pCi/g).

Pb-210 was not detected in any of the samples analyzed during the SRI, and the uncertainties and detection limits associated with the SRI analyses were much lower than those reported for the RI analyses. Therefore, there is no longer any reason to believe that Pb-210 concentrations exceed background values at EM-5. **Table 3-5** shows a comparison between the SRI Pb-210 results and the RI Pb-210 results for the same locations. A complete record of the radiological results is presented in **Appendix E**.

4 CONCLUSIONS AND RECOMMENDATIONS

The objective of the Supplemental Remedial Investigation (SRI) was twofold: 1) to investigate the VOC contamination detected in the groundwater in the vicinity of Buildings 813 and 814 during the Remedial Investigation; and 2) re-sample and re-analyze the elevated detections of Pb-210 in the soil at the EM-5 area. This section provides the conclusions and recommendations made with respect to each area.

4.1 CONCLUSIONS

4.1.1 VOC Contamination at Buildings 813/814

4.1.1.1 Groundwater

The first step in the SRI field program was the installation of 13 temporary monitoring wells. Groundwater from these wells and two existing permanent wells was collected and analyzed for VOCs to better define the location of a TCE plume identified during the RI. Only one exceedance of the NYSDEC Class GA Standard for TCE was observed in the groundwater samples, and this exceedance was in the same location as the exceedance observed during the RI (i.e., MW12-37). The cis-1,2-DCE concentration observed in MW12-37 was above the NYSDEC Class GA Standard (41 µg/L vs. 5 µg/L). No other VOCs were detected at concentrations above their respective Class GA Standards.

Based on the results of the groundwater investigation, a test pit investigation was performed in the area immediately surrounding MW12-37, the well containing the TCE and cis-1,2-DCE contaminated groundwater. The specific conclusions drawn from the test pit investigation will be discussed in **Section 4.3**, but the results suggested that the source soils in the area were located and partially removed during the investigation. As the TCE detected during the original RI did not migrate to any of the temporary wells installed during the SRI, it does not appear that any TCE remaining beneath the building will migrate significantly in the future.

4.1.1.2 Surface Water/Ditch Soil

No exceedances of the NYSDEC Class C surface water standards or TAGM 4046 soil levels were detected in either the surface water or the ditch soil samples collected in the drainage ditch adjacent to Buildings 813/814. Toluene and acetone were detected in the ditch soil samples, but the detections were all well below the TAGM values. It is not believed that there have been any significant releases of VOCs to the ditch, and the identification and removal of the TCE impacted soil at MW12-37 appreciably limits the likelihood that any VOCs will migrate to the ditch in the future.

4.1.1.3 Soil

A test pit was excavated in an attempt to determine the source of the TCE detected in the groundwater adjacent to Buildings 813/814. Approximately 230 cubic yards of soil were removed from the area surrounding MW12-37, the only well sampled that showed a TCE concentration exceeding groundwater standard. The test pit operation took place in three stages, with sidewall samples collected following the completion of each expansion of the pit. The samples were analyzed for VOCs to determine if the limits of the source had been reached or if it existed outside of the limits of the investigation. Exploration ceased on each side of the pit when the sample collected on that side exhibited TCE concentrations below the NYSDEC TAGM value of 700 µg/Kg. The only exception was on the south side of the test pit, where further digging was prevented by the building. Two locations in this area still showed TCE concentrations that exceeded the TAGM, TP813-10F at 4,800 µg/Kg and TP813-12F at 1,000 µg/Kg (see **Figure 3-2**).

During the test pitting, soils associated with TCE concentrations of up to 65,000 µg/Kg (TP813-3T field duplicate) were removed immediately adjacent to the former location of MW12-37. An abandoned 6-inch clay sewer pipe and a 4-inch ductile iron pipe were found during the test pitting. The majority of the sewer pipe and all of the ductile iron pipe past the northern wall of the building were removed during the test pitting operation. TP813-12F, the sample showing the highest remaining TCE concentration was collected immediately beneath the clay pipe where it extended northward from beneath the footer of the building. While it is probable that the TCE impacted soils extend beneath Building 813, it is believed that the soil containing the highest TCE concentrations had been located and subsequently removed during the investigation. As the Army did not want to risk the structural integrity of the building, excavation ceased at the footer on both the northern and eastern sides of the building. Digging was halted on the southeastern side of the test pit due to the proximity to TW12-24, which did not contain any VOCs during the groundwater investigation. The open excavation was backfilled using approximately 100 cubic yards of stockpiled material that had been sampled, analyzed, and found to be below TAGMs for all VOC constituents.

4.1.2 EM-5 Soils

The Pb-210 results from the EM-5 area soil sample analyses performed during the original RI were elevated compared to background values for Pb-210. However, there was a large uncertainty associated with the laboratory results; and there were no known Army activities at this area that suggest the area was impacted. In order to address concerns that Pb-210 levels may be elevated in this area, the ten locations from the original RI with the highest Pb-210 concentrations or highest uncertainties were re-sampled during the SRI. The SRI samples were analyzed for Ra-226 and its daughter products, including Pb-210, using Modified DOE EML HASL-300 Method. The results of this analysis indicated that there were no detections of Pb-210 in the SRI samples. The uncertainties associated with each of the samples were much lower than those from the original RI.

4.2 RECOMMENDATIONS

The following is recommended at Buildings 813/814 and EM-5 based on the conclusions above. The recommendations for Buildings 813/814 were discussed with NYSDEC and USEPA at a BCT meeting held on January 18, 2005 and a BCT meeting held on June 20 and 21, 2006.

- No further action is recommended at Buildings 813/814. The SEAD-12 area is designated for Institutional Training use. The Institutional Training designation implies that personnel will be allowed in the area for limited time periods throughout the year; and use of Buildings 813/814 is not currently planned. Buildings 813/814 currently do not have electrical, water, or sewer service and are not inhabitable. An Environmental Easement will be utilized to place a restriction on Buildings 813/814 stating that an investigation of vapor intrusion potential and indoor air quality must be performed before this building, or any newly constructed building, is occupied. Appropriate mitigation actions will be taken based on this investigation prior to occupancy. It will be the responsibility of the future owner to perform such testing and implement any required mitigation prior to use.
- The Phase II and Phase IIIA stockpiles remaining on-site were re-sampled in July and November 2005. The Phase IIIB stockpiles were sampled in July 2005 and re-sampled in February 2006. Results indicated that the average TCE concentration was detected below the action level for each stockpile group and that the associated soil may be backfilled.
- No further action will be performed at EM-5.
- A Draft Feasibility Study was submitted for SEAD-12 in May, 2002 (Parsons, 2002b). The Army will proceed with the submittal of the Draft Final FS. Based on the results of the SRI, this FS will recommend no further action at Buildings 813/814 and EM-5; a deed restriction will be recommended as part of the institutional controls at Buildings 813/814; and the remainder of the Draft Final FS will focus on the remedial action at the Disposal Pit areas within SEAD-12.

Tables

Table 1-1
RI Soil Gas Survey Results
SEAD-12 Supplemental RI Report
Seneca Army Depot Activity
Romulus, New York

| LOC_ID | DICHLOROETHENE (ppbv) | BENZENE (ppbv) | TRICHLOROETHENE (ppbv) | TOLUENE (ppbv) | P-XYLENES (ppbv) | TOTAL VOC (ppmv) |
|---------------|----------------------------------|---------------------------|-----------------------------------|---------------------------|-----------------------------|-----------------------------|
| SG12-117 | 0 | 0 | 6 | 0 | 0 | 6 |
| SG12-118 | 0 | 0 | 0 | 0 | 0 | 3 |
| SG12-119 | 0 | 132 | 461 | 11 | 0 | 5 |
| SG12-120 | 0 | 0 | 0 | 197 | 0 | 6 |
| SG12-121 | 452 | 3 | 1708 | 21 | 0 | 7 |
| SG12-122 | 0 | 0 | 0 | 250 | 14 | 9 |
| SG12-123 | 0 | 116 | 0 | 170 | 0 | 4 |
| SG12-124 | 0 | 0 | 0 | 0 | 0 | 5 |
| SG12-125 | 0 | 0 | 0 | 0 | 0 | 3 |
| SG12-126 | 0 | 146 | 0 | 250 | 141 | 6 |
| SG12-127 | 0 | 0 | 0 | 396 | 82 | 4 |
| SG12-128 | 0 | 0 | 0 | 0 | 0 | 4 |
| SG12-129 | 0 | 0 | 1 | 0 | 0 | 2 |
| SG12-130 | 0 | 0 | 6 | 12 | 0 | 10 |
| SG12-131 | 0 | 0 | 0 | 174 | 0 | 5 |
| SG12-132 | 0 | 0 | 55 | 123 | 0 | 5 |
| SG12-133 | 0 | 4 | 0 | 0 | 0 | 2 |
| SG12-134 | 0 | 0 | 89 | 190 | 0 | 10 |
| SG12-135 | 0 | 0 | 97 | 0 | 0 | 3 |
| SG12-136 | 0 | 0 | 54 | 281 | 0 | 4 |
| SG12-137 | 0 | 0 | 146 | 217 | 351 | 9 |
| SG12-138 | 0 | 0 | 138 | 36 | 0 | 2 |
| SG12-139 | 0 | 0 | 414 | 125 | 0 | 5 |
| SG12-140 | 0 | 0 | 206 | 275 | 0 | 4 |
| SG12-141 | 0 | 0 | 191 | 1 | 0 | 4 |
| SG12-142 | 0 | 43 | 0 | 147 | 10 | 4 |
| SG12-143 | 0 | 140 | 0 | 217 | 0 | 6 |
| SG12-144 | 4 | 0 | 39 | 94 | 0 | 4 |
| SG12-145 | 0 | 118 | 0 | 48 | 0 | 5 |
| SG12-146 | 0 | 0 | 0 | 0 | 0 | 4 |
| SG12-147 | 119 | 82 | 2407 | 22 | 0 | 7 |
| SG12-148 | 0 | 74 | 110 | 171 | 0 | 6 |
| SG12-149 | 0 | 0 | 0 | 0 | 0 | 3 |
| SG12-150 | 0 | 123 | 0 | 212 | 136 | 6 |
| SG12-151 | 0 | 0 | 958 | 32 | 0 | 4 |
| SG12-152 | 0 | 0 | 98 | 0 | 0 | 3 |
| SG12-153 | 0 | 0 | 31 | 0 | 0 | 2 |
| SG12-154 | 0 | 0 | 633 | 1 | 0 | 3 |
| SG12-155 | 0 | 0 | 224 | 144 | 0 | 3 |
| SG12-156 | 0 | 0 | 0 | 0 | 0 | 2 |
| SG12-157 | 0 | 0 | 0 | 10 | 0 | 4 |
| SG12-158 | 0 | 69 | 148 | 2 | 0 | 2 |
| SG12-159 | 0 | 0 | 0 | 0 | 0 | 3 |
| SG12-160 | 0 | 0 | 0 | 149 | 0 | 9 |
| SG12-161 | 0 | 0 | 193 | 2 | 0 | 6 |
| SG12-162 | 0 | 0 | 10 | 206 | 0 | 9 |
| SG12-163 | 0 | 94 | 0 | 12 | 0 | 4 |
| SG12-164 | 0 | 0 | 0 | 0 | 0 | 7 |
| SG12-165 | 0 | 0 | 245 | 180 | 0 | 4 |
| SG12-166 | 0 | 0 | 0 | 0 | 0 | 13 |
| SG12-167 | 0 | 4 | 0 | 13 | 0 | 4 |
| SG12-168 | 0 | 0 | 0 | 93 | 0 | 7 |
| SG12-169 | 0 | 0 | 0 | 320 | 0 | 28 |
| SG12-170 | 0 | 0 | 0 | 0 | 0 | 1 |

Table 2-1
Well Placement Rationale - Existing and Proposed Monitoring Wells
SEAD-12 Supplemental RI Report
Seneca Army Depot Activity, Romulus, NY

| Monitoring Well Loc ID | Status | Rationale |
|--|----------|---|
| Existing Permanent or 1st Phase Temporary Wells | | |
| MW12-37 | existing | 1,708 ppbv TCE concentration in soil gas sample SG12-121; concentration of 1,600 ug/L during two sampling events in the Remedial Investigation |
| MW12-38 | existing | 8.5 ppmv total VOC concentration in soil gas sample SG12-122 |
| MW12-39 | existing | 6.0 ppmv total VOC concentration in soil gas sample SG12-148 |
| MW12-40 | existing | Placed 300' downgradient of Bldg 813 and elevated TCE concentration at SG12-121 |
| TW12-1 | proposed | 633 ppbv TCE concentration in soil gas sample SG12-154 |
| TW12-2 | proposed | 5.5 ppmv total VOC and 471 ppbv BTEX concentrations in soil gas sample SG12-150 |
| TW12-3 | proposed | 2,407 ppbv concentration of TCE in soil gas sample SG12-147. Well will be installed if location is accessible. |
| TW12-4 | proposed | 10.0 ppmv total VOC concentration in soil gas samples SG12-130 and SG12-134 |
| TW12-5 | proposed | 191 ppbv TCE concentration in soil gas sample SG12-141 |
| TW12-6 | proposed | Suspected downgradient direction from Bldg 813 and elevated TCE concentration in MW12-40 |
| TW12-7 | proposed | Suspected downgradient direction from Bldg 813 and elevated TCE concentration in MW12-40 |
| TW12-8 | proposed | Suspected downgradient direction from Bldg 813 and elevated TCE concentration in MW12-40 |
| TW12-9 | proposed | Suspected downgradient direction from Bldg 813 and elevated TCE concentration in MW12-40 |
| 2nd Phase Temporary Wells - 6 of 12 to be Installed | | |
| TW12-10 | proposed | Installation based on detections at TW12-3 |
| TW12-11 | proposed | Installation based on detections at TW12-3 |
| TW12-12 | proposed | Upgradient background location, which will be permanent. |
| TW12-13 | proposed | Installation based on detections at TW12-6 or TW12-9 |
| TW12-14 | proposed | Installation based on detections at TW12-7 |
| TW12-15 | proposed | Installation based on detections at TW12-7 or TW12-8 |
| TW12-16 | proposed | Installation based on detections at TW12-8 |
| TW12-17 | proposed | Installation based on detections at TW12-8 or TW12-9 |
| TW12-18 | proposed | Installation based on detections at TW12-9 |
| TW12-19 | proposed | Installation based on detections at TW12-5 |
| TW12-20 | proposed | Installation based on detections at TW12-3 |
| TW12-21 | proposed | Installation based on detections at TW12-1 |

Table 2-2
Groundwater Elevation Data from the Building 813/814 Area
SEAD-12
Supplemental RI Report
Seneca Army Depot Activity, Romulus, NY

| Loc_ID | Date | Depth to Water from TOC (ft) | Depth of Well from TOC (ft) | Easting | Northing | Ground Elevation | Elevation TOC | Elevation of Groundwater |
|---------|-----------|------------------------------|-----------------------------|-----------|------------|------------------|---------------|--------------------------|
| TW12-1 | 6/21/2004 | 6.80 | 13.55 | 744771.06 | 1013887.38 | 662.79 | 665.84 | 659.04 |
| TW12-3 | 6/21/2004 | 6.67 | 12.75 | 744795.82 | 1013958.56 | 662.77 | 666.23 | 659.56 |
| TW12-4 | 6/21/2004 | 6.05 | 11.75 | 744714.95 | 1014004.75 | 663.26 | 666.26 | 660.21 |
| TW12-5 | 6/21/2004 | 8.37 | 13.65 | 744840.68 | 1014081.20 | 664.15 | 666.63 | 658.26 |
| TW12-6 | 6/21/2004 | 7.30 | 13.05 | 744763.76 | 1014136.48 | 662.09 | 665.23 | 657.93 |
| TW12-7 | 6/21/2004 | 7.45 | 12.10 | 744685.56 | 1014167.40 | 659.97 | 663.26 | 655.81 |
| TW12-8 | 6/21/2004 | 7.65 | 12.40 | 744689.60 | 1014213.82 | 660.59 | 663.20 | 655.55 |
| TW12-9 | 6/21/2004 | 7.67 | 12.80 | 744763.18 | 1014218.06 | 661.36 | 664.03 | 656.36 |
| TW12-22 | 6/21/2004 | 5.25 | 25.20 | 744764.52 | 1013856.66 | 664.19 | 665.71 | 660.46 |
| TW12-23 | 6/21/2004 | 5.37 | 25.20 | 744725.82 | 1013837.12 | 665.04 | 666.37 | 661.00 |
| TW12-24 | 6/21/2004 | 8.60 | 13.01 | 744789.50 | 1014102.80 | 663.22 | 667.41 | 658.81 |
| TW12-25 | 6/21/2004 | 6.92 | 14.80 | 744816.26 | 1014159.70 | 661.60 | 664.44 | 657.52 |
| TW12-26 | 6/21/2004 | 8.30 | 13.90 | 744765.00 | 1014173.55 | 661.20 | 664.55 | 656.25 |
| MW12-37 | 6/21/2004 | 7.15 | 13.90 | 744790.00 | 1014123.00 | 662.60 | 665.13 | 657.98 |
| MW12-38 | 6/21/2004 | 4.25 | 10.55 | 744717.00 | 1014092.00 | 663.40 | 662.95 | 658.70 |
| MW12-39 | Fall 1999 | 2.53 | 10.28 | 744717.00 | 1013935.00 | 663.20 | 662.83 | 660.30 |
| MW12-40 | 6/21/2004 | 8.55 | 13.30 | 744470.00 | 1014236.00 | 660.70 | 663.38 | 654.83 |

Notes:

1. Easting and northing data were from June 2004 survey results for all wells but MW12-40 and MW12-47, results of which were from SEAD-12 RI.
2. Top of Casing (TOC) elevation data were from June 2004 survey results for all wells but MW12-37, -38, -39, and -40, results of which were from SEAD-12RI.
3. Water depth data were from June 21, 2004 for all wells but MW12-39, result of which was from 1999.

Table 3-1
Building 813/814 Groundwater VOC Detections
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| | | | | | | | | | | | | | | | |
|------------------------|------|---------|------------------------|-----------------|--------------|-----------------------|----------------------|--------------------|--|-----------|-----|------------|-----|-----------|-----|
| LOCATION ID | | | | | | | | | | TW12-1 | | TW12-1 (D) | | TW12-3 | |
| MATRIX | | | | | | | | | | GW | | GW | | GW | |
| SAMPLE ID | | | | | | | | | | 122275 | | 122284 | | 122277 | |
| TOP OF SAMPLE | | | | | | | | | | 5.20 | | 5.20 | | 5.00 | |
| BOTTOM OF SAMPLE | | | | | | | | | | 10.20 | | 10.20 | | 10.00 | |
| SAMPLE DATE | | | | | | | | | | 5/26/2004 | | 5/26/2004 | | 6/11/2004 | |
| QC CODE | | | | | | | | | | SA | | DU | | SA | |
| STUDY ID | | | | | | | | | | SRI | | SRI | | SRI | |
| Parameter | Unit | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detections | Number of Analyses | | Value | (Q) | Value | (Q) | Value | (Q) |
| Acetone | µg/L | 51 | 12% | | | 0 | 2 | 17 | | 50 UJ | | 50 U | | 50 UJ | |
| cis-1,2-Dichloroethene | µg/L | 41 | 6% | NYSDEC CLASS GA | 5 | 1 | 1 | 17 | | 10 UJ | | 10 U | | 10 U | |
| Trichloroethene | µg/L | 2400 | 24% | NYSDEC CLASS GA | 5 | 1 | 4 | 17 | | 4.0 J | | 4.1 J | | 4.2 J | |

| | | | | | | | | | | | | | | | |
|------------------------|------|---------|------------------------|-----------------|--------------|-----------------------|----------------------|--------------------|--|-----------|-----|-----------|-----|-------------|-----|
| LOCATION ID | | | | | | | | | | TW12-22 | | TW12-23 | | TW12-23 (D) | |
| MATRIX | | | | | | | | | | GW | | GW | | GW | |
| SAMPLE ID | | | | | | | | | | 122285 | | 122286 | | 122297 | |
| TOP OF SAMPLE | | | | | | | | | | 13.50 | | 13.30 | | 13.30 | |
| BOTTOM OF SAMPLE | | | | | | | | | | 23.50 | | 23.30 | | 23.30 | |
| SAMPLE DATE | | | | | | | | | | 6/11/2004 | | 6/10/2004 | | 6/10/2004 | |
| QC CODE | | | | | | | | | | SA | | SA | | DU | |
| STUDY ID | | | | | | | | | | SRI | | SRI | | SRI | |
| Parameter | Unit | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detections | Number of Analyses | | Value | (Q) | Value | (Q) | Value | (Q) |
| Acetone | µg/L | 51 | 12% | | | 0 | 2 | 17 | | 50 U | | 50 U | | 50 U | |
| cis-1,2-Dichloroethene | µg/L | 41 | 6% | NYSDEC CLASS GA | 5 | 1 | 1 | 17 | | 10 U | | 10 U | | 10 U | |
| Trichloroethene | µg/L | 2400 | 24% | NYSDEC CLASS GA | 5 | 1 | 4 | 17 | | 10 U | | 10 U | | 10 U | |

Table 3-1
Building 813/814 Groundwater VOC Detections
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| LOCATION ID | | | | | | | | | | TW12-4 | | TW12-5 | | TW12-6 | |
|------------------------|------|---------|------------------------|-----------------|--------------|-----------------------|----------------------|--------------------|--|-----------|-----|-----------|-----|-----------|-----|
| MATRIX | | | | | | | | | | GW | | GW | | GW | |
| SAMPLE ID | | | | | | | | | | 122278 | | 122279 | | 122280 | |
| TOP OF SAMPLE | | | | | | | | | | 3.75 | | 8.70 | | 5.00 | |
| BOTTOM OF SAMPLE | | | | | | | | | | 8.75 | | 13.70 | | 10.00 | |
| SAMPLE DATE | | | | | | | | | | 5/27/2004 | | 5/27/2004 | | 5/27/2004 | |
| QC CODE | | | | | | | | | | SA | | SA | | SA | |
| STUDY ID | | | | | | | | | | SRI | | SRI | | SRI | |
| Parameter | Unit | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detections | Number of Analyses | | Value | (Q) | Value | (Q) | Value | (Q) |
| Acetone | µg/L | 51 | 12% | | | 0 | 2 | 17 | | 51 | | 50 U | | 50 U | |
| cis-1,2-Dichloroethene | µg/L | 41 | 6% | NYSDEC CLASS GA | 5 | 1 | 1 | 17 | | 10 U | | 10 U | | 10 U | |
| Trichloroethene | µg/L | 2400 | 24% | NYSDEC CLASS GA | 5 | 1 | 4 | 17 | | 10 U | | 10 U | | 10 U | |

| LOCATION ID | | | | | | | | | | TW12-24 | | TW12-25 | | TW12-26 | |
|------------------------|------|---------|------------------------|-----------------|--------------|-----------------------|----------------------|--------------------|--|-----------|-----|-----------|-----|-----------|-----|
| MATRIX | | | | | | | | | | GW | | GW | | GW | |
| SAMPLE ID | | | | | | | | | | 122287 | | 122288 | | 122289 | |
| TOP OF SAMPLE | | | | | | | | | | 8.10 | | 7.30 | | 5.90 | |
| BOTTOM OF SAMPLE | | | | | | | | | | 13.10 | | 12.30 | | 8.90 | |
| SAMPLE DATE | | | | | | | | | | 6/11/2004 | | 6/11/2004 | | 6/11/2004 | |
| QC CODE | | | | | | | | | | SA | | SA | | SA | |
| STUDY ID | | | | | | | | | | SRI | | SRI | | SRI | |
| Parameter | Unit | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detections | Number of Analyses | | Value | (Q) | Value | (Q) | Value | (Q) |
| Acetone | µg/L | 51 | 12% | | | 0 | 2 | 17 | | 50 U | | 50 U | | 50 U | |
| cis-1,2-Dichloroethene | µg/L | 41 | 6% | NYSDEC CLASS GA | 5 | 1 | 1 | 17 | | 10 U | | 10 U | | 10 U | |
| Trichloroethene | µg/L | 2400 | 24% | NYSDEC CLASS GA | 5 | 1 | 4 | 17 | | 10 U | | 10 U | | 10 U | |

Table 3-1
Building 813/814 Groundwater VOC Detections
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| LOCATION ID | | | | | | | | | | TW12-7 | | TW12-8 | | TW12-9 | |
|------------------------|------|---------|------------------------|-----------------|--------------|-----------------------|----------------------|--------------------|--|-----------|-----|-----------|-----|-----------|-----|
| MATRIX | | | | | | | | | | GW | | GW | | GW | |
| SAMPLE ID | | | | | | | | | | 122281 | | 122282 | | 122283 | |
| TOP OF SAMPLE | | | | | | | | | | 7.10 | | 5.00 | | 4.90 | |
| BOTTOM OF SAMPLE | | | | | | | | | | 12.10 | | 10.00 | | 9.90 | |
| SAMPLE DATE | | | | | | | | | | 5/27/2004 | | 5/27/2004 | | 5/27/2004 | |
| QC CODE | | | | | | | | | | SA | | SA | | SA | |
| STUDY ID | | | | | | | | | | SRI | | SRI | | SRI | |
| Parameter | Unit | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detections | Number of Analyses | | Value | (Q) | Value | (Q) | Value | (Q) |
| Acetone | µg/L | 51 | 12% | | | 0 | 2 | 17 | | 50 U | | 50 U | | 47 J | |
| cis-1,2-Dichloroethene | µg/L | 41 | 6% | NYSDEC CLASS GA | 5 | 1 | 1 | 17 | | 10 U | | 10 U | | 10 UJ | |
| Trichloroethene | µg/L | 2400 | 24% | NYSDEC CLASS GA | 5 | 1 | 4 | 17 | | 10 U | | 10 U | | 10 UJ | |

| LOCATION ID | | | | | | | | | | MW12-37 | | MW12-40 | | | |
|------------------------|------|---------|------------------------|-----------------|--------------|-----------------------|----------------------|--------------------|--|-----------|-----|-----------|-----|--|--|
| MATRIX | | | | | | | | | | GW | | GW | | | |
| SAMPLE ID | | | | | | | | | | 122291 | | 122290 | | | |
| TOP OF SAMPLE | | | | | | | | | | 7.53 | | 8.30 | | | |
| BOTTOM OF SAMPLE | | | | | | | | | | 12.43 | | 13.30 | | | |
| SAMPLE DATE | | | | | | | | | | 6/11/2004 | | 6/11/2004 | | | |
| QC CODE | | | | | | | | | | SA | | SA | | | |
| STUDY ID | | | | | | | | | | SRI | | SRI | | | |
| Parameter | Unit | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detections | Number of Analyses | | Value | (Q) | Value | (Q) | | |
| Acetone | µg/L | 51 | 12% | | | 0 | 2 | 17 | | 50 U | | 50 U | | | |
| cis-1,2-Dichloroethene | µg/L | 41 | 6% | NYSDEC CLASS GA | 5 | 1 | 1 | 17 | | 41 | | 10 U | | | |
| Trichloroethene | µg/L | 2400 | 24% | NYSDEC CLASS GA | 5 | 1 | 4 | 17 | | 2400 | | 10 U | | | |

Table 3-2
Building 813/814 Ditch Soil VOC Detections
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| | | | | | | | | | | | | | | | | |
|----------------------|-------|---------|------------------------|---------------|---------------------|------------------|------------------|--------------------|------------|--|------------|--|------------|--|------------|--|
| LOCATION ID | | | | | | | | | SD12-68 | | SD12-69 | | SD12-70 | | SD12-71 | |
| MATRIX | | | | | | | | | DITCH SOIL | | DITCH SOIL | | DITCH SOIL | | DITCH SOIL | |
| SAMPLE ID | | | | | | | | | 124250 | | 124251 | | 124252 | | 124253 | |
| TOP OF SAMPLE | | | | | | | | | 0.00 | | 0.00 | | 0.00 | | 0.00 | |
| BOTTOM OF SAMPLE | | | | | | | | | 0.20 | | 0.20 | | 0.20 | | 0.20 | |
| SAMPLE DATE | | | | | | | | | 6/22/2004 | | 6/22/2004 | | 6/22/2004 | | 6/22/2004 | |
| QC CODE | | | | | | | | | SA | | SA | | SA | | SA | |
| STUDY ID | | | | | | | | | SRI | | SRI | | SRI | | SRI | |
| Parameter | Units | Maximum | Frequency of Frequency | Criteria Type | Action Action Level | Number of Exceed | Number of Detect | Number of Analyses | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | |
| Acetone | µg/Kg | 110 | 25% | TAGM 4046 | 200 | 0 | 2 | 8 | 72 J | | 40 U | | 110 J | | 69 UJ | |
| Toluene | µg/Kg | 7.4 | 63% | TAGM 4046 | 1500 | 0 | 5 | 8 | 2.0 J | | 2.3 J | | 12 UJ | | 7.4 J | |
| Total Organic Carbon | mg/Kg | 31000 | 100% | | | 0 | 8 | 8 | 31000 J | | 30000 J | | 11000 J | | 27000 J | |

| | | | | | | | | | | | | | | | | |
|----------------------|-------|---------|------------------------|---------------|---------------------|------------------|------------------|--------------------|------------|--|-------------|--|------------|--|------------|--|
| LOCATION ID | | | | | | | | | SD12-72 | | SD12-72 (D) | | SD12-73 | | SD12-74 | |
| MATRIX | | | | | | | | | DITCH SOIL | | DITCH SOIL | | DITCH SOIL | | DITCH SOIL | |
| SAMPLE ID | | | | | | | | | 124254 | | 124257 | | 124255 | | 124256 | |
| TOP OF SAMPLE | | | | | | | | | 0.00 | | 0.00 | | 0.00 | | 0.00 | |
| BOTTOM OF SAMPLE | | | | | | | | | 0.20 | | 0.20 | | 0.20 | | 0.20 | |
| SAMPLE DATE | | | | | | | | | 6/22/2004 | | 6/22/2004 | | 6/22/2004 | | 6/22/2004 | |
| QC CODE | | | | | | | | | SA | | DU | | SA | | SA | |
| STUDY ID | | | | | | | | | SRI | | SRI | | SRI | | SRI | |
| Parameter | Units | Maximum | Frequency of Frequency | Criteria Type | Action Action Level | Number of Exceed | Number of Detect | Number of Analyses | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | |
| Acetone | µg/Kg | 110 | 25% | TAGM 4046 | 200 | 0 | 2 | 8 | 48 U | | 61 UJ | | 60 UJ | | 62 UJ | |
| Toluene | µg/Kg | 7.4 | 63% | TAGM 4046 | 1500 | 0 | 5 | 8 | 7.2 J | | 5.7 J | | 12 UJ | | 12 UJ | |
| Total Organic Carbon | mg/Kg | 31000 | 100% | | | 0 | 8 | 8 | 18000 J | | 22000 J | | 29000 J | | 22000 J | |

Table 3-3
Building 813/814 Test Pit VOC Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| LOCATION ID | | | | | | | | | | TP813-1T | TP813-2T | TP813-3T | TP813-3T (D) | TP813-4F | TP813-5F |
|------------------------|-------|---------|------------------------|---------------|--------------|-----------------------|----------------------|--------------------|--|-----------|-----------|-----------|--------------|------------|------------|
| MATRIX | | | | | | | | | | SOIL | SOIL | SOIL | SOIL | SOIL | SOIL |
| SAMPLE ID | | | | | | | | | | 123682 | 123683 | 123684 | 123686 | 123688 | 123689 |
| TOP OF SAMPLE | | | | | | | | | | 7 | 7 | 6 | 6 | 4 | 3 |
| BOTTOM OF SAMPLE | | | | | | | | | | 7.5 | 7.5 | 6.5 | 6.5 | 5 | 4 |
| SAMPLE DATE | | | | | | | | | | 11/3/2004 | 11/3/2004 | 11/3/2004 | 11/3/2004 | 11/10/2004 | 11/10/2004 |
| QC CODE | | | | | | | | | | SA | SA | SA | DU | SA | SA |
| STUDY ID | | | | | | | | | | SRI | SRI | SRI | SRI | SRI | SRI |
| Parameter | Unit | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detections | Number of Analyses | | Value (Q) | Value (Q) | Value (Q) | Value (Q) | Value (Q) | Value (Q) |
| 1,1-Dichloroethene | µg/Kg | 3.2 | 13% | TAGM 4046 | 400 | 0 | 2 | 15 | | 0.14 UJ | 0.18 UJ | 3.2 J | 1.3 J | 510 U | 490 U |
| Acetone | µg/Kg | 32 | 13% | TAGM 4046 | 200 | 0 | 2 | 15 | | 4.9 U | 6.1 UJ | 450 U | 5.1 U | 2000 U | 2000 U |
| Carbon Disulfide | µg/Kg | 6.6 | 7% | TAGM 4046 | 2700 | 0 | 1 | 15 | | 0.07 UJ | 6.6 J | 54 U | 0.07 UJ | 1000 U | 980 U |
| Chloroform | µg/Kg | 1.6 | 13% | TAGM 4046 | 300 | 0 | 2 | 15 | | 0.16 UJ | 0.19 UJ | 1.6 J | 0.16 U | 510 U | 490 U |
| cis-1,2-Dichloroethene | µg/Kg | 2800 | 47% | TAGM 4046 | 300 | 0 | 7 | 15 | | 13 J | 19 J | 21 | 9.1 | 510 U | 490 U |
| Methyl ethyl ketone | µg/Kg | 4.5 | 7% | TAGM 4046 | 300 | 0 | 1 | 15 | | 1.5 UJ | 1.9 UJ | 390 U | 1.5 U | 1000 U | 980 U |
| Tetrachloroethene | µg/Kg | 3.2 | 7% | TAGM 4046 | 1400 | 0 | 1 | 15 | | 0.42 UJ | 0.52 UJ | 45 UJ | 0.43 U | 510 U | 490 U |
| Toluene | µg/Kg | 100 | 7% | TAGM 4046 | 1500 | 0 | 1 | 15 | | 0.17 UJ | 0.21 UJ | 53 U | 0.18 U | 510 U | 490 U |
| Trichloroethene | µg/Kg | 65000 | 87% | TAGM 4046 | 700 | 9 | 13 | 15 | | 11000 | 7000 | 60000 | 65000 | 540 U | 160 J |
| Vinyl Chloride | µg/Kg | 1.5 | 7% | TAGM 4046 | 200 | 0 | 1 | 15 | | 0.15 UJ | 0.19 UJ | 37 U | 0.16 U | 510 U | 490 U |
| Percent Solids | % | 89.1 | 73% | | | 0 | 11 | 15 | | | | | | 85.5 | 84.3 |
| Total Organic Carbon | mg/Kg | 5420 | 13% | | | 0 | 2 | 15 | | | | | | | 4120 |

| LOCATION ID | | | | | | | | | | TP813-9T | TP813-10F | TP813-11F | TP813-12F | TP813-13F | TP813-13F (D) |
|------------------------|-------|---------|------------------------|---------------|--------------|-----------------------|----------------------|--------------------|--|------------|------------|------------|------------|------------|---------------|
| MATRIX | | | | | | | | | | SOIL | SOIL | SOIL | SOIL | SOIL | SOIL |
| SAMPLE ID | | | | | | | | | | 123694 | 123701 | 123702 | 123703 | 123704 | 123705 |
| TOP OF SAMPLE | | | | | | | | | | 5 | 4 | 3 | 2 | 3 | 3 |
| BOTTOM OF SAMPLE | | | | | | | | | | 6 | 5 | 4 | 3 | 4 | 4 |
| SAMPLE DATE | | | | | | | | | | 11/11/2004 | 12/21/2004 | 12/21/2004 | 12/21/2004 | 12/21/2004 | 12/21/2004 |
| QC CODE | | | | | | | | | | SA | SA | SA | SA | SA | DU |
| STUDY ID | | | | | | | | | | SRI | SRI | SRI | SRI | SRI | SRI |
| Parameter | Unit | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detections | Number of Analyses | | Value (Q) | Value (Q) | Value (Q) | Value (Q) | Value (Q) | Value (Q) |
| 1,1-Dichloroethene | µg/Kg | 3.2 | 13% | TAGM 4046 | 400 | 0 | 2 | 15 | | 430 U | 4 U | 1.6 U | 4.9 U | 4.3 U | 4.5 U |
| Acetone | µg/Kg | 32 | 13% | TAGM 4046 | 200 | 0 | 2 | 15 | | 1700 U | 16 U | 4.3 J | 32 | 17 U | 18 U |
| Carbon Disulfide | µg/Kg | 6.6 | 7% | TAGM 4046 | 2700 | 0 | 1 | 15 | | 860 U | 8.1 U | 3.2 U | 9.9 U | 8.6 U | 9.1 U |
| Chloroform | µg/Kg | 1.6 | 13% | TAGM 4046 | 300 | 0 | 2 | 15 | | 430 U | 4 U | 1.6 U | 1.4 J | 4.3 U | 4.5 U |
| cis-1,2-Dichloroethene | µg/Kg | 2800 | 47% | TAGM 4046 | 300 | 0 | 7 | 15 | | 430 U | 4 U | 1.5 J | 4.9 J | 4.3 U | 4.5 U |
| Methyl ethyl ketone | µg/Kg | 4.5 | 7% | TAGM 4046 | 300 | 0 | 1 | 15 | | 860 U | 8.1 UJ | 3.2 UJ | 4.5 J | 8.6 UJ | 9.1 UJ |
| Tetrachloroethene | µg/Kg | 3.2 | 7% | TAGM 4046 | 1400 | 0 | 1 | 15 | | 430 U | 3.2 J | 1.6 U | 4.9 U | 4.3 U | 4.5 U |
| Toluene | µg/Kg | 100 | 7% | TAGM 4046 | 1500 | 0 | 1 | 15 | | 430 U | 4 U | 1.6 U | 4.9 U | 4.3 U | 4.5 U |
| Trichloroethene | µg/Kg | 65000 | 87% | TAGM 4046 | 700 | 9 | 13 | 15 | | 1400 | 4800 J | 11 | 1000 J | 1.3 J | 4.5 U |
| Vinyl Chloride | µg/Kg | 1.5 | 7% | TAGM 4046 | 200 | 0 | 1 | 15 | | 430 U | 4 U | 1.5 J | 4.9 U | 4.3 U | 4.5 U |
| Percent Solids | % | 89.1 | 73% | | | 0 | 11 | 15 | | 84 | 81 | 80.7 | 77.3 | 89.1 | 87.9 |
| Total Organic Carbon | mg/Kg | 5420 | 13% | | | 0 | 2 | 15 | | | | | | | |

Table 3-3
Building 813/814 Test Pit VOC Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| LOCATION ID | | | | | | | | | TP813-6F | TP813-7T | TP813-8T |
|------------------------|-------|---------|------------------------|---------------|--------------|-----------------------|----------------------|--------------------|------------|-------------|-------------|
| MATRIX | | | | | | | | | SOIL | SOIL | SOIL |
| SAMPLE ID | | | | | | | | | 123691 | 123692 | 123693 |
| TOP OF SAMPLE | | | | | | | | | 3 | 5 | 5 |
| BOTTOM OF SAMPLE | | | | | | | | | 4 | 6 | 6 |
| SAMPLE DATE | | | | | | | | | 11/10/2004 | 11/10/2004 | 11/11/2004 |
| QC CODE | | | | | | | | | SA | SA | SA |
| STUDY ID | | | | | | | | | SRI | SRI | SRI |
| Parameter | Unit | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detections | Number of Analyses | Value (Q) | Value (Q) | Value (Q) |
| 1,1-Dichloroethene | µg/Kg | 3.2 | 13% | TAGM 4046 | 400 | 0 | 2 | 15 | 390 U | 440 U | 590 U |
| Acetone | µg/Kg | 32 | 13% | TAGM 4046 | 200 | 0 | 2 | 15 | 1600 U | 1800 U | 2300 U |
| Carbon Disulfide | µg/Kg | 6.6 | 7% | TAGM 4046 | 2700 | 0 | 1 | 15 | 780 U | 880 U | 1200 U |
| Chloroform | µg/Kg | 1.6 | 13% | TAGM 4046 | 300 | 0 | 2 | 15 | 390 U | 440 U | 590 U |
| cis-1,2-Dichloroethene | µg/Kg | 2800 | 47% | | | 0 | 7 | 15 | 390 U | 2800 | 590 U |
| Methyl ethyl ketone | µg/Kg | 4.5 | 7% | TAGM 4046 | 300 | 0 | 1 | 15 | 780 U | 880 U | 1200 U |
| Tetrachloroethene | µg/Kg | 3.2 | 7% | TAGM 4046 | 1400 | 0 | 1 | 15 | 390 U | 440 U | 590 U |
| Toluene | µg/Kg | 100 | 7% | TAGM 4046 | 1500 | 0 | 1 | 15 | 100 J | 440 U | 590 U |
| Trichloroethene | µg/Kg | 65000 | 87% | TAGM 4046 | 700 | 9 | 13 | 15 | 590 | 1200 | 1100 |
| Vinyl Chloride | µg/Kg | 1.5 | 7% | TAGM 4046 | 200 | 0 | 1 | 15 | 390 U | 440 U | 590 U |
| Percent Solids | % | 89.1 | 73% | | | 0 | 11 | 15 | 84.4 | 86.7 | 85.2 |
| Total Organic Carbon | mg/Kg | 5420 | 13% | | | 0 | 2 | 15 | 5420 | | |

| LOCATION ID | | | | | | | | |
|------------------------|-------|---------|------------------------|---------------|--------------|-----------------------|----------------------|--------------------|
| MATRIX | | | | | | | | |
| SAMPLE ID | | | | | | | | |
| TOP OF SAMPLE | | | | | | | | |
| BOTTOM OF SAMPLE | | | | | | | | |
| SAMPLE DATE | | | | | | | | |
| QC CODE | | | | | | | | |
| STUDY ID | | | | | | | | |
| Parameter | Unit | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detections | Number of Analyses |
| 1,1-Dichloroethene | µg/Kg | 3.2 | 13% | TAGM 4046 | 400 | 0 | 2 | 15 |
| Acetone | µg/Kg | 32 | 13% | TAGM 4046 | 200 | 0 | 2 | 15 |
| Carbon Disulfide | µg/Kg | 6.6 | 7% | TAGM 4046 | 2700 | 0 | 1 | 15 |
| Chloroform | µg/Kg | 1.6 | 13% | TAGM 4046 | 300 | 0 | 2 | 15 |
| cis-1,2-Dichloroethene | µg/Kg | 2800 | 47% | TAGM 4046 | | 0 | 7 | 15 |
| Methyl ethyl ketone | µg/Kg | 4.5 | 7% | TAGM 4046 | 300 | 0 | 1 | 15 |
| Tetrachloroethene | µg/Kg | 3.2 | 7% | TAGM 4046 | 1400 | 0 | 1 | 15 |
| Toluene | µg/Kg | 100 | 7% | TAGM 4046 | 1500 | 0 | 1 | 15 |
| Trichloroethene | µg/Kg | 65000 | 87% | TAGM 4046 | 700 | 9 | 13 | 15 |
| Vinyl Chloride | µg/Kg | 1.5 | 7% | TAGM 4046 | 200 | 0 | 1 | 15 |
| Percent Solids | % | 89.1 | 73% | | | 0 | 11 | 15 |
| Total Organic Carbon | mg/Kg | 5420 | 13% | | | 0 | 2 | 15 |

Table 3-4
Building 813/814 Stockpile VOC Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| | | | | | | | | | | | | | | | | |
|--------------------------|-------|---------|-----------|-----------|-----------|--------|--------|----------|-----------|--|------------|--|-----------|--|-----------|--|
| LOCATION ID | | | | | | | | | SP813-1 | | SP813-2 | | SP813-3 | | SP813-3 | |
| MATRIX | | | | | | | | | SOIL | | SOIL | | SOIL | | SOIL | |
| SAMPLE ID | | | | | | | | | 123685 | | 123687 | | 123695 | | 123696 | |
| TOP OF SAMPLE | | | | | | | | | N/A | | N/A | | N/A | | N/A | |
| BOTTOM OF SAMPLE | | | | | | | | | N/A | | N/A | | N/A | | N/A | |
| SAMPLE DATE | | | | | | | | | 11/3/2004 | | 11/10/2004 | | 12/9/2004 | | 12/9/2004 | |
| QC CODE | | | | | | | | | SA | | SA | | SA | | SA | |
| STUDY ID | | | | | | | | | SRI | | SRI | | SRI | | SRI | |
| | | | Frequency | | | Number | Number | Number | | | | | | | | |
| | | | of | Criteria | Action | of | of | of | | | | | | | | |
| Parameter | Units | Maximum | Frequency | Type | ction Lev | Exceed | Detect | Analyses | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | |
| 1,1-Dichloroethene | µg/Kg | 0.65 | 6% | TAGM 4046 | 400 | 0 | 1 | 18 | 0.19 UJ | | 680 U | | 4.4 U | | 4.8 U | |
| Acetone | µg/Kg | 3.8 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 6.4 UJ | | 2700 U | | 18 U | | 19 U | |
| Carbon Disulfide | µg/Kg | 1 | 11% | TAGM 4046 | 2700 | 0 | 2 | 18 | 0.09 UJ | | 1400 U | | 8.8 U | | 9.5 U | |
| cis-1,2-Dichloroethene | µg/Kg | 20 | 28% | TAGM 4046 | | 0 | 5 | 18 | 3.3 J | | 680 U | | 2.4 J | | 2.6 J | |
| Ethyl Benzene | µg/Kg | 80 | 17% | TAGM 4046 | 5500 | 0 | 3 | 18 | 0.21 UJ | | 680 U | | 4.4 U | | 4.8 U | |
| Meta/Para Xylene | µg/Kg | 150 | 6% | TAGM 4046 | | 0 | 1 | 18 | 0.44 UJ | | 680 U | | 4.4 U | | 4.8 U | |
| Methylene Chloride | µg/Kg | 950 | 11% | TAGM 4046 | 100 | 1 | 2 | 18 | 0.59 UJ | | 950 | | 4.4 U | | 4.8 U | |
| Ortho Xylene | µg/Kg | 42 | 11% | TAGM 4046 | | 0 | 2 | 18 | 0.37 UJ | | 680 U | | 4.4 U | | 4.8 U | |
| Tetrachloroethene | µg/Kg | 1.7 | 6% | TAGM 4046 | 1400 | 0 | 1 | 18 | 0.55 UJ | | 680 U | | 4.4 U | | 4.8 U | |
| Toluene | µg/Kg | 210 | 6% | TAGM 4046 | 1500 | 0 | 1 | 18 | 0.22 UJ | | 680 U | | 4.4 U | | 4.8 U | |
| trans-1,2-Dichloroethene | µg/Kg | 1.3 | 6% | TAGM 4046 | 300 | 0 | 1 | 18 | 0.32 UJ | | 680 U | | 4.4 U | | 4.8 U | |
| Trichloroethene | µg/Kg | 28000 | 94% | TAGM 4046 | 700 | 7 | 17 | 18 | 28000 | | 1500 | | 3100 | | 190 | |
| Vinyl Chloride | µg/Kg | 7.4 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 0.2 UJ | | 680 U | | 4.4 U | | 4.8 U | |

| | | | | | | | | | | | | | | | | |
|--------------------------|-------|---------|-----------|-----------|--------|-------------|------------|----------|-----------|--|-----------|--|-----------|--|-----------|--|
| LOCATION ID | | | | | | | | | SP813-9 | | SP813-10 | | SP813-11 | | SP813-12 | |
| MATRIX | | | | | | | | | SOIL | | SOIL | | SOIL | | SOIL | |
| SAMPLE ID | | | | | | | | | 123659 | | 123660 | | 123661 | | 123662 | |
| TOP OF SAMPLE | | | | | | | | | N/A | | N/A | | N/A | | N/A | |
| BOTTOM OF SAMPLE | | | | | | | | | N/A | | N/A | | N/A | | N/A | |
| SAMPLE DATE | | | | | | | | | 7/22/2005 | | 7/22/2005 | | 7/22/2005 | | 7/22/2005 | |
| QC CODE | | | | | | | | | SA | | SA | | SA | | SA | |
| STUDY ID | | | | | | | | | SRI | | SRI | | SRI | | SRI | |
| | | | Frequency | | | Number | Number | Number | | | | | | | | |
| | | | of | Criteria | Action | of | of | of | | | | | | | | |
| Parameter | Unit | Maximum | Detection | Type | Level | Exceedances | Detections | Analyses | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | |
| 1,1-Dichloroethene | µg/Kg | 0.65 | 6% | TAGM 4046 | 400 | 0 | 1 | 18 | 520 U | | 420 U | | 480 U | | 580 U | |
| Acetone | µg/Kg | 3.8 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 340 U | | 1700 U | | 1900 U | | 2300 U | |
| Carbon Disulfide | µg/Kg | 1 | 11% | TAGM 4046 | 2700 | 0 | 2 | 18 | 1000 U | | 830 U | | 960 U | | 1200 U | |
| cis-1,2-Dichloroethene | µg/Kg | 20 | 28% | TAGM 4046 | | 0 | 5 | 18 | 520 U | | 420 U | | 480 U | | 580 U | |
| Ethyl Benzene | µg/Kg | 80 | 17% | TAGM 4046 | 5500 | 0 | 3 | 18 | 33 J | | 80 J | | 480 U | | 580 U | |
| Meta/Para Xylene | µg/Kg | 150 | 6% | TAGM 4046 | | 0 | 1 | 18 | 520 U | | 420 U | | 480 U | | 580 U | |
| Methylene Chloride | µg/Kg | 950 | 11% | TAGM 4046 | 100 | 1 | 2 | 18 | 520 U | | 420 U | | 480 U | | 580 U | |
| Ortho Xylene | µg/Kg | 42 | 11% | TAGM 4046 | | 0 | 2 | 18 | 520 U | | 31 J | | 480 U | | 580 U | |
| Tetrachloroethene | µg/Kg | 1.7 | 6% | TAGM 4046 | 1400 | 0 | 1 | 18 | 520 U | | 420 U | | 480 U | | 580 U | |
| Toluene | µg/Kg | 210 | 6% | TAGM 4046 | 1500 | 0 | 1 | 18 | 520 U | | 420 U | | 480 U | | 580 U | |
| trans-1,2-Dichloroethene | µg/Kg | 1.3 | 6% | TAGM 4046 | 300 | 0 | 1 | 18 | 520 U | | 420 U | | 480 U | | 580 U | |
| Trichloroethene | µg/Kg | 28000 | 94% | TAGM 4046 | 700 | 7 | 17 | 18 | 160 J | | 110 J | | 410 J | | 510 J | |
| Vinyl Chloride | µg/Kg | 7.4 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 520 U | | 420 U | | 480 U | | 580 U | |

Table 3-4
Building 813/814 Stockpile VOC Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| | | | | | | | | | | | | | | | |
|--------------------------|-------|---------|-----------|-----------|-----------|--------|--------|----------|-----------|--|-----------|--|-----------|--|-----------|
| LOCATION ID | | | | | | | | | SP813-4 | | SP813-5 | | SP813-6 | | SP813-7 |
| MATRIX | | | | | | | | | SOIL | | SOIL | | SOIL | | SOIL |
| SAMPLE ID | | | | | | | | | 123697 | | 123698 | | 123699 | | 123700 |
| TOP OF SAMPLE | | | | | | | | | N/A | | N/A | | N/A | | N/A |
| BOTTOM OF SAMPLE | | | | | | | | | N/A | | N/A | | N/A | | N/A |
| SAMPLE DATE | | | | | | | | | 12/9/2004 | | 12/9/2004 | | 12/9/2004 | | 12/9/2004 |
| QC CODE | | | | | | | | | SA | | SA | | SA | | SA |
| STUDY ID | | | | | | | | | SRI | | SRI | | SRI | | SRI |
| | | | Frequency | | | Number | Number | Number | | | | | | | |
| | | | of | Criteria | Action | of | of | of | | | | | | | |
| Parameter | Units | Maximum | Frequency | Type | ction Lev | Exceed | Detect | Analyses | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) |
| 1,1-Dichloroethene | µg/Kg | 0.65 | 6% | TAGM 4046 | 400 | 0 | 1 | 18 | 4.8 U | | 4.2 U | | 5.2 U | | 390 U |
| Acetone | µg/Kg | 3.8 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 19 U | | 17 U | | 21 U | | 1500 U |
| Carbon Disulfide | µg/Kg | 1 | 11% | TAGM 4046 | 2700 | 0 | 2 | 18 | 9.6 U | | 8.4 U | | 10 U | | 770 U |
| cis-1,2-Dichloroethene | µg/Kg | 20 | 28% | TAGM 4046 | | 0 | 5 | 18 | 1.7 J | | 4.2 U | | 5.4 U | | 390 U |
| Ethyl Benzene | µg/Kg | 80 | 17% | TAGM 4046 | 5500 | 0 | 3 | 18 | 4.8 U | | 4.2 U | | 5.2 U | | 390 U |
| Meta/Para Xylene | µg/Kg | 150 | 6% | TAGM 4046 | | 0 | 1 | 18 | 4.8 U | | 4.2 U | | 5.2 U | | 390 U |
| Methylene Chloride | µg/Kg | 950 | 11% | TAGM 4046 | 100 | 1 | 2 | 18 | 4.8 U | | 4.2 U | | 5.2 U | | 390 U |
| Ortho Xylene | µg/Kg | 42 | 11% | TAGM 4046 | | 0 | 2 | 18 | 4.8 U | | 4.2 U | | 5.2 U | | 390 U |
| Tetrachloroethene | µg/Kg | 1.7 | 6% | TAGM 4046 | 1400 | 0 | 1 | 18 | 4.8 U | | 4.2 U | | 5.2 U | | 390 U |
| Toluene | µg/Kg | 210 | 6% | TAGM 4046 | 1500 | 0 | 1 | 18 | 4.8 U | | 4.2 U | | 5.2 U | | 390 U |
| trans-1,2-Dichloroethene | µg/Kg | 1.3 | 6% | TAGM 4046 | 300 | 0 | 1 | 18 | 4.8 U | | 4.2 U | | 5.2 U | | 390 U |
| Trichloroethene | µg/Kg | 28000 | 94% | TAGM 4046 | 700 | 7 | 17 | 18 | 110 | | 9.3 | | 7400 J | | 1700 |
| Vinyl Chloride | µg/Kg | 7.4 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 4.8 U | | 4.2 U | | 5.2 U | | 390 U |

| | | | | | | | | | | | | | | | |
|--------------------------|-------|---------|-----------|-----------|--------|-------------|------------|----------|-----------|--|-----------|--|-----------|--|-----------|
| LOCATION ID | | | | | | | | | SP813-13 | | SP813-14 | | SP813-15 | | SP813-16 |
| MATRIX | | | | | | | | | SOIL | | SOIL | | SOIL | | SOIL |
| SAMPLE ID | | | | | | | | | 123663 | | 123664 | | 123665 | | 123666 |
| TOP OF SAMPLE | | | | | | | | | N/A | | N/A | | N/A | | N/A |
| BOTTOM OF SAMPLE | | | | | | | | | N/A | | N/A | | N/A | | N/A |
| SAMPLE DATE | | | | | | | | | 7/22/2005 | | 7/22/2005 | | 7/22/2005 | | 7/22/2005 |
| QC CODE | | | | | | | | | SA | | SA | | SA | | SA |
| STUDY ID | | | | | | | | | SRI | | SRI | | SRI | | SRI |
| | | | Frequency | | | Number | Number | Number | | | | | | | |
| | | | of | Criteria | Action | of | of | of | | | | | | | |
| Parameter | Unit | Maximum | Detection | Type | Level | Exceedances | Detections | Analyses | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) |
| 1,1-Dichloroethene | µg/Kg | 0.65 | 6% | TAGM 4046 | 400 | 0 | 1 | 18 | 520 U | | 470 U | | 670 U | | 490 U |
| Acetone | µg/Kg | 3.8 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 2100 U | | 1900 U | | 2700 U | | 1900 U |
| Carbon Disulfide | µg/Kg | 1 | 11% | TAGM 4046 | 2700 | 0 | 2 | 18 | 1000 U | | 930 U | | 1300 U | | 970 U |
| cis-1,2-Dichloroethene | µg/Kg | 20 | 28% | TAGM 4046 | | 0 | 5 | 18 | 520 U | | 470 U | | 670 U | | 490 U |
| Ethyl Benzene | µg/Kg | 80 | 17% | TAGM 4046 | 5500 | 0 | 3 | 18 | 54 J | | 470 U | | 670 U | | 490 U |
| Meta/Para Xylene | µg/Kg | 150 | 6% | TAGM 4046 | | 0 | 1 | 18 | 150 J | | 470 U | | 670 U | | 490 U |
| Methylene Chloride | µg/Kg | 950 | 11% | TAGM 4046 | 100 | 1 | 2 | 18 | 520 U | | 470 U | | 670 U | | 490 U |
| Ortho Xylene | µg/Kg | 42 | 11% | TAGM 4046 | | 0 | 2 | 18 | 42 J | | 470 U | | 670 U | | 490 U |
| Tetrachloroethene | µg/Kg | 1.7 | 6% | TAGM 4046 | 1400 | 0 | 1 | 18 | 520 U | | 470 U | | 670 U | | 490 U |
| Toluene | µg/Kg | 210 | 6% | TAGM 4046 | 1500 | 0 | 1 | 18 | 210 J | | 470 U | | 670 U | | 490 U |
| trans-1,2-Dichloroethene | µg/Kg | 1.3 | 6% | TAGM 4046 | 300 | 0 | 1 | 18 | 520 U | | 470 U | | 670 U | | 490 U |
| Trichloroethene | µg/Kg | 28000 | 94% | TAGM 4046 | 700 | 7 | 17 | 18 | 240 J | | 130 J | | 670 U | | 22000 J |
| Vinyl Chloride | µg/Kg | 7.4 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 520 U | | 470 U | | 670 U | | 490 U |

Table 3-4
Building 813/814 Stockpile VOC Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| | | | | | | | | | | |
|--------------------------|-------|---------|-----------|-----------|-----------|--------|--------|----------|------------|--|
| LOCATION ID | | | | | | | | | SP813-8 | |
| MATRIX | | | | | | | | | SOIL | |
| SAMPLE ID | | | | | | | | | 123706 | |
| TOP OF SAMPLE | | | | | | | | | N/A | |
| BOTTOM OF SAMPLE | | | | | | | | | N/A | |
| SAMPLE DATE | | | | | | | | | 12/21/2004 | |
| QC CODE | | | | | | | | | SA | |
| STUDY ID | | | | | | | | | SRI | |
| | | | Frequency | | | Number | Number | Number | | |
| | | | of | Criteria | Action | of | of | of | | |
| Parameter | Units | Maximum | Frequency | Type | ction Lev | Exceed | Detect | Analyses | Value (Q) | |
| 1,1-Dichloroethene | µg/Kg | 0.65 | 6% | TAGM 4046 | 400 | 0 | 1 | 18 | 0.65 J | |
| Acetone | µg/Kg | 3.8 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 3.8 J | |
| Carbon Disulfide | µg/Kg | 1 | 11% | TAGM 4046 | 2700 | 0 | 2 | 18 | 1 J | |
| cis-1,2-Dichloroethene | µg/Kg | 20 | 28% | TAGM 4046 | | 0 | 5 | 18 | 20 | |
| Ethyl Benzene | µg/Kg | 80 | 17% | TAGM 4046 | 5500 | 0 | 3 | 18 | 1.7 U | |
| Meta/Para Xylene | µg/Kg | 150 | 6% | TAGM 4046 | | 0 | 1 | 18 | 1.7 U | |
| Methylene Chloride | µg/Kg | 950 | 11% | TAGM 4046 | 100 | 1 | 2 | 18 | 1.7 U | |
| Ortho Xylene | µg/Kg | 42 | 11% | TAGM 4046 | | 0 | 2 | 18 | 1.7 U | |
| Tetrachloroethene | µg/Kg | 1.7 | 6% | TAGM 4046 | 1400 | 0 | 1 | 18 | 1.7 J | |
| Toluene | µg/Kg | 210 | 6% | TAGM 4046 | 1500 | 0 | 1 | 18 | 1.7 U | |
| trans-1,2-Dichloroethene | µg/Kg | 1.3 | 6% | TAGM 4046 | 300 | 0 | 1 | 18 | 1.3 J | |
| Trichloroethene | µg/Kg | 28000 | 94% | TAGM 4046 | 700 | 7 | 17 | 18 | 18000 J | |
| Vinyl Chloride | µg/Kg | 7.4 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 7.4 | |


| | | | | | | | | | | |
|--------------------------|-------|---------|-----------|-----------|--------|-------------|------------|----------|------------|--|
| LOCATION ID | | | | | | | | | SP813-17 | |
| MATRIX | | | | | | | | | SOIL | |
| SAMPLE ID | | | | | | | | | 123667 | |
| TOP OF SAMPLE | | | | | | | | | N/A | |
| BOTTOM OF SAMPLE | | | | | | | | | N/A | |
| SAMPLE DATE | | | | | | | | | 11/28/2005 | |
| QC CODE | | | | | | | | | SA | |
| STUDY ID | | | | | | | | | SRI | |
| | | | Frequency | | | Number | Number | Number | | |
| | | | of | Criteria | Action | of | of | of | | |
| Parameter | Unit | Maximum | Detection | Type | Level | Exceedances | Detections | Analyses | Value (Q) | |
| 1,1-Dichloroethene | µg/Kg | 0.65 | 6% | TAGM 4046 | 400 | 0 | 1 | 18 | 4.6 U | |
| Acetone | µg/Kg | 3.8 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 18 U | |
| Carbon Disulfide | µg/Kg | 1 | 11% | TAGM 4046 | 2700 | 0 | 2 | 18 | 0.48 J | |
| cis-1,2-Dichloroethene | µg/Kg | 20 | 28% | TAGM 4046 | | 0 | 5 | 18 | 4.6 U | |
| Ethyl Benzene | µg/Kg | 80 | 17% | TAGM 4046 | 5500 | 0 | 3 | 18 | 4.6 U | |
| Meta/Para Xylene | µg/Kg | 150 | 6% | TAGM 4046 | | 0 | 1 | 18 | 4.6 U | |
| Methylene Chloride | µg/Kg | 950 | 11% | TAGM 4046 | 100 | 1 | 2 | 18 | 0.38 J | |
| Ortho Xylene | µg/Kg | 42 | 11% | TAGM 4046 | | 0 | 2 | 18 | 4.6 U | |
| Tetrachloroethene | µg/Kg | 1.7 | 6% | TAGM 4046 | 1400 | 0 | 1 | 18 | 4.6 U | |
| Toluene | µg/Kg | 210 | 6% | TAGM 4046 | 1500 | 0 | 1 | 18 | 4.6 U | |
| trans-1,2-Dichloroethene | µg/Kg | 1.3 | 6% | TAGM 4046 | 300 | 0 | 1 | 18 | 4.6 U | |
| Trichloroethene | µg/Kg | 28000 | 94% | TAGM 4046 | 700 | 7 | 17 | 18 | 3.4 J | |
| Vinyl Chloride | µg/Kg | 7.4 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 4.6 U | |

Table 3-5
Comparison of RI and SRI Pb-210 Results
for EM-5 Soil Samples

| Loc_ID | SRI Result (pCi/g) | SRI Q | SRI Uncertainty | RI Result (pCi/g) | RI Q | RI Uncertainty |
|--------------|-----------------------|-------|-----------------|-------------------|------|----------------|
| SS12-102 | 3.46 | U | +/- 4.13 | 27.5 | U | |
| SS12-107 | 1.56 | U | +/- 4.49 | 55.9 | | +/- 35.2 |
| SS12-107 (D) | 3.11 | U | +/- 2.97 | 55.9 | | +/- 35.2 |
| SS12-108 | 1.88 | U | +/- 6.59 | 50.6 | | +/- 32.8 |
| SS12-109 | 1.60 | U | +/- 2.71 | 23.1 | UJ | |
| SS12-117 | 2.64 | U | +/- 5.05 | 53.2 | | +/- 36.2 |
| SS12-118 | 1.54 | U | +/- 2.15 | 32.7 | U | |
| SS12-119 | 2.92 | U | +/- 3.92 | 50.4 | | +/- 32.2 |
| SS12-120 | 0.827 | U | +/- 7.86 | 24.2 | U | |
| TP12-15C | 1.64 | U | +/- 2.25 | 79 | J | +/- 48.6 |
| TP12-15A | 0.0728 | U | +/- 2.07 | 50 | J | +/- 49.4 |

Figures

O:\Seneca\Sead-12\Supp_RI\SR-NEWLANDUSE-APR\Figure 1-1 Future Land Use



LEGEND




PARSONS

SENECA ARMY DEPOT ACTIVITY
SEAD-12
SUPPLEMENTAL RI

Figure 1-1
Future Land Use

Scale - 1:3400 FEBRUARY 2006




o:\senecalsead-12\supp_r1.apr

LEGEND




600 0 600 1200 Feet



par sons

SENECA ARMY DEPOT ACTIVITY
SUPPLEMENTAL RI
SEAD 12

FIGURE 1-2
SEAD-12 SITE PLAN



LEGEND



par sons

SENECA ARMY DEPOT ACTIVITY


SEAD-12
SUPPLEMENTAL RI

FIGURE 1-3
BUILDINGS 813 AND 814

SCALE 1:30


DATE MARCH 2005

O:\SENECA\SEAD-12\SUPP_RI\BASEMAP.APR



LEGEND


- BUILDINGS
- SEAD 63
- FENCE
- ROADS
- WATER
- DRAINAGE
- 630 GROUND ELEVATION CONTOURS (5 FOOT INTERVALS)



PARSONS

SENECA ARMY DEPOT ACTIVITY
SUPPLEMENTAL
REMEDIAL INVESTIGATION

FIGURE 1-4
SITE PLAN - SEAD-12



LEGEND

- SG12-128**
SOIL GAS SAMPLE LOCATION
- MW12-37**
MONITORING WELL LOCATION
subsurface soil samples
also collected
- SS12-67**
SURFACE SOIL SAMPLE
LOCATION
- SW/SD12-30**
SURFACE WATER/SEDIMENT
SAMPLE LOCATION



50 0 50 Feet




PARSONS

SENECA ARMY DEPOT ACTIVITY

SEAD-12
SUPPLEMENTAL RI

FIGURE 1-5
RI SAMPLING LOCATIONS
BUILDINGS 813 and 814

SCALE 1:50 DATE OCTOBER 2006



SS12-128

△ PREVIOUS SURFACE SOIL SAMPLE LOCATION

TP12-15

● PREVIOUS SUBSURFACE SOIL
SAMPLE LOCATION

80 0 80 Feet




PARSONS

SENECA ARMY DEPOT ACTIVITY
SEAD-12
SUPPLEMENTAL RI

FIGURE 1-6
PREVIOUS SOIL SAMPLE
LOCATIONS AT EM-5

SCALE 1:100

DATE OCTOBER 2006



o:\senecasead-12\supp_ri.apr

LEGEND

MW12-37
⊕ MONITORING WELL LOCATION

SWSD12-30
● SURFACE WATER/SEDIMENT
SAMPLE LOCATION

GROUNDWATER CONTOUR LINE
660

TCE concentration results are
from the 1999 Remedial
Investigation

Groundwater contours are based
on elevations observed in
Dec, 1999




50 0 50 Feet



PARSONS

SENECA ARMY DEPOT ACTIVITY
SEAD-12
SUPPLEMENTAL RI

FIGURE 2-1
TCE DETECTED DURING RI



o:\senecasead-12\supp_ri.apr

LEGEND

- SD12-30
● SURFACE WATER/SEDIMENT
SAMPLE LOCATION
- MW12-37
⊕ MONITORING WELL LOCATION

- TW12-37
▣ TEMPORARY WELL LOCATION

Green - 1st phase of borings
Red - 2nd phase of borings
6 of 12 to be installed
based on 1st round
results

GROUNDWATER CONTOUR LINE
660



50 0 50 Feet



PARSONS

SENECA ARMY DEPOT ACTIVITY
SEAD-12
SUPPLEMENTAL RI

FIGURE 2-2
PROPOSED TEMPORARY WELL
LOCATIONS

SCALE 1:50 DATE FEBRUARY 2006


o:\seneca\sead-12\supp_ri_phase 2.apr



LEGEND

- MW12-37**
657.98 PERMANENT MONITORING WELL LOCATION - RI AND JUNE 2004 GROUNDWATER ELEVATION (FT ABOVE MSL)
- TW12-3**
659.56 TEMPORARY WELL LOCATION AND JUNE 2004 GROUNDWATER ELEVATION (FT ABOVE MSL)
- 2** Green Symbol - 1st Round
 Red Symbol - 2nd Round
- SW/SD12-68** SURFACE WATER/DITCH SOIL SAMPLE LOCATION - SRI


- TW12-3** WELLS REMAINING POST SUPPLEMENTAL RI INVESTIGATION
- MW12-38** WELLS REMAINING POST SUPPLEMENTAL RI INVESTIGATION



PARSONS

SENECA ARMY DEPOT ACTIVITY
SEAD-12
SUPPLEMENTAL RI

FIGURE 2-3
TEMPORARY WELL AND
SURFACE WATER/DITCH SOIL
SAMPLE LOCATIONS



LEGEND

- TP813-2T**
- Soil Sample Location in Excavation
 - T suffix - temporary sample location removed during next phase of excavation
 - F suffix - final confirmatory sample location

- SP813-2**
- Stockpile Sample Location

Approximate Area of Excavation

Stockpile Groups

Phase I and Phase II - visually unimpacted
Returned to excavation

Phase II - visually impacted
Plan to backfill

Phase IIIA - visually impacted
Plan to backfill

Phase IIIB - visually impacted
Plan to backfill

N



20 0 20 40 Feet




PARSONS

SENECA ARMY DEPOT ACTIVITY
SEAD-12
SUPPLEMENTAL RI

FIGURE 2-4
SAMPLE LOCATIONS FROM
TEST PIT AT
BUILDINGS 813 AND 814

SCALE 1:30

DATE OCTOBER 2006




NOTE:
 TOPOGRAPHIC SURVEY FOR TEST PIT
 GRADES WAS PERFORMED ON 12/21/04.
 GRADES ARE BASED ON AN ASSUMED
 VERTICAL DATUM BASED ON A BUILDING 813
 FIRST FLOOR ELEVATION OF 100.0.

— 90— TEST PIT CONTOUR

▲ MONITORING WELL
 TW12-25

| PARSONS | | |
|---|--------------------|---------------------------------|
| SENECA ARMY DEPOT ACTIVITY SUPPLEMENTAL RI SEAD 12 | | |
| TEST PIT TOPOGRAPHIC PLAN BUILDING 813 AND 814 SEAD 12 | | |
| Scale : 1"= 10' | Date : 11/17/04 | Drawing No. : FIG 2-5 |



SS12-128

△ SOIL RE-SAMPLE LOCATION

80 0 80 Feet



PARSONS


SENECA ARMY DEPOT ACTIVITY
SEAD-12
SUPPLEMENTAL RI

FIGURE 2-6
EM-5 SOIL SAMPLE LOCATIONS

SCALE 1:100

DATE MARCH 2005

o:\seneca\sead-12\supp_ri_phase 2.apr



LEGEND

- MW12-37
⊕ MONITORING WELL LOCATION
- TW12-37
▣ TEMPORARY WELL LOCATION
Green Label - 1st Round
Red Label - 2nd Round
- SW/SD12-72
● SURFACE WATER/DITCH SOIL
SAMPLE LOCATION



PARSONS

SENECA ARMY DEPOT ACTIVITY
SEAD-12
SUPPLEMENTAL RI

FIGURE 3-1
GROUNDWATER AND
SURFACE WATER/DITCH SOIL
DETECTIONS

SCALE 1:50 DATE MARCH 2005



LEGEND

- TP813-2T**
- Soil sample location in excavation
w/ TCE concentration in ug/Kg
green - below TAGM for TCE
red - above TAGM for TCE
 - T suffix - sample location removed during next
phase of excavation
 - F suffix - sample location not removed
 - ▨ Area of excavation - black lines separate phases
 - - - Approximate location of sewer line removed
during excavation



PARSONS

SENECA ARMY DEPOT ACTIVITY
SEAD-12
SUPPLEMENTAL RI

FIGURE 3-2
SAMPLE LOCATIONS FROM
EXCAVATION AT
BUILDINGS 813 AND 814

SCALE 1:10 DATE MARCH 2005

O:\Seneca\Sead-12\Supp_RI\Figure 3-3.mxd



| Stockpile | Samples Collected | Date | TCE Concentration | Average Stockpile Concentration |
|-----------------------------------|---|---|---|--|
| <div></div> (approx. 150 tons) | SP813-3 SP813-3(D) SP813-4 SP813-5 | 12/9/04 12/9/04 12/9/04 12/9/04 | 3,100 ug/Kg 190 ug/Kg 110 ug/Kg 9.3 ug/Kg | 588.1 ug/Kg * (backfilled) |
| <div></div> (approx. 120 tons) | SP813-6 SP813-7 SP813-12 SP813-13 SP813-14 | 12/9/04 12/9/04 7/22/05 7/22/05 7/22/05 | 7,400 ug/Kg 1,700 ug/Kg 510J ug/Kg 240J ug/Kg 130J ug/Kg | 4,550 ug/Kg 293 ug/Kg (plan to backfill) |
| <div></div> (approx. 40 tons) | SP813-8 SP813-9 SP813-10 SP813-11 SP813-17 | 12/21/04 7/22/05 7/22/05 7/22/05 11/28/05 | 18,000 ug/Kg 160J ug/Kg 110J ug/Kg 410J ug/Kg 3.4J ug/Kg | 171 ug/Kg (plan to backfill) |
| <div></div> (approx. 40 tons) | SP813-15 SP813-16 SP813-18 SP813-18(D) SP813-19 SP813-20 SP813-21 | 7/22/05 7/22/05 2/14/06 2/14/06 2/14/06 2/14/06 2/14/06 | 670U ug/Kg 22,000J ug/Kg 1,200J ug/kg 58J ug/Kg 6.3 ug/Kg 120 ug/Kg 160 ug/Kg | 11,168 ug/Kg 229 ug/Kg* (plan to backfill) |

* Concentration used for SP813-3 and SP813-18 = (SA + DU)/2

LEGEND

TP813-2T

- Soil Sample Location in Excavation
- T suffix - temporary sample location removed during next phase of excavation
- F suffix - final confirmatory sample location

SP813-2

- Stockpile Sample Location

Approximate Area of Excavation

Stockpile Groups

Phase I and Phase II - visually unimpacted
Returned to excavation

Phase II - visually impacted
Plan to backfill

Phase IIIA - visually impacted
Plan to backfill

Phase IIIB - visually impacted
Plan to backfill

N

W

E

S

20

10

0 Feet

SENECA ARMY DEPOT ACTIVITY
SEAD-12
SUPPLEMENTAL RI

FIGURE 3-3
TCE CONCENTRATIONS IN
STOCKPILE SAMPLES AT
BUILDINGS 813 AND 814

SCALE 1:30

DATE OCTOBER 2006

Appendix A

Temporary Well Construction Diagrams

OVERBURDEN MONITORING WELL COMPLETION REPORT & INSTALLATION DETAIL ROADWAY BOX - SURFACE COMPLETION

| | | | |
|--|---------------|-----------------------------------|-----------------------|
| PARSONS ENGINEERING SCIENCE, INC. | | CLIENT: USACOE | WELL #: MWJW12-1 |
| PROJECT: RI FIELD INVESTIGATION | | PROJECT NO: _____ | |
| SWMU # (AREA): SEAD- 12 | | INSPECTOR: <u>McAllister</u> | |
| SOP NO.: _____ | | CHECKED BY: _____ | |
| DRILLING CONTRACTOR: <u>Nothnagle</u> | | POW DEPTH (ft): _____ | |
| DRILLER: <u>Jay</u> | | INSTALLATION STARTED: _____ | |
| DRILLING COMPLETED: <u>May 24 2004</u> | | INSTALLATION COMPLETED: _____ | |
| BORING DEPTH: _____ | | SURFACE COMPLETION DATE: _____ | |
| DRILLING METHOD(S): _____ | | COMPLETION CONTRACTOR/CREW: _____ | |
| BORING DIAMETER(S): _____ | | BEDROCK CONFIRMED (Y/N?): _____ | |
| PROTECTIVE SURFACE CASING | | | |
| DIAMETER (ft): _____ | | LENGTH (ft): _____ | |
| RISER | | | |
| TYPE: <u>PVC</u> | | TR (ft): <u>3.29</u> | |
| DIAMETER(in): <u>2 inch</u> | | LENGTH (ft): <u>10.29</u> | |
| SURFACE COLLAR | | | |
| TYPE: _____ | | RADIUS (ft): _____ | |
| THICKNESS OF CENTER (ft): _____ | | THICKNESS OF EDGE (in): _____ | |
| SCREEN | | | |
| TYPE: <u>PVC</u> | | TSC (ft): <u>5.2 ft</u> | |
| DIAMETER (in): <u>2</u> | | SLOT SIZE: <u>0.010</u> | |
| | | LENGTH (ft): <u>8 foot</u> | |
| POINT OF WELL (SILT SUMP) | | | |
| TYPE: <u>end cap</u> | | BSC (ft): _____ | |
| | | POW(ft): _____ | |
| GROUT | | | |
| TYPE: <u>None</u> | | TG (ft): _____ | |
| | | LENGTH (ft): _____ | |
| SEAL | | | |
| TYPE: <u>Granular Bentonite</u> | | TBS (ft): <u>surface</u> | |
| | | LENGTH (ft): <u>4 ft</u> | |
| SAND PACK | | | |
| FINE SAND TYPE: <u>#00</u> | | TSP (ft): <u>4.00</u> | |
| | | LENGTH (ft): <u>6 ft</u> | |
| COARSE SAND TYPE: _____ | | TSP (ft): _____ | |
| | | LENGTH (ft): _____ | |
| ACRONYMS | | | |
| TR | Top of Riser | BSC | Bottom of Screen |
| TSC | Top of Screen | POW | Point of Well |
| BGD | Background | TSP | Top of Sand Pack |
| | | TG | Top of Grout |
| | | TBS | Top of Bentonite Seal |
| COMMENTS: <u>Temporary well not yet completed.</u> | | | |

* ALL DEPTH MEASUREMENTS REFERENCED TO GROUND SURFACE

SEE PAGE 2 FOR SCHEMATIC

OVERBURDEN MONITORING WELL COMPLETION REPORT & INSTALLATION DETAIL ROADWAY BOX - SURFACE COMPLETION

| | | | |
|--|-------------------------|--|------------------------------|
| PARSONS ENGINEERING SCIENCE, INC. | | CLIENT: USACOE | WELL #: MW TW12-3 |
| PROJECT: RI FIELD INVESTIGATION SWMU # (AREA): SEAD- 12 RI SOP NO.: Building 813/814 | | PROJECT NO: INSPECTOR: McAllister CHECKED BY: | |
| DRILLING CONTRACTOR: Hothnaple DRILLER: DRILLING COMPLETED: May 24 2009 BORING DEPTH: 10.25 DRILLING METHOD(S): HSA (6") BORING DIAMETER(S): 6 inch | | POW DEPTH (ft): 9' 10" INSTALLATION STARTED: INSTALLATION COMPLETED: SURFACE COMPLETION DATE: Temporary COMPLETION CONTRACTOR/CREW: BEDROCK CONFIRMED (Y/N?): Y | |
| PROTECTIVE SURFACE CASING | | | |
| DIAMETER (ft): | | LENGTH (ft): | |
| RISER | | | |
| TYPE: 2 inch PVC | | TR (ft): | |
| DIAMETER(in): 2 inch | | LENGTH (ft): | |
| SURFACE COLLAR | | | |
| TYPE: | | RADIUS (ft): | |
| THICKNESS OF CENTER (ft): | | THICKNESS OF EDGE (in): | |
| SCREEN | | | |
| TYPE: PVC | | TSC (ft): 5' 10' | |
| DIAMETER (in): 2 | SLOT SIZE: .010 | LENGTH (ft): 5 feet | |
| POINT OF WELL (SILT SUMP) | | | |
| TYPE: end cap | | BSC (ft): 9 foot 10 inches | POW(ft): 9 foot 10 in |
| GROUT | | | |
| TYPE: Chip Bentonite | | TG (ft): | LENGTH (ft): |
| SEAL | | | |
| TYPE: Chip Bentonite | | TBS (ft): 4 foot to surface | LENGTH (ft): 4 feet |
| SAND PACK | | | |
| FINE SAND TYPE: #00 | TSP (ft): 4 feet | LENGTH (ft): 5 foot 10 in | |
| COARSE SAND TYPE: | TSP (ft): | LENGTH (ft): | |
| ACRONYMS | | | |
| TR | Top of Riser | BSC | Bottom of Screen |
| TSC | Top of Screen | POW | Point of Well |
| BGD | Background | TSP | Top of Sand Pack |
| | | TG | Top of Grout |
| | | TBS | Top of Bentonite Seal |
| COMMENTS: Temporary well not yet completed | | | |

* ALL DEPTH MEASUREMENTS REFERENCED TO GROUND SURFACE

SEE PAGE 2 FOR SCHEMATIC

OVERBURDEN MONITORING WELL COMPLETION REPORT & INSTALLATION DETAIL ROADWAY BOX - SURFACE COMPLETION

TW12-4

| | | | |
|--|------------------|------------------------------------|------------------------------|
| PARSONS ENGINEERING SCIENCE, INC. | | CLIENT: USACOE | WELL #: HW |
| PROJECT: RI FIELD INVESTIGATION | | PROJECT NO: 743156 | |
| SWMU # (AREA): SEAD- 12 RD | | INSPECTOR: McAllister | |
| SOP NO.: Building 83/814 | | CHECKED BY: | |
| DRILLING CONTRACTOR: Nothnagle | | POW DEPTH (ft): 8.65 | |
| DRILLER: | | INSTALLATION STARTED: | |
| DRILLING COMPLETED: May 24 2004 | | INSTALLATION COMPLETED: | |
| BORING DEPTH: 8.75 | | SURFACE COMPLETION DATE: Temporary | |
| DRILLING METHOD(S): HSA | | COMPLETION CONTRACTOR/CREW: | |
| BORING DIAMETER(S): 6 inch | | BEDROCK CONFIRMED (Y/N?): Y | |
| PROTECTIVE SURFACE CASING | | | |
| DIAMETER (ft): | | LENGTH (ft): | |
| RISER | | | |
| TYPE: | | TR (ft): | |
| DIAMETER (in): | | LENGTH (ft): | |
| SURFACE COLLAR | | | |
| TYPE: | | RADIUS (ft): | |
| THICKNESS OF CENTER (ft): | | THICKNESS OF EDGE (in): | |
| SCREEN | | | |
| TYPE: PVC | | TSC (ft): 3.75 | |
| DIAMETER (in): 2 inch | SLOT SIZE: 0.010 | LENGTH (ft): 5 feet | |
| POINT OF WELL (SILT SUMP) | | | |
| TYPE: end cap | | BSC (ft): 8.55 | POW (ft): 8.65 |
| GROUT | | | |
| TYPE: | | TG (ft): | LENGTH (ft): |
| SEAL | | | |
| TYPE: Chip Bentonite | | TBS (ft): Surface | LENGTH (ft): 3 feet |
| SAND PACK | | | |
| FINE SAND TYPE: #00 | TSP (ft): 3 feet | LENGTH (ft): 5.65 | |
| COARSE SAND TYPE: | TSP (ft): | LENGTH (ft): | |
| ACRONYMS | | | |
| TR | Top of Riser | BSC | Bottom of Screen |
| TSC | Top of Screen | POW | Point of Well |
| BGD | Background | TSP | Top of Sand Pack |
| | | TG | Top of Grout |
| | | TBS | Top of Bentonite Seal |
| COMMENTS: Temporary well not yet completed | | | |

* ALL DEPTH MEASUREMENTS REFERENCED TO GROUND SURFACE

SEE PAGE 2 FOR SCHEMATIC

OVERBURDEN MONITORING WELL

COMPLETION REPORT & INSTALLATION DETAIL

TEMPORARY WELL - SURFACE COMPLETION

| | | | |
|-----------------------------------|------------------|-----------------------------------|--------------------|
| PARSONS ENGINEERING SCIENCE, INC. | | CLIENT: USACOE | WELL #: MW12.5 |
| PROJECT: RI FIELD INVESTIGATION | | PROJECT NO: _____ | |
| SWMU # (AREA): SEAD- 12 | | INSPECTOR: McAllister | |
| SOP NO.: _____ | | CHECKED BY: _____ | |
| DRILLING CONTRACTOR: Northridge | | POW DEPTH (ft): _____ | |
| DRILLER: Jay | | INSTALLATION STARTED: _____ | |
| DRILLING COMPLETED: May 24 2009 | | INSTALLATION COMPLETED: _____ | |
| BORING DEPTH: _____ | | SURFACE COMPLETION DATE: _____ | |
| DRILLING METHOD(S): _____ | | COMPLETION CONTRACTOR/CREW: _____ | |
| BORING DIAMETER(S): _____ | | BEDROCK CONFIRMED (Y/N?): _____ | |
| PROTECTIVE SURFACE CASING | | | |
| DIAMETER (ft): _____ | | LENGTH (ft): _____ | |
| RISER | | | |
| TYPE: PVC | | TR (ft): 8.65 | |
| DIAMETER(in): 2 inch | | LENGTH (ft): 13.65 inc screen | |
| SURFACE COLLAR | | | |
| TYPE: _____ | | RADIUS (ft): _____ | |
| THICKNESS OF CENTER (ft): _____ | | THICKNESS OF EDGE (in): _____ | |
| SCREEN | | | |
| TYPE: PVC | | TSC (ft): 6.5 feet | |
| DIAMETER (in): 2 inch | SLOT SIZE: 0.010 | LENGTH (ft): 5 foot | |
| POINT OF WELL (SILT SUMP) | | | |
| TYPE: End Cap | | BSC (ft): _____ | POW(ft): _____ |
| GROUT | | | |
| TYPE: None | | TG (ft): _____ | LENGTH (ft): _____ |
| SEAL | | | |
| TYPE: Granular Bentonite | | TBS (ft): Surface | LENGTH (ft): 4 ft |
| SAND PACK | | | |
| FINE SAND TYPE: #00 | | TSP (ft): 4 ft bgs. | LENGTH (ft): _____ |
| COARSE SAND TYPE: _____ | | TSP (ft): _____ | LENGTH (ft): _____ |
| ACRONYMS | | | |
| TR | Top of Riser | BSC | Bottom of Screen |
| TSC | Top of Screen | POW | Point of Well |
| BGD | Background | TSP | Top of Sand Pack |
| TG | | Top of Grout | |
| TBS | | Top of Bentonite Seal | |
| COMMENTS: | | | |

* ALL DEPTH MEASUREMENTS REFERENCED TO GROUND SURFACE

SEE PAGE 2 FOR SCHEMATIC

13.65 overall at top 2.50

OVERBURDEN MONITORING WELL COMPLETION REPORT & INSTALLATION DETAIL ROADWAY BOX - SURFACE COMPLETION

TW12-6

| | | | |
|---|---|--------------------------------|----------------------------|
| PARSONS ENGINEERING SCIENCE, INC. | | CLIENT: USACOE | WELL #: MW |
| PROJECT: RI FIELD INVESTIGATION | PROJECT NO: 743156 | | |
| SWMU # (AREA): SEAD- 12 RI | INSPECTOR: McAllister | | |
| SOP NO.: Building 813/814 | CHECKED BY: | | |
| DRILLING CONTRACTOR: Nothnagel | POW DEPTH (ft): 10.0 | | |
| DRILLER: | INSTALLATION STARTED: | | |
| DRILLING COMPLETED: May 25 2004 | INSTALLATION COMPLETED: | | |
| BORING DEPTH: 10.30 | SURFACE COMPLETION DATE: Temporary | | |
| DRILLING METHOD(S): | COMPLETION CONTRACTOR/CREW: | | |
| BORING DIAMETER(S): | BEDROCK CONFIRMED (Y/N?): Y | | |
| PROTECTIVE SURFACE CASING | | | |
| DIAMETER (ft): | | LENGTH (ft): | |
| RISER | | | |
| TYPE: | | TR (ft): | |
| DIAMETER (in): | | LENGTH (ft): | |
| SURFACE COLLAR | | | |
| TYPE: | | RADIUS (ft): | |
| THICKNESS OF CENTER (ft): | | THICKNESS OF EDGE (in): | |
| SCREEN | | | |
| TYPE: PVC | | TSC (ft): 5 feet | |
| DIAMETER (in): 2.1 inch | SLOT SIZE: 0.010 | LENGTH (ft): 5 feet | |
| POINT OF WELL (SILT SUMP) | | | |
| TYPE: End Cap | | BSC (ft): 9.90 | POW (ft): 10.00 |
| GROUT | | | |
| TYPE: | | TG (ft): | LENGTH (ft): |
| SEAL | | | |
| TYPE: chip Bentonite | | TBS (ft): 4.5 ft Bgs | LENGTH (ft): 5.5 ft |
| SAND PACK | | | |
| FINE SAND TYPE: #00 | TSP (ft): Surface | LENGTH (ft): 4.5 feet | |
| COARSE SAND TYPE: | TSP (ft): | LENGTH (ft): | |
| ACRONYMS | | | |
| TR | Top of Riser | BSC | Bottom of Screen |
| TSC | Top of Screen | POW | Point of Well |
| BGD | Background | TSP | Top of Sand Pack |
| TG | | Top of Grout | |
| TBS | | Top of Bentonite Seal | |
| COMMENTS: Temporary well not yet completed | | | |

* ALL DEPTH MEASUREMENTS REFERENCED TO GROUND SURFACE

SEE PAGE 2 FOR SCHEMATIC

OVERBURDEN MONITORING WELL COMPLETION REPORT & INSTALLATION DETAIL

TEMPORARY WELL - SURFACE COMPLETION

TW 12-7

| | | | |
|---|-----------------------------|-----------------------------------|----------------------------|
| PARSONS ENGINEERING SCIENCE, INC. | | CLIENT: USACOE | WELL #: MW |
| PROJECT: RI FIELD INVESTIGATION | | PROJECT NO: _____ | |
| SWMU # (AREA): SEAD- 12 | | INSPECTOR: <u>McAllister</u> | |
| SOP NO.: _____ | | CHECKED BY: _____ | |
| DRILLING CONTRACTOR: <u>Nothnagle</u> | | POW DEPTH (ft): _____ | |
| DRILLER: <u>Jay</u> | | INSTALLATION STARTED: _____ | |
| DRILLING COMPLETED: <u>May 24 2004</u> | | INSTALLATION COMPLETED: _____ | |
| BORING DEPTH: _____ | | SURFACE COMPLETION DATE: _____ | |
| DRILLING METHOD(S): _____ | | COMPLETION CONTRACTOR/CREW: _____ | |
| BORING DIAMETER(S): _____ | | BEDROCK CONFIRMED (Y/N)? _____ | |
| PROTECTIVE SURFACE CASING | | | |
| DIAMETER (ft): _____ | | LENGTH (ft): _____ | |
| RISER | | | |
| TYPE: <u>PVC</u> | | TR (ft): <u>3.00 skip</u> | |
| DIAMETER(in): <u>2 inch</u> | | LENGTH (ft): _____ | |
| SURFACE COLLAR | | | |
| TYPE: <u>None</u> | | RADIUS (ft): _____ | |
| THICKNESS OF CENTER (ft): _____ | | THICKNESS OF EDGE (in): _____ | |
| SCREEN | | | |
| TYPE: <u>PVC</u> | | TSC (ft): <u>4 feet</u> | |
| DIAMETER (in): <u>2 inch</u> | SLOT SIZE: <u>0.01</u> | LENGTH (ft): <u>5 feet</u> | |
| POINT OF WELL (SILT SUMP) | | | |
| TYPE: <u>End Cap</u> | | BSC (ft): <u>9.0 ft</u> | POW(ft): <u>9.025</u> |
| GROUT | | | |
| TYPE: <u>None</u> | | TG (ft): _____ | LENGTH (ft): _____ |
| SEAL | | | |
| TYPE: <u>Granular Bentonite</u> | | TBS (ft): <u>Surface</u> | LENGTH (ft): <u>3.5 ft</u> |
| SAND PACK | | | |
| FINE SAND TYPE: <u>#1 sand</u> | TSP (ft): <u>3.5 ft bgs</u> | LENGTH (ft): <u>5.5 ft.</u> | |
| COARSE SAND TYPE: _____ | TSP (ft): _____ | LENGTH (ft): _____ | |
| ACRONYMS | | | |
| TR | Top of Riser | BSC | Bottom of Screen |
| TSC | Top of Screen | POW | Point of Well |
| BGD | Background | TSP | Top of Sand Pack |
| TG | Top of Grout | TBS | Top of Bentonite Seal |
| COMMENTS: <u>Depth of hole 9.025 ft</u> <u>total well height 12.10</u> | | | |

* ALL DEPTH MEASUREMENTS REFERENCED TO GROUND SURFACE

SEE PAGE 2 FOR SCHEMATIC

OVERBURDEN MONITORING WELL COMPLETION REPORT & INSTALLATION DETAIL ROADWAY BOX - SURFACE COMPLETION

TW12-8

| | | | |
|--|------------------------------------|--------------------------------|----------------------------|
| PARSONS ENGINEERING SCIENCE, INC. | | CLIENT: USACOE | WELL #: MW |
| PROJECT: RI FIELD INVESTIGATION | PROJECT NO: 243156 | | |
| SWMU # (AREA): SEAD- 12 RL | INSPECTOR: McAllister | | |
| SOP NO.: | CHECKED BY: | | |
| DRILLING CONTRACTOR: Nothnagle | POW DEPTH (ft): | | |
| DRILLER: | INSTALLATION STARTED: | | |
| DRILLING COMPLETED: May 25 2009 | INSTALLATION COMPLETED: | | |
| BORING DEPTH: 10 feet | SURFACE COMPLETION DATE: | | |
| DRILLING METHOD(S): HSA | COMPLETION CONTRACTOR/CREW: | | |
| BORING DIAMETER(S): 6' inch | BEDROCK CONFIRMED (Y/N?): | | |
| PROTECTIVE SURFACE CASING | | | |
| DIAMETER (ft): | | LENGTH (ft): | |
| RISER | | | |
| TYPE: | | TR (ft): | |
| DIAMETER (in): | | LENGTH (ft): | |
| SURFACE COLLAR | | | |
| TYPE: | | RADIUS (ft): | |
| THICKNESS OF CENTER (ft): | | THICKNESS OF EDGE (in): | |
| SCREEN | | | |
| TYPE: PVC | | TSC (ft): 5 feet | |
| DIAMETER (in): 2 inch | SLOT SIZE: 0.010 | LENGTH (ft): 5 feet | |
| POINT OF WELL (SILT SUMP) | | | |
| TYPE: | | BSC (ft): | POW (ft): |
| GROUT | | | |
| TYPE: | | TG (ft): | LENGTH (ft): |
| SEAL | | | |
| TYPE: Chip Bentonite | | TBS (ft): Surface | LENGTH (ft): 4 feet |
| SAND PACK | | | |
| FINE SAND TYPE: #00 | TSP (ft): 4 feet | LENGTH (ft): 6 feet | |
| COARSE SAND TYPE: | TSP (ft): | LENGTH (ft): | |
| ACRONYMS | | | |
| TR | Top of Riser | BSC | Bottom of Screen |
| TSC | Top of Screen | POW | Point of Well |
| BGD | Background | TSP | Top of Sand Pack |
| COMMENTS: Temporary well | | | |

* ALL DEPTH MEASUREMENTS REFERENCED TO GROUND SURFACE

SEE PAGE 2 FOR SCHEMATIC

OVERBURDEN MONITORING WELL COMPLETION REPORT & INSTALLATION DETAIL

ROADWAY BOX - SURFACE COMPLETION

TW12-9

| | | | |
|--|-------------------------|--|----------------------------|
| PARSONS ENGINEERING SCIENCE, INC. | | CLIENT: USACOE | WELL #: MW |
| PROJECT: RI FIELD INVESTIGATION | | PROJECT NO: 743156 | |
| SWMU # (AREA): SEAD- 12 RC | | INSPECTOR: McAllister | |
| SOP NO.: 743156 | | CHECKED BY: | |
| DRILLING CONTRACTOR: Nothnagle | | POW DEPTH (ft): 9.11 | |
| DRILLER: | | INSTALLATION STARTED: | |
| DRILLING COMPLETED: May 25 2004 | | INSTALLATION COMPLETED: | |
| BORING DEPTH: 10.2 feet | | SURFACE COMPLETION DATE: Temporary. | |
| DRILLING METHOD(S): HSA | | COMPLETION CONTRACTOR/CREW: | |
| BORING DIAMETER(S): 6 inch | | BEDROCK CONFIRMED (Y/N?): Y | |
| PROTECTIVE SURFACE CASING | | | |
| DIAMETER (ft): | | LENGTH (ft): | |
| RISER | | | |
| TYPE: | | TR (ft): | |
| DIAMETER(in): | | LENGTH (ft): | |
| SURFACE COLLAR | | | |
| TYPE: | | RADIUS (ft): | |
| THICKNESS OF CENTER (ft): | | THICKNESS OF EDGE (in): | |
| SCREEN | | | |
| TYPE: PVC | | TSC (ft): 4.11 ft | |
| DIAMETER (in): 2 inch | SLOT SIZE: 0.010 | LENGTH (ft): 5 foot | |
| POINT OF WELL (SILT SUMP) | | | |
| TYPE: End Cap | | BSC (ft): 9.01 | POW(ft): 9.4 |
| GROUT | | | |
| TYPE: | | TG (ft): | LENGTH (ft): |
| SEAL | | | |
| TYPE: Chip Bentonite | | TBS (ft): Surface | LENGTH (ft): 4.5 ft |
| SAND PACK | | | |
| FINE SAND TYPE: #00 | | TSP (ft): 4.5 ft. | LENGTH (ft): 4.5 ft |
| COARSE SAND TYPE: | | TSP (ft): | LENGTH (ft): |
| ACRONYMS | | | |
| TR | Top of Riser | BSC | Bottom of Screen |
| TSC | Top of Screen | POW | Point of Well |
| BGD | Background | TSP | Top of Sand Pack |
| TG | Top of Grout | TBS | Top of Bentonite Seal |
| COMMENTS: Temporary well No Sand Pack Grout | | | |

* ALL DEPTH MEASUREMENTS REFERENCED TO GROUND SURFACE

SEE PAGE 2 FOR SCHEMATIC

OVERBURDEN MONITORING WELL COMPLETION REPORT & INSTALLATION DETAIL

ROADWAY BOX - SURFACE COMPLETION

TW 12-22

| | | | |
|--|-------------------------|---|-----------------------------|
| PARSONS ENGINEERING SCIENCE, INC. | | CLIENT: USACOE | WELL #: MW |
| PROJECT: RI FIELD INVESTIGATION | | PROJECT NO: 743156 | |
| SWMU # (AREA): SEAD- 12 RD | | INSPECTOR: McAdams | |
| SOP NO.: Building 813/814 | | CHECKED BY: | |
| DRILLING CONTRACTOR: Nothnagle | | POW DEPTH (ft): 23.5 ft | |
| DRILLER: | | INSTALLATION STARTED: | |
| DRILLING COMPLETED: June 9 2004 | | INSTALLATION COMPLETED: | |
| BORING DEPTH: 24.5 | | SURFACE COMPLETION DATE: Temporary | |
| DRILLING METHOD(S): HSA | | COMPLETION CONTRACTOR/CREW: | |
| BORING DIAMETER(S): 6 inch | | BEDROCK CONFIRMED (Y/N?): Y | |
| PROTECTIVE SURFACE CASING | | | |
| DIAMETER (ft): | | LENGTH (ft): | |
| RISER | | | |
| TYPE: PVC | | TR (ft): | |
| DIAMETER(in): 2 inch | | LENGTH (ft): 1 ft | |
| SURFACE COLLAR | | | |
| TYPE: | | RADIUS (ft): | |
| THICKNESS OF CENTER (ft): | | THICKNESS OF EDGE (in): | |
| SCREEN | | | |
| TYPE: PVC | | TSC (ft): 13.5 | |
| DIAMETER (in): 2 inch | SLOT SIZE: 0.010 | LENGTH (ft): 10 feet | |
| POINT OF WELL (SILT SUMP) | | | |
| TYPE: End Cap | | BSC (ft): 23.5 | POW(ft): 23.5 |
| GROUT | | | |
| TYPE: C | | TG (ft): | LENGTH (ft): |
| SEAL | | | |
| TYPE: Chip Bentonite | | TBS (ft): Surface | LENGTH (ft): 1 feet |
| SAND PACK | | | |
| FINE SAND TYPE: #00 | | TSP (ft): 9 feet | LENGTH (ft): 12 feet |
| COARSE SAND TYPE: | | TSP (ft): | LENGTH (ft): |
| ACRONYMS | | | |
| TR | Top of Riser | BSC | Bottom of Screen |
| TSC | Top of Screen | POW | Point of Well |
| BGD | Background | TSP | Top of Sand Pack |
| TG | Top of Grout | | |
| TBS | Top of Bentonite Seal | | |
| COMMENTS: Temporary well | | | |

* ALL DEPTH MEASUREMENTS REFERENCED TO GROUND SURFACE

SEE PAGE 2 FOR SCHEMATIC

OVERBURDEN MONITORING WELL COMPLETION REPORT & INSTALLATION DETAIL ROADWAY BOX - SURFACE COMPLETION

TW12-23

| | | | |
|-----------------------------------|------------------------------------|-------------------------|-----------------------|
| PARSONS ENGINEERING SCIENCE, INC. | | CLIENT: USACOE | WELL#: MW |
| PROJECT: RI FIELD INVESTIGATION | | PROJECT NO: 743186 | |
| SWMU # (AREA): SEAD- 12 RI | | INSPECTOR: McAllister | |
| SOP NO.: 743186 | | CHECKED BY: | |
| DRILLING CONTRACTOR: Nothnagle | POW DEPTH (ft): 23.25 | | |
| DRILLER: | INSTALLATION STARTED: | | |
| DRILLING COMPLETED: June 9 2004 | INSTALLATION COMPLETED: | | |
| BORING DEPTH: 23.3 ft | SURFACE COMPLETION DATE: Temporary | | |
| DRILLING METHOD(S): | COMPLETION CONTRACTOR/CREW: | | |
| BORING DIAMETER(S): | BEDROCK CONFIRMED (Y/N?): Y | | |
| PROTECTIVE SURFACE CASING | | | |
| DIAMETER (ft): | | LENGTH (ft): | |
| RISER | | | |
| TYPE: PVC | | TR (ft): | |
| DIAMETER (in): 2 inch | | LENGTH (ft): 14 feet | |
| SURFACE COLLAR | | | |
| TYPE: | | RADIUS (ft): | |
| THICKNESS OF CENTER (ft): | | THICKNESS OF EDGE (in): | |
| SCREEN | | | |
| TYPE: PVC | | TSC (ft): 13.3 | |
| DIAMETER (in): 2 inch | SLOT SIZE: 0.010 | LENGTH (ft): 10 feet | |
| POINT OF WELL (SILT SUMP) | | | |
| TYPE: End Cap | | BSC (ft): 23.25 | POW (ft): 23.3 |
| GROUT | | | |
| TYPE: | | TG (ft): | LENGTH (ft): |
| SEAL | | | |
| TYPE: Chip Bentonite | | TBS (ft): 8.9 ft | LENGTH (ft): 2.7 |
| SAND PACK | | | |
| FINE SAND TYPE: #00 | TSP (ft): 11.2 ft | LENGTH (ft): 2 feet | |
| COARSE SAND TYPE: | TSP (ft): | LENGTH (ft): | |
| ACRONYMS | | | |
| TR | Top of Riser | BSC | Bottom of Screen |
| TSC | Top of Screen | POW | Point of Well |
| BGD | Background | TSP | Top of Sand Pack |
| | | TG | Top of Grout |
| | | TBS | Top of Bentonite Seal |
| COMMENTS: Temporary well | | | |

* ALL DEPTH MEASUREMENTS REFERENCED TO GROUND SURFACE

SEE PAGE 2 FOR SCHEMATIC

OVERBURDEN MONITORING WELL

COMPLETION REPORT & INSTALLATION DETAIL

TEMPORARY WELL - SURFACE COMPLETION

TW 12-24

| | | | |
|--|---------------|--|------------------------------|
| PARSONS ENGINEERING SCIENCE, INC. | | CLIENT: USACOE | WELL #: MW |
| PROJECT: RI FIELD INVESTIGATION | | PROJECT NO: _____ | |
| SWMU # (AREA): SEAD- 12 | | INSPECTOR: _____ | |
| SOP NO.: _____ | | CHECKED BY: _____ | |
| DRILLING CONTRACTOR: Nottingham | | POW DEPTH (ft): _____ | |
| DRILLER: Jay | | INSTALLATION STARTED: _____ | |
| DRILLING COMPLETED: June 10 2004 | | INSTALLATION COMPLETED: _____ | |
| BORING DEPTH: _____ | | SURFACE COMPLETION DATE: _____ | |
| DRILLING METHOD(S): _____ | | COMPLETION CONTRACTOR/CREW: _____ | |
| BORING DIAMETER(S): _____ | | BEDROCK CONFIRMED (Y/N)? _____ | |
| PROTECTIVE SURFACE CASING | | | |
| DIAMETER (ft): _____ | | LENGTH (ft): _____ | |
| RISER | | | |
| TYPE: PVC | | TR (ft): 8.01 | |
| DIAMETER(in): 2 inch | | LENGTH (ft): _____ | |
| SURFACE COLLAR | | | |
| TYPE: _____ | | RADIUS (ft): _____ | |
| THICKNESS OF CENTER (ft): _____ | | THICKNESS OF EDGE (in): _____ | |
| SCREEN | | | |
| TYPE: PVC | | TSC (ft): 9.3 feet | |
| DIAMETER (in): 2 inch | | SLOT SIZE: 0.01 | LENGTH (ft): 5 feet |
| POINT OF WELL (SILT SUMP) | | | |
| TYPE: End Cap | | BSC (ft): _____ | POW (ft): _____ |
| GROUT | | | |
| TYPE: None | | TG (ft): _____ | LENGTH (ft): _____ |
| SEAL | | | |
| TYPE: Gravel Bentonite | | TBS (ft): Surface | LENGTH (ft): 3.1 ft |
| SAND PACK | | | |
| FINE SAND TYPE: #1 sand | | TSP (ft): 3.1 feet | LENGTH (ft): 6.2 feet |
| COARSE SAND TYPE: _____ | | TSP (ft): _____ | LENGTH (ft): _____ |
| ACRONYMS | | | |
| TR | Top of Riser | BSC | Bottom of Screen |
| TSC | Top of Screen | POW | Point of Well |
| BGD | Background | TSP | Top of Sand Pack |
| TG | Top of Grout | TBS | Top of Bentonite Seal |
| COMMENTS: | | | |
| Auger refusal @ 9.3ft Screen 5 feet #1 Sand to 3.1 feet Gravel Bentonite 3.1 to surface Total Depth 13.01 Shakeup 3.71 feet | | | |

* ALL DEPTH MEASUREMENTS REFERENCED TO GROUND SURFACE

SEE PAGE 2 FOR SCHEMATIC

OVERBURDEN MONITORING WELL COMPLETION REPORT & INSTALLATION DETAIL ROADWAY BOX - SURFACE COMPLETION

TW 12-25

| | | | |
|-----------------------------------|--------------------|------------------------------------|-----------------------|
| PARSONS ENGINEERING SCIENCE, INC. | | CLIENT: USACOE | WELL #: MW |
| PROJECT: RI FIELD INVESTIGATION | | PROJECT NO: 74356 | |
| SWMU # (AREA): SEAD- 12 RI | | INSPECTOR: McAllister | |
| SOP NO.: | | CHECKED BY: | |
| DRILLING CONTRACTOR: Nothnagle | | POW DEPTH (ft): 12.3 ft | |
| DRILLER: | | INSTALLATION STARTED: | |
| DRILLING COMPLETED: June 9 2009 | | INSTALLATION COMPLETED: | |
| BORING DEPTH: 12.3 feet | | SURFACE COMPLETION DATE: Temporary | |
| DRILLING METHOD(S): HSA | | COMPLETION CONTRACTOR/CREW: | |
| BORING DIAMETER(S): 6 inch | | BEDROCK CONFIRMED (Y/N?): | |
| PROTECTIVE SURFACE CASING | | | |
| DIAMETER (ft): | | LENGTH (ft): | |
| RISER | | | |
| TYPE: | | TR (ft): | |
| DIAMETER(in): | | LENGTH (ft): | |
| SURFACE COLLAR | | | |
| TYPE: | | RADIUS (ft): | |
| THICKNESS OF CENTER (ft): | | THICKNESS OF EDGE (in): | |
| SCREEN | | | |
| TYPE: PVC | | TSC (ft): 7.3 ft | |
| DIAMETER (in): 2 inch | SLOT SIZE: 0.010 | LENGTH (ft): 4.85 feet | |
| POINT OF WELL (SILT SUMP) | | | |
| TYPE: End Cap | | BSC (ft): 12.25 | POW(ft): 12.3 |
| GROUT | | | |
| TYPE: | | TG (ft): | LENGTH (ft): |
| SEAL | | | |
| TYPE: Chop Bentonite | | TBS (ft): 5.2 feet | LENGTH (ft): 5.2 feet |
| SAND PACK | | | |
| FINE SAND TYPE: #00 | TSP (ft): 5.2 feet | LENGTH (ft): 6.9 ft | |
| COARSE SAND TYPE: | TSP (ft): | LENGTH (ft): | |
| ACRONYMS | | | |
| TR | Top of Riser | BSC | Bottom of Screen |
| TSC | Top of Screen | POW | Point of Well |
| BGD | Background | TSP | Top of Sand Pack |
| TG | | Top of Grout | |
| TBS | | Top of Bentonite Seal | |
| COMMENTS: Temporary well to | | | |

* ALL DEPTH MEASUREMENTS REFERENCED TO GROUND SURFACE

SEE PAGE 2 FOR SCHEMATIC

OVERBURDEN MONITORING WELL COMPLETION REPORT & INSTALLATION DETAIL ROADWAY BOX - SURFACE COMPLETION

TW12-26

| | | | |
|-----------------------------------|------------------|-----------------------------|------------------------|
| PARSONS ENGINEERING SCIENCE, INC. | | CLIENT: USACOE | WELL #: MTW |
| PROJECT: RI FIELD INVESTIGATION | | PROJECT NO: 743156 | |
| SWMU # (AREA): SEAD- 12 RI | | INSPECTOR: McAllister | |
| SOP NO.: | | CHECKED BY: | |
| DRILLING CONTRACTOR: Nothnagle | | POW DEPTH (ft): 10.9 ft | |
| DRILLER: | | INSTALLATION STARTED: | |
| DRILLING COMPLETED: June 9 2004 | | INSTALLATION COMPLETED: | |
| BORING DEPTH: 11 feet | | SURFACE COMPLETION DATE: | |
| DRILLING METHOD(S): HSA | | COMPLETION CONTRACTOR/CREW: | |
| BORING DIAMETER(S): 6 inch | | BEDROCK CONFIRMED (Y/N?): | |
| PROTECTIVE SURFACE CASING | | | |
| DIAMETER (ft): | | LENGTH (ft): | |
| RISER | | | |
| TYPE: PVC | | TR (ft): | |
| DIAMETER(in): 2 inch | | LENGTH (ft): | |
| SURFACE COLLAR | | | |
| TYPE: | | RADIUS (ft): | |
| THICKNESS OF CENTER (ft): | | THICKNESS OF EDGE (in): | |
| SCREEN | | | |
| TYPE: PVC | | TSC (ft): 5.9 ft | |
| DIAMETER (in): 2 inch | SLOT SIZE: 0-010 | LENGTH (ft): 5 foot | |
| POINT OF WELL (SILT SUMP) | | | |
| TYPE: End Cap | | BSC (ft): 10.85 ft | POW(ft): 10.9 ft |
| GROUT | | | |
| TYPE: | | TG (ft): | LENGTH (ft): |
| SEAL | | | |
| TYPE: Chip Bentonite | | TBS (ft): Surface | LENGTH (ft): 4.9 ft |
| SAND PACK | | | |
| FINE SAND TYPE: #00 | TSP (ft): 4.9 ft | LENGTH (ft): 6 feet | |
| COARSE SAND TYPE: | TSP (ft): | LENGTH (ft): | |
| ACRONYMS | | | |
| TR | Top of Riser | BSC | Bottom of Screen |
| TSC | Top of Screen | POW | Point of Well |
| BGD | Background | TSP | Top of Sand Pack |
| | | TG | Top of Grout |
| | | TBS | Top of Bentonite Seal |
| COMMENTS: Temporary Well | | | |

* ALL DEPTH MEASUREMENTS REFERENCED TO GROUND SURFACE

SEE PAGE 2 FOR SCHEMATIC

Appendix B

Sampling Records

SAMPLING RECORD - SURFACE WATER

| | | | | | | | | | | DATE: <u>June 22 2004</u> | | | |
|---|-----------------|-------------------|-----------------------------|---------------------|------------------------|--|--|--|--|------------------------------|--|--|--|
| CONSULTANT: <u>PARSONS</u> | | | | | | | | | | INSPECTOR: <u>McAllister</u> | | | |
| PROJECT: <u>SEAD 12 RI</u> | | | | | | | | | | LABORATORY: <u>Chemtech</u> | | | |
| LOCATION: <u>Building 813-814</u> | | | | | | | | | | LAB. STAFF: <u>K. Hummer</u> | | | |
| WEATHER / FIELD CONDITIONS CHECKLIST (RECORD MAJOR CHANGES) | | | | | | | | | | CHAIN OF CUSTODY #: | | | |
| TIME (24 HR) | TEMP (APPRX) | WEATHER (GEN.) | REL. HUMIDITY (APPRX) | WIND (FROM) | | GROUND / SITE SURFACE CONDITIONS | | | | | | MONITORING | |
| | | | | VELOCITY (APPRX) | DIRECTION (0 - 360) | | | | | | | | |
| 14:00 | 63° | Overcast | High | 10-15 mph | West | Wet | | | | | | INSTRUMENT: <u>PED</u> DETECTOR: <u>ppm</u> | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

| LOC ID | SAMPLE # | DFS | DEPTH | TIME | TEMP | MON. VOC | CLR | TURBIDITY (NTU) | pH | SPEC COND | D.O. | SAMPLING DEVICE | CONT TYPE / SIZE | QC SPL (Y/N) |
|----------------|-----------------------------|--------|-------|-------|-------|-------------|-----|--------------------|-----|--------------|------|--------------------|---------------------|-----------------|
| SW/SD 12-68 | 121000 121000 | 2 ft | .3 ft | 15:10 | 20.8 | Ø | | 21.0 ntu | 7.2 | .77 | 6.30 | bottle | 3/40ml VOA | N |
| SW/SD 12-69 | 121001 | 1.5 | .1 ft | 15:45 | 22.2 | .6 ppm | | 63.9 | 7.4 | .46 | 7.1 | bottle | 3/40ml VOA | N |
| SW/SD 12-70 | 121002 | 1.8 ft | .6 ft | 16:00 | 18.9 | .3 ppm | | 47.2 ntu | 7.1 | .75 | 7.2 | bottle | 3/40ml VOA | N |
| SW/SD 12-71 | 121003 | 1.8 ft | .5 ft | 16:20 | 19.44 | .4 ppm | | 76 ntu | 7.3 | .73 | 7.5 | bottle | 3/40ml VOA | N |
| SW/SD 12-74 | 121006 | 1.2 ft | .3 ft | 16:40 | 21.5 | .1 ppm | | 44.6 ntu | 7.3 | .70 | 8.06 | bottle | 3/40ml VOA | N |
| SW/SD 12-72 | 121004 | 2.0 | .3 ft | 17:00 | 20.15 | 0 ppm | | 76 ntu | 6.8 | .72 | 5.52 | bottle | 3/40ml VOA | Y |
| SW/SD 12-73 | 121005 | 1.4 ft | .5 | 17:40 | 20.31 | 0 ppm | | 26 ntu | 7.5 | .70 | 7.62 | bottle | 3/40ml VOA | N |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

DFS-DISTANCE FROM SHORE (FEET)
 IDENTIFY UNITS FOR ALL MEASUREMENTS
 CLEANING PROCEDURES ACCORDING TO SOP

PAGE OF

SAMPLING RECORD - SURFACE SOIL/SEDIMENT

| PARSONS | | CLIENT: | | INSPECTOR : | | DATE: <u>June 24 2004</u> | | | | |
|--|---------------------------------|-------------------|--------|------------------|--------------------------|---|---------------------|------------------------------------|----------------------|-----------------------|
| PROJECT: <u>EM-5 Resample</u> | | | | | | SOIL TYPE | | | | |
| | | | | | | SURFACE SOIL | SEDIMENT | | | |
| COMMENTS: <u>Samples collected with a Carbon steel split spoon</u> | | | | | | MONITORING | | | | |
| | | | | | | GROUNDWATER DETECTOR READING | | | | |
| | | | | | | <u>GM - Mueller - Ludlum</u> | | | | |
| SAMPLE INFORMATION | | | | SOIL INFORMATION | | | | | | |
| LOCATION | SAMPLE NUMBER | SAMPLE DEPTH (in) | | TIME (military) | GRAB or COMPOSITE SAMPLE | SAMPLE DESCRIPTION (Burmister method) | USCS Classification | Rad VOC Screen (PPM) | QC Split (yes or no) | Other Notes |
| | | TOP | BOTTOM | | | | | | | |
| SS12-118 | 123678 | 0 | .2 | 11:18 | | Dry brown silt & clay soft loose, some shale fragments fine to coarse angular | | 0.0 | No | |
| SS12-102 | 123677 | 0 | .2 | 11:40 | | Dry brown silt & clay soft loose some shale fragments fine to coarse ang. | | 0.0 | No | |
| SS12-107 | 123676 123681 | 0 | .2 | 11:57 12:03 | | moist. brown silt & clay some shale fragments f-c trace organic | | 0.0 | Yes | |
| SS12-120 | 123671 | 0 | .2 | 12:08 | | moist brown silt & clay some shale fragments trace organic | | 0.0 | No | |
| SS12-108 | 123673 | 0 | .2 | 12:18 | | Dry brown silt and clay soft loose some shale fragments trace organic | | 0.0 | No | |
| SS12-117 | 123674 | 0 | .2 | 12:29 | | Dry lt. brown silt and clay trace organic material (nats) | | 0.0 | No | Nails and wood at loc |
| SS12-109 | 123267 123267MS 123267MSD | 0 | .2 | 12:40 | | Dry lt. brown silt and clay some Gravel m-c trace organic | | 0.0 | Yes | Scamp MS MSD |
| TP12-15C | 123680 | 0.8 | 0.85 | 15:46 | | lt. Gray silt & clay some Gravel little organic mat. | | 0.0 | No | |
| SS12-119 | 123670 | 0 | .2 | 13:09 | | lt. Gray silt & clay some Gravel m-c trace organic | | 0.0 | No | |
| TP15A | 123675 | 3.0 | 3.5 | 15:39 | | Wet, lt. gray to brown silt & clay some Gravel (shale) m-c | | 0.0 | No | |
| Rinse Blank | | | | | | | | | | |

(MRD sample collected at SS12-109 123267)

SAMPLING RECORD - GROUNDWATER

| | | |
|----------------------------------|--------------------------|---------------------|
| PARSONS | CLIENT: | WELL #: TW12-1 |
| PROJECT (STUDY ID): | SEAD 12 RI | DATE: 8/26/04 |
| SWMU # (AREA): | Building 8/3/04 | LABORATORY: Chemtek |
| SCREENED INTERVAL (TOC): | 13.55 to 8.55 | MONITORING DATE: |
| STATE WELL PERMIT #: | # Not Surveyed elevation | INSTRUMENT |
| WEATHER: | Sun 72° | DETECTOR |
| FREE PRODUCT (NO/ YES) Thickness | NA | PID / FID |

BOREHOLE DIAMETER FACTORS

| | | | | | | | | | | | |
|--------------------|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

| | | | |
|------------------------------|--------------|--|------|
| PURGE METHOD: | Bladder pump | WELL HEAD VOC CONCENTRATION (ppm): | Ø |
| STATIC DEPTH TO WATER (TOC): | 8.55 6.50 | STANDING WATER VOLUME IN WELL (gallons): | 1.14 |
| WELL DEPTH (TOC): | 13.55 | THREE WELL VOLUMES (gallons): | 3.44 |
| FEET OF WATER IN WELL: | 7.05 | ONE: | TWO: |
| | | THREE: | |

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

| | | | | | | | | | |
|---|--------|-------------------|---------|-------|-------|---------|---------|---------|--|
| TIME BEGIN PURGING: | 14:26 | TIME END PURGING: | | | | | | | |
| Time: | 14:26 | 15:26 | 15:35 | 15:44 | 15:53 | 16:02 | 16:11 | 16:20 | |
| Depth to Water (ft) | 7.50 | 8.72 | 8.72 | 8.72 | 8.72 | 8.72 | 8.72 | 8.72 | |
| Depth to bottom opening of Purge Device (TOC) | 10.5 | 10.5 | 10.5 | 10.5 | 10.5 | 10.5 | 10.5 | 10.5 | |
| Flow Rate (ml/min.) | 80 ml | 60 ml | 60 ml | 60 ml | 60 ml | 60 ml | 60 ml | 60 ml | |
| Volume of Water Removed (gals) | 500 ml | 3700 ml | 4200 ml | 4700 | 5200 | 5700 ml | 6200 ml | 6700 ml | |
| pH | Ø | 7.18 | 7.22 | 7.21 | 7.26 | 7.19 | 7.16 | 7.15 | |
| Specific Conductivity (umhos) | Ø | 1.25 | 1.21 | 1.20 | 1.18 | 1.19 | 1.13 | 1.12 | |
| Dissolve Oxygen (DO) | Ø | 9.38 | 5.89 | 5.37 | 4.77 | 4.47 | 3.80 | 3.40 | |
| Temperature (deg. C) | Ø | 19.00 | 19.97 | 20.1 | 20.35 | 20.40 | 19.84 | 19.73 | |
| ORP (mV) | Ø | 138 | 120 | 114 | 108 | 106 | 102 | 102 | |
| Turbidity (NTU) | | 78 | 56.5 | 52.5 | 48.9 | 50 | 51 | 51 | |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water Column (ft) | % RECOVERY |
|------|------|--------------------------------------|-------------------------------------|----------------------|---------------|
| | | | | | |
| | | | | | |

Notes:

* Purging should not exceed 5 volumes

- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

Purge began at 14:26 it took 1 hour to establish a flow rate of 60 ml/min with a stabilized water level of 8.72 feet.

SAMPLING RECORD - GROUNDWATER

| | | | |
|----------------------------------|--|-------------------------|---------------------|
| PARSONS | | CLIENT: | WELL #: TW 12-1 |
| PROJECT (STUDY_ID): | | SEAD 12 RT | DATE: 8/26/04 |
| SWMU # (AREA): | | Building 813/814 | LABORATORY: Chemtek |
| SCREENED INTERVAL (TOC): | | 13.55 - 8.55 # | MONITORING DATE: |
| STATE WELL PERMIT #: | | # Not sampled elevation | INSTRUMENT |
| WEATHER: | | Sun 72° | DETECTOR |
| FREE PRODUCT (NO/ YES) Thickness | | NA | PID / FID |

BOREHOLE DIAMETER FACTORS

| | | | | | | | | | | | |
|--------------------|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

| | | | |
|------------------------------|--------------|--|------|
| PURGE METHOD: | Bladder Pump | WELL HEAD VOC CONCENTRATION (ppm): | 15 |
| STATIC DEPTH TO WATER (TOC): | 6.50 | STANDING WATER VOLUME IN WELL (gallons): | 1.14 |
| WELL DEPTH (TOC): | 13.55 | THREE WELL VOLUMES (gallons): | 3.44 |
| FEET OF WATER IN WELL: | 7.05 | ONE: | TWO: |
| | | THREE: | |

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

| | | | | | | | | | |
|---|--------|--------|--------|-------------------|--------------------------|--|--|--|--|
| TIME BEGIN PURGING: | | 19:26 | | TIME END PURGING: | | | | | |
| Time: | 16:29 | 16:38 | 16:47 | 16:56 | | | | | |
| Depth to Water (ft) | 8.72 | 8.72 | 8.72 | 8.72 | Sample Collected @ 17:00 | | | | |
| Depth to bottom opening of Purge Device (TOC) | 10.5 | 10.5 | 10.5 | 10.5 | | | | | |
| Flow Rate (ml/min.) | 60ml | 60ml | 60ml | 60ml | | | | | |
| Volume of Water Removed (gals) | 7200ml | 7700ml | 8200ml | 8700ml | | | | | |
| pH | 7.16 | 7.17 | 7.17 | 7.17 | | | | | |
| Specific Conductivity (umhos) | 1.10 | 1.09 | 1.08 | 1.07 | | | | | |
| Dissolve Oxygen (DO) | 3.4 | 2.65 | 2.50 | 2.43 | | | | | |
| Temperature (deg. C) | 19.21 | 19.87 | 19.85 | 19.80 | | | | | |
| ORP (mV) | 99 | 97 | 96 | 97 | | | | | |
| Turbidity (NTU) | 52.3 | 59 | 56 | 59 | | | | | |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water Column (ft) | % RECOVERY |
|------|------|--------------------------------------|-------------------------------------|----------------------|---------------|
| | | | | | |
| | | | | | |

Notes:

* Purging should not exceed 5 volumes

- Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

DO has not stabilized continue to collect field parameters
Although Sample time is 16:20

SAMPLING INFORMATION

Well Number: **TW12-1**

SAMPLING DEVICE: **Bladder Pump**

sample
upstate
true Blank
np Blank
HS
MSD

| SAMPLE PARAMETER | TIME | CONTAINER | COLOR | TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE) |
|------------------|-------|-------------|-------|--|
| VOC NYC CLPASP | 16:20 | 40 ml VOA | None | 122275 |
| ↓ | ↓ | 2-40 ml VOA | ↓ | 122284 |
| ↓ | ↓ | 2-40 ml VOA | ↓ | 120100 |
| ↓ | ↓ | 2-40 ml VOA | ↓ | 120001 |
| ↓ | ↓ | 2-40 ml VOA | ↓ | 122275MS |
| ↓ | ↓ | 2-40 ml VOA | ↓ | 122275MSD |
| ↘ | ↘ | ↘ | ↘ | ↘ |
| ↘ | ↘ | ↘ | ↘ | ↘ |
| ↘ | ↘ | ↘ | ↘ | ↘ |
| ↘ | ↘ | ↘ | ↘ | ↘ |

QA/QC:

QA/QC DUPLICATE SAMPLE COLLECTED: ☒ YES or NO **122284**

Duplicate Sample Name:

QA/QC RINSATE SAMPLE NAME: **120100**

MATRIX SPIKE SAMPLE COLLECTED: ☒ YES or NO **122275MS**
122275MSD

INVESTIGATION DERIVED WASTE (IDW):

| | | | | | |
|-----------------------------|--------------|--|--|--|--|
| Date: | 5/27 | | | | |
| Volume Transferred to Drum: | 3 gal | | | | |
| Drum Number: | work | | | | |

COMMENTS:

Samples collected 5/26/04 from TW 12-1

SAMPLING RECORD - GROUNDWATER

| | | | |
|--|--|------------------------------|-----------------------|
| PARSONS | | CLIENT: SEAD-12 | WELL #: TW12-1 |
| PROJECT (STUDY_ID): SEAD-12-RT | | DATE: 5/26/04 | |
| SWMU # (AREA): SEAD12 | | LABORATORY: Chemtek | |
| SCREENED INTERVAL (TOC): 11.75 - 6.75 | | MONITORING DATE: 5/26 | |
| STATE WELL PERMIT #: | | INSTRUMENT | |
| WEATHER: Sun 70° | | DETECTOR | |
| FREE PRODUCT (NO/ YES) Thickness NA | | PID / FID | |

| | | | | | | | | | | | |
|--|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| BOREHOLE DIAMETER FACTORS | | | | | | | | | | | |
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |
| PURGE METHOD: Bladder WELL HEAD VOC CONCENTRATION (ppm): | | | | | | | | | | | |
| STATIC DEPTH TO WATER (TOC): 7.05 STANDING WATER VOLUME IN WELL (gallons): .7661 | | | | | | | | | | | |
| WELL DEPTH (TOC): 11.75 THREE WELL VOLUMES (gallons): 2.29 | | | | | | | | | | | |
| FEET OF WATER IN WELL: 4.70 ONE: .76 TWO: THREE: 2.30 | | | | | | | | | | | |

| PURGING DATA: | | | | | | | | |
|---|---------------------------|-----------------|-----------------|--------------|--------------------------------|--------------|--------------|-------------------------|
| Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*) | | | | | | | | |
| TIME BEGIN PURGING: | 14:00 / 09:30 5/27 | | | | TIME END PURGING: 14:14 | | | |
| Time: | 14:00 | 9:30 | 10:29 | 10:58 | 10:47 | 10:56 | 11:05 | |
| Depth to Water (ft) | 7.8 | 7.80 | 7.82 | 7.82 | 7.82 | 7.82 | 7.82 | |
| Depth to bottom opening of Purge Device (TOC) | 9ft | 9ft | 9ft | 9ft | 9ft | 9ft | 9ft | |
| Flow Rate (ml/min.) | 100ml/min | 85ml/min | 65ml/min | 65ml | 65ml | 65ml | 65ml | |
| Volume of Water Removed (gals) | 1000ml | 2500ml | 3050 | 3600 | 4150 | 4700 | 5250 | SAMPLE Collected |
| pH | - | 6.81 | 6.80 | 6.78 | 6.74 | 6.70 | 6.69 | |
| Specific Conductivity (umhos) | - | 5.12 | 5.22 | 5.25 | 5.26 | 5.26 | 5.25 | |
| Dissolve Oxygen (DO) | - | 3.14 | 3.02 | 2.92 | 2.76 | 2.56 | 2.55 | |
| Temperature (deg. C) | - | 18.2 | 18.2 | 18.2 | 18.24 | 18.24 | 18.24 | |
| ORP (mV) | - | 14 | 20 | 22 | 24 | 26 | 28 | |
| Turbidity (NTU) | - | 29.3 | 24.5 | 22.8 | 23 | 21 | 23 | |

| DEPTH TO WATER MEASUREMENTS AFTER PURGING | | | | | |
|---|------|--------------------------------------|----------------------------------|-------------------|------------|
| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water Column (ft) | % RECOVERY |
| | | | | | |
| | | | | | |

Notes:

* Purging should not exceed 5 volumes

- Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

1 gallon = 3785 ml

14:14 Stop pumping at 100 ml/min well has drawn down to 8.5ft.

09:30 May 27 2004 Paged 1500ml yesterday #122278

| | |
|----------------------------|----------------------|
| Well Number: <u>Tw12-4</u> | SAMPLING INFORMATION |
| SAMPLING DEVICE: | |

SAMPLING DEVICE:

[illegible]

MATRIX SPIKE SAMPLE COLLECTED: YES or NO

INVESTIGATION DERIVED WASTE (IDW):

| | | | | | |
|-----------------------------|-------------|--|--|--|--|
| Date: | 8/27 | | | | |
| Volume Transferred to Drum: | 2 gal 16 oz | | | | |
| Drum Number: | Decon | | | | |

COMMENTS:

Sample 122278 collected at 11:10 this well was drawn down completely on 5/26/04 1500 ml Removed the well TW12-4 was purged of an additional 5250 ml today before sample 122278 was collected.

SAMPLING RECORD - GROUNDWATER

| | | | |
|--|--|---------------------------------|------------------------|
| PARSONS | | CLIENT: | WELL #: <u>TW 12-5</u> |
| PROJECT (STUDY ID): <u>SEAD 12 RI</u> | | DATE: <u>6/27/04</u> | |
| SWMU # (AREA): <u>Building 813/814</u> | | LABORATORY: <u>Chemtek</u> | |
| SCREENED INTERVAL (TOC): _____ | | MONITORING DATE: _____ | |
| STATE WELL PERMIT #: _____ | | INSTRUMENT _____ DETECTOR _____ | |
| WEATHER: <u>Sum 70°</u> | | PID / FID <u>0</u> | |
| FREE PRODUCT (NO/ YES) Thickness <u>NA</u> | | | |

| BOREHOLE DIAMETER FACTORS | | | | | | | | | | | |
|---------------------------|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

| | |
|--|---|
| PURGE METHOD: <u>Bladder</u> | WELL HEAD VOC CONCENTRATION (ppm): <u>0</u> |
| STATIC DEPTH TO WATER (TOC): <u>8.10</u> | STANDING WATER VOLUME IN WELL (gallons): <u>1.909</u> |
| WELL DEPTH (TOC): <u>13-65</u> | THREE WELL VOLUMES (gallons): <u>2.71</u> |
| FEET OF WATER IN WELL: <u>5.55</u> | ONE: _____ TWO: _____ THREE: _____ |

| PURGING DATA: | | | | | | | | |
|---|-------------------------|--------------|----------------|--------------|--------------|--------------|--------------|---------------------------|
| Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*) | | | | | | | | |
| TIME BEGIN PURGING: <u>14:30</u> | TIME END PURGING: _____ | | | | | | | |
| Time: | <u>15:30</u> | <u>15:40</u> | <u>15:50</u> | <u>15:55</u> | <u>16:00</u> | <u>16:05</u> | <u>16:10</u> | |
| Depth to Water (ft) | <u>8.70</u> | <u>8.70</u> | <u>8.70</u> | <u>8.75</u> | <u>8.75</u> | <u>8.75</u> | <u>8.75</u> | |
| Depth to bottom opening of Purge Device (TOC) | <u>11.65</u> | <u>11.65</u> | <u>11.65</u> | <u>11.65</u> | <u>11.65</u> | <u>11.65</u> | <u>11.65</u> | |
| Flow Rate (ml/min.) | <u>40ml</u> | <u>40ml</u> | <u>40ml</u> | <u>40ml</u> | <u>40ml</u> | <u>40ml</u> | <u>40ml</u> | |
| Volume of Water Removed (gals) | <u>2500</u> | <u>2900</u> | <u>3400 ml</u> | <u>-</u> | <u>-</u> | <u>-</u> | | Sample Collected at 16:10 |
| pH | <u>6.71</u> | <u>6.53</u> | <u>6.72</u> | <u>6.76</u> | <u>6.74</u> | <u>6.70</u> | <u>6.71</u> | |
| Specific Conductivity (umhos) | <u>2.24</u> | <u>2.19</u> | <u>2.19</u> | <u>2.21</u> | <u>2.24</u> | <u>2.26</u> | <u>2.25</u> | |
| Dissolve Oxygen (DO) | <u>10.06</u> | <u>6.95</u> | <u>6.60</u> | <u>6.80</u> | <u>6.63</u> | <u>6.60</u> | <u>6.59</u> | |
| Temperature (deg. C) | <u>19.59</u> | <u>20.40</u> | <u>20.72</u> | <u>20.78</u> | <u>20.40</u> | <u>20.40</u> | <u>20.40</u> | |
| ORP (mV) | <u>19</u> | <u>26</u> | <u>19</u> | <u>16</u> | <u>24</u> | <u>26</u> | <u>26</u> | |
| Turbidity (NTU) | <u>32.5</u> | <u>43.3</u> | <u>44.4</u> | <u>5.3</u> | <u>69.4</u> | <u>76.4</u> | <u>98.5</u> | |

| DEPTH TO WATER MEASUREMENTS AFTER PURGING | | | | | |
|---|------|--------------------------------------|--|-------------------|------------|
| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Water Column (ft) | Water Column (ft) | % RECOVERY |
| | | | | | |
| | | | | | |

Notes:

- * **Purging should not exceed 5 volumes**
- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

* Turbidity is not 98.5 the meter is not working properly

SAMPLING INFORMATION

Well Number:

TW 12-5

SAMPLING DEVICE:

Bladder pump

| SAMPLE PARAMETER | TIME | CONTAINER | COLOR | TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE) |
|------------------|-------|-------------|----------|--|
| VOC NYSCLPAS | 16:10 | 2-40 ml VOA | No color | 122279 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

QA/QC:

QA/QC DUPLICATE SAMPLE COLLECTED: ☒ YES or NO

Duplicate Sample Name:

122294

QA/QC RINSATE SAMPLE NAME:

120100

MATRIX SPIKE SAMPLE COLLECTED: ☒ YES or NO

INVESTIGATION DERIVED WASTE (IDW):

| | | | | | |
|-----------------------------|-------|--|--|--|--|
| Date: | 5/27 | | | | |
| Volume Transferred to Drum: | 2 gal | | | | |
| Drum Number: | Waste | | | | |

COMMENTS:

Sample # 122279 collected at 16:10 is VOC sampler
TW12-5

page 1 of 2

SAMPLING RECORD - GROUNDWATER

PARSONS

CLIENT:

WELL #: TW 12-6

PROJECT (STUDY_ID):

SEAD-17

DATE:

5/27/04

SWMU # (AREA):

Building 83/84

LABORATORY:

SCREENED INTERVAL (TOC):

16.05 - 5.05

MONITORING DATE:

STATE WELL PERMIT #:

-

INSTRUMENT

DETECTOR

WEATHER:

Sun 70°

PID / FID

FREE PRODUCT (NO/ YES) Thickness

NA

BOREHOLE DIAMETER FACTORS

DIAMETER (INCHES):

1 1.5 2 3 4 5 6 7 8 9 10

GALLONS/FOOT:

0.041 0.092 0.162 0.367 0.654 1.02 1.47 2.00 2.61 3.30 5.87

PURGE METHOD:

Bladder

WELL HEAD VOC CONCENTRATION (ppm):

0.00

STATIC DEPTH TO WATER (TOC):

7.45

STANDING WATER VOLUME IN WELL (gallons):

0.9128

WELL DEPTH (TOC):

13.05

THREE WELL VOLUMES (gallons):

FEET OF WATER IN WELL:

5.06

ONE:

TWO:

THREE:

2.73

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

TIME BEGIN PURGING:

TIME END PURGING:

| | | | | | | | | |
|--------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| Time: | 1030 | 1108 | 1115 | 1120 | 1125 | 1130 | 1135 | 1140 |
| Depth to Water (ft) | 7.45 | 8.25 | 8.45 | 8.45 | 8.45 | 8.45 | 8.45 | 8.45 |
| Depth to bottom opening of | | | | | | | | |
| Purge Device (TOC) | 13.05 | 13.05 | 13.05 | 13.05 | 13.05 | 13.05 | 13.05 | 13.05 |
| Flow Rate (ml/min.) | 75 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| Volume of Water Removed (gals) | | | | | | | | |
| pH | - | 6.47 | 6.35 | 6.38 | 6.42 | 6.44 | 6.45 | 6.45 |
| Specific Conductivity (umhos) | - | 2.65 | 2.66 | 2.64 | 2.62 | 2.59 | 2.55 | 2.55 |
| Dissolve Oxygen (DO) | - | 10.81 | 9.07 | 8.75 | 8.58 | 8.21 | 8.13 | 7.90 |
| Temperature (deg. C) | - | 18.71 | 19.53 | 19.70 | 20.10 | 20.60 | 21.33 | 21.59 |
| ORP (mV) | - | 12 | 22 | 23 | 23 | 21 | 19 | 18 |
| Turbidity (NTU) | - | 19.8 | 24.0 | 26.7 | 34.1 | 40.0 | 48.3 | 57.7 |

cont on back of page 2

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water Column (ft) | % RECOVERY |
|------|------|-----------------------------------|----------------------------------|-------------------|------------|
| | | | | | |
| | | | | | |

Notes:

* Purging should not exceed 5 volumes

- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

Note:

* Low and flow rate to 59 sec. at 11 to 1 sec. discharge time to keep up low discharge rate of well. Did this at ~ 1050

** DTW dropping slowly at maximum flow rate able to be produced by bladder pump. A final DTW will be

SAMPLING RECORD - GROUNDWATER

| | | | |
|--|--|-------------------------|-----------------------|
| PARSONS | | CLIENT: | WELL #: TW12-6 |
| PROJECT (STUDY ID): SEAD 12-RI | | DATE: 5/27/04 | |
| SWMU # (AREA): Building 813/814 | | LABORATORY: | |
| SCREENED INTERVAL (TOC): | | MONITORING DATE: | |
| STATE WELL PERMIT #: | | INSTRUMENT | DETECTOR |
| WEATHER: Sun 70° | | PID / FID | Ø |
| FREE PRODUCT (NO/ YES) Thickness N4 | | | |

| | | | | | | | | | | | |
|--|---|-------|-------------|-------|--------------------|------|------|------|------|------|------|
| BOREHOLE DIAMETER FACTORS | | | | | | | | | | | |
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.169 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |
| PURGE METHOD: Bladder pump | WELL HEAD VOC CONCENTRATION (ppm): Ø | | | | | | | | | | |
| STATIC DEPTH TO WATER (TOC): 7.45 | STANDING WATER VOLUME IN WELL (gallons): -9128 | | | | | | | | | | |
| WELL DEPTH (TOC): 13.05 | THREE WELL VOLUMES (gallons): | | | | | | | | | | |
| FEET OF WATER IN WELL: | ONE: | | TWO: | | THREE: 2.73 | | | | | | |

| PURGING DATA: | | | | | | | | | |
|---|-------|----------|----------|----------|-------------------|----------|----------|----------|----------|
| Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*) | | | | | | | | | |
| TIME BEGIN PURGING: | | | | | TIME END PURGING: | | | | |
| Time: | 11:50 | 11:55 | 12:00 | 12:05 | 12:10 | 12:20 | 12:25 | 12:30 | |
| Depth to Water (ft) | | | | | | | | | |
| Depth to bottom opening of | | | | | | | | | |
| Purge Device (TOC) | 13.05 | 13.05 | 13.05 | 13.05 | 13.05 | 13.05 | 13.05 | 13.05 | 13.05 |
| Flow Rate (ml/min.) | 20ml | 20ml/min | 20ml/min | 20ml/min | 20ml/min | 20ml/min | 20ml/min | 20ml/min | 20ml/min |
| Volume of Water Removed (gals) | | | | | | | | | |
| pH | 6.64 | 6.46 | 6.46 | 6.47 | 6.48 | 6.49 | 6.48 | 6.48 | 6.48 |
| Specific Conductivity (umhos) | 2.49 | 2.47 | 2.48 | 2.45 | 2.43 | 2.40 | 2.36 | 2.35 | 2.35 |
| Dissolve Oxygen (DO) | 7.39 | 7.34 | 7.21 | 7.19 | 7.11 | 7.01 | 6.93 | 6.87 | 6.87 |
| Temperature (deg. C) | 21.72 | 21.88 | 21.91 | 21.92 | 22.07 | 22.11 | 22.17 | 22.80 | 22.80 |
| ORP (mV) | 16 | 15 | 14 | 14 | 12 | 11 | 10 | 8 | 8 |
| Turbidity (NTU) | 80.1 | 94.7 | 110 | 126 | 138 | 183 | 228 | 297 | 297 |

| DEPTH TO WATER MEASUREMENTS AFTER PURGING | | | | | |
|--|------|--------------------------------------|--|-------------------|------------|
| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Water Column (ft) | Water Column (ft) | % RECOVERY |
| | | | | | |
| | | | | | |

Notes:

* **Purging should not exceed 5 volumes**

- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

Sample Collected @ 12:30 #122280 4000 ml purged

2012

SAMPLING RECORD - GROUNDWATER

| | | | |
|--|--|-------------------------|------------------------|
| PARSONS | | CLIENT: | WELL #: TW 12-7 |
| PROJECT (STUDY_ID): SEAD 12 RC | | DATE: | |
| SWMU # (AREA): Building 813/814 | | LABORATORY : | |
| SCREENED INTERVAL (TOC): | | MONITORING DATE: | |
| STATE WELL PERMIT #: | | INSTRUMENT | DETECTOR |
| WEATHER: 70° 70M | | PID / FID | 0 |
| FREE PRODUCT (NO/ YES) Thickness NA | | | |

| BOREHOLE DIAMETER FACTORS | | | | | | | | | | | |
|---------------------------|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

| | |
|--|---|
| PURGE METHOD: Bladder Pump | WELL HEAD VOC CONCENTRATION (ppm): 0 |
| STATIC DEPTH TO WATER (TOC): 7.35 | STANDING WATER VOLUME IN WELL (gallons): 774 |
| WELL DEPTH (TOC): 12.10 | THREE WELL VOLUMES (gallons): |
| FEET OF WATER IN WELL: 4.75 | ONE: TWO: THREE: 2.32 |

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

| TIME BEGIN PURGING: | | | TIME END PURGING: | | | | | |
|---|-------|-------|---------------------------|--|--|--|--|--|
| Time: | 14:00 | 14:16 | | | | | | |
| Depth to Water (ft) | 8.35 | 8.35 | | | | | | |
| Depth to bottom opening of Purge Device (TOC) | 10.5 | 10.5 | Sample Collected at 14:10 | | | | | |
| Flow Rate (ml/min.) | 40ml | 40ml | | | | | | |
| Volume of Water Removed (gals) | 6500 | 7000 | | | | | | |
| pH | 6.81 | 6.81 | | | | | | |
| Specific Conductivity (umhos) | 2.64 | 2.63 | | | | | | |
| Dissolve Oxygen (DO) | 1.89 | 1.89 | | | | | | |
| Temperature (deg. C) | 16.54 | 16.54 | | | | | | |
| ORP (mV) | 59 | 57 | | | | | | |
| Turbidity (NTU) | 30 | 31.7 | | | | | | |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Water Column (ft) | Water Column (ft) | % RECOVERY |
|------|------|--------------------------------------|--|-------------------|------------|
| | | | | | |
| | | | | | |

Notes:

* **Purging should not exceed 5 volumes**

- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

Sample Collected @ 14:10 Sample # 122281

Page 12

SAMPLING RECORD - GROUNDWATER

| | | | |
|----------------------------------|--|------------------|----------------|
| PARSONS | | CLIENT: | WELL #: TW12-7 |
| PROJECT (STUDY ID): | | DATE: | 5/27/04 |
| SWMU # (AREA): | | LABORATORY: | chemtek |
| SCREENED INTERVAL (TOC): | | MONITORING DATE: | |
| STATE WELL PERMIT #: | | INSTRUMENT | DETECTOR |
| WEATHER: | | PID / FID | mtm/tp |
| FREE PRODUCT (NO/ YES) Thickness | | | |

| | | | | | | | | | | | |
|------------------------------|---------|-------|--|-------|-------|------|-------------|------|------|------|------|
| BOREHOLE DIAMETER FACTORS | | | | | | | | | | | |
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |
| PURGE METHOD: | Bladder | | WELL HEAD VOC CONCENTRATION (ppm): | | 0 | | | | | | |
| STATIC DEPTH TO WATER (TOC): | 7.35 | | STANDING WATER VOLUME IN WELL (gallons): | | 0.774 | | | | | | |
| WELL DEPTH (TOC): | 12.10 | | THREE WELL VOLUMES (gallons): | | | | | | | | |
| FEET OF WATER IN WELL: | 4.75 | | ONE: | | TWO: | | THREE: 2.32 | | | | |

| PURGING DATA: | | | | | | | | | |
|---|--------|-------------------|--------|-------|-------|-------|-------|-------|--|
| Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*) | | | | | | | | | |
| TIME BEGIN PURGING: | 11:10 | TIME END PURGING: | | | | | | | |
| Time: | 12:31 | 12:44 | 12:57 | 13:10 | 13:13 | 13:26 | 13:39 | 13:52 | |
| Depth to Water (ft) | 8.20 | 8.30 | 8.35 | 8.35 | 8.55 | 8.35 | 8.35 | 8.35 | |
| Depth to bottom opening of Purge Device (TOC) | 10.6 | 10.6 | 10.6 | 10.6 | 10.6 | 10.6 | 10.6 | 10.6 | |
| Flow Rate (ml/min.) | 40ml | 40ml | 40ml | 40ml | 40ml | 40ml | 40ml | 40ml | |
| Volume of Water Removed (gals) | 2500ml | 3000ml | 3500ml | 4000 | 4500 | 5000 | 5500 | 6000 | |
| pH | 6.61 | 6.48 | 6.61 | 6.69 | 6.71 | 6.65 | 6.69 | 6.78 | |
| Specific Conductivity (umhos) | 2.56 | 2.66 | 2.59 | 2.58 | 2.62 | 2.67 | 2.68 | 2.67 | |
| Dissolve Oxygen (DO) | 5.07 | 4.11 | 3.27 | 2.89 | 2.63 | 2.38 | 2.01 | 1.90 | |
| Temperature (deg. C) | 20.62 | 20.79 | 20.78 | 20.65 | 19.30 | 17.30 | 16.62 | 16.63 | |
| ORP (mV) | 65 | 73 | 67 | 64 | 64 | 69 | 66 | 60 | |
| Turbidity (NTU) | 0 | 0 | 0 | 1.5 | 8.9 | 9.1 | 23.5 | 26.3 | |

| DEPTH TO WATER MEASUREMENTS AFTER PURGING | | | | | | |
|---|------|--------------------------------------|-------------------------------------|-------|-------------------|---------------|
| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water | Water Column (ft) | % RECOVERY |
| | | | | | | |
| | | | | | | |

Notes:

* Purging should not exceed 5 volumes

- Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

| | | |
|-------------|--------|----------------------|
| Well Number | TW12-7 | SAMPLING INFORMATION |
|-------------|--------|----------------------|

TW12-7

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

[illegible]

QA/QC DUPLICATE SAMPLE COLLECTED: YES or NO

QA\QC RINSATE SAMPLE NAME:

MATRIX SPIKE SAMPLE COLLECTED: YES or NO

| | | | | | |
|-----------------------------|-------|--|--|--|--|
| Date: | 5/27 | | | | |
| Volume Transferred to Drum: | 2 gal | | | | |
| Drum Number: | — | | | | |

5/27

2 gal

Sample Collected @ 14:10 # 122281

SAMPLING RECORD - GROUNDWATER

| | | | |
|----------------------------------|--|----------------|-----------------------|
| PARSONS | | CLIENT: | WELL #: TW 12-8 |
| PROJECT (STUDY_ID): | | SEAD 12 RI | DATE: 5/27/04 |
| SWMU # (AREA): | | Building 80/84 | LABORATORY: Chemtreat |
| SCREENED INTERVAL (TOC): | | | MONITORING DATE: |
| STATE WELL PERMIT #: | | | INSTRUMENT |
| WEATHER: Sun 70° | | | DETECTOR |
| FREE PRODUCT (NO/ YES) Thickness | | NA | PID / FID |

| | | | | | | | | | | | |
|--|--------------|-------|--------|-------|-------|------|------|------|------|------|------|
| BOREHOLE DIAMETER FACTORS | | | | | | | | | | | |
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |
| PURGE METHOD: | Bladder pump | | | | | | | | | | |
| STATIC DEPTH TO WATER (TOC): | 7.2 | | | | | | | | | | |
| WELL DEPTH (TOC): | 12.4 | | | | | | | | | | |
| FEET OF WATER IN WELL: | 5.2 | | | | | | | | | | |
| WELL HEAD VOC CONCENTRATION (ppm): | 0 | | | | | | | | | | |
| STANDING WATER VOLUME IN WELL (gallons): | 8.2 ft | | | | | | | | | | |
| THREE WELL VOLUMES (gallons): | 3.2 gallons | | | | | | | | | | |
| ONE: | TWO: | | THREE: | | | | | | | | |

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

| TIME BEGIN PURGING: | TIME END PURGING: | | | | | | | |
|---|-------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Time: | 13:25 | 13:31 | 13:45 | 14:00 | 14:05 | 14:10 | 14:15 | 14:20 |
| Depth to Water (ft) | 7.35 | 7.50 | 7.70 | 7.85 | 7.85 | 7.85 | 7.85 | 7.85 |
| Depth to bottom opening of Purge Device (TOC) | 12.40 | 12.40 | 12.40 | 12.40 | 12.40 | 12.40 | 12.40 | 12.40 |
| Flow Rate (ml/min.) | 30 ml/min | 30 ml/min | 30 ml/min | 30 ml/min | 30 ml/min | 30 ml/min | 30 ml/min | 30 ml/min |
| Volume of Water Removed (gals) | | | | | | | | |
| pH | | | | 6.69 | 6.65 | 6.64 | 6.61 | 6.61 |
| Specific Conductivity (umhos) | | | | 2.63 | 2.76 | 2.75 | 2.74 | 2.72 |
| Dissolve Oxygen (DO) | | | | 10.31 | 8.14 | 7.48 | 7.15 | 6.53 |
| Temperature (deg. C) | | | | 20.06 | 20.60 | 20.80 | 20.95 | 21.56 |
| ORP (mV) | | | | 55 | 54 | 54 | 55 | 56 |
| Turbidity (NTU) | | | | 31.5 | 20.2 | 20.5 | 25.8 | 26.8 |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water Column (ft) | % RECOVERY |
|------|------|--------------------------------------|-------------------------------------|----------------------|---------------|
| | | | | | |
| | | | | | |

Notes:

* **Purging should not exceed 5 volumes**

- Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

TW 12-8

Page 2 of 3

SAMPLING RECORD - GROUNDWATER

| | | | | | | | | | | | |
|---|-------------|--|---|---|-------------------|----------|----------|----------|------|------|------|
| PARSONS | | CLIENT: | | WELL #: TW 12-8 | | | | | | | |
| PROJECT (STUDY_ID): | | SEAD 12 RE | | DATE: 5/27/04 | | | | | | | |
| SWMU # (AREA): | | Building 813/814 | | LABORATORY: Chentech | | | | | | | |
| SCREENED INTERVAL (TOC): | | | | MONITORING DATE: | | | | | | | |
| STATE WELL PERMIT #: | | | | INSTRUMENT | | | | | | | |
| WEATHER: | | Sun 70° | | DETECTOR | | | | | | | |
| FREE PRODUCT (NO/ YES) Thickness | | NA | | PID / FID | | | | | | | |
| BOREHOLE DIAMETER FACTORS | | | | | | | | | | | |
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |
| PURGE METHOD: | | Bladder Pump | | WELL HEAD VOC CONCENTRATION (ppm): | | | | | | | |
| STATIC DEPTH TO WATER (TOC): | | 7.2 | | STANDING WATER VOLUME IN WELL (gallons): | | | | | | | |
| WELL DEPTH (TOC): | | 12.4 | | THREE WELL VOLUMES (gallons): | | | | | | | |
| FEET OF WATER IN WELL: | | 5.2 | | ONE: 8.4 TWO: THREE: 2.59 | | | | | | | |
| PURGING DATA: | | | | | | | | | | | |
| Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*) | | | | | | | | | | | |
| TIME BEGIN PURGING: | | | TIME END PURGING: | | | | | | | | |
| Time: | 14:25 | 14:30 | 14:35 | 14:40 | 14:45 | 14:50 | 14:55 | 15:00 | | | |
| Depth to Water (ft) | 7.85 | 7.85 | 7.85 | 7.85 | 7.85 | 7.85 | 7.85 | 7.85 | | | |
| Depth to bottom opening of Purge Device (TOC) | 12.40 | 12.40 | 12.40 | 12.40 | 12.40 | 12.40 | 12.40 | 12.40 | | | |
| Flow Rate (ml/min.) | 30ml/min | 30ml/min | 30ml/min | 30ml/min | 30ml/min | 30ml/min | 30ml/min | 30ml/min | | | |
| Volume of Water Removed (gals) | - | - | - | - | - | - | - | - | | | |
| pH | 6.62 | 6.62 | 6.62 | 6.61 | 6.62 | 6.63 | 6.63 | 6.64 | | | |
| Specific Conductivity (umhos) | 2.67 | 2.64 | 2.61 | 2.58 | 2.54 | 2.49 | 2.46 | 2.42 | | | |
| Dissolve Oxygen (DO) | 6.49 | 6.08 | 5.83 | 5.58 | 5.37 | 5.16 | 5.03 | 5.00 | | | |
| Temperature (deg. C) | 21.7 | 21.78 | 21.73 | 21.88 | 22.32 | 22.53 | 22.67 | 22.51 | | | |
| ORP (mV) | 56 | 58 | 59 | 61 | 61 | 62 | 62 | 63 | | | |
| Turbidity (NTU) | 31 | 31.8 | 36.2 | 38.2 | 40.1 | 40.4 | 48.5 | 53.7 | | | |
| DEPTH TO WATER MEASUREMENTS AFTER PURGING | | | | | | | | | | | |
| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Water Column (ft) | Water Column (ft) | % RECOVERY | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Notes:

- * **Purging should not exceed 5 volumes**
- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

Sample Collected at 15:15 122282

2 gallons purged

SAMPLING RECORD - GROUNDWATER

| | | | |
|--|--|-----------------------------|-----------------------|
| PARSONS | | CLIENT: | WELL #: TW12-8 |
| PROJECT (STUDY_ID): SEAD 12 RI | | DATE: 5:27 | |
| SWMU # (AREA): Building 80/84 | | LABORATORY: Chemtrem | |
| SCREENED INTERVAL (TOC): | | MONITORING DATE: | |
| STATE WELL PERMIT #: | | INSTRUMENT | DETECTOR |
| WEATHER: Sun 70° | | PID / FID | 0 |
| FREE PRODUCT (NO/ YES) Thickness NA | | | |

| BOREHOLE DIAMETER FACTORS | | | | | | | | | | | |
|---------------------------|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

| | |
|---|--|
| PURGE METHOD: Bladder Pump | WELL HEAD VOC CONCENTRATION (ppm): |
| STATIC DEPTH TO WATER (TOC): 7.2 | STANDING WATER VOLUME IN WELL (gallons): 0.84 |
| WELL DEPTH (TOC): 12.4 | THREE WELL VOLUMES (gallons): 2.54 |
| FEET OF WATER IN WELL: 5.2 | ONE: 0.84 TWO: THREE: 2.54 |

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

| TIME BEGIN PURGING: | | | TIME END PURGING: | | | | | |
|---|----------|----------|------------------------|--|--|--|--|--|
| Time: | 15:05 | 15:10 | 15:15 | | | | | |
| Depth to Water (ft) | 7.85 | 7.85 | | | | | | |
| Depth to bottom opening of Purge Device (TOC) | 12.40 | 12.40 | Sample Collected 15:15 | | | | | |
| Flow Rate (ml/min.) | 30ml/min | 30ml/min | | | | | | |
| Volume of Water Removed (gals) | - | - | | | | | | |
| pH | 6.66 | 6.66 | | | | | | |
| Specific Conductivity (umhos) | 2.39 | 2.35 | | | | | | |
| Dissolve Oxygen (DO) | 4.87 | 4.75 | | | | | | |
| Temperature (deg. C) | 22.52 | 22.60 | | | | | | |
| ORP (mV) | 63 | 63 | | | | | | |
| Turbidity (NTU) | 67.8 | 68 | | | | | | |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water Column (ft) | % RECOVERY |
|------|------|--------------------------------------|----------------------------------|-------------------|------------|
| | | | | | |
| | | | | | |

Notes:

* **Purging should not exceed 5 volumes**

- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

Sample Collected at 15:15 sample # 122282

SAMPLING INFORMATION

Well Number:

TW 12-8

SAMPLING DEVICE:

Bladder Pump

| SAMPLE PARAMETER | TIME | CONTAINER | COLOR | TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE) |
|------------------|-------|--------------|----------|--|
| VOC NYS CLP ASP | 15:15 | 2- 40 ml vaa | No Color | 122282 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

QA/QC:

QA/QC DUPLICATE SAMPLE COLLECTED: YES or NO

Duplicate Sample Name:

QA/QC RINSATE SAMPLE NAME:

MATRIX SPIKE SAMPLE COLLECTED: YES or NO

INVESTIGATION DERIVED WASTE (IDW):

| | | | | | |
|-----------------------------|---------|--|--|--|--|
| Date: | 5/27 | | | | |
| Volume Transferred to Drum: | 2.0 gal | | | | |
| Drum Number: | Waste | | | | |

COMMENTS:

Sample Collected @ 15:15 122282

1 of 1

SAMPLING RECORD - GROUNDWATER

| | | | |
|----------------------------------|--|------------------|-----------------|
| PARSONS | | CLIENT: | WELL #: TW-12-9 |
| PROJECT (STUDY_ID): | | DATE: | 5/27/04 |
| SWMU # (AREA): | | LABORATORY: | Chemtech |
| SCREENED INTERVAL (TOC): | | MONITORING DATE: | 5/27 |
| STATE WELL PERMIT #: | | INSTRUMENT | DETECTOR |
| WEATHER: | | PID / FID | Ø |
| FREE PRODUCT (NO/ YES) Thickness | | | |

| BOREHOLE DIAMETER FACTORS | | | | | | | | | | | |
|---------------------------|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

| | | | |
|------------------------------|--------|--|--|
| PURGE METHOD: | Barler | WELL HEAD VOC CONCENTRATION (ppm): | |
| STATIC DEPTH TO WATER (TOC): | 12.3 | STANDING WATER VOLUME IN WELL (gallons): | |
| WELL DEPTH (TOC): | 12.8 | THREE WELL VOLUMES (gallons): | |
| FEET OF WATER IN WELL: | 5 | ONE: | |
| | | TWO: | |
| | | THREE: | |

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

| | | | | | | | | | | | |
|---|-------|-------------------|--|--|--|--|--|--|--|--|--|
| TIME BEGIN PURGING: | | TIME END PURGING: | | | | | | | | | |
| Time: | 15:35 | | | | | | | | | | |
| Depth to Water (ft) | | | | | | | | | | | |
| Depth to bottom opening of Purge Device (TOC) | | | | | | | | | | | |
| Flow Rate (ml/min.) | | | | | | | | | | | |
| Volume of Water Removed (gals) | | | | | | | | | | | |
| pH | | | | | | | | | | | |
| Specific Conductivity (umhos) | | | | | | | | | | | |
| Dissolve Oxygen (DO) | | | | | | | | | | | |
| Temperature (deg. C) | | | | | | | | | | | |
| ORP (mV) | | | | | | | | | | | |
| Turbidity (NTU) | | | | | | | | | | | |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water Column (ft) | % RECOVERY |
|------|------|--------------------------------------|----------------------------------|-------------------|------------|
| | | | | | |
| | | | | | |

Notes:

- * Purging should not exceed 5 volumes
- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

* See back page for sampling Details

SAMPLING INFORMATION

Well Number: TW 12-9
 SAMPLING DEVICE: Barler

| SAMPLE PARAMETER | TIME | CONTAINER | COLOR | TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE) |
|------------------|-------|------------|----------|--|
| VOC NYS CLPASP | 15:35 | 2-40ml VOA | No Color | 122283 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

QA/QC:
 QA/QC DUPLICATE SAMPLE COLLECTED: YES or NO
 Duplicate Sample Name:
 QA/QC RINSATE SAMPLE NAME:
 MATRIX SPIKE SAMPLE COLLECTED: YES or NO

INVESTIGATION DERIVED WASTE (IDW):

| | | | | | |
|-----------------------------|---|--|--|--|--|
| Date: | — | | | | |
| Volume Transferred to Drum: | — | | | | |
| Drum Number: | — | | | | |

COMMENTS:
 There is not enough water in this well to low flow sample. A grab sample will be collected with a dedicated barler with NO purging of the well or sandpack. Grab sample 122283 collected at 15:35 / 5/27

| | | |
|----------|------|-------------------------|
| Tw- 12-1 | 5/26 | ms, msd, RB, TB, SA, DC |
| 12-2 | Did | not install |
| 12-3 | DRY | |
| 12-4 | 5-27 | |
| 12-5 | 5-27 | |
| 12-6 | 5-27 | |
| 12-7 | 5-27 | |
| 12-8 | 5-27 | |
| 12-9 | Gmob | |

SAMPLING RECORD - GROUNDWATER

| | | | |
|----------------------------------|--|--------------------|----------------|
| PARSONS | | CLIENT: | WELL #: TW12-3 |
| PROJECT (STUDY ID): | | DATE: June 11 2004 | |
| SWMU # (AREA): | | LABORATORY: | |
| SCREENED INTERVAL (TOC): | | MONITORING DATE: | |
| STATE WELL PERMIT #: | | INSTRUMENT | |
| WEATHER: | | DETECTOR | |
| FREE PRODUCT (NO/ YES) Thickness | | PID / FID | |

| | | | | | | | | | | | |
|----------------------------------|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| BOREHOLE DIAMETER FACTORS | | | | | | | | | | | |
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

| | | | |
|------------------------------|----------|--|------------------|
| PURGE METHOD: | Bladder | WELL HEAD VOC CONCENTRATION (ppm): | |
| STATIC DEPTH TO WATER (TOC): | 6.25 525 | STANDING WATER VOLUME IN WELL (gallons): | 1.05 |
| WELL DEPTH (TOC): | 12.75 | THREE WELL VOLUMES (gallons): | |
| FEET OF WATER IN WELL: | 6.50 | ONE: | TWO: THREE: 3.15 |

| PURGING DATA: | | | | | | | | |
|---|-------------------|-------|-------|-------|-------|-------|-------|-------|
| Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*) | | | | | | | | |
| TIME BEGIN PURGING: | TIME END PURGING: | | | | | | | |
| Not real time - 4:22 time of 20:45 | 21:05 | 21:20 | 21:35 | 21:45 | 21:55 | 22:00 | 22:05 | |
| Time: | | | | | | | | |
| Depth to Water (ft) | | 8.175 | 8.250 | | 8.13 | 8.3 | 8.325 | 8.325 |
| Depth to bottom opening of Purge Device (TOC) | | | | | | | | |
| Flow Rate (ml/min.) | 25 ml/min | | | | | | | |
| Volume of Water Removed (gals) | 0.15 | 0.20 | 0.25 | 0.30 | 0.33 | 0.4 | | |
| pH | 7.21 | 7.20 | 7.20 | 7.19 | 7.16 | 7.15 | 7.15 | 7.14 |
| Specific Conductivity (umhos) | 1.45 | 1.42 | 1.39 | 1.39 | 1.39 | 1.38 | 1.38 | 1.37 |
| Dissolve Oxygen (DO) | 1.71 | 0.86 | 0.70 | 0.70 | 0.73 | 0.91 | 0.86 | 1.04 |
| Temperature (deg. C) | 19.13 | 17.70 | 19.23 | 19.68 | 20.76 | 22.93 | 23.46 | 24.27 |
| ORP (mV) | 92 | 72 | 72 | 59 | 61 | 90 | 97 | 105 |
| Turbidity (NTU) | 48.2 | 50.2 | 34.6 | 31.2 | 27.0 | 17.7 | 18.5 | |

| DEPTH TO WATER MEASUREMENTS AFTER PURGING | | | | | |
|---|------|--------------------------------------|-------------------------------------|----------------------|---------------|
| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water Column (ft) | % RECOVERY |
| | | | | | |
| | | | | | |

Notes:

- * **Purging should not exceed 5 volumes**
- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

Sample # 122277 collected @ 11:30

SAMPLING RECORD - GROUNDWATER

PARSONS

CLIENT:

WELL #: TW12-3

PROJECT (STUDY_ID):

SEAD 12 RT

SWMU # (AREA):

Building 8/3/8/4

SCREENED INTERVAL (TOC):

STATE WELL PERMIT #:

WEATHER:

Sun 70°

FREE PRODUCT (NO/ YES) Thickness

BOREHOLE DIAMETER FACTORS

DIAMETER (INCHES):

GALLONS/FOOT:

| | | | | | | | | | | |
|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

PURGE METHOD:

WELL HEAD VOC CONCENTRATION (ppm):

STATIC DEPTH TO WATER (TOC):

5.25

STANDING WATER VOLUME IN WELL (gallons):

1.05

WELL DEPTH (TOC):

12.75

THREE WELL VOLUMES (gallons):

FEET OF WATER IN WELL:

6.50

ONE:

TWO:

THREE:

3.15

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

TIME BEGIN PURGING:

TIME END PURGING: 22:34

| | | | | | | | | |
|---|----------|-------|-------|-------------|----------|---|---|---|
| Time: | 22:12 | 22:18 | 22:23 | | | | | |
| Depth to Water (ft) | 8.925 | 8.350 | 8.350 | | | | | |
| Depth to bottom opening of Purge Device (TOC) | 10 ft | — | — | — | — | — | — | — |
| Flow Rate (ml/min.) | 25ml/min | | | | | | | |
| Volume of Water Removed (gals) | | | 0.5 | Total Purge | 0.5 gals | | | |
| pH | 7.14 | 7.14 | 7.13 | | | | | |
| Specific Conductivity (umhos) | 1.39 | 1.39 | 1.39 | | | | | |
| Dissolve Oxygen (DO) | 1.33 | 1.35 | 1.38 | | | | | |
| Temperature (deg. C) | 24.69 | 25.30 | 25.62 | | | | | |
| ORP (mV) | 112 | 114 | 115 | | | | | |
| Turbidity (NTU) | | 18.3 | | | | | | |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water Column (ft) | % RECOVERY |
|------|------|--------------------------------------|-------------------------------------|-------------------|---------------|
| | | | | | |
| | | | | | |

Notes:

- * Purging should not exceed 5 volumes
- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

SAMPLING INFORMATION

Well Number: TW 12-3
 SAMPLING DEVICE: low flow

| SAMPLE PARAMETER | TIME | CONTAINER | COLOR | TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE) |
|------------------|-------|----------------|-------|--|
| VOC NYS CLPASP | 11:30 | 2-40ml VOA 141 | | 18.3 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

QA/QC:
 QA/QC DUPLICATE SAMPLE COLLECTED: YES or NO
 Duplicate Sample Name:
 QA/QC RINSATE SAMPLE NAME:
 MATRIX SPIKE SAMPLE COLLECTED: YES or NO

INVESTIGATION DERIVED WASTE (IDW):

Date: June 4

Volume Transferred to Drum: 7.5gal

Drum Number:

COMMENTS:

the water level in this well continued to drop throughout purge period. The Sample rate of 25 ml/minute was the lowest volume the QED pump could draw. the drawdown of 2.75 inches occurred throughout the purge period.

SAMPLING RECORD - GROUNDWATER

| | | | |
|---|--|-----------------------------|------------------------|
| PARSONS | | CLIENT: | WELL #: TW12-22 |
| PROJECT (STUDY ID): SEAD 12 R2 | | DATE: June 10, 2004 | |
| SWMU # (AREA): Bldg 813/814 | | LABORATORY: Chemtech | |
| SCREENED INTERVAL (TOC): | | MONITORING DATE: | |
| STATE WELL PERMIT #: | | INSTRUMENT | |
| WEATHER: Rain 60° | | DETECTOR | |
| FREE PRODUCT (NO/ YES) Thickness | | PID / FID | |

BOREHOLE DIAMETER FACTORS

| | | | | | | | | | | | |
|--------------------|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

| | |
|--|--|
| PURGE METHOD: | WELL HEAD VOC CONCENTRATION (ppm): |
| STATIC DEPTH TO WATER (TOC): 5.67 | STANDING WATER VOLUME IN WELL (gallons): 3.16 |
| WELL DEPTH (TOC): 25.20 | THREE WELL VOLUMES (gallons): |
| FEET OF WATER IN WELL: 19.53 | ONE: TWO: THREE: 9.5 |

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

| | | | | | | | | |
|--|--------------|-----------|-----------|-----------|-----------|-----------|-----------|--------------------------|
| TIME BEGIN PURGING: 13:31 | 15:16 | | | | | | | TIME END PURGING: |
| Time: | 14:40 | 14:47 | 14:54 | 15:26 | 15:36 | 15:46 | 15:56 | 16:06 |
| Depth to Water (ft) | | 7.65 | 7.625 | 7.59 | 7.59 | 7.63 | 7.78 | 7.96 |
| Depth to bottom opening of Purge Device (TOC) | 20ft | | | | | | | |
| Flow Rate (ml/min.) | 40ml/min | 80 ml/min | 50 ml/min | 40 ml/min | 35 ml/min | 50 ml/min | 50 ml/min | 55 ml/min |
| Volume of Water Removed (gals) | .75 | 0.85 | 1.0 | 1.25 | 1.40 | 1.75 | 2.0 | 2.45 |
| pH | 6.47 | 6.69 | 6.67 | 6.63 | 6.66 | 6.67 | 6.66 | 6.65 |
| Specific Conductivity (umhos) | 2.07 | 1.05 | 1.04 | 1.03 | 1.10 | 1.00 | 1.00 | 0.99 |
| Dissolve Oxygen (DO) | 2.10 | 1.76 | 1.95 | 1.55 | 1.44 | 1.39 | 1.36 | 1.30 |
| Temperature (deg. C) | 14.57 | 13.26 | 13.88 | 13.96 | 13.97 | 14.00 | 13.92 | 13.66 |
| ORP (mV) | 46 | 44 | 44 | 45 | 44 | 43 | 42 | 40 |
| Turbidity (NTU) | 85.9 | 71.2 | 36.9 | 23.6 | 21.3 | 18.0 | 18.4 | 16.2 |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water Column (ft) | Water Column (ft) | % RECOVERY |
|------|------|--------------------------------------|-------------------------------------|----------------------|-------------------|---------------|
| | | | | | | |
| | | | | | | |

Notes:

* **Purging should not exceed 5 volumes**

- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

Sample 122285 @ 16:50

SAMPLING RECORD - GROUNDWATER

| | | | |
|--|--|---------------------------|-----------------|
| PARSONS | | CLIENT: | WELL #: TW12-22 |
| PROJECT (STUDY_ID): <u>Segd 12 RF</u> | | DATE: <u>June 10 2004</u> | |
| SWMU # (AREA): <u>Building 813/814</u> | | LABORATORY: | |
| SCREENED INTERVAL (TOC): | | MONITORING DATE: | |
| STATE WELL PERMIT #: | | INSTRUMENT | |
| WEATHER: <u>Rain 60°</u> | | DETECTOR | |
| FREE PRODUCT (NO/ YES) Thickness | | PID / FID | |

BOREHOLE DIAMETER FACTORS

| | | | | | | | | | | | |
|--------------------|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.162 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

PURGE METHOD:

| | | | |
|------------------------------|--------------|--|-------------------|
| STATIC DEPTH TO WATER (TOC): | <u>5.67</u> | WELL HEAD VOC CONCENTRATION (ppm): | |
| WELL DEPTH (TOC): | <u>25.20</u> | STANDING WATER VOLUME IN WELL (gallons): | <u>3.18</u> |
| FEET OF WATER IN WELL: | <u>19.53</u> | THREE WELL VOLUMES (gallons): | |
| | | ONE: | TWO: |
| | | | THREE: <u>9.5</u> |

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

| TIME BEGIN PURGING: | | | | | TIME END PURGING: | | | | |
|---|------------------|------------------|------------------|------------------|-------------------|--------------|--|--|--|
| Time: | <u>16:16</u> | <u>16:26</u> | <u>16:38</u> | <u>16:46</u> | | | | | |
| Depth to Water (ft) | <u>7.90</u> | <u>7.90</u> | <u>7.90</u> | <u>7.80</u> | | | | | |
| Depth to bottom opening of Purge Device (TOC) | | | | | Total Purge | <u>3 gal</u> | | | |
| Flow Rate (ml/min.) | <u>45 ml/min</u> | <u>30 ml/min</u> | <u>20 ml/min</u> | <u>35 ml/min</u> | | | | | |
| Volume of Water Removed (gals) | <u>2.25</u> | <u>2.5</u> | <u>2.60</u> | <u>2.80</u> | | | | | |
| pH | <u>6.65</u> | <u>6.63</u> | <u>6.61</u> | <u>6.65</u> | | | | | |
| Specific Conductivity (umhos) | <u>0.98</u> | <u>0.97</u> | <u>0.96</u> | <u>0.97</u> | | | | | |
| Dissolve Oxygen (DO) | <u>1.31</u> | <u>1.34</u> | <u>1.32</u> | <u>1.29</u> | | | | | |
| Temperature (deg. C) | <u>14.17</u> | <u>14.23</u> | <u>15.05</u> | <u>15.21</u> | | | | | |
| ORP (mV) | <u>40</u> | <u>42</u> | <u>43</u> | <u>41</u> | | | | | |
| Turbidity (NTU) | <u>13.4</u> | <u>14.5</u> | <u>13.4</u> | <u>16.0</u> | | | | | |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water Column (ft) | % RECOVERY |
|---------------------|--------------|--------------------------------------|----------------------------------|-------------------|------------|
| <u>June 10 2004</u> | <u>16:46</u> | <u>7.80</u> | <u>5.67</u> | <u>19.53</u> | |
| | | | | | |

Notes:

* **Purging should not exceed 5 volumes**

- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

SAMPLING INFORMATION

Well Number:

TW12-22

SAMPLING DEVICE:

low flow

| SAMPLE PARAMETER | TIME | CONTAINER | COLOR | TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE) |
|------------------|-------|------------------|-------|--|
| VOC NYS CLPASP | 16:50 | 2-40ml/100ml HCl | | 13.4 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

QA/QC:

QA/QC DUPLICATE SAMPLE COLLECTED: YES or NO

Duplicate Sample Name:

QA/QC RINSATE SAMPLE NAME:

MATRIX SPIKE SAMPLE COLLECTED: YES or NO

INVESTIGATION DERIVED WASTE (IDW):

| | | | | | |
|-----------------------------|---------|--|--|--|--|
| Date: | June 10 | | | | |
| Volume Transferred to Drum: | 3.6 | | | | |
| Drum Number: | Drum | | | | |

COMMENTS:

Sample 122285 @ 16:50 June 10 2004 3-5 galons pumped

SAMPLING RECORD - GROUNDWATER

| | | | |
|---|--|-----------------------------|------------------------|
| PARSONS | | CLIENT: | WELL #: TW12-23 |
| PROJECT (STUDY ID): Building 803/814 | | DATE: June 10 2004 | |
| SWMU # (AREA): Sand 12 RE | | LABORATORY: Chemtech | |
| SCREENED INTERVAL (TOC): | | MONITORING DATE: | |
| STATE WELL PERMIT #: | | INSTRUMENT | |
| WEATHER: Rain 60° | | DETECTOR | |
| FREE PRODUCT (NO/ YES) Thickness | | PID / FID | |

| | | | | | | | | | | | |
|--|--|-------|-------------|-------|--------------------|------|------|------|------|------|------|
| BOREHOLE DIAMETER FACTORS | | | | | | | | | | | |
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.165 | 0.367 | 0.634 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |
| PURGE METHOD: Low Flow | WELL HEAD VOC CONCENTRATION (ppm): 0 | | | | | | | | | | |
| STATIC DEPTH TO WATER (TOC): 8.95 | STANDING WATER VOLUME IN WELL (gallons): 2.64 | | | | | | | | | | |
| WELL DEPTH (TOC): 25.20 | THREE WELL VOLUMES (gallons): | | | | | | | | | | |
| FEET OF WATER IN WELL: 16.20 | ONE: | | TWO: | | THREE: 7.94 | | | | | | |

| PURGING DATA: | | | | | | | | | |
|---|----------|----------|----------|----------|-------------------|----------|----------|----------|----------|
| Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*) | | | | | | | | | |
| TIME BEGIN PURGING: | | | | | TIME END PURGING: | | | | |
| Time: | 15:40 | 15:45 | 15:50 | 15:55 | 16:00 | 16:05 | 16:10 | 16:15 | |
| Depth to Water (ft) | 9.75 | 9.75 | 9.75 | 9.75 | 9.75 | 9.75 | 9.75 | 9.75 | 9.75 |
| Depth to bottom opening of Purge Device (TOC) | 20ft | 20ft | 20ft | 20ft | 20ft | 20ft | 20ft | 20ft | 20ft |
| Flow Rate (ml/min.) | 40ml/min | 40ml/min | 40ml/min | 40ml/min | 40ml/min | 40ml/min | 40ml/min | 40ml/min | 40ml/min |
| Volume of Water Removed (gals) | | | | | | 1.5gal | | | |
| pH | 6.95 | 6.95 | 6.95 | 6.96 | 6.95 | 6.95 | 6.95 | 6.95 | 6.95 |
| Specific Conductivity (umhos) | 756 | 754 | 752 | 750 | 750 | 752 | 750 | 748 | 748 |
| Dissolve Oxygen (DO) | 2.56 | 2.56 | 2.49 | 2.42 | 2.41 | 2.40 | 2.33 | 2.30 | 2.30 |
| Temperature (deg. C) | 14.90 | 14.95 | 15.00 | 15.30 | 15.53 | 15.38 | 15.68 | 15.98 | 15.98 |
| ORP (mV) | 60 | 60 | 61 | 61 | 61 | 61 | 62 | 62 | 62 |
| Turbidity (NTU) | 8.01 | 7.44 | 6.41 | 5.90 | 5.69 | 5.53 | 5.45 | 5.51 | 5.51 |

| DEPTH TO WATER MEASUREMENTS AFTER PURGING | | | | | |
|--|------|--------------------------------------|--|-------------------|------------|
| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Water Column (ft) | Water Column (ft) | % RECOVERY |
| | | | | | |
| | | | | | |

Notes:

* Purging should not exceed 5 volumes

(1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.

(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

Total Volume purged 3.25 gallons

Sample = 122286 16:15
 122286 MS 16:15
 122286 MSD 16:15
 122297 Duplicate 17:00

SAMPLING RECORD - GROUNDWATER

| | | | |
|---|--|---------------------------------|----------------------|
| PARSONS | | CLIENT: | WELL #: <u>TW-23</u> |
| PROJECT (STUDY ID): <u>Building 813/814</u> | | DATE: <u>June 10 2004</u> | |
| SWMU # (AREA): <u>SEAD 12 R2</u> | | LABORATORY: <u>Chemtech</u> | |
| SCREENED INTERVAL (TOC): _____ | | MONITORING DATE: _____ | |
| STATE WELL PERMIT #: _____ | | INSTRUMENT _____ DETECTOR _____ | |
| WEATHER: <u>Rain 60°</u> | | PID / FID _____ | |
| FREE PRODUCT (NO/ YES) Thickness _____ | | | |

BOREHOLE DIAMETER FACTORS

| | | | | | | | | | | | |
|--------------------|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

| | |
|--|--|
| PURGE METHOD: <u>Bladder pump</u> | WELL HEAD VOC CONCENTRATION (ppm): <u>0</u> |
| STATIC DEPTH TO WATER (TOC): <u>8.95</u> | STANDING WATER VOLUME IN WELL (gallons): <u>2.64</u> |
| WELL DEPTH (TOC): <u>25.20</u> | THREE WELL VOLUMES (gallons): _____ |
| FEET OF WATER IN WELL: <u>16.25</u> | ONE: _____ TWO: _____ THREE: <u>7.94</u> |

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

TIME BEGIN PURGING: 12:58

TIME END PURGING: _____

| Time: | 14:30 | 14:40 | 14:55 | 15:10 | 15:15 | 15:25 | 15:30 | 15:35 |
|---|----------|----------|----------|----------|----------|----------|----------|----------|
| Depth to Water (ft) | 9.75 | 9.75 | 9.75 | 9.75 | 9.75 | 9.75 | 9.75 | 9.75 |
| Depth to bottom opening of Purge Device (TOC) | 20ft | 20ft | 20ft | 20ft | 20ft | 20ft | | |
| Flow Rate (ml/min.) | 40ml/min | 40ml/min | 40ml/min | 40ml/min | 40ml/min | 40ml/min | 40ml/min | 40ml/min |
| Volume of Water Removed (gals) | 1 gallon | | | | | | | |
| pH | 6.89 | 6.89 | 6.89 | 6.90 | 6.91 | 6.91 | 6.92 | 6.95 |
| Specific Conductivity (umhos) | .761 | .755 | .754 | .755 | .755 | .756 | .754 | .755 |
| Dissolve Oxygen (DO) | 3.07 | 3.40 | 2.99 | 2.83 | 2.81 | 2.79 | 2.68 | 2.63 |
| Temperature (deg. C) | 14.99 | 15.40 | 15.80 | 16.33 | 16.32 | 15.48 | 15.42 | 14.92 |
| ORP (mV) | 59 | 60 | 61 | 61 | 61 | 60 | 60 | 59 |
| Turbidity (NTU) | 12.9 | 13.3 | 13.0 | 9.14 | 8.63 | 8.42 | 8.46 | 8.45 |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Water Column (ft) | Water Column (ft) | % RECOVERY |
|--------------|-------|--------------------------------------|--|-------------------|------------|
| June 10 2004 | 16:15 | 9.75 | 8.95 | 16.25 | |
| | | | | | |

Notes:

* **Purging should not exceed 5 volumes**

- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

SAMPLING RECORD - GROUNDWATER

PARSONS

CLIENT:

 WELL #: TW12-24

PROJECT (STUDY_ID):

SEAD 12-RT

SWMU # (AREA):

Building 813/814

 DATE: June 11 2004

 LABORATORY: Chemtech

SCREENED INTERVAL (TOC):

STATE WELL PERMIT #:

WEATHER:

Sun 74°

FREE PRODUCT (NO/ YES) Thickness

BOREHOLE DIAMETER FACTORS

DIAMETER (INCHES):

GALLONS/FOOT:

| | | | | | | | | | | |
|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

PURGE METHOD:

Bladder

WELL HEAD VOC CONCENTRATION (ppm):

STATIC DEPTH TO WATER (TOC):

8.75

STANDING WATER VOLUME IN WELL (gallons):

.69

WELL DEPTH (TOC):

13.01

THREE WELL VOLUMES (gallons):

FEET OF WATER IN WELL:

9.26

ONE:

TWO:

 THREE: 2.08

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

TIME BEGIN PURGING:

TIME END PURGING:

| Time: | 15:28 | 15:33 | 15:38 | 15:43 | 15:48 | 15:52 | 15:58 | 16:02 |
|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Depth to Water (ft) | 9.15 | 9.15 | 9.2 | 9.2 | 9.2 | 9.2 | 9.2 | 9.2 |
| Depth to bottom opening of Purge Device (TOC) | | | | | | | | |
| Flow Rate (ml/min.) | 25 ml/min | 25 ml/min | 25 ml/min | 25 ml/min | 25 ml/min | 25 ml/min | 25 ml/min | 25 ml/min |
| Volume of Water Removed (gals) | | | 0.15 | | | 0.25 | | |
| pH | 7.05 | 7.06 | 7.07 | 7.08 | 7.08 | 7.08 | 7.08 | 7.08 |
| Specific Conductivity (umhos) | 1.26 | 1.25 | 1.25 | 1.25 | 1.24 | 1.24 | 1.23 | 1.23 |
| Dissolve Oxygen (DO) | 4.76 | 4.16 | 3.99 | 3.69 | 3.53 | 3.35 | 3.30 | 3.30 |
| Temperature (deg. C) | 18.71 | 18.43 | 18.54 | 18.19 | 18.27 | 18.10 | 18.10 | 18.28 |
| ORP (mV) | 103 | 102 | 104 | 100 | 102 | 102 | 104 | 105 |
| Turbidity (NTU) | 48.4 | 45.3 | 38.3 | 39.5 | 35.1 | 43.1 | 38.2 | 33.7 |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water | Water Column (ft) | % RECOVERY |
|------|------|-----------------------------------|----------------------------------|-------|-------------------|------------|
| | | | | | | |
| | | | | | | |

Notes:

* Purging should not exceed 5 volumes

- Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

SAMPLING RECORD - GROUNDWATER

PARSONS

CLIENT:

WELL #: **TW12-24**

PROJECT (STUDY_ID):

SWMU # (AREA):

SCREENED INTERVAL (TOC):

STATE WELL PERMIT #:

WEATHER:

FREE PRODUCT (NO/ YES) Thickness

DATE:

LABORATORY:

MONITORING DATE:

INSTRUMENT

DETECTOR

PID / FID

BOREHOLE DIAMETER FACTORS

DIAMETER (INCHES):

GALLONS/FOOT:

| | | | | | | | | | | |
|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

PURGE METHOD:

STATIC DEPTH TO WATER (TOC):

WELL DEPTH (TOC):

FEET OF WATER IN WELL:

WELL HEAD VOC CONCENTRATION (ppm):

STANDING WATER VOLUME IN WELL (gallons):

THREE WELL VOLUMES (gallons):

ONE:

TWO:

THREE:

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

TIME BEGIN PURGING:

TIME END PURGING:

| | | | | | | | | | |
|---|-----------|-----------|--|-------------|-----------|--|--|--|--|
| Time: | 16:08 | 16:13 | | | | | | | |
| Depth to Water (ft) | 9.2 | 9.2 | | | | | | | |
| Depth to bottom opening of Purge Device (TOC) | | | | | | | | | |
| Flow Rate (ml/min.) | 25 ml/min | 25 ml/min | | | | | | | |
| Volume of Water Removed (gals) | | 0.3 | | Total Purse | 0.42 gals | | | | |
| pH | 7.08 | 7.08 | | | | | | | |
| Specific Conductivity (umhos) | 1.23 | 1.23 | | | | | | | |
| Dissolve Oxygen (DO) | 3.30 | 3.26 | | | | | | | |
| Temperature (deg. C) | 18.25 | 18.30 | | | | | | | |
| ORP (mV) | 107 | 108 | | | | | | | |
| Turbidity (NTU) | 34.4 | 33.5 | | | | | | | |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Water Column (ft) | Water Column (ft) | % RECOVERY |
|------|------|-----------------------------------|--|-------------------|------------|
| | | | | | |
| | | | | | |

Notes:

* Purging should not exceed 5 volumes

- Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

Sample# 122287 @ 16:19

SAMPLING INFORMATION

Well Number:

TW 12-24

SAMPLING DEVICE:

low flow

| SAMPLE PARAMETER | TIME | CONTAINER | COLOR | TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE) |
|------------------|-------|-----------------|-------|--|
| VOC NYSCLPASP | 16:19 | 2-40ml Nona Hcl | | 33.5ml |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

QA/QC:

QA/QC DUPLICATE SAMPLE COLLECTED: YES or NO

Duplicate Sample Name:

QA/QC RINSATE SAMPLE NAME:

MATRIX SPIKE SAMPLE COLLECTED: YES or NO

INVESTIGATION DERIVED WASTE (IDW):

| | | | | | |
|-----------------------------|-------|--|--|--|--|
| Date: | | | | | |
| Volume Transferred to Drum: | 75gal | | | | |
| Drum Number: | Down | | | | |

COMMENTS:

Sample# 122287 collected @ 16:19

SAMPLING RECORD - GROUNDWATER

PARSONS

CLIENT:

WELL #: TW12-25

PROJECT (STUDY_ID):

SEAD 12 RI

SWMU # (AREA):

Bu. 1 day 8/13/8/4

DATE: June 11 2004

LABORATORY: Chemtech

SCREENED INTERVAL (TOC):

STATE WELL PERMIT #:

WEATHER:

Sun 70°

FREE PRODUCT (NO/ YES) Thickness

NA

BOREHOLE DIAMETER FACTORS

DIAMETER (INCHES):

GALLONS/FOOT:

| | | | | | | | | | | |
|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

PURGE METHOD:

WELL HEAD VOC CONCENTRATION (ppm):

STATIC DEPTH TO WATER (TOC):

8.65

STANDING WATER VOLUME IN WELL (gallons):

1.0

WELL DEPTH (TOC):

14.80

THREE WELL VOLUMES (gallons):

FEET OF WATER IN WELL:

6.15

ONE:

TWO:

THREE: 3.0

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

TIME BEGIN PURGING: 11:43

TIME END PURGING:

| Time: | 12:30 | 12:35 | 12:40 | 12:45 | 12:50 | 12:55 | 1:00 | 1:05 |
|---|----------|----------|----------|----------|----------|----------|----------|----------|
| Depth to Water (ft) | 9.4 ft | 9.4 ft | 9.4 ft | 9.4 ft | 9.45 | 9.45 | 9.45 | 9.50 |
| Depth to bottom opening of Purge Device (TOC) | 12.5 | 12.5 | 12.5 | | | | | |
| Flow Rate (ml/min.) | 30ml/min | 30ml/min | 30ml/min | 30ml/min | 30ml/min | 30ml/min | 30ml/min | 30ml/min |
| Volume of Water Removed (gals) | .8 gal | 32.42 ml | 33.43 | 35.43 | 36.93 | 38.43 | 39.93 | 41.43 ml |
| pH | 7.14 | 7.13 | 7.11 | 7.08 | 6.98 | 6.89 | 6.93 | 7.08 |
| Specific Conductivity (umhos) | 1.15 | 1.12 | 1.10 | 1.13 | 1.15 | 1.21 | 1.18 | 1.16 |
| Dissolve Oxygen (DO) | 6.07 | 6.08 | 6.10 | 6.05 | 5.99 | 5.79 | 5.63 | 5.68 |
| Temperature (deg. C) | 15.21 | 15.23 | 15.43 | 15.23 | 14.61 | 14.55 | 15.55 | 16.13 |
| ORP (mV) | 63 | 65 | 66 | 70 | 76 | 87 | 74 | 67 |
| Turbidity (NTU) | 35.0 | 33.2 | 30.6 | 36.0 | 36.4 | 35.6 | 31.6 | |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Water Column (ft) | Water Column (ft) | % RECOVERY |
|--------------|-------|--------------------------------------|--|-------------------|------------|
| June 11 2004 | 13:45 | 9.57 | 8.65 | | |
| | | | | | |

Notes:

* **Purging should not exceed 5 volumes**

- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

SAMPLING INFORMATION

Well Number:

TW12-25

SAMPLING DEVICE:

low flow

| SAMPLE PARAMETER | TIME | CONTAINER | COLOR | TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE) |
|------------------|-------|-----------------|-------|--|
| VOC NYSCLP4SP | 13:45 | 2-40 ml VOA HPL | | 8.10 nt |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

QA/QC:

QA/QC DUPLICATE SAMPLE COLLECTED: YES or NO

Duplicate Sample Name:

QA/QC RINSATE SAMPLE NAME:

MATRIX SPIKE SAMPLE COLLECTED: YES or NO

INVESTIGATION DERIVED WASTE (IDW):

| | | | | | |
|-----------------------------|---------|--|--|--|--|
| Date: | Dec 11 | | | | |
| Volume Transferred to Drum: | 1.9 gal | | | | |
| Drum Number: | Dec 11 | | | | |

COMMENTS:

Sample #122288 @ 13:45

Water level in well dropped 1.5 inches throughout purge cycle.

SAMPLING RECORD - GROUNDWATER

PARSONS

CLIENT:

WELL #: TW12-26

PROJECT (STUDY_ID):

SEAD 12 RD

SWMU # (AREA):

Building 813/814

SCREENED INTERVAL (TOC):

STATE WELL PERMIT #:

WEATHER:

Sun 700

FREE PRODUCT (NO/ YES) Thickness

NA

BOREHOLE DIAMETER FACTORS

DIAMETER (INCHES):

GALLONS/FOOT:

| | | | | | | | | | | |
|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

PURGE METHOD:

WELL HEAD VOC CONCENTRATION (ppm):

STATIC DEPTH TO WATER (TOC):

8.10

STANDING WATER VOLUME IN WELL (gallons):

.945

WELL DEPTH (TOC):

13.90

THREE WELL VOLUMES (gallons):

FEET OF WATER IN WELL:

5.8

ONE:

TWO:

THREE:

2.8

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

TIME BEGIN PURGING: 12:01

TIME END PURGING:

| Time: | 12:55 | 1:05 | 1:10 | 1:15 | 1:20 | 1:25 | 1:30 | 1:35 |
|---|-----------|-----------|-------|-------|-------|-------|-------|-----------|
| Depth to Water (ft) | 8.725 | | 8.775 | 8.79 | 8.8 | 8.8 | 8.8 | 8.825 |
| Depth to bottom opening of Purge Device (TOC) | | | | | | | | |
| Flow Rate (ml/min.) | 25 ml/min | 25 ml/min | | | | | | 25 ml/min |
| Volume of Water Removed (gals) | 0.15 | 0.2 | 0.254 | 0.25 | 0.27 | 0.3 | | |
| pH | 6.29 | 6.28 | 6.24 | 6.26 | 6.18 | 6.15 | 6.15 | 6.13 |
| Specific Conductivity (umhos) | 1.20 | 1.18 | 1.18 | 1.17 | 1.17 | 1.17 | 1.17 | 1.17 |
| Dissolve Oxygen (DO) | 4.11 | 5.34 | 5.14 | 5.15 | 5.06 | 4.83 | 4.82 | 4.79 |
| Temperature (deg. C) | 20.73 | 21.15 | 21.20 | 20.98 | 21.17 | 21.74 | 21.80 | 21.95 |
| ORP (mV) | 62 | 64 | 73 | 80 | 84 | 87 | 87 | 85 |
| Turbidity (NTU) | 135 | 132 | 110 | 90.2 | 89.7 | 88.2 | 78.8 | 80.1 |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water Column (ft) | % RECOVERY |
|------|------|--------------------------------------|-------------------------------------|----------------------|---------------|
| | | | | | |
| | | | | | |

Notes:

* Purging should not exceed 5 volumes

- Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

Sample 12284 @ 13:53 Turbidity = 26.9

SAMPLING RECORD - GROUNDWATER

PARSONS

CLIENT:

WELL #: TW 12-26

PROJECT (STUDY ID):

SEAD 12, RI

SWMU # (AREA):

Building 83/84

DATE: June 11 2004

LABORATORY: Chemtech

SCREENED INTERVAL (TOC):

STATE WELL PERMIT #:

WEATHER:

Sun 70°

FREE PRODUCT (NO/ YES) Thickness

NA

MONITORING DATE:

INSTRUMENT

DETECTOR

PID / FID

BOREHOLE DIAMETER FACTORS

DIAMETER (INCHES):

1

1.5

2

3

4

5

6

7

8

9

10

GALLONS/FOOT:

0.041

0.092

0.163

0.367

0.654

1.02

1.47

2.00

2.61

3.30

5.87

PURGE METHOD:

WELL HEAD VOC CONCENTRATION (ppm):

STATIC DEPTH TO WATER (TOC):

8.10

STANDING WATER VOLUME IN WELL (gallons):

.945

WELL DEPTH (TOC):

13.90

THREE WELL VOLUMES (gallons):

FEET OF WATER IN WELL:

5.80

ONE:

TWO:

THREE: 2.8

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

TIME BEGIN PURGING:

TIME END PURGING:

| | | | | | | | | | |
|---|-----------|--|--|--|--|--|--|--|--|
| Time: | 1:40 | | | | | | | | |
| Depth to Water (ft) | 8.825 | | | | | | | | |
| Depth to bottom opening of Purge Device (TOC) | | | | | | | | | |
| Flow Rate (ml/min.) | 25 ml/min | | | | | | | | |
| Volume of Water Removed (gals) | | | | | | | | | |
| pH | 6.11 | | | | | | | | |
| Specific Conductivity (umhos) | 1.18 | | | | | | | | |
| Dissolve Oxygen (DO) | 4.84 | | | | | | | | |
| Temperature (deg. C) | 21.97 | | | | | | | | |
| ORP (mV) | 93 | | | | | | | | |
| Turbidity (NTU) | 76.9 | | | | | | | | |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water | Water Column (ft) | % RECOVERY |
|--------------|-------|--------------------------------------|-------------------------------------|-------|-------------------|---------------|
| June 11 2004 | 13:53 | 8.825 | 8.10 | | | |
| | | | | | | |

Notes:

- * Purging should not exceed 5 volumes
- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

Sample ID # 122289 @ 13:53
Volume purged is 0.95 gallon

SAMPLING INFORMATION

Well Number: TW12-26SAMPLING DEVICE: low flow

| SAMPLE PARAMETER | TIME | CONTAINER | COLOR | TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE) |
|------------------|-------|-------------|-------|--|
| VOC NYS CLPASP | 13:53 | 2-40 ml/VOA | | 76.9 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

QA/QC:

QA/QC DUPLICATE SAMPLE COLLECTED: YES or NO

Duplicate Sample Name:

QA/QC RINSATE SAMPLE NAME:

MATRIX SPIKE SAMPLE COLLECTED: YES or NO

INVESTIGATION DERIVED WASTE (IDW):

Date: 6/16/04

Volume Transferred to Drum: .95

Drum Number: 2001

COMMENTS:

① Sample # 122289 @ 13:53 the sample rate was 25 ml/min
the lowest rate the QED pump will go.

SAMPLING RECORD - GROUNDWATER

PARSONS
CLIENT:
WELL #: MW 12-37

PROJECT (STUDY ID):

 SEAD 12 RE
 Building 8B/814

SWMU # (AREA):
SCREENED INTERVAL (TOC):
STATE WELL PERMIT #:
WEATHER:

Sun 75°

FREE PRODUCT (NO/ YES) Thickness

NA

BOREHOLE DIAMETER FACTORS
DIAMETER (INCHES):
GALLONS/FOOT:

| | | | | | | | | | | |
|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

PURGE METHOD:

Bladder

WELL HEAD VOC CONCENTRATION (ppm):
STATIC DEPTH TO WATER (TOC):

7.15

STANDING WATER VOLUME IN WELL (gallons):

1.10

WELL DEPTH (TOC):

13.9

THREE WELL VOLUMES (gallons):
FEET OF WATER IN WELL:

6.75

ONE:
TWO:
THREE: 3.30

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

water quality meter is # 978073

TIME BEGIN PURGING: 14:30

TIME END PURGING: Sample time

| Time: | 15:00 | 15:05 | 15:10 | 15:15 | 15:20 | 15:25 | 15:32 | 15:35 |
|---|----------|-------|-------|-------|-------|-------|-------|-------|
| Depth to Water (ft) | 7.75 | 7.75 | 7.82 | 7.85 | 7.85 | 7.85 | 7.87 | 7.87 |
| Depth to bottom opening of Purge Device (TOC) | 11.0 | 11.0 | 11.0 | 11.0 | 11.0 | 11.0 | 11.0 | 11.0 |
| Flow Rate (ml/min.) | 25ml/min | 25ml | 25ml | 25ml | 25ml | 25ml | 25ml | 25ml |
| Volume of Water Removed (gals) | 750ml | | | | | | | |
| pH | 6.90 | 6.91 | 6.81 | 6.80 | 6.82 | 7.00 | 7.08 | |
| Specific Conductivity (umhos) | 962 | 951 | 99 | 97 | 94 | 821 | 817 | |
| Dissolve Oxygen (DO) | 1.945 | 1.944 | 2.60 | 2.41 | 2.01 | 2.02 | 2.02 | |
| Temperature (deg. C) | 19.45 | 18.99 | 20.11 | 20.7 | 20.5 | 20.70 | 19.88 | |
| ORP (mV) | 87 | 87 | 88 | 89 | 90 | 89 | 88 | |
| Turbidity (NTU) | 34.8 | 33.7 | 18.3 | 8.08 | 8.06 | 8.25 | 8.44 | |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water Column (ft) | Water Column (ft) | % RECOVERY |
|------|------|--------------------------------------|-------------------------------------|----------------------|-------------------|---------------|
| | | | | | | |
| | | | | | | |

Notes:

* Purging should not exceed 5 volumes

- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

* Water level is slowly dropping at 25 ml/min

SAMPLING RECORD - GROUNDWATER

PARSONS

CLIENT:

WELL #: MW 12-37

PROJECT (STUDY ID):

SEAD - 12 RT

SWMU # (AREA):

Building 813/814

DATE:

June 11 2009

SCREENED INTERVAL (TOC):

LABORATORY: Cheintech

STATE WELL PERMIT #:

MONITORING DATE:

WEATHER:

Sun 74°

INSTRUMENT

DETECTOR

PID / FID

FREE PRODUCT (NO/ YES) Thickness

BOREHOLE DIAMETER FACTORS

DIAMETER (INCHES):

GALLONS/FOOT:

| | | | | | | | | | | |
|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |

PURGE METHOD:

Bladder

WELL HEAD VOC CONCENTRATION (ppm):

STATIC DEPTH TO WATER (TOC):

7.15

STANDING WATER VOLUME IN WELL (gallons):

1.10

WELL DEPTH (TOC):

13.90

THREE WELL VOLUMES (gallons):

FEET OF WATER IN WELL:

ONE:

TWO:

THREE: 3.30

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

TIME BEGIN PURGING:

TIME END PURGING:

| Time: | 15:40 | 15:45 | 15:50 | 15:55 | 16:00 | 16:05 | 16:10 | 16:15 |
|---|----------|----------|----------|----------|----------|----------|----------|----------|
| Depth to Water (ft) | 7.87 | 7.87 | 7.87 | 7.87 | 7.87 | 7.90 | 7.90 | 7.90 |
| Depth to bottom opening of Purge Device (TOC) | 11.0 | 11.0 | 11.0 | 11.0 | 11.0 | 11.0 | 11.0 | 11.0 |
| Flow Rate (ml/min.) | 25ml/min | 25ml/min | 25ml/min | 25ml/min | 25ml/min | 25ml/min | 25ml/min | 25ml/min |
| Volume of Water Removed (gals) | | | | | | | | 3.900 ml |
| pH | 7.18 | 7.18 | 7.17 | 7.17 | 7.16 | 7.16 | 7.16 | 7.16 |
| Specific Conductivity (umhos) | 760 | 768 | 759 | 745 | 736 | 723 | 722 | 723 |
| Dissolve Oxygen (DO) | 1.96 | 1.95 | 1.94 | 1.93 | 1.90 | 1.90 | 1.90 | 1.90 |
| Temperature (deg. C) | 20.06 | 20.18 | 19.91 | 20.10 | 19.86 | 19.89 | 19.93 | 20.21 |
| ORP (mV) | 88 | 87 | 87 | 87 | 86 | 86 | 86 | 86 |
| Turbidity (NTU) | 8.25 | 8.12 | 7.93 | 4.90 | 4.54 | 4.23 | 4.13 | 4.08 |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Column (ft) | Water Column (ft) | % RECOVERY |
|------|------|--------------------------------------|-------------------------------------|----------------------|---------------|
| | | | | | |
| | | | | | |

Notes:

- * **Purging should not exceed 5 volumes**
- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

Sample # 122291 collected at 16:15

1.1 gallons purged / WL = 7.90 ft

SAMPLING INFORMATION

Well Number: MW 12-37

SAMPLING DEVICE: Low Flow

| SAMPLE PARAMETER | TIME | CONTAINER | COLOR | TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE) |
|-------------------|-------|---------------|----------------|---|
| NYS CLP ASP (VOC) | 16:15 | 2-40ml VOA H4 | 4.08 turbidity | — |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

QA/QC:

QA/QC DUPLICATE SAMPLE COLLECTED: YES or NO

Duplicate Sample Name:

QA/QC RINSATE SAMPLE NAME:

MATRIX SPIKE SAMPLE COLLECTED: YES or NO

INVESTIGATION DERIVED WASTE (IDW):

| | | | | | |
|-----------------------------|----------------------|--|--|--|--|
| Date: | <u>June 11, 2004</u> | | | | |
| Volume Transferred to Drum: | <u>1.1 gal</u> | | | | |
| Drum Number: | <u>Small 4-1</u> | | | | |

COMMENTS:

Sample Collected @ 16:15 122291

SAMPLING RECORD - GROUNDWATER MW 12-40

| | | | |
|----------------------------------|--|--------------------|---------------|
| PARSONS | | CLIENT: | WELL #: MW-40 |
| PROJECT (STUDY ID): | | DATE: June 11 2004 | |
| SWMU # (AREA): | | LABORATORY: | |
| SCREENED INTERVAL (TOC): | | MONITORING DATE: | |
| STATE WELL PERMIT #: | | INSTRUMENT | |
| WEATHER: | | DETECTOR | |
| FREE PRODUCT (NO/ YES) Thickness | | PID / FID | |

| | | | | | | | | | | | |
|--|---------|-------|-------|-------|-------|------|------|------|------|------|------|
| BOREHOLE DIAMETER FACTORS | | | | | | | | | | | |
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.163 | 0.367 | 0.654 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |
| PURGE METHOD: | Bladder | | | | | | | | | | |
| STATIC DEPTH TO WATER (TOC): | 8.65 | | | | | | | | | | |
| WELL DEPTH (TOC): | 13.30 | | | | | | | | | | |
| FEET OF WATER IN WELL: | 4.65 | | | | | | | | | | |
| WELL HEAD VOC CONCENTRATION (ppm): | | | | | | | | | | | |
| STANDING WATER VOLUME IN WELL (gallons): | | | | | | | | | | | |
| THREE WELL VOLUMES (gallons): | | | | | | | | | | | |
| ONE: TWO: THREE: 2.27 | | | | | | | | | | | |

PURGING DATA:

Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*)

| | | | | | | | | | |
|---|----------|----------|----------|----------|----------|-------|----------|----------|-------------------|
| TIME BEGIN PURGING: | 0905 | | | | | | | | TIME END PURGING: |
| Time: | 09:35 | 09:40 | 09:45 | 09:50 | 09:55 | 10:00 | 10:05 | 10:10 | |
| Depth to Water (ft) | 9.15 | 9.15 | 9.15 | 9.15 | 9.15 | 9.15 | 9.15 | 9.15 | |
| Depth to bottom opening of Purge Device (TOC) | 10ft | 10ft | 10ft | 10ft | 10ft | 10ft | 10ft | 10ft | |
| Flow Rate (ml/min.) | 40ml/min | 40ml/min | 40ml/min | 40ml/min | 40ml/min | 40 mL | 40ml/min | 40ml/min | |
| Volume of Water Removed (gals) | .33 | . | | | | | | | |
| pH | 6.53 | 6.50 | 6.49 | 6.48 | 6.50 | 6.53 | 6.63 | 6.64 | |
| Specific Conductivity (umhos) | .749 | .775 | .760 | .770 | .767 | .750 | .753 | .750 | |
| Dissolve Oxygen (DO) | 2.02 | 2.08 | 2.04 | 2.05 | 2.01 | 1.99 | 2.00 | 1.95 | |
| Temperature (deg. C) | 15.85 | 15.69 | 15.70 | 15.66 | 15.21 | 14.75 | 14.80 | 14.83 | |
| ORP (mV) | 91 | 92 | 92 | 92 | 91 | 92 | 93 | 93 | |
| Turbidity (NTU) | 13.1 | 12.2 | 12.5 | 11.3 | 10.6 | 10.3 | 10.5 | 10.2 | |

DEPTH TO WATER MEASUREMENTS AFTER PURGING

| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Water Column (ft) | Water Column (ft) | % RECOVERY |
|------|------|--------------------------------------|--|-------------------|------------|
| | | | | | |
| | | | | | |

Notes:

- * Purging should not exceed 5 volumes
- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

SAMPLING RECORD - GROUNDWATER

| | | | |
|---|--|---------------------------|------------------------|
| PARSONS | | CLIENT: | WELL #: MW12-40 |
| PROJECT (STUDY_ID): SEAD 12 | | DATE: June 11 2004 | |
| SWMU # (AREA): Building 813/814 | | LABORATORY: | |
| SCREENED INTERVAL (TOC): 8.38 to 13.23 | | MONITORING DATE: | |
| STATE WELL PERMIT #: | | INSTRUMENT | DETECTOR |
| WEATHER: Sun 70° | | PID / FID | |
| FREE PRODUCT (NO/ YES) Thickness: NA | | | |

| | | | | | | | | | | | |
|--|-------|---|-------|-------------|-------|--------------------|------|------|------|------|------|
| BOREHOLE DIAMETER FACTORS | | | | | | | | | | | |
| DIAMETER (INCHES): | 1 | 1.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| GALLONS/FOOT: | 0.041 | 0.092 | 0.163 | 0.367 | 0.634 | 1.02 | 1.47 | 2.00 | 2.61 | 3.30 | 5.87 |
| PURGE METHOD: low flow | | WELL HEAD VOC CONCENTRATION (ppm): | | | | | | | | | |
| STATIC DEPTH TO WATER (TOC): 8.65 | | STANDING WATER VOLUME IN WELL (gallons): .75 | | | | | | | | | |
| WELL DEPTH (TOC): 13.30 | | THREE WELL VOLUMES (gallons): | | | | | | | | | |
| FEET OF WATER IN WELL: 4.65 | | ONE: | | TWO: | | THREE: 2.27 | | | | | |

| PURGING DATA: | | | | | | | | |
|---|--------------------------|----------|----------|----------|----------|----------|----------|----------|
| Measure indicator parameters after each volume (at 1/2 volume if more than 3 required*) | | | | | | | | |
| TIME BEGIN PURGING: | TIME END PURGING: | | | | | | | |
| Time: | 10:15 | 10:20 | 10:25 | 10:30 | 10:35 | 10:40 | 10:45 | 10:50 |
| Depth to Water (ft) | 9.15 | 9.15 | 9.15 | 9.15 | 9.15 | 9.15 | 9.15 | 9.15 |
| Depth to bottom opening of Purge Device (TOC) | 10ft | 10ft | 10ft | 10ft | 10ft | 10ft | 10ft | 10ft |
| Flow Rate (ml/min.) | 40ml/min | 40ml/min | 40ml/min | 40ml/min | 40ml/min | 40ml/min | 40ml/min | 40ml/min |
| Volume of Water Removed (gals) | 1.0gal | | | | | 1.3gal | | |
| pH | 6.64 | 6.65 | 6.67 | 6.89 | 6.90 | 7.00 | 7.00 | 7.00 |
| Specific Conductivity (umhos) | .751 | .754 | .700 | .552 | .550 | .548 | .548 | .547 |
| Dissolve Oxygen (DO) | 1.89 | 1.84 | 1.79 | 1.75 | 1.73 | 1.74 | 1.73 | 1.74 |
| Temperature (deg. C) | 14.93 | 15.05 | 14.79 | 14.80 | 14.95 | 15.23 | 15.15 | 15.20 |
| ORP (mV) | 93 | 92 | 81 | 81 | 80 | 79 | 76 | 77 |
| Turbidity (NTU) | 11.2 | 12.7 | 8.8 | 8.3 | 7.2 | 2.0 | 1.7 | 2.2 |

| DEPTH TO WATER MEASUREMENTS AFTER PURGING | | | | | |
|--|-------------|--|---|--------------------------|-------------------|
| Date | Time | Depth to Water (ft) "After Purge" | Pre-Purge / "Static" Water Column (ft) | Water Column (ft) | % RECOVERY |
| June 11 2004 | 10:50 | 9.15 ft | 8.65 | | |
| | | | | | |

Notes:

* **Purging should not exceed 5 volumes**

- (1) Determine water column in the borehole (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

Sample # 122290 Collected at 10:50

SAMPLING INFORMATION

Well Number: MW12-40
 SAMPLING DEVICE: low flow

| SAMPLE PARAMETER | TIME | CONTAINER | COLOR | TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE) |
|------------------|-------|----------------|-------|---|
| VOC NYS CLPASP | 10:50 | 2-40ml/10A Hcl | | 2.2 ntu |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

QA/QC:

QA/QC DUPLICATE SAMPLE COLLECTED: YES or NO

Duplicate Sample Name:

QA/QC RINSATE SAMPLE NAME:

MATRIX SPIKE SAMPLE COLLECTED: YES or NO

INVESTIGATION DERIVED WASTE (IDW):

Date: Dec 4 2009
 Volume Transferred to Drum: 1.5 gal
 Drum Number: Decon1

COMMENTS:

Sample Collected #122240 @ 10:50 2.2 ntu.

Appendix C

Test Pit Logs


Appendix C
Index of Test Pit Location IDs and Sample IDs
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| Location ID | Sample ID |
|--------------------|------------------|
| TP813-1T | 123682 |
| TP813-2T | 123683 |
| TP813-3T | 123684 |
| TP813-3T (Dup) | 123686 |
| TP813-4F | 123688 |
| TP813-5F | 123689 |
| TP813-6F | 123691 |
| TP813-7T | 123692 |
| TP813-8T | 123693 |
| TP813-9T | 123694 |
| TP813-10F | 123701 |
| TP813-11F | 123702 |
| TP813-12F | 123703 |
| TP813-13F | 123704 |
| TP813-13F (Dup) | 123705 |

TEST PIT REPORT

| | | | | | | |
|---|-------|-----------|-------------------|---------------------|--|---------|
| PARSONS | | | CLIENT: USACOE | | TEST PIT NO.: SEAD 12 | |
| PROJECT: SEAD 12 Test Pit - Seneca Q Area | | | | | JOB NUMBER: 743156-03100 | |
| LOCATION: Test Pit - East side | | | | | GROUND ELEV: _____ | |
| | | | | | INSPECTOR: S. Anderson | |
| TEST PIT DATA | | | | | CONTRACTOR: Environmental Products & Services | |
| LENGTH | WIDTH | DEPTH | EXCAVATION METHOD | | | |
| | | 3 to 8 ft | Excavator | | | |
| | | | | | | |
| | | | | | | |
| | | | | | START DATE: 11/3/04 | |
| | | | | | COMPLETION DATE: 11/11/04 | |
| | | | | | CHECKED BY: J. Rossmann | |
| MONITORING DATA | | | | | QA/QC DUPLICATE SAMPLE: YES OR NO | |
| INSTRUMENT | | DETECTOR | BACKGROUND | TIME/DATE | | |
| PID | | | 0 | 11/3/04 | | |
| FID | | | 0 | 11/10/04 & 11/11/04 | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | Duplicate Sample Number: _____ | |
| | | | | | MRD Sample Number: _____ | |
| | | | | | QA/QC Rinsate Sample Number: _____ | |
| | | | | | Comments: _____ | |
| DEPTH (FT) | VOC | SAMPLE | | STRATA | SAMPLE DESCRIPTION | REMARKS |
| | | NO. | DEPTH RANGE | | | |
| 1 | | | | | Topsoil | |
| 2 | | | | | | |
| 3 | | | | | Brown, fine/medium, TILL. Dry to moist. | |
| 4 | 6.3 | 123689 | 3 to 4 feet | | Sample collected at roughly same elevation as other sides. FID reading not on actual sample. Close proximity | |
| 5 | | | | | Grey/brown SHALE fragments. | |
| 6 | | | | | | |
| 7 | | | | | End of excavation at the drainage ditch. Original area of excavation sloped - depth varied from South/West sides. | |
| 8 | | | | | | |
| 9 | | | | | | |
| 10 | | | | | | |
| 11 | | | | | | |


Cross Section:



TEST PIT REPORT

| | | | | | | | |
|---|-------|-----------|-------------------|----------------|--|---|--|
| PARSONS | | | | CLIENT: USACOE | | TEST PIT NO.: SEAD 12 | |
| PROJECT: SEAD 12 Test Pit - Seneca Q Area | | | | | | JOB NUMBER: 743156-03100 | |
| LOCATION: Test Pit - North side | | | | | | GROUND ELEV: _____ | |
| | | | | | | INSPECTOR: S. Anderson | |
| TEST PIT DATA | | | | | | CONTRACTOR: Environmental Products & Services | |
| LENGTH | WIDTH | DEPTH | EXCAVATION METHOD | | | | |
| | | 3 to 8 ft | Excavator | | | | |
| | | | | | | | |
| | | | | | | | |
| MONITORING DATA | | | | | | QA/QC DUPLICATE SAMPLE: YES OR NO | |
| INSTRUMENT | | DETECTOR | | BACKGROUND | | TIME/DATE | |
| PID | | | | 0 | | 11/3/04 | |
| FID | | | | 0 | | 11/10/04 & 11/11/04 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | Duplicate Sample Number: _____ | |
| | | | | | | MRD Sample Number: _____ | |
| | | | | | | QA/QC Rinsate Sample Number: _____ | |
| | | | | | | Comments: _____ | |
| DEPTH (FT) | VOC | SAMPLE | | STRATA | SAMPLE DESCRIPTION | REMARKS | |
| | | NO. | DEPTH RANGE | | | | |
| | | | | | (As per Burmeister: color, grain size, MAJOR COMPONENT, Minor Components with amount modifiers and grain-size, density, stratification, wetness, etc.) | | |
| 1 | | | | | Topsoil | | |
| 2 | | | | | | | |
| 3 | | | | | Brown, fine/medium, TILL. Dry to moist. | | |
| 4 | 0 | 123691 | 3 to 4 feet | | Sample collected at roughly same elevation as other sides. | | |
| 5 | | | | | Grey/brown SHALE fragments. | | |
| 6 | | | | | | | |
| 7 | | | | | End of excavation at the drainage ditch. Original area of excavation sloped - depth varied from South/West sides. | | |
| 8 | | | | | | | |
| 9 | | | | | | | |
| 10 | | | | | | | |
| 11 | | | | | | | |


Cross Section:



TEST PIT REPORT

| | | | | | | | |
|---|-------|----------------|-------------------|---------------------|--|---|---------|
| PARSONS | | | | CLIENT: USACOE | | TEST PIT NO.: SEAD 12 | |
| PROJECT: SEAD 12 Test Pit - Seneca Q Area | | | | | | JOB NUMBER: 743156-03100 | |
| LOCATION: Test Pit - South side | | | | | | GROUND ELEV: _____ | |
| | | | | | | INSPECTOR: S. Anderson | |
| TEST PIT DATA | | | | | | CONTRACTOR: Environmental Products & Services | |
| LENGTH | WIDTH | DEPTH | EXCAVATION METHOD | | | | |
| | | 10 ft | Excavator | | | | |
| | | | | | | | |
| | | | | | | | |
| MONITORING DATA | | | | | | QA/QC DUPLICATE SAMPLE: YES OR NO | |
| INSTRUMENT | | DETECTOR | BACKGROUND | TIME/DATE | | | |
| PID | | | 0 | 11/3/2004 | | | |
| FID | | | 0 | 11/10/04 & 11/11/04 | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | Duplicate Sample Number: _____ | |
| | | | | | | MRD Sample Number: _____ | |
| | | | | | | QA/QC Rinsate Sample Number: _____ | |
| | | | | | | Comments: _____ | |
| DEPTH (FT) | VOC | SAMPLE NO. | | STRATA | SAMPLE DESCRIPTION | | REMARKS |
| | | | DEPTH RANGE | | (As per Burmeister: color, grain size, MAJOR COMPONENT, Minor Components with amount modifiers and grain-size, density, stratification, wetness, etc.) | | |
| 1 | | | | | Topsoil | | |
| 2 | | | | | | | |
| 3 | | | | | Brown, fine/medium, TILL. Dry to moist. | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | 6.3 | 123692; 123693 | 5-6 ft | | Fractured Shale mixed with Brown Till. About 1 foot area of stained soil, some odor. Grey and slightly wet. Excavated further at this location to clear out the contamination. | | |
| 7 | | | | | | | |
| 8 | | | | | | | |
| 9 | | | | | | | |
| 10 | | | | | Competent Bedrock | | |
| 11 | | | | | | | |

Cross Section:



TEST PIT REPORT

| | | | | | | | | | | | |
|---|--|----------|--------|-----------------------|-------------|---|--|--|--|---------|--|
| PARSONS | | | | CLIENT: USACOE | | TEST PIT NO.: | | SEAD 12 | | | |
| PROJECT: SEAD 12 Test Pit - Seneca Q Area | | | | | | JOB NUMBER: 743156-03100 | | | | | |
| LOCATION: Test Pit - West side | | | | | | GROUND ELEV: _____ | | | | | |
| | | | | | | INSPECTOR: S. Anderson | | | | | |
| TEST PIT DATA | | | | | | CONTRACTOR: Environmental Products & Services | | | | | |
| LENGTH | | WIDTH | | DEPTH | | EXCAVATION METHOD | | | | | |
| | | | | 10 ft | | Excavator | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| MONITORING DATA | | | | | | QA/QC DUPLICATE SAMPLE: YES OR NO | | | | | |
| INSTRUMENT | | DETECTOR | | BACKGROUND | | TIME/DATE | | | | | |
| PID | | | | 0 | | 11/3/04 | | | | | |
| FID | | | | 0 | | 11/10/04 & 11/11/04 | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | Duplicate Sample Number: _____ | | | | | |
| | | | | | | MRD Sample Number: _____ | | | | | |
| | | | | | | QA/QC Rinsate Sample Number: _____ | | | | | |
| | | | | | | Comments: _____ | | | | | |
| DEPTH (FT) | | VOC | | SAMPLE | | STRATA | | SAMPLE DESCRIPTION (As per Burmeister: color, grain size, MAJOR COMPONENT, Minor Components with amount modifiers and grain-size, density, stratification, wetness, etc.) | | REMARKS | |
| | | | | NO. | DEPTH RANGE | | | | | | |
| 1 | | 0.1 | 123688 | 5-6 ft | | Topsoil | | | | | |
| 2 | | | | | | Brown, fine/medium, TILL. Dry to moist. | | | | | |
| 3 | | | | | | | | | | | |
| 4 | | | | | | | | | | | |
| 5 | | | | | | | | | | | |
| 6 | | 0 | 123694 | 5-6 ft | | Fractured Shale mixed with Brown Till. | | | | | |
| 7 | | | | | | 6" sewer line found about 5.5 to 6 feet. | | | | | |
| 8 | | | | | | | | | | | |
| 9 | | | | | | | | | | | |
| 10 | | | | | | | | | | | |
| 11 | | | | | | Competent Bedrock | | | | | |

Cross Section:

A hand-drawn map of a field. The field is roughly rectangular with a curved top-left corner. The top-left corner is labeled "Bailey". The top-right corner is labeled "GS". The bottom-left corner is labeled "South". The bottom-right corner is labeled "North". A diagonal line runs from the top-left towards the center, labeled "Slope" with an arrow pointing down-right. A point in the center-right area is marked with a dot and labeled "1123694". A small area at the bottom center is labeled "Rotten".

TEST PIT REPORT

| | | | | | | | |
|---|-------|----------|-------------------|----------------|--|---|--|
| PARSONS | | | | CLIENT: USACOE | | TEST PIT NO.: SEAD 12 | |
| PROJECT: SEAD 12 Test Pit - Seneca Q Area | | | | | | JOB NUMBER: 743156-03100 | |
| LOCATION: Test Pit - Northeast corner of building | | | | | | GROUND ELEV: _____ | |
| | | | | | | INSPECTOR: S. Anderson | |
| TEST PIT DATA | | | | | | CONTRACTOR: Environmental Products & Services | |
| LENGTH | WIDTH | DEPTH | EXCAVATION METHOD | | | | |
| | | 10 ft | Excavator | | | | |
| | | | | | | | |
| | | | | | | | |
| MONITORING DATA | | | | | | QA/QC DUPLICATE SAMPLE: YES OR NO | |
| INSTRUMENT | | DETECTOR | | BACKGROUND | | TIME/DATE | |
| PID | | | | 0 | | 12/20/2004 | |
| FID | | | | 0 | | 12/21/2004 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | Duplicate Sample Number: _____ | |
| | | | | | | MRD Sample Number: _____ | |
| | | | | | | QA/QC Rinsate Sample Number: _____ | |
| | | | | | | Comments: _____ | |
| DEPTH (FT) | VOC | SAMPLE | | STRATA | SAMPLE DESCRIPTION | REMARKS | |
| | | NO. | DEPTH RANGE | | | | |
| 1 | | | | | Topsoil | | |
| 2 | | | | | | | |
| 3 | | | | | Brown, fine/medium, TILL. Dry to moist. | | |
| 4 | | 123702 | 3-4 ft | | 123702 collected on east side of building corner | | |
| 5 | | 123701 | 4-5 ft | | 123701 collected on north side of building corner under outlet of destroyed sewer pipe | | |
| 6 | | | | | Fractured Shale mixed with Brown Till. | | |
| 7 | | | | | Stained soils observed and removed near NE corner of building | | |
| 8 | | | | | Competent Bedrock | | |
| 9 | | | | | | | |
| 10 | | | | | | | |
| 11 | | | | | | | |

Cross Section:

| TEST PIT REPORT | | | | | | | | | |
|---|-------|----------|-------------------|----------------|--|---|--|---------|---------|
| PARSONS | | | | CLIENT: USACOE | | TEST PIT NO.: | | SEAD 12 | |
| PROJECT: SEAD 12 Test Pit - Seneca Q Area | | | | | | JOB NUMBER: 743156-03100 | | | |
| LOCATION: Test Pit - West side | | | | | | GROUND ELEV: | | | |
| | | | | | | INSPECTOR: S. Anderson | | | |
| TEST PIT DATA | | | | | | CONTRACTOR: Environmental Products & Services | | | |
| LENGTH | WIDTH | DEPTH | EXCAVATION METHOD | | | START DATE: 11/3/2004 | | | |
| | | 10 ft | Excavator | | | COMPLETION DATE: 12/21/2004 | | | |
| | | | | | | CHECKED BY: E Ashton | | | |
| MONITORING DATA | | | | | | QA/QC DUPLICATE SAMPLE: YES OR NO | | | |
| INSTRUMENT | | DETECTOR | | BACKGROUND | | TIME/DATE | | | |
| PID | | | | 0 | | 12/21/2004 | | | |
| FID | | | | 0 | | 12/21/2004 | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | Duplicate Sample Number: | | | |
| | | | | | | MRD Sample Number: | | | |
| | | | | | | QA/QC Rinsate Sample Number: | | | |
| | | | | | | Comments: | | | |
| DEPTH (FT) | VOC | SAMPLE | | STRATA | SAMPLE DESCRIPTION (As per Burmeister: color, grain size, MAJOR COMPONENT, Minor Components with amount modifiers and grain-size, density, stratification, wetness, etc.) | | | | REMARKS |
| | | NO. | DEPTH RANGE | | | | | | |
| 1 | | | | | Topsoil | | | | |
| 2 | | | | | | | | | |
| 3 | | | 123703 | 2-3 ft | Brown, fine/medium, TILL. Dry to moist. | | | | |
| 4 | | | 123704 | 3-4 ft | | | | | |
| 5 | | | | | | | | | |
| 6 | | | | | Fractured Shale mixed with Brown Till. Excavation halted at 5' | | | | |
| 7 | | | | | | | | | |
| 8 | | | | | | | | | |
| 9 | | | | | | | | | |
| 10 | | | | | | | | | |
| 11 | | | | | | | | | |

Cross Section:

Appendix D

Laboratory SOP EML HASL-300 EPA Method 901.1

| | | |
|------|--|----|
| 1.0 | STANDARD OPERATING PROCEDURE FOR THE DETERMINATION OF GAMMA ISOTOPES | 3 |
| 2.0 | METHOD OBJECTIVE, PURPOSE, CODE AND SUMMARY | 3 |
| 3.0 | METHOD APPLICABILITY | 3 |
| 4.0 | DEFINITIONS | 3 |
| 5.0 | METHOD VARIATIONS | 4 |
| 6.0 | SAFETY PRECAUTIONS AND WARNINGS | 4 |
| 7.0 | INTERFERENCES | 5 |
| 8.0 | APPARATUS, MATERIALS, REAGENTS, EQUIPMENT, AND INSTRUMENTATION | 5 |
| 9.0 | SAMPLE HANDLING AND PRESERVATION | 5 |
| 10.0 | SAMPLE PREPARATION | 5 |
| 11.0 | PREPARATION OF STANDARD SOLUTIONS AND QUALITY CONTROL STANDARDS | 7 |
| 12.0 | INSTRUMENT CALIBRATION AND PERFORMANCE | 7 |
| 13.0 | ANALYSIS AND INSTRUMENT OPERATION | 8 |
| 14.0 | EQUIPMENT AND INSTRUMENT MAINTENANCE | 8 |
| 15.0 | DATA RECORDING, CALCULATION, AND REDUCTION METHODS | 8 |
| 16.0 | QUALITY CONTROL REQUIREMENTS | 10 |
| 17.0 | DATA REVIEW, APPROVAL, AND TRANSMITTAL | 11 |
| 18.0 | RECORDS MANAGEMENT | 12 |
| 19.0 | LABORATORY WASTE HANDLING AND WASTE DISPOSAL | 12 |
| 20.0 | REFERENCES | 12 |

1.0 STANDARD OPERATING PROCEDURE FOR THE DETERMINATION OF GAMMA ISOTOPES**2.0 METHOD OBJECTIVE, PURPOSE, CODE AND SUMMARY**

- 2.1 This standard operating procedure provides the necessary instructions to conduct the analysis for Gamma Isotopes in water, soil, urine and miscellaneous matrices.
- 2.2 Water samples are counted in Marinelli beakers. Soil samples are sealed in aluminum cans, which are counted immediately if Ra-226 is not desired. If Ra-226 is desired, the sealed can is set aside to allow secular equilibrium between Rn-222 and Bi-214. Quantification is done by the abundance of the 609 KeV Bi-214 line.
- 2.3 This method has been modified from the source method EPA 600/4-80-032 "Prescribed Procedures for Measurement of Radioactivity in Drinking Water," August 1980, Method 901.1, and the Department of Energy (DOE) EML Procedures Manual source method for Gamma PHA in soils and sediments, HASL-300. For all matrices, similar principles of radiochemical concentration and counting are used.
- 2.4 This method has been modified on the basis of GEL's Performance Based Measurement System (PBMS).

3.0 METHOD APPLICABILITY

- 3.1 Minimum Detectable Activity (MDA): The MDA is based upon sample volume, instrument background, instrument efficiency, count time and other statistical factors, as well as specific isotopic values such as abundance and half-life.
- 3.2 Method Precision: If the activity is greater than 5 times the RDL (Required Detection Limit) an allowed method precision of equal to or less than 20% is used. For activity between the MDA and 5 times the RDL, an allowed method precision of 100% is used. There are no requirements if the activity is less than the MDA.
- 3.3 Method Bias (Accuracy): The method accuracy requirement for gamma spectroscopy is $\pm 25\%$ of the true value.
- 3.4 Analysts go through a partnered training program with an already certified analyst for gamma spectroscopy. The analyst receives training on reviewing of standard analytical requirement such as RPD, method bias and technical review of gamma spectra. The analyst can then become qualified to perform the analysis by passing an unknown sample analysis and correctly identifying the isotope(s). Technical training records are maintained electronically by the Quality Systems staff.

4.0 DEFINITIONS

- 4.1 Clean Line: An energy line of an isotope with no known energy lines of other isotopes within 2 KeV. (This excludes daughters that use the same line for quantification.)
- 4.2 Interfered Line: An energy line of an isotope with one or more energy lines of one or more different isotopes within 2 KeV.
- 4.3 Single and Double Escape Interference Lines: When high energy gamma lines above 511 KeV have a large emission rate, it is possible to see single and double escape lines caused by electron capture (energy line - 511 is a single escape line, energy line - 1022 is a double escape line.) For example, for 10,000 cps at 1332, the single

escape interference line can be seen at $1332-511=821$, and the double escape interference line at $1332-1022=310$.

- 4.4 **Summation Interference:** When high gamma emission rates are seen, sample summation can occur. Prominent in geometries close to detection and in low energy range (i.e., 10,000 cps at 88 KeV, 15,000 cps at 210 KeV), a summation interference can be seen at $88+88=176$ KeV, $210+210=420$ KeV, $210+88=298$ KeV.
- 4.5 **False Positive:** An isotope that has failed one or more of several tests including half-life, abundance, and energy tolerance (± 2 KeV)
- 4.6 **Abundance Test:** The test where the software calculates the total possible lines from the library and checks to see how many were actually seen. The cutoff for a positive identification is 75%.
- 4.7 **Energy Tolerance:** The test where the software checks the energy line in the spectrum to see if it is within the energy tolerance setting. (The standard setting is 2 KeV.) If it is within this setting then the line is associated with that nuclide. The energy line can be associated with more than one nuclide.
- 4.8 **Half-Life Test:** The test to determine if the half-life of the isotope is long enough not to have decayed away. The half-life of the sample is the time from sample date to analysis date plus $1/2$ the count time. A limit of no more than eight half-life is the standard setting.
- 4.9 **Key Line:** The line chosen by the builder of the library to be the prominent line of the isotope. This line is used in the MDA table for purposes of calculating activity, error and MDA. For non-identified isotopes the key line is used as the basis for calculating a region around the key line and then calculating activity error and MDA. Usually this line is the most abundant line on a line that is relatively free from interference.
- 4.10 **Abundance:** The branching ratio or ratio of disintegration of the isotope at a particular energy. For example, Cobalt-60 has an abundance, or branching ratio, of 99% at 1332 KeV.
- 4.11 **Accuracy:** The error of the reported result due to the counting statistics of the instrument used for quantification.
- 4.12 **Back Scatter:** The detection of a count that occurs when an event interacts with counting materials, changes direction, and scatters back to the detector.

5.0 METHOD VARIATIONS

Modifications to the procedure are limited to GEL's use of additional isotopes for the daily calibration check and the inclusion of a more stringent calibration and resolution periodicity.

6.0 SAFETY PRECAUTIONS AND WARNINGS

- 6.1 Keep hands free from moving parts of canning device and Gamma shields.
- 6.2 Personnel performing this analytical procedure are trained in and follow the safe laboratory practices outlined in the Safety, Health and Chemical Hygiene Plan, GL-LB-N-001.
- 6.3 Personnel handling radioactive materials are trained in and follow the procedures outlined in GL-RAD-S-004 for Radioactive Material Handling.

6.4 Personnel handling biological materials are trained in and follow the procedures outlined in GL-RAD-S-010 for Handling Biological Materials.

6.5 If there is any question regarding the safety of any laboratory practice, stop immediately, and consult qualified senior personnel such as a Group or Team Leader.

7.0 INTERFERENCES

7.1 Some Gamma isotopes emit gamma lines that may overlap with other isotopes. If the energies of the two isotopes are within 2 KeV, the peaks may not be resolvable and will give a positive bias to the result. This problem is minimized by careful review of the peak search.

7.2 Soil samples may vary in density from the standard used for calibration. This may bias the results due to self-absorption of lower energy (<100 K).

8.0 APPARATUS, MATERIALS, REAGENTS, EQUIPMENT, AND INSTRUMENTATION

8.1 Ancillary Equipment

8.1.1 100 cc aluminum cans with lids for soil and miscellaneous samples

8.1.2 Gelman Sciences PETRI dish for soil and miscellaneous samples

8.1.3 2 L and 500 mL Marinelli beakers for water samples

8.1.4 Air displacement pipette. 1 mL

8.1.5 Can annealing tool

8.1.6 Graduated cylinder

8.2 Reagents, Chemicals and Standards

8.2.1 NIST traceable mixed gamma standard in 100cc aluminum can

8.2.2 NIST traceable 2.0 liter mixed gamma standard in 2 L Marinelli beaker

8.2.3 NIST traceable mixed gamma standard in 0.5 L Marinelli

8.2.4 NIST traceable mixed gamma standard in snap falcon PETRI dish

8.2.5 Standard soil blank

8.2.6 NIST traceable aqueous Cs-137 standard

8.2.7 Mixed Gamma Standard: Contains Am-241, Co-57, Co-60, Y-88, Sr-113, Pb-210, Cd-109 as a minimum.

8.3 Instrumentation

8.3.1 High purity germanium detector, with associated electronics and data reduction software

8.3.2 Top loader balance

9.0 SAMPLE HANDLING AND PRESERVATION

9.1 For soil samples, 500g of sample should be collected, preferably in a plastic container to avoid breakage.

9.2 For water samples, 2 liters of sample should be collected in a plastic container and preserved to pH2 with Nitric acid.

10.0 SAMPLE PREPARATION

10.1 Soil sample preparation.

10.1.1 Prepare the sample for gamma counting in accordance with SOP GL-RAD-A-021 "Soil sample preparation for the determination of radionuclides".

10.1.2 Fill the appropriate container with sample prepared from step 10.1.1 using the following steps as a guideline:

10.1.2.1 If Ra-226 analysis is required, the sample is placed in a 100cc can for in-growth.

NOTE: It is recommended that in-growth be allowed 14 days to quantify Ra-226. Shorter intervals can be used at the request of the client. However, shorter in-growth periods may decrease the accuracy of the data. If there is insufficient mass of sample to fill the 100cc can, contact the team or group leader.

10.1.2.2 All homogenized samples shall be placed in the 100cc can. Determine the net weight of the sample. If the net weight is less than 55 grams or greater than 190 grams, contact the team or group leader to determine the appropriate counting container. Record sample weight and date on sample container.

10.1.2.3 If there is insufficient sample to fill the 100cc can, place sample in the 10cc petri dish, cap and seal. Record sample weight and date on sample container.

10.1.2.4 If there is insufficient sample to fill the 10cc petri dish, perform the following digestion process:

10.1.2.4.1 Weigh out an appropriate aliquot into a labeled teflon beaker. Record this weight on the sample container.

10.1.2.4.2 Add 10 mL of concentrated nitric acid to each sample.

10.1.2.4.3 Place samples on medium heat (~300 °F) and cover each sample with a teflon lid. Reflux all samples for 30 minutes.

10.1.2.4.4 Remove teflon lids and add 5 mL concentrated hydrochloric acid and 10 mL hydrofluoric acid to each sample. Cover samples and reflux for 120 minutes.

10.1.2.4.5 Remove teflon lids and allow samples to evaporate to dryness.

10.1.2.4.6 Add 5 mL of concentrated nitric acid and evaporate to dryness.

10.1.2.4.7 Repeat Step 10.3.6.

10.1.2.4.8 Add 5 mL of concentrated nitric acid to the dry samples. Place the samples back on the hotplate long enough so that the dried sample dissolves into the acid.

10.1.2.4.9 Transfer solution to a 500 mL vessel and dilute to 500 mL. Record original sample mass and diluted volume on sample

10.2 Water sample preparation

- 10.2.1 Mix and measure an appropriate volume into a 2 L or 500 mL Marinelli beaker and record the volume on the Gamma que sheet.
If Radium analysis is required, measure 100 mL and seal in a 100 cc can. Record volume, sealed date, and sealed time on Gamma que sheet.

10.3 Urine Sample Preparation

- 10.3.1 Place a 24-hour urine container (or other suitable container) on a balance and tare the balance.
- 10.3.2 Transfer the entire volume of the sample received to the tared container and record the volume of sample received.
- 10.3.3 Add 8 M HNO₃ acid to the original sample container (typically 25 – 50 mL). Shake in the container and then heat in a microwave for approximately 30 seconds to remove sample residue from the sides of the sample container.
- 10.3.4 Add the nitric acid rinse to the 24-hour urine container and record the volume of the original sample plus acid.
- 10.3.5 Cap and shake the 24-hour urine container to homogenize the sample. Transfer an aliquot (typically 500 mL) of this solution to a Marinelli Beaker.
- 10.3.6 Record the amount of the original sample, excluding the nitric acid added, on the gamma spec que sheet.
Example: 800 mL is received and 50 mL of 8 M HNO₃ is added from the rinse of the sample container. 500 mL is transferred to the Marinelli Beaker. The recorded volume on the que sheet should be (500 mL/850 mL) x 800 mL = 470.6 mL.

10.4 Preparation of miscellaneous matrices

- 10.4.1 Prepare the sample in accordance with SOP GL-RAD-A-026 "Preparation of Special Matrices for the Determination of Radionuclides."
- 10.4.2 Once the appropriate section of GL-RAD-A-026 has been performed, prepare the sample for gamma counting by referring to section 10.1.2 above.

11.0 PREPARATION OF STANDARD SOLUTIONS AND QUALITY CONTROL STANDARDS

Refer to "Preparation of Radioactive Standards" (GL-RAD-M-001) for instructions concerning the preparation of standard solutions.

12.0 INSTRUMENT CALIBRATION AND PERFORMANCE

- 12.1 The gamma spectrometer should be calibrated for the appropriate geometry every 12 months or when daily QC check standards indicate instrument problems. Refer to "Gamma Spectroscopy System Operating Procedure" (GL-RAD-I-001) for calibration instructions.
- 12.2 Refer to "Gamma Spectroscopy System Operating Procedure" (GL-RAD-I-001) for instructions concerning the Gamma Spectrometer.

- Ac = Activity from 15.2**

- 15.7.2 The activity of a non-target isotope will not be reported unless it is greater than the minimal detectable activity of a method blank with similar volume and count time.
- 15.7.3 The energy tolerance should be between 2 and 3 KeV.
- 15.7.4 The sensitivity setting should be between 0.1 and 3. The default setting is 3.
- 15.7.5 Start channel on peak search should be approximately 50 and end channel should be 4096.
- 15.7.6 The confidence level setting should be 5.
- 15.7.7 These settings should not be changed without approval from a group leader.
- 15.8 The following guidelines are used to accept unidentified lines on the peak search after environmental background subtraction:
 - 15.8.1 The line matches the natural fingerprint of the Uranium-238 or Thorium-232 decay chains (i.e. 63, 75, 93, 239, 295, 352, 511, 609, 1120, etc.).
 - 15.8.2 The line matches as a summation peak from two other lines in the spectrum.
 - 15.8.3 The line has a net area of less than 20.

16.0 QUALITY CONTROL REQUIREMENTS

16.1 Analyst and Method Verification

Refer to "Analyst and Analytical Methods Validation Procedures" (G-RAD-D-003) for instructions concerning the validation of analysts and analytical methods.

16.2 Method Specific Quality Control Requirements

- 16.2.1 A method blank will accompany each batch of 20 or less samples. The reported value should be less than or equal to the CRDL for all target isotopes. Matrix spikes are prepared by spiking a portion of the QC sample with Cs-137 (as a minimum).
- 16.2.2 For water samples only, a matrix spike (MS) should be run with every batch of 20 samples. The recovery of the spike should fall between 75 and 125%. The recovery is calculated as follows:

$$\%REC = \frac{\text{spike(pCi/g)} - \text{sample(pCi/g)}}{\text{spikedamount(pCi/g)}} * 100$$

or:

$$\%REC = \frac{\text{spike(pCi/L)} - \text{sample(pCi/L)}}{\text{spikedamount(pCi/L)}} * 100$$

NOTE: Performing a matrix spike on a soil sample would result in direct contamination of the sample, therefore, only water samples require an MS.

- 16.2.3 A sample duplicate should be run with every batch of 20 or less samples. The relative percent difference (RPD) between the sample and the duplicate should be $\leq 20\%$. The RPD is calculated as follows.

$$RPD = \frac{\text{high sample (pCi/g)} - \text{low sample (pCi/g)}}{\text{Average (pCi/g)}}$$

or:

$$RPD = \frac{\text{high sample (pCi/L)} - \text{low sample (pCi/L)}}{\text{Average (pCi/L)}}$$

- 16.2.4 A laboratory control spike (LCS) should be run with every batch of 20 samples or less. The recovery of the spike should fall between 75 and 125%. The LCS should contain Cs-137 as a minimum. Some clients may request a mixed gamma standard. For soils, a mixed gamma expired calibration source may be used as an LCS. For liquids and filters, spike a blank sample with Cs-137 as a minimum.

- 16.2.5 The recovery is calculated as follows:

$$LCS = \frac{\text{observed_pCi/g}}{\text{known_pCi/g}} * 100$$

or:

$$LCS = \frac{\text{observed_pCi/L}}{\text{known_pCi/L}} * 100$$

16.3 Actions required if the Quality Control Requirements Are Not Met

If any of the above criteria cannot be satisfied, the analyst should inform the group leader and initiate a non-conformance report as outlined in "Documentation of Nonconformance Reporting and Dispositioning, and Control of Nonconforming Items" (GL-QS-E-004).

17.0 DATA REVIEW, APPROVAL, AND TRANSMITTAL

- 17.1 The first level of review is the analyst review. The analyst will perform the following steps of review:

- 17.1.1 Visually check the que sheet, spreadsheet, raw data and data report to make sure the information has been transcribed correctly.

- 17.1.2 Review the raw data to see if there are any hits not on the requested list. If there are, report to the client by adding the information into LIMS.

A true identification or a "hit" is any isotope greater than 10 pCi/L or 5 pCi/g on the identified nuclide list. The error must also be less than 40% of the result and not have interference by another isotope or have a very short half-life.

- 17.1.3 Check to see that the required detection limit (RDL) is met if required.

- 17.1.4 Check hits to see if they are true hits (see 18.1.2.1) and not an interference or a false positive.

Identifications are classified into two categories: false positives (interference), and true identification (hit). The false positives are rejected by checking the abundance test results for the isotope and by checking last results for the half-life. The result is considered

Interference and rejected by checking to see if there are any clean lines in sample spectrum for the isotope. If none exist, then the identification is rejected. If the key line has a possible interference and secondary lines do not confirm the activity calculation, the identification is rejected. Isotopes that pass these criteria are accepted as true identifications. The above tests and criteria are standard and will be followed unless directed otherwise by contract, specification or instructions.

17.1.5 Complete the batch checklist.

- 17.2. The second level review is performed by the Data Validator or Report Specialist, who reviews the batch checklist, checks requested and non-requested hits, and reviews the transcription.
- 17.3 After the review process is complete, the data is transmitted from the laboratory personnel to the reporting personnel as outlined in "Data Review and Validation Procedures" (GL-RAD-D-003).

18.0 RECORDS MANAGEMENT

- 18.1 Each analysis that is performed on the instrument is documented in the run log according to "Run Logs" (GL-LB-E-009).
- 18.2 All raw data printouts, calculation spreadsheets and batch checklists are filed with the sample data for archival and review.

19.0 LABORATORY WASTE HANDLING AND WASTE DISPOSAL

- 19.1 All soil sample cans are opened and sample returned to original sample containers after completion of batch.
- 19.2 Radioactive waste is disposed of as outlined in the Laboratory Waste Management Plan (GL-LB-G-001).

20.0 REFERENCES

- 20.1 USEPA. Prescribed Procedures for Measurement of Radioactivity in Drinking Water. Method 901.1, August 1980.
- 20.2 Canberra Nuclear Genie System Spectroscopy, Applications and Display User's Guide. Vol. I and II, May 1991.
- 20.3 EML procedures manual. HASL-300-Ed.25, 1982.

Appendix E

Analytical Results

Building 813/814 Groundwater VOC Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|------|---------|------------------------------|------------------|-----------------|-----------------------------|----------------------------|--------------------------|-------|-----------|-------|------------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-----|
| LOCATION ID | | | | | | | | | | TW12-1 | | TW12-1 (D) | | TW12-3 | | TW12-4 | | TW12-5 | | TW12-6 | | TW12-7 | | TW12-8 | | TW12-9 | | TW12-22 | | TW12-23 | | |
| MATRIX | | | | | | | | | | GW | | GW | | GW | | GW | | GW | | GW | | GW | | GW | | GW | | GW | | GW | | |
| SAMPLE ID | | | | | | | | | | 122275 | | 122284 | | 122277 | | 122278 | | 122279 | | 122280 | | 122281 | | 122282 | | 122283 | | 122285 | | 122286 | | |
| TOP OF SAMPLE | | | | | | | | | | 5.20 | | 5.20 | | 5.00 | | 3.75 | | 8.70 | | 5.00 | | 7.10 | | 5.00 | | 4.90 | | 13.50 | | 13.30 | | |
| BOTTOM OF SAMPLE | | | | | | | | | | 10.20 | | 10.20 | | 10.00 | | 8.75 | | 13.70 | | 10.00 | | 12.10 | | 10.00 | | 9.90 | | 23.50 | | 23.30 | | |
| SAMPLE DATE | | | | | | | | | | 5/26/2004 | | 5/26/2004 | | 6/11/2004 | | 5/27/2004 | | 5/27/2004 | | 5/27/2004 | | 5/27/2004 | | 5/27/2004 | | 5/27/2004 | | 6/11/2004 | | 6/10/2004 | | |
| QC CODE | | | | | | | | | | SA | | DU | | SA | | SA | | SA | | SA | | SA | | SA | | SA | | SA | | SA | | |
| STUDY ID | | | | | | | | | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Parameter | Unit | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detections | Number of Analyses | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) |
| 1,1,1-Trichloroethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| 1,1,2,2-Tetrachloroethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| 1,1,2-Trichloro-1,2,2-Trifluoroethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| 1,1,2-Trichloroethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 1 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| 1,1-Dichloroethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| 1,1-Dichloroethene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | UJ | 10 | U | 10 | U |
| 1,2,4-Trichlorobenzene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| 1,2-Dibromo-3-Chloropropane | µg/L | 0 | 0% | NYSDEC CLASS GA | 0.04 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| 1,2-Dibromoethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 0.0006 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| 1,2-Dichlorobenzene | µg/L | 0 | 0% | NYSDEC CLASS GA | 3 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | UJ | 10 | U | 10 | U |
| 1,2-Dichloroethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 0.6 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| 1,2-Dichloropropane | µg/L | 0 | 0% | NYSDEC CLASS GA | 1 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| 1,3-Dichlorobenzene | µg/L | 0 | 0% | NYSDEC CLASS GA | 3 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| 1,4-Dichlorobenzene | µg/L | 0 | 0% | NYSDEC CLASS GA | 3 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | UJ | 10 | U | 10 | U |
| Acetone | µg/L | 51 | 12% | | | 0 | 2 | 17 | 50 | UJ | 50 | U | 50 | UJ | 51 | | 50 | U | 50 | U | 50 | U | 50 | U | 50 | U | 47 | J | 50 | U | 50 | U |
| Benzene | µg/L | 0 | 0% | NYSDEC CLASS GA | 1 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| Bromodichloromethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 80 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| Bromoform | µg/L | 0 | 0% | NYSDEC CLASS GA | 80 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| Carbon Disulfide | µg/L | 0 | 0% | | | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | UJ | 10 | UJ | 10 | UJ |
| Carbon Tetrachloride | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| Chlorobenzene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | UJ | 10 | U | 10 | U |
| Chlorodibromomethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 80 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| Chloroethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| Chloroform | µg/L | 0 | 0% | NYSDEC CLASS GA | 7 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| cis-1,2-Dichloroethene | µg/L | 41 | 6% | NYSDEC CLASS GA | 5 | 1 | 1 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | UJ | 10 | U | 10 | U |
| cis-1,3-Dichloropropene | µg/L | 0 | 0% | NYSDEC CLASS GA | 0.4 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| Cyclohexane | µg/L | 0 | 0% | | | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| Ethyl Benzene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| Isopropylbenzene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | UJ | 10 | U | 10 | U |
| Meta/Para Xylene | µg/L | 0 | 0% | | | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| Methyl Acetate | µg/L | 0 | 0% | | | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | UJ | 10 | U | 10 | U |
| Methyl bromide | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | UJ | 10 | U | 10 | U |
| Methyl butyl ketone | µg/L | 0 | 0% | | | 0 | 0 | 17 | 50 | UJ | 50 | U | 50 | UJ | 50 | U | 50 | U | 50 | U | 50 | U | 50 | U | 50 | UJ | 50 | UJ | 50 | UJ | 50 | UJ |
| Methyl chloride | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | UJ | 10 | U | 10 | U |
| Methyl cyclohexane | µg/L | 0 | 0% | | | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| Methyl ethyl ketone | µg/L | 0 | 0% | | | 0 | 0 | 17 | 50 | UJ | 50 | U | 50 | U | 50 | U | 50 | U | 50 | U | 50 | U | 50 | U | 50 | UJ | 50 | UJ | 50 | U | 50 | U |
| Methyl isobutyl ketone | µg/L | 0 | 0% | | | 0 | 0 | 17 | 50 | UJ | 50 | U | 50 | U | 50 | U | 50 | U | 50 | U | 50 | U | 50 | U | 50 | UJ | 50 | UJ | 50 | U | 50 | U |
| Methyl Tertbutyl Ether | µg/L | 0 | 0% | | | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| Methylene Chloride | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| Ortho Xylene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | UJ | 10 | U | 10 | U |
| Styrene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| Tetrachloroethene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| Toluene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| trans-1,2-Dichloroethene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | UJ | 10 | U | 10 | U |
| Trans-1,3-Dichloropropene | µg/L | 0 | 0% | NYSDEC CLASS GA | 0.4 | 0 | 0 | 17 | 10 | UJ | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | U | 10 | UJ | 10 | U | 10 | U | 10 | U |
| Trichloroethene | µg/L | 2400 | 24% | NYSDEC CLASS GA | 5 | 1 | 4 | 17 | 4.0 | J | 4.1 | J | 4.2 | J | 10 | U | 10 | U | 10 | U | 10 | U | 10 | | | | | | | | | |

Building 813/814 Groundwater VOC Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| LOCATION ID | | | | | | | | | | TW12-23 (D) | | TW12-24 | | TW12-25 | | TW12-26 | | MW12-37 | | MW12-40 | |
|---------------------------------------|------|---------|------------------------|-----------------|--------------|-----------------------|----------------------|--------------------|--|-------------|-----|-----------|-----|-----------|-----|-----------|-----|-----------|-----|-----------|-----|
| MATRIX | | | | | | | | | | GW | | GW | | GW | | GW | | GW | | GW | |
| SAMPLE ID | | | | | | | | | | 122297 | | 122287 | | 122288 | | 122289 | | 122291 | | 122290 | |
| TOP OF SAMPLE | | | | | | | | | | 13.30 | | 8.10 | | 7.30 | | 5.90 | | 7.53 | | 8.30 | |
| BOTTOM OF SAMPLE | | | | | | | | | | 23.30 | | 13.10 | | 12.30 | | 8.90 | | 12.43 | | 13.30 | |
| SAMPLE DATE | | | | | | | | | | 6/10/2004 | | 6/11/2004 | | 6/11/2004 | | 6/11/2004 | | 6/11/2004 | | 6/11/2004 | |
| QC CODE | | | | | | | | | | DU | | SA | | SA | | SA | | SA | | SA | |
| STUDY ID | | | | | | | | | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | |
| | | | | | | | | | | | | | | | | | | | | | |
| Parameter | Unit | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detections | Number of Analyses | | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) |
| 1,1,1-Trichloroethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| 1,1,2,2-Tetrachloroethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| 1,1,2-Trichloro-1,2,2-Trifluoroethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| 1,1,2-Trichloroethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 1 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| 1,1-Dichloroethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| 1,1-Dichloroethene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| 1,2,4-Trichlorobenzene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| 1,2-Dibromo-3-Chloropropane | µg/L | 0 | 0% | NYSDEC CLASS GA | 0.04 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| 1,2-Dibromoethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 0.0006 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| 1,2-Dichlorobenzene | µg/L | 0 | 0% | NYSDEC CLASS GA | 3 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| 1,2-Dichloroethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 0.6 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| 1,2-Dichloropropane | µg/L | 0 | 0% | NYSDEC CLASS GA | 1 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| 1,3-Dichlorobenzene | µg/L | 0 | 0% | NYSDEC CLASS GA | 3 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| 1,4-Dichlorobenzene | µg/L | 0 | 0% | NYSDEC CLASS GA | 3 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Acetone | µg/L | 51 | 12% | | | 0 | 2 | 17 | | 50 U | | 50 U | | 50 U | | 50 U | | 50 U | | 50 U | |
| Benzene | µg/L | 0 | 0% | NYSDEC CLASS GA | 1 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Bromodichloromethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 80 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Bromoform | µg/L | 0 | 0% | NYSDEC CLASS GA | 80 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Carbon Disulfide | µg/L | 0 | 0% | | | 0 | 0 | 17 | | 10 UJ | | 10 UJ | | 10 UJ | | 10 UJ | | 10 UJ | | 10 UJ | |
| Carbon Tetrachloride | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Chlorobenzene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Chlorodibromomethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 80 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Chloroethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Chloroform | µg/L | 0 | 0% | NYSDEC CLASS GA | 7 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| cis-1,2-Dichloroethene | µg/L | 41 | 6% | NYSDEC CLASS GA | 5 | 1 | 1 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 41 | | 10 U | |
| cis-1,3-Dichloropropene | µg/L | 0 | 0% | NYSDEC CLASS GA | 0.4 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Cyclohexane | µg/L | 0 | 0% | | | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Ethyl Benzene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Isopropylbenzene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Meta/Para Xylene | µg/L | 0 | 0% | | | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Methyl Acetate | µg/L | 0 | 0% | | | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Methyl bromide | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Methyl butyl ketone | µg/L | 0 | 0% | | | 0 | 0 | 17 | | 50 UJ | | 50 UJ | | 50 UJ | | 50 UJ | | 50 UJ | | 50 UJ | |
| Methyl chloride | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Methyl cyclohexane | µg/L | 0 | 0% | | | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Methyl ethyl ketone | µg/L | 0 | 0% | | | 0 | 0 | 17 | | 50 U | | 50 U | | 50 U | | 50 U | | 50 U | | 50 U | |
| Methyl isobutyl ketone | µg/L | 0 | 0% | | | 0 | 0 | 17 | | 50 U | | 50 U | | 50 U | | 50 U | | 50 U | | 50 U | |
| Methyl Tertbutyl Ether | µg/L | 0 | 0% | | | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Methylene Chloride | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Ortho Xylene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Styrene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Tetrachloroethene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Toluene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| trans-1,2-Dichloroethene | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Trans-1,3-Dichloropropene | µg/L | 0 | 0% | NYSDEC CLASS GA | 0.4 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Trichloroethene | µg/L | 2400 | 24% | NYSDEC CLASS GA | 5 | 1 | 4 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 2400 | | 10 U | |
| Trichlorofluoromethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Vinyl Chloride | µg/L | 0 | 0% | NYSDEC CLASS GA | 2 | 0 | 0 | 17 | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | | 10 U | |
| Dichlorodifluoromethane | µg/L | 0 | 0% | NYSDEC CLASS GA | 5 | 0 | 0 | 17 | | 10 UJ | | 10 UJ | | 10 UJ | | 10 UJ | | 10 UJ | | 10 UJ | |

Building 813/814 Surface Water VOC Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| LOCATION ID | | | | | | | | | SW12-68 | SW12-69 | SW12-70 | SW12-71 | SW12-72 | SW12-72 (D) | SW12-73 | SW12-74 |
|-----------------------------|------|---------|------------------------|----------------|--------------|-----------------------|----------------------|--------------------|-----------|-----------|-----------|-----------|-----------|-------------|-----------|-----------|
| MATRIX | | | | | | | | | SW | SW | SW | SW | SW | SW | SW | SW |
| SAMPLE ID | | | | | | | | | 121000 | 121001 | 121002 | 121003 | 121004 | 121007 | 121005 | 121006 |
| TOP OF SAMPLE | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BOTTOM OF SAMPLE | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SAMPLE DATE | | | | | | | | | 6/22/2004 | 6/22/2004 | 6/22/2004 | 6/22/2004 | 6/22/2004 | 6/22/2004 | 6/22/2004 | 6/22/2004 |
| QC CODE | | | | | | | | | SA | SA | SA | SA | SA | SA | SA | SA |
| STUDY ID | | | | | | | | | SRI | SRI | SRI | SRI | SRI | SRI | SRI | SRI |
| Parameter | Unit | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detections | Number of Analyses | Value (Q) | Value (Q) | Value (Q) | Value (Q) | Value (Q) | Value (Q) | Value (Q) | Value (Q) |
| 1,1,1,2-Tetrachloroethane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U |
| 1,1,1,1-Trichloroethane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U |
| 1,1,2,2-Tetrachloroethane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U |
| 1,1,2-Trichloroethane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U |
| 1,1-Dichloroethane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U |
| 1,1-Dichloroethene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.16 U | 0.16 U | 0.16 U | 0.16 U | 0.16 U | 0.16 U | 0.16 U | 0.16 U |
| 1,1-Dichloropropene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U |
| 1,2,3-Trichlorobenzene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.18 U | 0.18 U | 0.18 U | 0.18 U | 0.18 U | 0.18 U | 0.18 U | 0.18 U |
| 1,2,3-Trichloropropane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.28 U | 0.28 U | 0.28 U | 0.28 U | 0.28 U | 0.28 U | 0.28 U | 0.28 U |
| 1,2,4-Trichlorobenzene | µg/L | 0 | 0% | NYSDEC Class C | 5 | 0 | 0 | 8 | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U |
| 1,2,4-Trimethylbenzene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U |
| 1,2-Dibromo-3-Chloropropane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.20 R | 0.20 R | 0.20 R | 0.20 R | 0.20 R | 0.20 R | 0.20 R | 0.20 R |
| 1,2-Dibromoethane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U |
| 1,2-Dichlorobenzene | µg/L | 0 | 0% | NYSDEC Class C | 5 | 0 | 0 | 8 | 0.17 UJ | 0.17 UJ | 0.17 UJ | 0.17 UJ | 0.17 UJ | 0.17 UJ | 0.17 UJ | 0.17 UJ |
| 1,2-Dichloroethane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U |
| 1,2-Dichloropropane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U |
| 1,3,5-Trimethylbenzene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U |
| 1,3-Dichlorobenzene | µg/L | 0 | 0% | NYSDEC Class C | 5 | 0 | 0 | 8 | 0.20 UJ | 0.20 UJ | 0.20 UJ | 0.20 UJ | 0.20 UJ | 0.20 UJ | 0.20 UJ | 0.20 UJ |
| 1,3-Dichloropropane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U |
| 1,4-Dichlorobenzene | µg/L | 0 | 0% | NYSDEC Class C | 5 | 0 | 0 | 8 | 0.20 UJ | 0.20 UJ | 0.20 UJ | 0.20 UJ | 0.20 UJ | 0.20 UJ | 0.20 UJ | 0.20 UJ |
| 2,2-Dichloropropane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U |
| 2-Chlorotoluene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.50 U | 0.50 U | 0.50 U | 0.50 U | 0.50 U | 0.50 U | 0.50 U | 0.50 U |
| Acetone | µg/L | 0 | 0% | | | 0 | 0 | 8 | 1.5 R | 1.5 R | 1.5 R | 1.5 R | 1.5 R | 1.5 R | 1.5 R | 1.5 R |
| Acrylonitrile | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.94 R | 0.94 R | 0.94 R | 0.94 R | 0.94 R | 0.94 R | 0.94 R | 0.94 R |
| Allyl Chloride | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.18 U | 0.18 U | 0.18 U | 0.18 U | 0.18 U | 0.18 U | 0.18 U | 0.18 U |
| Benzene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.24 UJ | 0.24 UJ | 0.24 UJ | 0.24 UJ | 0.24 UJ | 0.24 UJ | 0.24 UJ | 0.24 UJ |
| Bromobenzene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.21 UJ | 0.21 UJ | 0.21 UJ | 0.21 UJ | 0.21 UJ | 0.21 UJ | 0.21 UJ | 0.21 UJ |
| Bromodichloromethane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 UJ | 0.20 U | 0.20 U | 0.20 U |
| Bromoform | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U |
| Butyl chloride | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U |
| Carbon Disulfide | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.18 U | 0.18 U | 0.18 U | 0.18 U | 0.18 U | 0.18 U | 0.18 U | 0.18 U |
| Carbon Tetrachloride | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U |
| Chlorobenzene | µg/L | 0 | 0% | NYSDEC Class C | 5 | 0 | 0 | 8 | 0.21 UJ | 0.21 UJ | 0.21 UJ | 0.21 UJ | 0.21 UJ | 0.21 UJ | 0.21 UJ | 0.21 UJ |
| Chlorodibromomethane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.17 U | 0.17 U | 0.17 U | 0.17 U | 0.17 U | 0.17 U | 0.17 U | 0.17 U |
| Chloroethane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.19 U | 0.19 U | 0.19 U | 0.19 U | 0.19 UJ | 0.19 U | 0.19 U | 0.19 U |
| Chloroform | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U |
| cis-1,2-Dichloroethene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U |
| cis-1,3-Dichloropropene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.19 U | 0.19 U | 0.19 U | 0.19 U | 0.19 U | 0.19 U | 0.19 U | 0.19 U |
| Cyclohexane | µg/L | 0 | 0% | | | 0 | 0 | 8 | N/A | N/A | N/A | N/A | 5 U | N/A | N/A | N/A |
| Dichlorodifluoromethane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.09 U | 0.09 U | 0.09 U | 0.09 U | 0.09 U | 0.09 U | 0.09 U | 0.09 U |
| Diisopropyl Ether | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U |
| Ethyl Benzene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.21 UJ | 0.21 UJ | 0.21 UJ | 0.21 UJ | 0.21 UJ | 0.21 UJ | 0.21 UJ | 0.21 UJ |
| Ethyl ether | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U | 0.21 U |
| Ethyl methacrylate | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.25 U | 0.25 U | 0.25 U | 0.25 U | 0.25 U | 0.25 U | 0.25 U | 0.25 U |
| Hexachlorobutadiene | µg/L | 0 | 0% | NYSDEC Class C | 0.01 | 0 | 0 | 8 | 0.17 U | 0.17 U | 0.17 U | 0.17 U | 0.17 U | 0.17 U | 0.17 U | 0.17 U |
| Hexachloroethane | µg/L | 0 | 0% | NYSDEC Class C | 0.6 | 0 | 0 | 8 | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U | 0.20 U |
| Isopropylbenzene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.20 UJ | 0.20 UJ | 0.20 UJ | 0.20 UJ | 0.20 UJ | 0.20 UJ | 0.20 UJ | 0.20 UJ |
| Meta/Para Xylene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.43 UJ | 0.43 UJ | 0.43 UJ | 0.43 UJ | 0.43 UJ | 0.43 UJ | 0.43 UJ | 0.43 UJ |
| Methacrylonitrile | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.33 U | 0.33 U | 0.33 U | 0.33 U | 0.33 U | 0.33 U | 0.33 U | 0.33 U |
| Methyl Acetate | µg/L | 0 | 0% | | | 0 | 0 | 8 | N/A | N/A | N/A | N/A | 5 U | N/A | N/A | N/A |
| Methyl bromide | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U | 0.22 U |
| Methyl butyl ketone | µg/L | 0 | 0% | | | 0 | 0 | 8 | 1.1 U | 1.1 U | 1.1 U | 1.1 U | 1.1 U | 1.1 U | 1.1 U | 1.1 U |
| Methyl chloride | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.11 U | 0.11 U | 0.11 U | 0.11 U | 0.11 U | 0.11 U | 0.11 U | 0.11 U |
| Methyl cyclohexane | µg/L | 0 | 0% | | | 0 | 0 | 8 | N/A | N/A | N/A | N/A | 5 U | N/A | N/A | N/A |
| Methyl ethyl ketone | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.94 R | 0.94 R | 0.94 R | 0.94 R | 0.94 R | 0.94 R | 0.94 R | 0.94 R |
| Methyl iodide | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.14 U | 0.14 U | 0.14 U | 0.14 U | 0.14 U | 0.14 U | 0.14 U | 0.14 U |
| Methyl isobutyl ketone | µg/L | 0 | 0% | | | 0 | 0 | 8 | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U | 1.0 U |
| Methyl methacrylate | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.53 U | 0.53 U | 0.53 U | 0.53 U | 0.53 U | 0.53 U | 0.53 U | 0.53 U |
| Methyl Tertbutyl Ether | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.37 U | 0.37 U | 0.37 U | 0.37 U | 0.37 U | 0.37 U | 0.37 U | 0.37 U |
| Methylene bromide | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U | 0.24 U |

Building 813/814 Surface Water VOC Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| LOCATION ID | | | | | | | | | SW12-68 | | SW12-69 | | SW12-70 | | SW12-71 | | SW12-72 | SW12-72 (D) | | SW12-73 | | SW12-74 | |
|-----------------------------|------|---|-----------------|----------------|--------|--------------|--------------|--------------|-----------|--|-----------|--|-----------|--|-----------|--|-----------|-------------|--|-----------|--|-----------|--|
| MATRIX | | | | | | | | | SW | | SW | | SW | | SW | | SW | SW | | SW | | SW | |
| SAMPLE ID | | | | | | | | | 121000 | | 121001 | | 121002 | | 121003 | | 121004 | 121007 | | 121005 | | 121006 | |
| TOP OF SAMPLE | | | | | | | | | 0 | | 0 | | 0 | | 0 | | 0 | 0 | | 0 | | 0 | |
| BOTTOM OF SAMPLE | | | | | | | | | 0 | | 0 | | 0 | | 0 | | 0 | 0 | | 0 | | 0 | |
| SAMPLE DATE | | | | | | | | | 6/22/2004 | | 6/22/2004 | | 6/22/2004 | | 6/22/2004 | | 6/22/2004 | 6/22/2004 | | 6/22/2004 | | 6/22/2004 | |
| QC CODE | | | | | | | | | SA | | SA | | SA | | SA | | SA | SA | | SA | | SA | |
| STUDY ID | | | | | | | | | SRI | | SRI | | SRI | | SRI | | SRI | SRI | | SRI | | SRI | |
| | | | Frequency of | Criteria | Action | Number of | Number of | Number of | | | | | | | | | | | | | | | |
| Methylene Chloride | µg/L | 0 | 0% | NYSDEC Class C | 200 | 0 | 0 | 8 | 0.18 U | | 0.18 U | | 0.18 U | | 0.18 U | | 0.18 U | 0.18 U | | 0.18 U | | 0.18 U | |
| Naphthalene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.17 U | | 0.17 U | | 0.17 U | | 0.17 U | | 0.17 UJ | 0.17 U | | 0.17 U | | 0.17 U | |
| n-Butylbenzene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.20 U | | 0.20 U | | 0.20 U | | 0.20 U | | 0.20 U | 0.20 U | | 0.20 U | | 0.20 U | |
| Ortho Xylene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.21 UJ | | 0.21 UJ | | 0.21 UJ | | 0.21 UJ | | 0.21 UJ | 0.21 UJ | | 0.21 UJ | | 0.21 UJ | |
| p-Chlorotoluene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.22 U | | 0.22 U | | 0.22 U | | 0.22 U | | 0.22 U | 0.22 U | | 0.22 U | | 0.22 U | |
| p-Isopropyltoluene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.22 U | | 0.22 U | | 0.22 U | | 0.22 U | | 0.22 U | 0.22 U | | 0.22 U | | 0.22 U | |
| Propionitrile | µg/L | 0 | 0% | | | 0 | 0 | 8 | 3.3 R | | 3.3 R | | 3.3 R | | 3.3 R | | 3.3 R | 3.3 R | | 3.3 R | | 3.3 R | |
| Propylbenzene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.24 U | | 0.24 U | | 0.24 U | | 0.24 U | | 0.24 U | 0.24 U | | 0.24 U | | 0.24 U | |
| sec-Butylbenzene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.20 U | | 0.20 U | | 0.20 U | | 0.20 U | | 0.20 U | 0.20 U | | 0.20 U | | 0.20 U | |
| Styrene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.19 UJ | | 0.19 UJ | | 0.19 UJ | | 0.19 UJ | | 0.19 UJ | 0.19 UJ | | 0.19 UJ | | 0.19 UJ | |
| t-Butyl Alcohol | µg/L | 0 | 0% | | | 0 | 0 | 8 | 2.2 R | | 2.2 R | | 2.2 R | | 2.2 R | | 2.2 R | 2.2 R | | 2.2 R | | 2.2 R | |
| tert-Butylbenzene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.18 U | | 0.18 U | | 0.18 U | | 0.18 U | | 0.18 U | 0.18 U | | 0.18 U | | 0.18 U | |
| Tetrachloroethene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.34 U | | 0.34 U | | 0.34 U | | 0.34 U | | 0.34 U | 0.34 U | | 0.34 U | | 0.34 U | |
| Tetrahydrofuran | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.78 R | | 0.78 R | | 0.78 R | | 0.78 R | | 0.78 R | 0.78 R | | 0.78 R | | 0.78 R | |
| Toluene | µg/L | 0 | 0% | NYSDEC Class C | 6000 | 0 | 0 | 8 | 0.22 UJ | | 0.22 UJ | | 0.22 UJ | | 0.22 UJ | | 0.22 UJ | 0.22 UJ | | 0.22 UJ | | 0.22 UJ | |
| trans-1,2-Dichloroethene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.22 U | | 0.22 U | | 0.22 U | | 0.22 U | | 0.22 U | 0.22 U | | 0.22 U | | 0.22 U | |
| Trans-1,3-Dichloropropene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.19 U | | 0.19 U | | 0.19 U | | 0.19 U | | 0.19 U | 0.19 U | | 0.19 U | | 0.19 U | |
| Trans-1,4-Dichloro-2-butene | µg/L | 0 | 0% | | | 0 | 0 | 8 | 1.4 R | | 1.4 R | | 1.4 R | | 1.4 R | | 1.4 R | 1.4 R | | 1.4 R | | 1.4 R | |
| Trichloroethene | µg/L | 0 | 0% | NYSDEC Class C | 40 | 0 | 0 | 8 | 0.24 U | | 0.24 U | | 0.24 U | | 0.24 U | | 0.24 U | 0.24 U | | 0.24 U | | 0.24 U | |
| Trichlorofluoromethane | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.09 U | | 0.09 U | | 0.09 U | | 0.09 U | | 0.09 U | 0.09 U | | 0.09 U | | 0.09 U | |
| Vinyl Chloride | µg/L | 0 | 0% | | | 0 | 0 | 8 | 0.14 U | | 0.14 U | | 0.14 U | | 0.14 U | | 0.14 U | 0.14 U | | 0.14 U | | 0.14 U | |

Building 813/814 Ditch Soil VOC Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|-------|---------|-----------|-----------|-------------|--------|--------|----------|------------|--|------------|--|------------|--|------------|--|------------|--|-------------|--|------------|--|------------|--|
| LOCATION ID | | | | | | | | | SD12-68 | | SD12-69 | | SD12-70 | | SD12-71 | | SD12-72 | | SD12-72 (D) | | SD12-73 | | SD12-74 | |
| MATRIX | | | | | | | | | DITCH SOIL | | DITCH SOIL | | DITCH SOIL | | DITCH SOIL | | DITCH SOIL | | DITCH SOIL | | DITCH SOIL | | DITCH SOIL | |
| SAMPLE ID | | | | | | | | | 124250 | | 124251 | | 124252 | | 124253 | | 124254 | | 124257 | | 124255 | | 124256 | |
| TOP OF SAMPLE | | | | | | | | | 0.00 | | 0.00 | | 0.00 | | 0.00 | | 0.00 | | 0.00 | | 0.00 | | 0.00 | |
| BOTTOM OF SAMPLE | | | | | | | | | 0.20 | | 0.20 | | 0.20 | | 0.20 | | 0.20 | | 0.20 | | 0.20 | | 0.20 | |
| SAMPLE DATE | | | | | | | | | 6/22/2004 | | 6/22/2004 | | 6/22/2004 | | 6/22/2004 | | 6/22/2004 | | 6/22/2004 | | 6/22/2004 | | 6/22/2004 | |
| QC CODE | | | | | | | | | SA | | SA | | SA | | SA | | SA | | DU | | SA | | SA | |
| STUDY ID | | | | | | | | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | |
| | | | Frequency | | | Number | Number | Number | | | | | | | | | | | | | | | | |
| | | | of | Criteria | Action | of | of | of | | | | | | | | | | | | | | | | |
| Parameter | Units | Maximum | Frequency | Type | Action Leve | Exceed | Detect | Analyses | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | |
| 1,1,1-Trichloroethane | UG/KG | 0 | 0% | TAGM 4046 | 800 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| 1,1,2,2-Tetrachloroethane | UG/KG | 0 | 0% | TAGM 4046 | 600 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| 1,1,2-Trichloro-1,2,2-Trifluoroethane | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| 1,1,2-Trichloroethane | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| 1,1-Dichloroethane | UG/KG | 0 | 0% | TAGM 4046 | 200 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| 1,1-Dichloroethene | UG/KG | 0 | 0% | TAGM 4046 | 400 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| 1,2,4-Trichlorobenzene | UG/KG | 0 | 0% | TAGM 4046 | 3400 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| 1,2-Dibromo-3-Chloropropane | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| 1,2-Dibromoethane | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| 1,2-Dichlorobenzene | UG/KG | 0 | 0% | TAGM 4046 | 7900 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| 1,2-Dichloroethane | UG/KG | 0 | 0% | TAGM 4046 | 100 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| 1,2-Dichloropropane | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| 1,3-Dichlorobenzene | UG/KG | 0 | 0% | TAGM 4046 | 1600 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| 1,4-Dichlorobenzene | UG/KG | 0 | 0% | TAGM 4046 | 8500 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Acetone | UG/KG | 110 | 25% | TAGM 4046 | 200 | 0 | 2 | 8 | 72 J | | 40 U | | 110 J | | 69 UJ | | 48 U | | 61 UJ | | 60 UJ | | 62 UJ | |
| Benzene | UG/KG | 0 | 0% | TAGM 4046 | 60 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Bromodichloromethane | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Bromoform | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Carbon Disulfide | UG/KG | 0 | 0% | TAGM 4046 | 2700 | 0 | 0 | 8 | 11 UJ | | 8.1 UJ | | 12 UJ | | 14 UJ | | 9.6 UJ | | 12 UJ | | 12 UJ | | 12 UJ | |
| Carbon Tetrachloride | UG/KG | 0 | 0% | TAGM 4046 | 600 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Chlorobenzene | UG/KG | 0 | 0% | TAGM 4046 | 1700 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Chlorodibromomethane | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Chloroethane | UG/KG | 0 | 0% | TAGM 4046 | 1900 | 0 | 0 | 8 | 11 UJ | | 8.1 UJ | | 12 UJ | | 14 UJ | | 9.6 UJ | | 12 UJ | | 12 UJ | | 12 UJ | |
| Chloroform | UG/KG | 0 | 0% | TAGM 4046 | 300 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| cis-1,2-Dichloroethene | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| cis-1,3-Dichloropropene | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Cyclohexane | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Dichlorodifluoromethane | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Ethyl Benzene | UG/KG | 0 | 0% | TAGM 4046 | 5500 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Isopropylbenzene | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Meta/Para Xylene | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Methyl Acetate | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Methyl bromide | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 UJ | | 12 UJ | | 14 UJ | | 9.6 UJ | | 12 UJ | | 12 UJ | | 12 UJ | |
| Methyl butyl ketone | | 0 | 0% | | | 0 | 0 | 8 | 54 UJ | | 40 U | | 62 UJ | | 69 UJ | | 48 U | | 61 UJ | | 60 UJ | | 62 UJ | |
| Methyl chloride | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Methyl cyclohexane | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Methyl ethyl ketone | UG/KG | 0 | 0% | TAGM 4046 | 300 | 0 | 0 | 8 | 54 UJ | | 40 U | | 62 UJ | | 69 UJ | | 48 U | | 61 UJ | | 60 UJ | | 62 UJ | |
| Methyl isobutyl ketone | UG/KG | 0 | 0% | TAGM 4046 | 1000 | 0 | 0 | 8 | 54 UJ | | 40 U | | 62 UJ | | 69 UJ | | 48 U | | 61 UJ | | 60 UJ | | 62 UJ | |
| Methyl Tertbutyl Ether | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Methylene Chloride | UG/KG | 0 | 0% | TAGM 4046 | 100 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Ortho Xylene | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Styrene | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Tetrachloroethene | UG/KG | 0 | 0% | TAGM 4046 | 1400 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Toluene | UG/KG | 7.4 | 63% | TAGM 4046 | 1500 | 0 | 5 | 8 | 2.0 J | | 2.3 J | | 12 UJ | | 7.4 J | | 7.2 J | | 5.7 J | | 12 UJ | | 12 UJ | |
| trans-1,2-Dichloroethene | UG/KG | 0 | 0% | TAGM 4046 | 300 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Trans-1,3-Dichloropropene | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Trichloroethene | UG/KG | 0 | 0% | TAGM 4046 | 700 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Trichlorofluoromethane | | 0 | 0% | | | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| Vinyl Chloride | UG/KG | 0 | 0% | TAGM 4046 | 200 | 0 | 0 | 8 | 11 UJ | | 8.1 U | | 12 UJ | | 14 UJ | | 9.6 U | | 12 UJ | | 12 UJ | | 12 UJ | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Total Organic Carbon | | 31000 | 100% | | | 0 | 8 | 8 | 31000 J | | 30000 J | | 11000 J | | 27000 J | | 18000 J | | 22000 J | | 29000 J | | 22000 J | |

Building 813/814 Test Pit VOC Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| LOCATION ID | | | | | | | | | | TP813-1T | | TP813-2T | | TP813-3T | | TP813-3T (D) | | TP813-4F | | TP813-5F | | TP813-6F | | TP813-7T | | TP813-8T | |
|---------------------------|-------|---------|------------------------|---------------|--------------|-----------------------|----------------------|--------------------|--|-----------|-----|-----------|-----|-----------|-----|--------------|-----|------------|-----|------------|-----|------------|-----|------------|-----|------------|-----|
| MATRIX | | | | | | | | | | SOIL | | SOIL | | SOIL | | SOIL | | SOIL | | SOIL | | SOIL | | SOIL | | SOIL | |
| SAMPLE ID | | | | | | | | | | 123682 | | 123683 | | 123684 | | 123686 | | 123688 | | 123689 | | 123691 | | 123692 | | 123693 | |
| TOP OF SAMPLE | | | | | | | | | | 7 | | 7 | | 6 | | 6 | | 4 | | 3 | | 3 | | 5 | | 5 | |
| BOTTOM OF SAMPLE | | | | | | | | | | 7.5 | | 7.5 | | 6.5 | | 6.5 | | 5 | | 4 | | 4 | | 6 | | 6 | |
| SAMPLE DATE | | | | | | | | | | 11/3/2004 | | 11/3/2004 | | 11/3/2004 | | 11/3/2004 | | 11/10/2004 | | 11/10/2004 | | 11/10/2004 | | 11/10/2004 | | 11/11/2004 | |
| QC CODE | | | | | | | | | | SA | | SA | | SA | | DU | | SA | | SA | | SA | | SA | | SA | |
| STUDY ID | | | | | | | | | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Parameter | Unit | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detections | Number of Analyses | | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) |
| 1,1,1-Trichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 800 | 0 | 0 | 15 | | 0.18 | UJ | 0.22 | UJ | 56 | U | 0.18 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| 1,1,2,2-Tetrachloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 600 | 0 | 0 | 15 | | 0.35 | UJ | 71 | UJ | 68 | U | 0.36 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| 1,1,2-Trichloroethane | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | | 0.33 | UJ | 0.42 | UJ | 71 | U | 0.34 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| 1,1-Dichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 200 | 0 | 0 | 15 | | 0.23 | UJ | 0.29 | UJ | 30 | U | 0.24 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| 1,1-Dichloroethene | µg/Kg | 3.2 | 13% | TAGM 4046 | 400 | 0 | 2 | 15 | | 0.14 | UJ | 0.18 | UJ | 3.2 | J | 1.3 | J | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| 1,2-Dichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 100 | 0 | 0 | 15 | | 2.0 | UJ | 2.5 | UJ | 44 | U | 2.1 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| 1,2-Dichloropropane | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | | 0.22 | UJ | 0.28 | UJ | 44 | U | 0.23 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Acetone | µg/Kg | 32 | 13% | TAGM 4046 | 200 | 0 | 2 | 15 | | 4.9 | UJ | 6.1 | UJ | 450 | U | 5.1 | U | 2000 | U | 2000 | U | 1600 | U | 1800 | U | 2300 | U |
| Benzene | µg/Kg | 0 | 0% | TAGM 4046 | 60 | 0 | 0 | 15 | | 0.13 | UJ | 0.17 | UJ | 33 | U | 0.14 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Bromodichloromethane | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | | 0.22 | UJ | 0.27 | UJ | 48 | UJ | 0.23 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Bromoform | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | | 0.20 | UJ | 0.25 | UJ | 35 | U | 0.20 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Carbon Disulfide | µg/Kg | 6.6 | 7% | TAGM 4046 | 2700 | 0 | 1 | 15 | | 0.07 | UJ | 6.6 | J | 54 | U | 0.07 | UJ | 1000 | U | 980 | U | 780 | U | 880 | U | 1200 | U |
| Carbon Tetrachloride | µg/Kg | 0 | 0% | TAGM 4046 | 600 | 0 | 0 | 15 | | 0.19 | UJ | 0.24 | UJ | 65 | U | 0.20 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Chlorobenzene | µg/Kg | 0 | 0% | TAGM 4046 | 1700 | 0 | 0 | 15 | | 0.23 | UJ | 0.29 | UJ | 51 | U | 0.24 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Chlorodibromomethane | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | | 0.19 | UJ | 0.24 | UJ | 52 | U | 0.20 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Chloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 1900 | 0 | 0 | 15 | | 0.34 | UJ | 0.43 | UJ | 120 | U | 0.36 | UJ | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Chloroform | µg/Kg | 1.6 | 13% | TAGM 4046 | 300 | 0 | 2 | 15 | | 0.16 | UJ | 0.19 | UJ | 1.6 | J | 0.16 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| cis-1,2-Dichloroethene | µg/Kg | 2800 | 47% | | | 0 | 7 | 15 | | 13 | J | 19 | J | 21 | | 9.1 | | 510 | U | 490 | U | 390 | U | 2800 | | 590 | U |
| cis-1,3-Dichloropropene | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | | 0.13 | UJ | 0.16 | UJ | 21 | U | 0.13 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Ethyl Benzene | µg/Kg | 0 | 0% | TAGM 4046 | 5500 | 0 | 0 | 15 | | 0.16 | UJ | 0.20 | UJ | 56 | U | 0.17 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Meta/Para Xylene | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | | 0.34 | UJ | 0.42 | UJ | 130 | U | 0.35 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Methyl bromide | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | | 0.46 | UJ | 0.58 | UJ | 110 | U | 0.48 | UJ | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Methyl butyl ketone | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | | 2.1 | UJ | 2.6 | UJ | 91 | U | 2.2 | U | 1000 | U | 980 | U | 780 | U | 880 | U | 1200 | U |
| Methyl chloride | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | | 0.22 | UJ | 0.27 | UJ | 94 | U | 0.22 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Methyl ethyl ketone | µg/Kg | 4.5 | 7% | TAGM 4046 | 300 | 0 | 1 | 15 | | 1.5 | UJ | 1.9 | UJ | 390 | U | 1.5 | U | 1000 | U | 980 | U | 780 | U | 880 | U | 1200 | U |
| Methyl isobutyl ketone | µg/Kg | 0 | 0% | TAGM 4046 | 1000 | 0 | 0 | 15 | | 1.6 | UJ | 2.0 | UJ | 180 | U | 1.6 | U | 1000 | U | 980 | U | 780 | U | 880 | U | 1200 | U |
| Methylene Chloride | µg/Kg | 0 | 0% | TAGM 4046 | 100 | 0 | 0 | 15 | | 0.44 | UJ | 0.56 | UJ | 85 | U | 0.46 | UJ | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Ortho Xylene | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | | 0.28 | UJ | 0.35 | UJ | 50 | U | 0.29 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Styrene | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | | 0.20 | UJ | 0.26 | UJ | 47 | U | 0.21 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Tetrachloroethene | µg/Kg | 3.2 | 7% | TAGM 4046 | 1400 | 0 | 1 | 15 | | 0.42 | UJ | 0.52 | UJ | 45 | UJ | 0.43 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Toluene | µg/Kg | 100 | 7% | TAGM 4046 | 1500 | 0 | 1 | 15 | | 0.17 | UJ | 0.21 | UJ | 53 | U | 0.18 | U | 510 | U | 490 | U | 100 | J | 440 | U | 590 | U |
| trans-1,2-Dichloroethene | µg/Kg | 0 | 0% | TAGM 4046 | 300 | 0 | 0 | 15 | | 0.24 | UJ | 0.30 | UJ | 71 | U | 0.25 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| trans-1,3-Dichloropropene | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | | 0.17 | UJ | 0.21 | UJ | 58 | U | 0.17 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| Trichoroethene | µg/Kg | 65000 | 87% | TAGM 4046 | 700 | 9 | 13 | 15 | | 11000 | | 7000 | | 60000 | | 65000 | | 540 | U | 160 | J | 590 | | 1200 | | 1100 | |
| Vinyl Chloride | µg/Kg | 1.5 | 7% | TAGM 4046 | 200 | 0 | 1 | 15 | | 0.15 | UJ | 0.19 | UJ | 37 | U | 0.16 | U | 510 | U | 490 | U | 390 | U | 440 | U | 590 | U |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Percent Solids | % | 89.1 | 73% | | | 0 | 11 | 15 | | | | | | | | | | 85.5 | | 84.3 | | 84.4 | | 86.7 | | 85.2 | |
| Total Organic Carbon | mg/Kg | 5420 | 13% | | | 0 | 2 | 15 | | | | | | | | | | | | 4120 | | 5420 | | | | | |

Building 813/814 Test Pit VOC Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------|---------|------------------------|---------------|--------------|-----------------------|----------------------|--------------------|------------|-----|------------|-----|------------|-----|------------|-----|------------|---------------|-------|-----|
| LOCATION ID | | | | | | | | | TP813-9T | | TP813-10F | | TP813-11F | | TP813-12F | | TP813-13F | TP813-13F (D) | | |
| MATRIX | | | | | | | | | SOIL | | SOIL | | SOIL | | SOIL | | SOIL | SOIL | | |
| SAMPLE ID | | | | | | | | | 123694 | | 123701 | | 123702 | | 123703 | | 123704 | 123705 | | |
| TOP OF SAMPLE | | | | | | | | | 5 | | 4 | | 3 | | 2 | | 3 | 3 | | |
| BOTTOM OF SAMPLE | | | | | | | | | 6 | | 5 | | 4 | | 3 | | 4 | 4 | | |
| SAMPLE DATE | | | | | | | | | 11/11/2004 | | 12/21/2004 | | 12/21/2004 | | 12/21/2004 | | 12/21/2004 | 12/21/2004 | | |
| QC CODE | | | | | | | | | SA | | SA | | SA | | SA | | SA | DU | | |
| STUDY ID | | | | | | | | | SRI | | SRI | | SRI | | SRI | | SRI | SRI | | |
| | | | | | | | | | | | | | | | | | | | | |
| Parameter | Unit | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detections | Number of Analyses | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) | Value | (Q) |
| 1,1,1-Trichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 800 | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| 1,1,2,2-Tetrachloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 600 | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| 1,1,2-Trichloroethane | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| 1,1-Dichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 200 | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| 1,1-Dichloroethene | µg/Kg | 3.2 | 13% | TAGM 4046 | 400 | 0 | 2 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| 1,2-Dichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 100 | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| 1,2-Dichloropropane | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Acetone | µg/Kg | 32 | 13% | TAGM 4046 | 200 | 0 | 2 | 15 | 1700 | U | 16 | U | 4.3 | J | 32 | | 17 | U | 18 | U |
| Benzene | µg/Kg | 0 | 0% | TAGM 4046 | 60 | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Bromodichloromethane | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Bromoform | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Carbon Disulfide | µg/Kg | 6.6 | 7% | TAGM 4046 | 2700 | 0 | 1 | 15 | 860 | U | 8.1 | U | 3.2 | U | 9.9 | U | 8.6 | U | 9.1 | U |
| Carbon Tetrachloride | µg/Kg | 0 | 0% | TAGM 4046 | 600 | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Chlorobenzene | µg/Kg | 0 | 0% | TAGM 4046 | 1700 | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Chlorodibromomethane | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Chloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 1900 | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Chloroform | µg/Kg | 1.6 | 13% | TAGM 4046 | 300 | 0 | 2 | 15 | 430 | U | 4 | U | 1.6 | U | 1.4 | J | 4.3 | U | 4.5 | U |
| cis-1,2-Dichloroethene | µg/Kg | 2800 | 47% | | | 0 | 7 | 15 | 430 | U | 4 | U | 1.5 | J | 4.9 | J | 4.3 | U | 4.5 | U |
| cis-1,3-Dichloropropene | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Ethyl Benzene | µg/Kg | 0 | 0% | TAGM 4046 | 5500 | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Meta/Para Xylene | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Methyl bromide | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Methyl butyl ketone | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | 860 | U | 8.1 | UJ | 3.2 | UJ | 9.9 | UJ | 8.6 | UJ | 9.1 | UJ |
| Methyl chloride | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Methyl ethyl ketone | µg/Kg | 4.5 | 7% | TAGM 4046 | 300 | 0 | 1 | 15 | 860 | U | 8.1 | UJ | 3.2 | UJ | 4.5 | J | 8.6 | UJ | 9.1 | UJ |
| Methyl isobutyl ketone | µg/Kg | 0 | 0% | TAGM 4046 | 1000 | 0 | 0 | 15 | 860 | U | 8.1 | UJ | 3.2 | UJ | 9.9 | UJ | 8.6 | UJ | 9.1 | UJ |
| Methylene Chloride | µg/Kg | 0 | 0% | TAGM 4046 | 100 | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Ortho Xylene | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Styrene | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Tetrachloroethene | µg/Kg | 3.2 | 7% | TAGM 4046 | 1400 | 0 | 1 | 15 | 430 | U | 3.2 | J | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Toluene | µg/Kg | 100 | 7% | TAGM 4046 | 1500 | 0 | 1 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| trans-1,2-Dichloroethene | µg/Kg | 0 | 0% | TAGM 4046 | 300 | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| trans-1,3-Dichloropropene | µg/Kg | 0 | 0% | | | 0 | 0 | 15 | 430 | U | 4 | U | 1.6 | U | 4.9 | U | 4.3 | U | 4.5 | U |
| Trichoroethene | µg/Kg | 65000 | 87% | TAGM 4046 | 700 | 9 | 13 | 15 | 1400 | | 4800 | J | 11 | | 1000 | J | 1.3 | J | 4.5 | U |
| Vinyl Chloride | µg/Kg | 1.5 | 7% | TAGM 4046 | 200 | 0 | 1 | 15 | 430 | U | 4 | U | 1.5 | J | 4.9 | U | 4.3 | U | 4.5 | U |
| | | | | | | | | | | | | | | | | | | | | |
| Percent Solids | % | 89.1 | 73% | | | 0 | 11 | 15 | 84 | | 81 | | 80.7 | | 77.3 | | 89.1 | | 87.9 | |
| Total Organic Carbon | mg/Kg | 5420 | 13% | | | 0 | 2 | 15 | | | | | | | | | | | | |

Building 813/814 Stockpile VOC Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------|---------|--------------|-----------|--------|-------------|-----------|-----------|-----------|--|------------|--|-----------|--|-----------|--|-----------|--|-----------|--|
| LOCATION ID | | | | | | | | | SP813-1 | | SP813-2 | | SP813-3 | | SP813-3 | | SP813-4 | | SP813-5 | |
| MATRIX | | | | | | | | | SOIL | | SOIL | | SOIL | | SOIL | | SOIL | | SOIL | |
| SAMPLE ID | | | | | | | | | 123685 | | 123687 | | 123695 | | 123696 | | 123697 | | 123698 | |
| TOP OF SAMPLE | | | | | | | | | N/A | | N/A | | N/A | | N/A | | N/A | | N/A | |
| BOTTOM OF SAMPLE | | | | | | | | | N/A | | N/A | | N/A | | N/A | | N/A | | N/A | |
| SAMPLE DATE | | | | | | | | | 11/3/2004 | | 11/10/2004 | | 12/9/2004 | | 12/9/2004 | | 12/9/2004 | | 12/9/2004 | |
| QC CODE | | | | | | | | | SA | | SA | | SA | | DU | | SA | | SA | |
| STUDY ID | | | | | | | | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | |
| | | | Frequency of | Criteria | Action | Number of | Number of | Number of | | | | | | | | | | | | |
| Parameter | Units | Maximum | Detection | Type | Level | Exceedances | Detect | Analyses | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | |
| 1,1,1-Trichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 800 | 0 | 0 | 18 | 0.23 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| 1,1,2,2-Tetrachloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 600 | 0 | 0 | 18 | 0.46 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| 1,1,2-Trichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 0.44 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| 1,1-Dichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 200 | 0 | 0 | 18 | 0.3 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| 1,1-Dichloroethene | µg/Kg | 0.65 | 6% | TAGM 4046 | 400 | 0 | 1 | 18 | 0.19 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| 1,2-Dichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 100 | 0 | 0 | 18 | 2.7 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| 1,2-Dichloropropane | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 0.29 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Acetone | µg/Kg | 3.8 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 6.4 UJ | | 2700 U | | 18 U | | 19 U | | 19 U | | 17 U | |
| Benzene | µg/Kg | 0 | 0% | TAGM 4046 | 60 | 0 | 0 | 18 | 0.17 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Bromodichloromethane | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 0.29 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Bromoform | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 0.26 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Carbon Disulfide | µg/Kg | 1 | 11% | TAGM 4046 | 2700 | 0 | 2 | 18 | 0.09 UJ | | 1400 U | | 8.8 U | | 9.5 U | | 9.6 U | | 8.4 U | |
| Carbon Tetrachloride | µg/Kg | 0 | 0% | TAGM 4046 | 600 | 0 | 0 | 18 | 0.26 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Chlorobenzene | µg/Kg | 0 | 0% | TAGM 4046 | 1700 | 0 | 0 | 18 | 0.3 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Chlorodibromomethane | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 0.25 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Chloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 1900 | 0 | 0 | 18 | 0.45 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Chloroform | µg/Kg | 0 | 0% | TAGM 4046 | 300 | 0 | 0 | 18 | 0.2 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| cis-1,2-Dichloroethene | µg/Kg | 20 | 28% | TAGM 4046 | | 0 | 5 | 18 | 3.3 J | | 680 U | | 2.4 J | | 2.6 J | | 1.7 J | | 4.2 U | |
| cis-1,3-Dichloropropene | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 0.17 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Ethyl Benzene | µg/Kg | 80 | 17% | TAGM 4046 | 5500 | 0 | 3 | 18 | 0.21 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Meta/Para Xylene | µg/Kg | 150 | 6% | TAGM 4046 | | 0 | 1 | 18 | 0.44 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Methyl bromide | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 0.61 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Methyl butyl ketone | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 2.8 UJ | | 1400 U | | 8.8 UJ | | 9.5 UJ | | 9.6 UJ | | 8.4 UJ | |
| Methyl chloride | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 0.28 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Methyl ethyl ketone | µg/Kg | 0 | 0% | TAGM 4046 | 300 | 0 | 0 | 18 | 2 UJ | | 1400 U | | 8.8 UJ | | 9.5 UJ | | 9.6 UJ | | 8.4 UJ | |
| Methyl isobutyl ketone | µg/Kg | 0 | 0% | TAGM 4046 | 1000 | 0 | 0 | 18 | 2.1 UJ | | 1400 U | | 8.8 UJ | | 9.5 UJ | | 9.6 UJ | | 8.4 UJ | |
| Methylene Chloride | µg/Kg | 950 | 11% | TAGM 4046 | 100 | 1 | 2 | 18 | 0.59 UJ | | 950 | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Ortho Xylene | µg/Kg | 42 | 11% | TAGM 4046 | | 0 | 2 | 18 | 0.37 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Styrene | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 0.27 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Tetrachloroethene | µg/Kg | 1.7 | 6% | TAGM 4046 | 1400 | 0 | 1 | 18 | 0.55 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Toluene | µg/Kg | 210 | 6% | TAGM 4046 | 1500 | 0 | 1 | 18 | 0.22 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| trans-1,2-Dichloroethene | µg/Kg | 1.3 | 6% | TAGM 4046 | 300 | 0 | 1 | 18 | 0.32 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Trans-1,3-Dichloropropene | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 0.22 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |
| Trichloroethene | µg/Kg | 28000 | 94% | TAGM 4046 | 700 | 7 | 17 | 18 | 28000 | | 1500 | | 3100 | | 190 | | 110 | | 9.3 | |
| Vinyl Chloride | µg/Kg | 7.4 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 0.2 UJ | | 680 U | | 4.4 U | | 4.8 U | | 4.8 U | | 4.2 U | |

Building 813/814 Stockpile VOC Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------|---------|------------------------|---------------|--------------|-----------------------|------------------|--------------------|-----------|--|-----------|--|------------|--|-----------|--|-----------|--|-----------|--|
| LOCATION ID | | | | | | | | | SP813-6 | | SP813-7 | | SP813-8 | | SP813-9 | | SP813-10 | | SP813-11 | |
| MATRIX | | | | | | | | | SOIL | | SOIL | | SOIL | | SOIL | | SOIL | | SOIL | |
| SAMPLE ID | | | | | | | | | 123699 | | 123700 | | 123706 | | 123659 | | 123660 | | 123661 | |
| TOP OF SAMPLE | | | | | | | | | N/A | | N/A | | N/A | | N/A | | N/A | | N/A | |
| BOTTOM OF SAMPLE | | | | | | | | | N/A | | N/A | | N/A | | N/A | | N/A | | N/A | |
| SAMPLE DATE | | | | | | | | | 12/9/2004 | | 12/9/2004 | | 12/21/2004 | | 7/22/2005 | | 7/22/2005 | | 7/22/2005 | |
| QC CODE | | | | | | | | | SA | | SA | | SA | | SA | | SA | | SA | |
| STUDY ID | | | | | | | | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | |
| | | | | | | | | | | | | | | | | | | | | |
| Parameter | Units | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detect | Number of Analyses | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | |
| 1,1,1-Trichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 800 | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| 1,1,2,2-Tetrachloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 600 | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| 1,1,2-Trichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| 1,1-Dichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 200 | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| 1,1-Dichloroethene | µg/Kg | 0.65 | 6% | TAGM 4046 | 400 | 0 | 1 | 18 | 5.2 U | | 390 U | | 0.65 J | | 520 U | | 420 U | | 480 U | |
| 1,2-Dichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 100 | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| 1,2-Dichloropropane | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| Acetone | µg/Kg | 3.8 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 21 U | | 1500 U | | 3.8 J | | 340 U | | 1700 U | | 1900 U | |
| Benzene | µg/Kg | 0 | 0% | TAGM 4046 | 60 | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| Bromodichloromethane | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| Bromoform | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| Carbon Disulfide | µg/Kg | 1 | 11% | TAGM 4046 | 2700 | 0 | 2 | 18 | 10 U | | 770 U | | 1 J | | 1000 U | | 830 U | | 960 U | |
| Carbon Tetrachloride | µg/Kg | 0 | 0% | TAGM 4046 | 600 | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| Chlorobenzene | µg/Kg | 0 | 0% | TAGM 4046 | 1700 | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| Chlorodibromomethane | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| Chloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 1900 | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| Chloroform | µg/Kg | 0 | 0% | TAGM 4046 | 300 | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| cis-1,2-Dichloroethene | µg/Kg | 20 | 28% | TAGM 4046 | | 0 | 5 | 18 | 5.4 U | | 390 U | | 20 | | 520 U | | 420 U | | 480 U | |
| cis-1,3-Dichloropropene | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| Ethyl Benzene | µg/Kg | 80 | 17% | TAGM 4046 | 5500 | 0 | 3 | 18 | 5.2 U | | 390 U | | 1.7 U | | 33 J | | 80 J | | 480 U | |
| Meta/Para Xylene | µg/Kg | 150 | 6% | TAGM 4046 | | 0 | 1 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| Methyl bromide | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| Methyl butyl ketone | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 10 UJ | | 770 U | | 3.3 UJ | | 1000 U | | 830 U | | 960 U | |
| Methyl chloride | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| Methyl ethyl ketone | µg/Kg | 0 | 0% | TAGM 4046 | 300 | 0 | 0 | 18 | 10 UJ | | 770 U | | 3.3 UJ | | 1000 UJ | | 830 UJ | | 960 UJ | |
| Methyl isobutyl ketone | µg/Kg | 0 | 0% | TAGM 4046 | 1000 | 0 | 0 | 18 | 10 UJ | | 770 U | | 3.3 UJ | | 1000 UJ | | 830 UJ | | 960 UJ | |
| Methylene Chloride | µg/Kg | 950 | 11% | TAGM 4046 | 100 | 1 | 2 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| Ortho Xylene | µg/Kg | 42 | 11% | TAGM 4046 | | 0 | 2 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 31 J | | 480 U | |
| Styrene | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| Tetrachloroethene | µg/Kg | 1.7 | 6% | TAGM 4046 | 1400 | 0 | 1 | 18 | 5.2 U | | 390 U | | 1.7 J | | 520 U | | 420 U | | 480 U | |
| Toluene | µg/Kg | 210 | 6% | TAGM 4046 | 1500 | 0 | 1 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| trans-1,2-Dichloroethene | µg/Kg | 1.3 | 6% | TAGM 4046 | 300 | 0 | 1 | 18 | 5.2 U | | 390 U | | 1.3 J | | 520 U | | 420 U | | 480 U | |
| Trans-1,3-Dichloropropene | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 5.2 U | | 390 U | | 1.7 U | | 520 U | | 420 U | | 480 U | |
| Trichloroethene | µg/Kg | 28000 | 94% | TAGM 4046 | 700 | 7 | 17 | 18 | 7400 J | | 1700 | | 18000 J | | 160 J | | 110 J | | 410 J | |
| Vinyl Chloride | µg/Kg | 7.4 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 5.2 U | | 390 U | | 7.4 | | 520 U | | 420 U | | 480 U | |

Building 813/814 Stockpile VOC Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------|---------|------------------------|---------------|--------------|-----------------------|------------------|--------------------|-----------|--|-----------|--|-----------|--|-----------|--|-----------|--|------------|--|
| LOCATION ID | | | | | | | | | SP813-12 | | SP813-13 | | SP813-14 | | SP813-15 | | SP813-16 | | SP813-17 | |
| MATRIX | | | | | | | | | SOIL | | SOIL | | SOIL | | SOIL | | SOIL | | SOIL | |
| SAMPLE ID | | | | | | | | | 123662 | | 123663 | | 123664 | | 123665 | | 123666 | | 123667 | |
| TOP OF SAMPLE | | | | | | | | | N/A | | N/A | | N/A | | N/A | | N/A | | N/A | |
| BOTTOM OF SAMPLE | | | | | | | | | N/A | | N/A | | N/A | | N/A | | N/A | | N/A | |
| SAMPLE DATE | | | | | | | | | 7/22/2005 | | 7/22/2005 | | 7/22/2005 | | 7/22/2005 | | 7/22/2005 | | 11/28/2005 | |
| QC CODE | | | | | | | | | SA | | SA | | SA | | SA | | SA | | SA | |
| STUDY ID | | | | | | | | | SRI | | SRI | | SRI | | SRI | | SRI | | SRI | |
| | | | | | | | | | | | | | | | | | | | | |
| Parameter | Units | Maximum | Frequency of Detection | Criteria Type | Action Level | Number of Exceedances | Number of Detect | Number of Analyses | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | | Value (Q) | |
| 1,1,1-Trichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 800 | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| 1,1,2,2-Tetrachloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 600 | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| 1,1,2-Trichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| 1,1-Dichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 200 | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| 1,1-Dichloroethene | µg/Kg | 0.65 | 6% | TAGM 4046 | 400 | 0 | 1 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| 1,2-Dichloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 100 | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| 1,2-Dichloropropane | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Acetone | µg/Kg | 3.8 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 2300 U | | 2100 U | | 1900 U | | 2700 U | | 1900 U | | 18 U | |
| Benzene | µg/Kg | 0 | 0% | TAGM 4046 | 60 | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Bromodichloromethane | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Bromoform | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Carbon Disulfide | µg/Kg | 1 | 11% | TAGM 4046 | 2700 | 0 | 2 | 18 | 1200 U | | 1000 U | | 930 U | | 1300 U | | 970 U | | 0.48 J | |
| Carbon Tetrachloride | µg/Kg | 0 | 0% | TAGM 4046 | 600 | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Chlorobenzene | µg/Kg | 0 | 0% | TAGM 4046 | 1700 | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Chlorodibromomethane | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Chloroethane | µg/Kg | 0 | 0% | TAGM 4046 | 1900 | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Chloroform | µg/Kg | 0 | 0% | TAGM 4046 | 300 | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| cis-1,2-Dichloroethene | µg/Kg | 20 | 28% | TAGM 4046 | | 0 | 5 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| cis-1,3-Dichloropropene | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Ethyl Benzene | µg/Kg | 80 | 17% | TAGM 4046 | 5500 | 0 | 3 | 18 | 580 U | | 54 J | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Meta/Para Xylene | µg/Kg | 150 | 6% | TAGM 4046 | | 0 | 1 | 18 | 580 U | | 150 J | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Methyl bromide | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Methyl butyl ketone | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 1200 U | | 1000 U | | 930 U | | 1300 U | | 970 U | | 9.2 U | |
| Methyl chloride | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Methyl ethyl ketone | µg/Kg | 0 | 0% | TAGM 4046 | 300 | 0 | 0 | 18 | 1200 UJ | | 1000 UJ | | 930 UJ | | 1300 UJ | | 970 UJ | | 9.2 U | |
| Methyl isobutyl ketone | µg/Kg | 0 | 0% | TAGM 4046 | 1000 | 0 | 0 | 18 | 1200 UJ | | 1000 UJ | | 930 UJ | | 1300 UJ | | 970 UJ | | 9.2 U | |
| Methylene Chloride | µg/Kg | 950 | 11% | TAGM 4046 | 100 | 1 | 2 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 0.38 J | |
| Ortho Xylene | µg/Kg | 42 | 11% | TAGM 4046 | | 0 | 2 | 18 | 580 U | | 42 J | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Styrene | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Tetrachloroethene | µg/Kg | 1.7 | 6% | TAGM 4046 | 1400 | 0 | 1 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Toluene | µg/Kg | 210 | 6% | TAGM 4046 | 1500 | 0 | 1 | 18 | 580 U | | 210 J | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| trans-1,2-Dichloroethene | µg/Kg | 1.3 | 6% | TAGM 4046 | 300 | 0 | 1 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Trans-1,3-Dichloropropene | µg/Kg | 0 | 0% | TAGM 4046 | | 0 | 0 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |
| Trichloroethene | µg/Kg | 28000 | 94% | TAGM 4046 | 700 | 7 | 17 | 18 | 510 J | | 240 J | | 130 J | | 670 U | | 22000 J | | 3.4 J | |
| Vinyl Chloride | µg/Kg | 7.4 | 6% | TAGM 4046 | 200 | 0 | 1 | 18 | 580 U | | 520 U | | 470 U | | 670 U | | 490 U | | 4.6 U | |

EM-5 Soil Sample Radiological Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| LOCATION ID | | | | | | SS12-106 | | | SS12-107 | | | SS12-107 (D) | | | SS12-108 | | | SS12-109 | | | SS12-117 | | |
|------------------|-------|---------|------------------------|----------------------|--------------------|-----------|-----|-------------|-----------|-----|-------------|--------------|-----|-------------|-----------|-----|-------------|-----------|-----|-------------|-----------|-----|-------------|
| MATRIX | | | | | | SOIL | | | SOIL | | | SOIL | | | SOIL | | | SOIL | | | SOIL | | |
| SAMPLE ID | | | | | | 123677 | | | 123676 | | | 123681 | | | 123673 | | | 123672 | | | 123674 | | |
| TOP OF SAMPLE | | | | | | 0 | | | 0 | | | 0 | | | 0 | | | 0 | | | 0 | | |
| BOTTOM OF SAMPLE | | | | | | 0.2 | | | 0.2 | | | 0.2 | | | 0.2 | | | 0.2 | | | 0.2 | | |
| SAMPLE DATE | | | | | | 6/24/2004 | | | 6/24/2004 | | | 6/24/2004 | | | 6/24/2004 | | | 6/24/2004 | | | 6/24/2004 | | |
| QC CODE | | | | | | SA | | | SA | | | DU | | | SA | | | SA | | | SA | | |
| STUDY ID | | | | | | SRI | | | SRI | | | SRI | | | SRI | | | SRI | | | SRI | | |
| Parameter | Unit | Maximum | Frequency of Detection | Number of Detections | Number of Analyses | Value | (Q) | Uncertainty | Value | (Q) | Uncertainty | Value | (Q) | Uncertainty | Value | (Q) | Uncertainty | Value | (Q) | Uncertainty | Value | (Q) | Uncertainty |
| Actinium-228 | PCI/G | 0.962 | 100% | 11 | 11 | 0.784 | | 0.187 | 0.851 | | 0.228 | 0.844 | | 0.193 | 0.946 | | 0.194 | 0.779 | | 0.223 | 0.760 | | 0.204 |
| Americium-241 | PCI/G | 0 | 0% | 0 | 11 | 0.0239 | U | 0.113 | 0.0428 | U | 0.108 | 0.0153 | U | 0.123 | -0.0957 | U | 0.120 | 0.0531 | U | 0.0998 | -0.0298 | U | 0.103 |
| Antimony-124 | PCI/G | 0 | 0% | 0 | 11 | 0.0166 | U | 0.0211 | 0.0147 | U | 0.0232 | 0.0101 | U | 0.0228 | -0.0124 | U | 0.0213 | -0.00663 | U | 0.0287 | -0.0124 | U | 0.0247 |
| Antimony-125 | PCI/G | 0 | 0% | 0 | 11 | 0.0275 | U | 0.0455 | 0.0382 | U | 0.0549 | 0.00617 | U | 0.0496 | -0.037 | U | 0.0529 | 0.0128 | U | 0.0615 | -0.0538 | U | 0.064 |
| Barium-133 | PCI/G | 0 | 0% | 0 | 11 | -0.0106 | U | 0.0238 | 0.0107 | U | 0.0293 | 0.00336 | U | 0.0268 | 0.00497 | U | 0.0259 | 0.0014 | U | 0.0308 | -0.000114 | U | 0.0336 |
| Barium-140 | PCI/G | 0 | 0% | 0 | 11 | 0.0291 | U | 0.114 | 0.151 | U | 0.165 | 0.0373 | U | 0.110 | 0.058 | U | 0.161 | 0.113 | U | 0.159 | -0.0223 | U | 0.150 |
| Beryllium-7 | PCI/G | 0 | 0% | 0 | 11 | 0.138 | U | 0.153 | 0.021 | U | 0.186 | -0.0821 | U | 0.180 | 0.0871 | U | 0.170 | 0.0144 | U | 0.216 | 0.0661 | U | 0.213 |
| Bismuth-212 | PCI/G | 0.747 | 100% | 11 | 11 | 0.556 | | 0.216 | 0.572 | | 0.287 | 0.566 | | 0.434 | 0.287 | | 0.327 | 0.747 | | 0.326 | 0.484 | | 0.350 |
| Bismuth-214 | PCI/G | 0.867 | 100% | 11 | 11 | 0.773 | | 0.100 | 0.800 | | 0.127 | 0.754 | | 0.124 | 0.706 | | 0.106 | 0.787 | | 0.139 | 0.637 | | 0.114 |
| Cerium-139 | PCI/G | 0 | 0% | 0 | 11 | -0.00395 | U | 0.0147 | 0.00289 | U | 0.0167 | 0.00231 | U | 0.0169 | 0.00118 | U | 0.0158 | -0.00882 | U | 0.0193 | 0.00217 | U | 0.0186 |
| Cerium-141 | PCI/G | 0 | 0% | 0 | 11 | 0.00766 | U | 0.0355 | 0.0171 | U | 0.0386 | 0.0184 | U | 0.0341 | 0.0247 | U | 0.0453 | 0.054 | U | 0.0538 | 0.0311 | U | 0.0385 |
| Cerium-144 | PCI/G | 0 | 0% | 0 | 11 | -0.0462 | U | 0.098 | -0.0433 | U | 0.114 | -0.0166 | U | 0.111 | -0.0244 | U | 0.110 | -0.0427 | U | 0.130 | -0.012 | U | 0.123 |
| Cesium-134 | PCI/G | 0 | 0% | 0 | 11 | 0.00 | UJ | 0.0282 | 0.00 | UJ | 0.0334 | 0.00 | UJ | 0.0379 | 0.0406 | U | 0.0288 | 0.00335 | U | 0.034 | 0.045 | U | 0.0397 |
| Cesium-136 | PCI/G | 0 | 0% | 0 | 11 | 0.048 | U | 0.0496 | -0.00783 | U | 0.0631 | 0.00 | UJ | 0.112 | -0.0124 | U | 0.0533 | -0.0114 | U | 0.0672 | 0.0167 | U | 0.0674 |
| Cesium-137 | PCI/G | 0.522 | 82% | 9 | 11 | 0.102 | | 0.0312 | 0.399 | | 0.0595 | 0.440 | | 0.0566 | 0.324 | | 0.053 | 0.382 | | 0.0641 | 0.522 | | 0.0556 |
| Chromium-51 | PCI/G | 0 | 0% | 0 | 11 | -0.0313 | U | 0.166 | -0.0595 | U | 0.221 | 0.150 | U | 0.189 | 0.271 | U | 0.192 | 0.0206 | U | 0.234 | 0.124 | U | 0.236 |
| Cobalt-56 | PCI/G | 0 | 0% | 0 | 11 | 0.0141 | U | 0.0218 | 0.00667 | U | 0.0467 | -0.00981 | U | 0.0201 | -0.00477 | U | 0.0215 | 0.00696 | U | 0.0254 | 0.0292 | U | 0.0275 |
| Cobalt-57 | PCI/G | 0 | 0% | 0 | 11 | 0.00773 | U | 0.0125 | -0.00296 | U | 0.014 | -0.000322 | U | 0.0142 | 0.00419 | U | 0.0135 | 0.00397 | U | 0.0157 | -0.0066 | U | 0.0151 |
| Cobalt-58 | PCI/G | 0 | 0% | 0 | 11 | -0.00491 | U | 0.0203 | -0.00472 | U | 0.0233 | 0.0105 | U | 0.0198 | -0.00256 | U | 0.0232 | -0.00683 | U | 0.0225 | -0.00622 | U | 0.0243 |
| Cobalt-60 | PCI/G | 0 | 0% | 0 | 11 | 0.000928 | U | 0.0212 | 0.0093 | U | 0.0269 | 0.00727 | U | 0.0383 | 0.0107 | U | 0.023 | 0.000628 | U | 0.0282 | 0.0174 | U | 0.0285 |
| Europium-152 | PCI/G | 0 | 0% | 0 | 11 | -0.0291 | U | 0.0468 | -0.0133 | U | 0.0593 | -0.0493 | U | 0.0533 | -0.0218 | U | 0.0566 | 0.0348 | U | 0.0626 | -0.0599 | U | 0.0683 |
| Europium-154 | PCI/G | 0 | 0% | 0 | 11 | 0.057 | U | 0.072 | -0.0136 | U | 0.077 | 0.00815 | U | 0.0635 | -0.0285 | U | 0.0726 | -0.0119 | U | 0.0844 | 0.0326 | U | 0.0779 |
| Europium-155 | PCI/G | 0 | 0% | 0 | 11 | 0.0532 | U | 0.0829 | 0.0911 | U | 0.0579 | 0.0811 | U | 0.0833 | 0.0762 | U | 0.0787 | 0.0724 | U | 0.0665 | 0.00 | UJ | 0.104 |
| Iridium-192 | PCI/G | 0 | 0% | 0 | 11 | 0.00731 | U | 0.0162 | -0.00821 | U | 0.0207 | -0.00711 | U | 0.019 | 0.0237 | U | 0.0179 | 0.00221 | U | 0.0225 | 0.00172 | U | 0.0229 |
| Iron-59 | PCI/G | 0 | 0% | 0 | 11 | 0.00422 | U | 0.048 | 0.0117 | U | 0.0535 | -0.00572 | U | 0.0453 | -0.0298 | U | 0.0526 | 0.0374 | U | 0.0607 | -0.0591 | U | 0.0567 |
| Lead-210 | PCI/G | 0 | 0% | 0 | 11 | 3.46 | U | 4.13 | 3.11 | U | 2.97 | 1.56 | U | 4.49 | 1.88 | U | 6.59 | 1.60 | U | 2.71 | 2.64 | U | 5.05 |
| Lead-211 | PCI/G | 0 | 0% | 0 | 11 | 0.127 | U | 0.465 | -0.138 | U | 0.543 | -0.431 | U | 0.583 | -0.129 | U | 0.616 | 0.442 | U | 0.669 | 0.270 | U | 1.38 |
| Lead-212 | PCI/G | 0.966 | 100% | 11 | 11 | 0.856 | | 0.0961 | 0.948 | | 0.108 | 0.903 | | 0.0918 | 0.940 | | 0.113 | 0.775 | | 0.095 | 0.759 | | 0.0663 |
| Lead-214 | PCI/G | 0.932 | 100% | 11 | 11 | 0.843 | | 0.115 | 0.932 | | 0.145 | 0.855 | | 0.111 | 0.809 | | 0.118 | 0.885 | | 0.134 | 0.722 | | 0.120 |
| Manganese-54 | PCI/G | 0.0254 | 9% | 1 | 11 | -0.00636 | U | 0.0205 | 0.0227 | U | 0.0232 | -0.00566 | U | 0.0201 | 0.0227 | U | 0.0393 | 0.0207 | U | 0.0342 | 0.00675 | U | 0.0262 |
| Mercury-203 | PCI/G | 0 | 0% | 0 | 11 | -0.00858 | U | 0.0214 | 0.00996 | U | 0.0276 | 0.0203 | U | 0.021 | 0.0218 | U | 0.0282 | 0.0348 | U | 0.0351 | 0.029 | U | 0.0336 |
| Neodymium-147 | PCI/G | 0 | 0% | 0 | 11 | 0.00261 | U | 0.234 | -0.0883 | U | 0.281 | 0.0512 | U | 0.233 | 0.279 | U | 0.244 | 0.0788 | U | 0.303 | 0.306 | U | 0.315 |
| Neptunium-239 | PCI/G | 0 | 0% | 0 | 11 | -0.0178 | U | 0.0943 | 0.0389 | U | 0.107 | -0.00949 | U | 0.115 | -0.0648 | U | 0.105 | -0.0409 | U | 0.116 | -0.0769 | U | 0.113 |
| Niobium-94 | PCI/G | 0 | 0% | 0 | 11 | 0.00928 | U | 0.0177 | 0.0143 | U | 0.0244 | 0.0141 | U | 0.0175 | -0.0118 | U | 0.0178 | -0.0188 | U | 0.0212 | 0.0084 | U | 0.0244 |
| Niobium-95 | PCI/G | 0 | 0% | 0 | 11 | -0.0188 | U | 0.0248 | 0.0506 | U | 0.0384 | 0.0343 | U | 0.0256 | 0.0216 | U | 0.0299 | 0.0285 | U | 0.0332 | 0.0182 | U | 0.0328 |
| Potassium-40 | PCI/G | 27.6 | 100% | 11 | 11 | 21.8 | | 1.94 | 21.5 | | 1.91 | 23.0 | | 1.88 | 23.6 | | 2.02 | 20.1 | | 1.80 | 18.2 | | 1.14 |
| Promethium-144 | PCI/G | 0 | 0% | 0 | 11 | -0.00695 | U | 0.0175 | -0.000243 | U | 0.0221 | 0.00425 | U | 0.017 | -0.00283 | U | 0.0186 | 0.011 | U | 0.0219 | 0.00 | UJ | 0.0507 |
| Promethium-146 | PCI/G | 0 | 0% | 0 | 11 | 0.0227 | U | 0.0213 | -0.00604 | U | 0.0258 | -0.000593 | U | 0.025 | 0.0112 | U | 0.0241 | 0.00711 | U | 0.0301 | 0.0123 | U | 0.028 |
| Radium-226 | PCI/G | 0.867 | 100% | 11 | 11 | 0.773 | | 0.100 | 0.800 | | 0.127 | 0.754 | | 0.124 | 0.706 | | 0.106 | 0.787 | | 0.139 | 0.637 | | 0.114 |
| Radium-228 | PCI/G | 0.962 | 100% | 11 | 11 | 0.784 | | 0.187 | 0.851 | | 0.228 | 0.844 | | 0.193 | 0.946 | | 0.194 | 0.779 | | 0.223 | 0.760 | | 0.204 |
| Ruthenium-106 | PCI/G | 0 | 0% | 0 | 11 | 0.0306 | U | 0.162 | 0.0972 | U | 0.207 | 0.135 | U | 0.165 | 0.044 | U | 0.168 | 0.115 | U | 0.203 | 0.0861 | U | 0.199 |
| Silver-110m | PCI/G | 0 | 0% | 0 | 11 | -0.0236 | U | 0.0195 | 0.0014 | U | 0.0229 | 0.00231 | U | 0.0209 | 0.0108 | U | 0.0207 | 0.00223 | U | 0.0269 | 3.170E-05 | U | 0.0245 |
| Sodium-22 | PCI/G | 0 | 0% | 0 | 11 | 0.0203 | U | 0.0257 | -0.00748 | U | 0.0277 | 0.00295 | U | 0.0227 | -0.0102 | U | 0.026 | -0.00436 | U | 0.0301 | 0.0118 | U | 0.0279 |
| Thallium-208 | PCI/G | 0.327 | 100% | 11 | 11 | 0.327 | | 0.0513 | 0.245 | | 0.0484 | 0.255 | | 0.0423 | 0.283 | | 0.0527 | 0.310 | | 0.0547 | 0.251 | | 0.0595 |
| Thorium-230 | PCI/G | 0.867 | 100% | 11 | 11 | 0.773 | | 0.100 | 0.800 | | 0.127 | 0.754 | | 0.124 | 0.706 | | 0.106 | 0.787 | | 0.139 | 0.637 | | 0.114 |
| Thorium-234 | PCI/G | 0 | 0% | 0 | 11 | 0.954 | U | 1.05 | 0.640 | U | 1.13 | 0.453 | U | 1.20 | 1.04 | U | 1.46 | 0.266 | U | 1.44 | 0.164 | U | 1.27 |
| Tin-113 | PCI/G | 0 | 0% | 0 | 11 | -0.0184 | U | 0.0215 | -0.0165 | U | 0.0276 | 0.0162 | U | 0.0232 | 0.00428 | U | 0.0248 | -0.0176 | U | 0.0277 | -0.0113 | U | 0.0303 |
| Uranium-235 | PCI/G | 0 | 0% | 0 | 11 | 0.0332 | U | 0.154 | 0.0834 | U | 0.186 | 0.0828 | U | 0.121 | 0.107 | U | 0.194 | 0.00 | UJ | 0.229 | 0.140 | U | 0.164 |
| Uranium-238 | PCI/G | 0 | 0% | 0 | 11 | 0.954 | U | 1.05 | 0.640 | U | 1.13 | 0.453 | U | 1.20 | 1.04 | U | 1.46 | 0.266 | U | 1.44 | 0.164 | U | 1.27 |
| Yttrium-88 | PCI/G | 0 | 0% | 0 | 11 | 0.00253 | U | 0.0168 | -0.0075 | U | 0.0236 | 0.0085 | U | 0.0177 | 0.0122 | U | 0.0185 | -0.00218 | U | 0.0233 | 0.010 | U | 0.0246 |
| Zinc-65 | PCI/G | 0 | 0% | 0 | 11 | -0.0907 | U | 0.0515 | 0.0219 | U | 0.0617 | 0.0115 | U | 0.0538 | 0.00679 | U | 0.0553 | -0.0264 | U | 0.073 | 0.0242 | U | 0.0643 |
| Zirconium-95 | PCI/G | 0 | 0% | 0 | 11 | 0.0328 | U | 0.0518 | 0.00339 | U | 0.0405 | 0.0271 | U | 0.0342 | 0.0274 | U | 0.038 | 0.0647 | U | 0.0457 | -0.00139 | U | 0.0457 |

EM-5 Soil Sample Radiological Results
SEAD-12 SRI
Seneca Army Depot Activity, Romulus, NY

| LOCATION ID | | | | | | SS12-118 | | | SS12-109 | | | SS12-120 | | | TP12-15A | | | TP12-15C | | |
|------------------|-------|---------|------------------------|----------------------|--------------------|-----------|-----|-------------|-----------|-----|-------------|-----------|-----|-------------|-----------|-----|-------------|-----------|-----|-------------|
| MATRIX | | | | | | SOIL | | | SOIL | | | SOIL | | | SOIL | | | SOIL | | |
| SAMPLE ID | | | | | | 123678 | | | 123670 | | | 123671 | | | 123675 | | | 123680 | | |
| TOP OF SAMPLE | | | | | | 0 | | | 0 | | | 0 | | | 3 | | | 0.5 | | |
| BOTTOM OF SAMPLE | | | | | | 0.2 | | | 0.2 | | | 0.2 | | | 3.5 | | | 0.8 | | |
| SAMPLE DATE | | | | | | 6/24/2004 | | | 6/24/2004 | | | 6/24/2004 | | | 6/24/2004 | | | 6/24/2004 | | |
| QC CODE | | | | | | SA | | | SA | | | SA | | | SA | | | SA | | |
| STUDY ID | | | | | | SRI | | | SRI | | | SRI | | | SRI | | | SRI | | |
| Parameter | Unit | Maximum | Frequency of Detection | Number of Detections | Number of Analyses | Value | (Q) | Uncertainty | Value | (Q) | Uncertainty | Value | (Q) | Uncertainty | Value | (Q) | Uncertainty | Value | (Q) | Uncertainty |
| Actinium-228 | PCI/G | 0.962 | 100% | 11 | 11 | 0.862 | | 0.198 | 0.962 | | 0.232 | 0.951 | | 0.245 | 0.946 | | 0.193 | 0.934 | | 0.203 |
| Americium-241 | PCI/G | 0 | 0% | 0 | 11 | 0.0133 | U | 0.0862 | 0.012 | U | 0.0825 | 0.0375 | U | 0.200 | -0.0257 | U | 0.0845 | -0.0156 | U | 0.0737 |
| Antimony-124 | PCI/G | 0 | 0% | 0 | 11 | -0.00984 | U | 0.0193 | 0.00784 | U | 0.0223 | -0.0233 | U | 0.0266 | 0.00494 | U | 0.0184 | 0.000192 | U | 0.0183 |
| Antimony-125 | PCI/G | 0 | 0% | 0 | 11 | -0.0144 | U | 0.052 | 0.0387 | U | 0.0511 | 0.0455 | U | 0.0724 | -0.018 | U | 0.0425 | -0.0219 | U | 0.0432 |
| Barium-133 | PCI/G | 0 | 0% | 0 | 11 | 0.00586 | U | 0.0229 | -0.0108 | U | 0.027 | -0.00194 | U | 0.0351 | -0.0101 | U | 0.0232 | -0.00994 | U | 0.0227 |
| Barium-140 | PCI/G | 0 | 0% | 0 | 11 | 0.0301 | U | 0.124 | -0.0256 | U | 0.122 | 0.0314 | U | 0.163 | -0.12 | U | 0.128 | -0.000504 | U | 0.110 |
| Beryllium-7 | PCI/G | 0 | 0% | 0 | 11 | -0.13 | U | 0.189 | -0.0218 | U | 0.1811 | -0.10 | U | 0.228 | 0.117 | U | 0.152 | 0.113 | U | 0.150 |
| Bismuth-212 | PCI/G | 0.747 | 100% | 11 | 11 | 0.641 | | 0.274 | 0.525 | | 0.255 | 0.470 | | 0.365 | 0.673 | | 0.226 | 0.568 | | 0.311 |
| Bismuth-214 | PCI/G | 0.867 | 100% | 11 | 11 | 0.867 | | 0.123 | 0.754 | | 0.116 | 0.641 | | 0.132 | 0.795 | | 0.114 | 0.701 | | 0.109 |
| Cerium-139 | PCI/G | 0 | 0% | 0 | 11 | -0.00412 | U | 0.0135 | -0.002135 | U | 0.0159 | 0.0108 | U | 0.0276 | 0.00448 | U | 0.0134 | 0.00522 | U | 0.0149 |
| Cerium-141 | PCI/G | 0 | 0% | 0 | 11 | -0.00805 | U | 0.0269 | 0.0269 | U | 0.0359 | 0.0705 | U | 0.0742 | 0.0115 | U | 0.0226 | 0.00224 | U | 0.0376 |
| Cerium-144 | PCI/G | 0 | 0% | 0 | 11 | -0.0155 | U | 0.094 | -0.0563 | U | 0.109 | -0.016 | U | 0.154 | -0.0709 | U | 0.0929 | -0.0239 | U | 0.0989 |
| Cesium-134 | PCI/G | 0 | 0% | 0 | 11 | 0.00 | UJ | 0.0385 | 0.0203 | UJ | 0.0464 | 0.00 | UJ | 0.0296 | 0.00 | UJ | 0.0308 | 0.00 | UJ | 0.0319 |
| Cesium-136 | PCI/G | 0 | 0% | 0 | 11 | -0.0218 | U | 0.0538 | -0.005312 | U | 0.0632 | -0.0564 | U | 0.0647 | 0.00595 | U | 0.0505 | -0.0318 | U | 0.0486 |
| Cesium-137 | PCI/G | 0.522 | 82% | 9 | 11 | 0.115 | | 0.0366 | 0.2322 | | 0.0474 | 0.367 | | 0.0684 | -0.00818 | U | 0.0187 | 0.0134 | U | 0.0196 |
| Chromium-51 | PCI/G | 0 | 0% | 0 | 11 | -0.0501 | U | 0.185 | 0.0802 | U | 0.200 | 0.145 | U | 0.252 | -0.047 | U | 0.161 | 0.173 | U | 0.222 |
| Cobalt-56 | PCI/G | 0 | 0% | 0 | 11 | -0.000664 | U | 0.0204 | 0.0273 | U | 0.0368 | -0.00152 | U | 0.0291 | 0.00292 | U | 0.0194 | -0.0247 | U | 0.0199 |
| Cobalt-57 | PCI/G | 0 | 0% | 0 | 11 | -0.00279 | U | 0.0112 | -0.00714 | U | 0.0133 | -0.00877 | U | 0.0192 | -0.00029 | U | 0.0116 | 0.00312 | U | 0.0121 |
| Cobalt-58 | PCI/G | 0 | 0% | 0 | 11 | -0.0102 | U | 0.0193 | 0.00458 | U | 0.0214 | -0.00481 | U | 0.0248 | 0.003 | U | 0.0188 | -0.0191 | U | 0.0194 |
| Cobalt-60 | PCI/G | 0 | 0% | 0 | 11 | 0.00353 | U | 0.0239 | -0.0125 | U | 0.024 | -0.00306 | U | 0.0257 | 0.000207 | U | 0.0196 | 0.00957 | U | 0.0201 |
| Europium-152 | PCI/G | 0 | 0% | 0 | 11 | -0.0408 | U | 0.0502 | -0.0413 | U | 0.0579 | 0.0208 | U | 0.0683 | 0.0146 | U | 0.0448 | 0.0437 | U | 0.0735 |
| Europium-154 | PCI/G | 0 | 0% | 0 | 11 | -0.0664 | U | 0.0737 | 0.004132 | U | 0.0732 | 0.0228 | U | 0.083 | -0.00739 | U | 0.127 | -0.00388 | U | 0.0655 |
| Europium-155 | PCI/G | 0 | 0% | 0 | 11 | 0.0288 | U | 0.0489 | 0.054 | U | 0.063 | 0.0247 | U | 0.0795 | 0.0273 | U | 0.0603 | 0.0328 | U | 0.0634 |
| Iridium-192 | PCI/G | 0 | 0% | 0 | 11 | 0.00245 | U | 0.0174 | 0.005826 | U | 0.0198 | -0.0172 | U | 0.0236 | -0.00038 | U | 0.0153 | -0.00647 | U | 0.0167 |
| Iron-59 | PCI/G | 0 | 0% | 0 | 11 | 0.00134 | U | 0.0484 | 0.02182 | U | 0.066 | 0.00275 | U | 0.061 | 0.0254 | U | 0.0506 | -0.0163 | U | 0.0469 |
| Lead-210 | PCI/G | 0 | 0% | 0 | 11 | 1.54 | U | 2.15 | 2.922 | U | 3.92 | 0.827 | U | 7.86 | 0.0728 | U | 2.07 | 1.64 | U | 2.25 |
| Lead-211 | PCI/G | 0 | 0% | 0 | 11 | 0.202 | U | 0.455 | 0.1023 | U | 0.610 | -0.62 | U | 0.792 | -0.373 | U | 0.503 | -0.133 | U | 0.462 |
| Lead-212 | PCI/G | 0.966 | 100% | 11 | 11 | 0.904 | | 0.0901 | 0.914 | | 0.0951 | 0.942 | | 0.112 | 0.966 | | 0.0903 | 0.918 | | 0.0896 |
| Lead-214 | PCI/G | 0.932 | 100% | 11 | 11 | 0.813 | | 0.108 | 0.813 | | 0.113 | 0.866 | | 0.137 | 0.883 | | 0.109 | 0.882 | | 0.112 |
| Manganese-54 | PCI/G | 0.0254 | 9% | 1 | 11 | 0.027 | U | 0.0298 | 0.01414 | U | 0.02843 | 0.0224 | U | 0.0252 | 0.000676 | U | 0.0191 | 0.0254 | | 0.0187 |
| Mercury-203 | PCI/G | 0 | 0% | 0 | 11 | 0.00751 | U | 0.0209 | 0.02333 | U | 0.0282 | -0.00041 | U | 0.0284 | 0.00 | UJ | 0.0256 | 0.0218 | U | 0.0261 |
| Neodymium-147 | PCI/G | 0 | 0% | 0 | 11 | 0.0322 | U | 0.278 | 0.01666 | U | 0.251 | -0.00576 | U | 0.331 | -0.12 | U | 0.232 | -0.169 | U | 0.230 |
| Neptunium-239 | PCI/G | 0 | 0% | 0 | 11 | -0.0514 | U | 0.0855 | -0.01749 | U | 0.0984 | 0.016 | U | 0.146 | 0.0341 | U | 0.0906 | 0.0102 | U | 0.0951 |
| Niobium-94 | PCI/G | 0 | 0% | 0 | 11 | 0.0201 | U | 0.0239 | 5.900E-05 | U | 0.0198 | -0.00871 | U | 0.0252 | 0.00326 | U | 0.0181 | 0.013 | U | 0.0167 |
| Niobium-95 | PCI/G | 0 | 0% | 0 | 11 | 0.0296 | U | 0.0582 | 0.0038 | U | 0.0295 | 0.0418 | U | 0.0379 | 0.0125 | U | 0.0248 | 0.0277 | U | 0.0255 |
| Potassium-40 | PCI/G | 27.6 | 100% | 11 | 11 | 24.5 | | 1.98 | 20.09 | | 1.75 | 20.3 | | 1.88 | 27.6 | | 2.09 | 26.4 | | 2.17 |
| Promethium-144 | PCI/G | 0 | 0% | 0 | 11 | 0.00256 | U | 0.0183 | -0.004 | U | 0.0198 | 0.00393 | U | 0.0253 | 0.00279 | U | 0.0172 | 0.0101 | U | 0.0194 |
| Promethium-146 | PCI/G | 0 | 0% | 0 | 11 | 0.0136 | U | 0.0229 | 0.0169 | U | 0.024 | 0.0412 | U | 0.032 | 0.00904 | U | 0.0208 | 0.00335 | U | 0.0207 |
| Radium-226 | PCI/G | 0.867 | 100% | 11 | 11 | 0.867 | | 0.123 | 0.754 | | 0.116 | 0.641 | | 0.132 | 0.795 | | 0.114 | 0.701 | | 0.109 |
| Radium-228 | PCI/G | 0.962 | 100% | 11 | 11 | 0.862 | | 0.198 | 0.962 | | 0.232 | 0.951 | | 0.245 | 0.946 | | 0.193 | 0.934 | | 0.203 |
| Ruthenium-106 | PCI/G | 0 | 0% | 0 | 11 | -0.0261 | U | 0.166 | -0.01654 | U | 0.190 | 0.00156 | U | 0.216 | 0.00541 | U | 0.150 | 0.131 | U | 0.155 |
| Silver-110m | PCI/G | 0 | 0% | 0 | 11 | -0.00274 | U | 0.0207 | 0.0182 | U | 0.0207 | -0.000367 | U | 0.0257 | -0.00662 | U | 0.0178 | -0.0114 | U | 0.0172 |
| Sodium-22 | PCI/G | 0 | 0% | 0 | 11 | -0.0258 | U | 0.0265 | -0.001373 | U | 0.0262 | 0.0082 | U | 0.0297 | -0.00271 | U | 0.0455 | -0.00132 | U | 0.0234 |
| Thallium-208 | PCI/G | 0.327 | 100% | 11 | 11 | 0.308 | | 0.0434 | 0.281 | | 0.0507 | 0.0592 | | 0.0592 | 0.321 | | 0.0506 | 0.276 | | 0.0431 |
| Thorium-230 | PCI/G | 0.867 | 100% | 11 | 11 | 0.867 | | 0.123 | 0.7539 | | 0.116 | 0.641 | | 0.132 | 0.795 | | 0.114 | 0.701 | | 0.109 |
| Thorium-234 | PCI/G | 0 | 0% | 0 | 11 | 0.650 | U | 1.04 | 0 | UJ | 1.33 | 1.45 | U | 1.91 | 0.868 | U | 1.02 | 0.256 | U | 0.920 |
| Tin-113 | PCI/G | 0 | 0% | 0 | 11 | 0.00024 | U | 0.0221 | 1.305 | U | 0.0282 | 0.0306 | U | 0.0326 | -0.00572 | U | 0.0197 | -0.0195 | U | 0.0213 |
| Uranium-235 | PCI/G | 0 | 0% | 0 | 11 | 0.0265 | U | 0.0954 | 0.127 | U | 0.164 | 0.00 | UJ | 0.296 | 0.0683 | U | 0.127 | 0.00922 | U | 0.155 |
| Uranium-238 | PCI/G | 0 | 0% | 0 | 11 | 0.650 | U | 1.04 | 0.00 | UJ | 1.33 | 1.45 | U | 1.91 | 0.868 | U | 1.02 | 0.256 | U | 0.920 |
| Yttrium-88 | PCI/G | 0 | 0% | 0 | 11 | -0.00392 | U | 0.0174 | -0.003045 | U | 0.0246 | -0.0113 | U | 0.0212 | 0.00 | UJ | 0.0168 | -0.00253 | U | 0.015 |
| Zinc-65 | PCI/G | 0 | 0% | 0 | 11 | -0.0131 | U | 0.0562 | -0.000501 | U | 0.058 | -0.0732 | U | 0.0748 | 0.00454 | U | 0.0562 | -0.0244 | U | 0.0535 |
| Zirconium-95 | PCI/G | 0 | 0% | 0 | 11 | 0.0335 | U | 0.0387 | 0.0294 | U | 0.0397 | 0.0218 | U | 0.0584 | 0.0151 | U | 0.0358 | -0.000387 | U | 0.0366 |

Appendix F

Laboratory Certifications And Groundwater Method Detection Limits

**Chemtech
Columbia Analytical Services (Rochester, NY)**

**NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER**

Antonia C. Novello, M.D., M.P.H., Dr.P.H.



Expires 12:01 AM April 01, 2006
Issued April 07, 2005

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. DIVYAJIT MEHTA
CHEMTECH CONSULTING GROUP
284 SHEFFIELD STREET
MOUNTAINSIDE NJ 07092 UNITED STATES

NY Lab Id No: 11376
EPA Lab Code:

is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES ANALYTICAL SERVICES PROTOCOL
All approved subcategories and/or analytes are listed below:

CLP PCB/Pesticides
CLP Semi-Volatile Organics
CLP Volatile Organics
CLP Inorganics

Serial No.: 26443

Property of the New York State Department of Health. Valid only at the address shown. Must be conspicuously posted. Valid certificates have a raised seal. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Antonia C. Novello, M.D., M.P.H., Dr.P.H.



Expires 12:01 AM April 01, 2006
Issued April 05, 2005

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. MICHAEL PERRY
COLUMBIA ANALYTICAL SERVICES
1 MUSTARD ST - STE 250
ROCHESTER NY 14609 UNITED STATES

NY Lab Id No: 10145
EPA Lab Code: NY00032

*is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES ANALYTICAL SERVICES PROTOCOL
All approved subcategories and/or analytes are listed below:*

CLP PCB/Pesticides
CLP Semi-Volatile Organics
CLP Volatile Organics
CLP Inorganics

Serial No.: 26394

Property of the New York State Department of Health. Valid only at the address shown. Must be conspicuously posted. Valid certificates have a raised seal. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify laboratory's accreditation status.



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/26/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 120001-TB | SDG No.: | S2781 |
| Lab Sample ID: | S2781-04 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060307.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 5/26/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 120001-TB | SDG No.: | S2781 |
| Lab Sample ID: | S2781-04 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 | Units: | mL |
| Soil Aliquot Vol: | | Soil Extract Vol: | uL |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060307.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 49.56 | 99 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 50.04 | 100 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 47.37 | 95 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 33875 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 213839 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 196461 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/26/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 120100 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-03 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060214.D | 1 | 6/2/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|----------------|--------------------------------|-------|-----------|----|------|-------|
| TARGETS | | | | | | |
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/26/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 120100 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-03 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060214.D | 1 | 6/2/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 44.04 | 88 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 44.54 | 89 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 46.74 | 93 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 38561 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 223602 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 197684 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/26/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122275 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-01 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060212.D | 1 | 6/2/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 4.0 | J | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/26/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122275 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-01 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060212.D | 1 | 6/2/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 38.17 | 76 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 42.56 | 85 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 41.53 | 83 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 45965 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 225413 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 206191 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

| | | | |
|---------------------------|----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 5/26/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122275MS | SDG No.: | S2781 |
| Lab Sample ID: | S2781-05MS | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060221.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|-----|--|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 41 | | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 40 | | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 37 | | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 36 | | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 38 | | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 41 | | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 39 | | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 39 | | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 230 | | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 42 | | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 44 | | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 41 | | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 42 | | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 39 | | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 41 | | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 41 | | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 280 | | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 47 | | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 48 | | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 43 | | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 43 | | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 44 | | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 46 | | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 45 | | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 44 | | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 44 | | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 47 | | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 240 | | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 42 | | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 36 | | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 40 | | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 44 | | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 5/26/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122275MS | SDG No.: | S2781 |
| Lab Sample ID: | S2781-05MS | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060221.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 140 | | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 47 | | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 42 | | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 33 | | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 42 | | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 42 | | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 85 | | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 44 | | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 42 | | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 46 | | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 43 | | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 52 | | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 43 | | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 42 | | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 44 | | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 47 | | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 41 | | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 40.04 | 80 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 40.4 | 81 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 46.28 | 93 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 43893 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 217335 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 211480 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/26/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122275MSD | SDG No.: | S2781 |
| Lab Sample ID: | S2781-06MSD | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060222.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|-----|--|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 52 | | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 54 | | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 55 | | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 52 | | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 57 | | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 54 | | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 48 | | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 52 | | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 310 | | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 56 | | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 57 | | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 51 | | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 54 | | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 53 | | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 55 | | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 43 | | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 250 | | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 44 | | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 50 | | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 50 | | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 42 | | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 42 | | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 45 | | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 46 | | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 46 | | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 45 | | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 48 | | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 260 | | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 43 | | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 41 | | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 41 | | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 44 | | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

| | | | |
|---------------------------|----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 5/26/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122275MSD | SDG No.: | S2781 |
| Lab Sample ID: | S2781-06MSD | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 | Units: | mL |
| Soil Aliquot Vol: | | Soil Extract Vol: | uL |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060222.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 160 | | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 47 | | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 47 | | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 33 | | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 45 | | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 43 | | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 87 | | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 44 | | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 43 | | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 46 | | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 44 | | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 52 | | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 44 | | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 43 | | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 47 | | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 46 | | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 43 | | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 48.85 | 98 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 40.81 | 82 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 45.91 | 92 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 35425 | 4.05 |
| 540-36-3 | 1,4-Difluorobenzene | 221128 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 213878 | 7.35 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/26/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122275RE | SDG No.: | S2781 |
| Lab Sample ID: | S2781-01RE | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060308.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|----------------|--------------------------------|-------|-----------|----|------|-------|
| TARGETS | | | | | | |
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 5.1 | J | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 5/26/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122275RE | SDG No.: | S2781 |
| Lab Sample ID: | S2781-01RE | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060308.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 37.21 | 74 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 50.94 | 102 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 45.31 | 91 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 44400 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 213952 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 193045 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/27/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122278 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-07 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060215.D | 1 | 6/2/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|----------------|--------------------------------|-------|-----------|----|------|-------|
| TARGETS | | | | | | |
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 51 | | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/27/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122278 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-07 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060215.D | 1 | 6/2/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 49.41 | 99 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 41.88 | 84 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 46.55 | 93 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 34847 | 4.07 |
| 540-36-3 | 1,4-Difluorobenzene | 220403 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 205271 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/27/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122279 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-11 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060219.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|----------------|--------------------------------|-------|-----------|----|------|-------|
| TARGETS | | | | | | |
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/27/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122279 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-11 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060219.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 44.78 | 90 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 41.41 | 83 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 47.47 | 95 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 36371 | 4.07 |
| 540-36-3 | 1,4-Difluorobenzene | 220182 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 207403 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/27/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122280 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-08 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060216.D | 1 | 6/2/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|----------------|--------------------------------|-------|-----------|----|------|-------|
| TARGETS | | | | | | |
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 5/27/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122280 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-08 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060216.D | 1 | 6/2/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 45.77 | 92 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 42.06 | 84 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 45.07 | 90 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 35267 | 4.07 |
| 540-36-3 | 1,4-Difluorobenzene | 210490 | 4.88 |
| 3114-55-4 | Chlorobenzene-d5 | 211085 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/27/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122281 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-09 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060217.D | 1 | 6/2/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 5/27/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122281 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-09 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060217.D | 1 | 6/2/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 45.98 | 92 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 42.42 | 85 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 42.27 | 85 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 36505 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 216403 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 197320 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/27/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122282 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-10 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060309.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 5/27/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122282 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-10 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060309.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 49.75 | 100 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 48.37 | 97 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 41.39 | 83 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 33992 | 4.07 |
| 540-36-3 | 1,4-Difluorobenzene | 207615 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 204251 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/27/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122283 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-12 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060220.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 47 | J | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 5/27/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122283 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-12 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060220.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 38.05 | 76 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 40.82 | 82 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 41.81 | 84 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 43946 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 208457 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 194168 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/27/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122283RE | SDG No.: | S2781 |
| Lab Sample ID: | S2781-12RE | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060310.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|----------------|--------------------------------|-------|-----------|----|------|-------|
| TARGETS | | | | | | |
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/27/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122283RE | SDG No.: | S2781 |
| Lab Sample ID: | S2781-12RE | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060310.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 36.26 | 73 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 51.74 | 103 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 45.71 | 91 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 42766 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 206147 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 184504 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 5/26/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122284 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-02 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060213.D | 1 | 6/2/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|----------------|--------------------------------|-------|-----------|----|------|-------|
| TARGETS | | | | | | |
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 4.1 | J | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 5/26/2004 |
| Project: | SEAD-12 | Date Received: | 5/28/2004 |
| Client Sample ID: | 122284 | SDG No.: | S2781 |
| Lab Sample ID: | S2781-02 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060213.D | 1 | 6/2/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 43.84 | 88 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 41.53 | 83 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 40.17 | 80 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 37500 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 220813 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 209108 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-------|
| Client: | Parsons Engineering | Date Collected: | |
| Project: | SEAD-12 | Date Received: | |
| Client Sample ID: | VBLK01 | SDG No.: | S2781 |
| Lab Sample ID: | VBJ0602W1 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060209.D | 1 | 6/2/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

| | | | |
|---------------------------|----------------------------|--------------------------|--------------|
| Client: | Parsons Engineering | Date Collected: | |
| Project: | SEAD-12 | Date Received: | |
| Client Sample ID: | VBLK01 | SDG No.: | S2781 |
| Lab Sample ID: | VBJ0602W1 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 | Units: | mL |
| Soil Aliquot Vol: | | Soil Extract Vol: | uL |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060209.D | 1 | 6/2/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 42.79 | 86 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 43.25 | 86 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 43.64 | 87 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 55568 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 251343 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 235485 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-------|
| Client: | Parsons Engineering | Date Collected: | |
| Project: | SEAD-12 | Date Received: | |
| Client Sample ID: | VBLK02 | SDG No.: | S2781 |
| Lab Sample ID: | VBJ0603W3 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060306.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|--------------|
| Client: | Parsons Engineering | Date Collected: | |
| Project: | SEAD-12 | Date Received: | |
| Client Sample ID: | VBLK02 | SDG No.: | S2781 |
| Lab Sample ID: | VBJ0603W3 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060306.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 47.54 | 95 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 48.85 | 98 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 44.62 | 89 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 35295 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 217237 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 207151 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|--------------|
| Client: | Parsons Engineering | Date Collected: | |
| Project: | SEAD-12 | Date Received: | |
| Client Sample ID: | VLCS01 | SDG No.: | S2781 |
| Lab Sample ID: | BSJ0602W1 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060223.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|-----|--|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 18 | | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 16 | | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 15 | | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 15 | | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 16 | | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 16 | | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 16 | | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 16 | | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 96 | | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 15 | | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 17 | | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 22 | | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 17 | | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 14 | | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 18 | | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 16 | | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 120 | | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 19 | | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 18 | | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 17 | | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 18 | | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 18 | | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 19 | | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 18 | | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 20 | | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 17 | | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 19 | | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 92 | | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 17 | | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 14 | | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 16 | | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 17 | | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|----------------------------|--------------------------|--------------|
| Client: | Parsons Engineering | Date Collected: | |
| Project: | SEAD-12 | Date Received: | |
| Client Sample ID: | VLCS01 | SDG No.: | S2781 |
| Lab Sample ID: | BSJ0602W1 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 | Units: | mL |
| Soil Aliquot Vol: | | Soil Extract Vol: | uL |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ060223.D | 1 | 6/3/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 81 | | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 18 | | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 17 | | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 21 | | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 17 | | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 17 | | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 37 | | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 19 | | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 17 | | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 18 | | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 18 | | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 15 | | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 16 | | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 19 | | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 20 | | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 17 | | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 17 | | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 42.48 | 85 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 41.48 | 83 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 46.03 | 92 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 46042 | 4.05 |
| 540-36-3 | 1,4-Difluorobenzene | 219125 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 209409 | 7.35 |

U = Not Detected
RL = Reporting Limit
MDL = Method Detection Limit
E = Value Exceeds Calibration Range

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 120002TB | SDG No.: | S3037 |
| Lab Sample ID: | S3037-12 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061506.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|--------------------------------|-------|-----------|----|------|-------|
| TARGETS | | | | | | |
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 120002TB | SDG No.: | S3037 |
| Lab Sample ID: | S3037-12 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061506.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 54.97 | 110 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 55.87 | 112 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 49.63 | 99 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 30440 | 4.07 |
| 540-36-3 | 1,4-Difluorobenzene | 215942 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 194447 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 120101 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-11 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061551.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 120101 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-11 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061551.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 56.19 | 112 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 49.63 | 99 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 41.46 | 83 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 23787 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 178111 | 4.88 |
| 3114-55-4 | Chlorobenzene-d5 | 180137 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908-789-8900 Fax: 908-789-8922

Report of Analysis

| | | | |
|---------------------------|----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122277 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-13 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061550.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 4.2 | J | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122277 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-13 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061550.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 58.64 | 117 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 49.7 | 99 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 45.84 | 92 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 23704 | 4.07 |
| 540-36-3 | 1,4-Difluorobenzene | 186098 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 184234 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 6/10/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122285 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-01 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061508.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/10/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122285 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-01 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061508.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 58.55 | 117 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 54.3 | 109 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 46.54 | 93 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 29488 | 4.07 |
| 540-36-3 | 1,4-Difluorobenzene | 209138 | 4.88 |
| 3114-55-4 | Chlorobenzene-d5 | 187995 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 6/10/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122286 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-02 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061509.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/10/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122286 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-02 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061509.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 53.32 | 107 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 52.73 | 105 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 42.44 | 85 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 30105 | 4.07 |
| 540-36-3 | 1,4-Difluorobenzene | 206207 | 4.88 |
| 3114-55-4 | Chlorobenzene-d5 | 190320 | 7.37 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908-789-8900 Fax: 908-789-8922

Report of Analysis

| | | | |
|---------------------------|----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/10/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122286MS | SDG No.: | S3037 |
| Lab Sample ID: | S3037-03MS | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061510.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|-----|--|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 54 | | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 52 | | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 53 | | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 53 | | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 56 | | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 55 | | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 66 | | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 77 | | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 260 | | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 140 | | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 59 | | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 54 | | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 69 | | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 74 | | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 63 | | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 49 | | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 250 | | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 59 | | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 58 | | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 58 | | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 54 | | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 46 | | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 52 | | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 57 | | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 52 | | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 54 | | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 50 | | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 270 | | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 54 | | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 52 | | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 51 | | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 52 | | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/10/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122286MS | SDG No.: | S3037 |
| Lab Sample ID: | S3037-03MS | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061510.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 270 | | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 51 | | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 50 | | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 48 | | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 50 | | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 50 | | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 100 | | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 46 | | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 49 | | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 52 | | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 51 | | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 55 | | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 50 | | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 54 | | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 51 | | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 56 | | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 49 | | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 58.96 | 118 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 50.96 | 102 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 52.98 | 106 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 29283 | 4.05 |
| 540-36-3 | 1,4-Difluorobenzene | 203746 | 4.88 |
| 3114-55-4 | Chlorobenzene-d5 | 202858 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

| | | | |
|---------------------------|----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/10/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122286MSD | SDG No.: | S3037 |
| Lab Sample ID: | S3037-04MSD | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061511.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|-----|--|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 45 | | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 49 | | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 51 | | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 50 | | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 51 | | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 51 | | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 63 | | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 73 | | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 300 | | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 130 | | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 55 | | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 55 | | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 65 | | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 71 | | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 59 | | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 46 | | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 250 | | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 58 | | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 55 | | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 56 | | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 53 | | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 43 | | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 59 | | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 59 | | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 50 | | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 52 | | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 51 | | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 250 | | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 53 | | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 50 | | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 50 | | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 49 | | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/10/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122286MSD | SDG No.: | S3037 |
| Lab Sample ID: | S3037-04MSD | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061511.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 260 | | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 51 | | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 53 | | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 47 | | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 50 | | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 50 | | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 100 | | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 45 | | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 49 | | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 51 | | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 49 | | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 53 | | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 49 | | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 49 | | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 50 | | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 55 | | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 50 | | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 56.92 | 114 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 51.45 | 103 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 49.93 | 100 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 30019 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 202602 | 4.88 |
| 3114-55-4 | Chlorobenzene-d5 | 202126 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908-789-8900 Fax: 908-789-8922

Report of Analysis

| | | | |
|---------------------------|----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122287 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-06 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061513.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122287 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-06 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061513.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 53.16 | 106 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 53.63 | 107 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 51.02 | 102 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 29030 | 4.07 |
| 540-36-3 | 1,4-Difluorobenzene | 196529 | 4.88 |
| 3114-55-4 | Chlorobenzene-d5 | 180656 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122288 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-07 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061514.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122288 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-07 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061514.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 57.15 | 114 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 54.41 | 109 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 46.4 | 93 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 27862 | 4.07 |
| 540-36-3 | 1,4-Difluorobenzene | 200521 | 4.88 |
| 3114-55-4 | Chlorobenzene-d5 | 179061 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122289 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-08 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061515.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122289 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-08 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061515.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 54.18 | 108 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 54.74 | 109 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 46.87 | 94 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 29124 | 4.07 |
| 540-36-3 | 1,4-Difluorobenzene | 190776 | 4.88 |
| 3114-55-4 | Chlorobenzene-d5 | 175237 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122290 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-09 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061516.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122290 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-09 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061516.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 56.39 | 113 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 54.71 | 109 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 50.3 | 101 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 28231 | 4.07 |
| 540-36-3 | 1,4-Difluorobenzene | 191226 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 175504 | 7.37 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

| | | | |
|---------------------------|----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122291 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-10 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061517.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 41 | | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 2000 | E | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122291 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-10 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 | Units: | mL |
| Soil Aliquot Vol: | | Soil Extract Vol: | uL |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061517.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 67.3 | 135 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 36.91 | 74 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 42.02 | 84 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 22472 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 137759 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 185201 | 7.35 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122291DL | SDG No.: | S3037 |
| Lab Sample ID: | S3037-10DL | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061552.D | 25 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|----|------|----|------|
| 75-71-8 | Dichlorodifluoromethane | 12 | UD | 250 | 12 | ug/L |
| 74-87-3 | Chloromethane | 12 | UD | 250 | 12 | ug/L |
| 75-01-4 | Vinyl chloride | 12 | UD | 250 | 12 | ug/L |
| 74-83-9 | Bromomethane | 12 | UD | 250 | 12 | ug/L |
| 75-00-3 | Chloroethane | 12 | UD | 250 | 12 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 12 | UD | 250 | 12 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 12 | UD | 250 | 12 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 12 | UD | 250 | 12 | ug/L |
| 67-64-1 | Acetone | 12 | UD | 1200 | 12 | ug/L |
| 75-15-0 | Carbon disulfide | 12 | UD | 250 | 12 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 12 | UD | 250 | 12 | ug/L |
| 79-20-9 | Methyl Acetate | 12 | UD | 250 | 12 | ug/L |
| 75-09-2 | Methylene Chloride | 12 | UD | 250 | 12 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 12 | UD | 250 | 12 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 12 | UD | 250 | 12 | ug/L |
| 110-82-7 | Cyclohexane | 12 | UD | 250 | 12 | ug/L |
| 78-93-3 | 2-Butanone | 12 | UD | 1200 | 12 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 12 | UD | 250 | 12 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 12 | UD | 250 | 12 | ug/L |
| 67-66-3 | Chloroform | 12 | UD | 250 | 12 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 12 | UD | 250 | 12 | ug/L |
| 108-87-2 | Methylcyclohexane | 12 | UD | 250 | 12 | ug/L |
| 71-43-2 | Benzene | 12 | UD | 250 | 12 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 12 | UD | 250 | 12 | ug/L |
| 79-01-6 | Trichloroethene | 2400 | D | 250 | 12 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 12 | UD | 250 | 12 | ug/L |
| 75-27-4 | Bromodichloromethane | 12 | UD | 250 | 12 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 12 | UD | 1200 | 12 | ug/L |
| 108-88-3 | Toluene | 12 | UD | 250 | 12 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 12 | UD | 250 | 12 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 12 | UD | 250 | 12 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 12 | UD | 250 | 12 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/11/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122291DL | SDG No.: | S3037 |
| Lab Sample ID: | S3037-10DL | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061552.D | 25 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|------|-----|-------|
| 591-78-6 | 2-Hexanone | 12 | UD | 1200 | 12 | ug/L |
| 124-48-1 | Dibromochloromethane | 12 | UD | 250 | 12 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 12 | UD | 250 | 12 | ug/L |
| 127-18-4 | Tetrachloroethene | 12 | UD | 250 | 12 | ug/L |
| 108-90-7 | Chlorobenzene | 12 | UD | 250 | 12 | ug/L |
| 100-41-4 | Ethyl Benzene | 12 | UD | 250 | 12 | ug/L |
| 136777-61-2 | m/p-Xylenes | 12 | UD | 250 | 12 | ug/L |
| 95-47-6 | o-Xylene | 12 | UD | 250 | 12 | ug/L |
| 100-42-5 | Styrene | 12 | UD | 250 | 12 | ug/L |
| 75-25-2 | Bromoform | 12 | UD | 250 | 12 | ug/L |
| 98-82-8 | Isopropylbenzene | 12 | UD | 250 | 12 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 12 | UD | 250 | 12 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 12 | UD | 250 | 12 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 12 | UD | 250 | 12 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 12 | UD | 250 | 12 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 12 | UD | 250 | 12 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 12 | UD | 250 | 12 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 56.8 | 114 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 51.08 | 102 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 51.09 | 102 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 26049 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 203733 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 193353 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-----------|
| Client: | Parsons Engineering | Date Collected: | 6/10/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122297 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-05 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061512.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|------------------|
| Client: | Parsons Engineering | Date Collected: | 6/10/2004 |
| Project: | SEAD-12 | Date Received: | 6/12/2004 |
| Client Sample ID: | 122297 | SDG No.: | S3037 |
| Lab Sample ID: | S3037-05 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061512.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 54.37 | 109 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 54.18 | 108 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 43.86 | 88 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 29092 | 4.07 |
| 540-36-3 | 1,4-Difluorobenzene | 196744 | 4.88 |
| 3114-55-4 | Chlorobenzene-d5 | 181363 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908-789-8900 Fax: 908-789-8922

Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|--------------|
| Client: | Parsons Engineering | Date Collected: | |
| Project: | SEAD-12 | Date Received: | |
| Client Sample ID: | VBLK01 | SDG No.: | S3037 |
| Lab Sample ID: | VBJ0615W1 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061503.D | 1 | 6/14/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|----------------------------|--------------------------|--------------|
| Client: | Parsons Engineering | Date Collected: | |
| Project: | SEAD-12 | Date Received: | |
| Client Sample ID: | VBLK01 | SDG No.: | S3037 |
| Lab Sample ID: | VBJ0615W1 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 | Units: | mL |
| Soil Aliquot Vol: | | Soil Extract Vol: | uL |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061503.D | 1 | 6/14/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 49 | 98 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 53.32 | 107 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 46.53 | 93 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 34765 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 222766 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 210058 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-------|
| Client: | Parsons Engineering | Date Collected: | |
| Project: | SEAD-12 | Date Received: | |
| Client Sample ID: | VBLK02 | SDG No.: | S3037 |
| Lab Sample ID: | VBJ0615W3 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061535.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|------|---|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 0.50 | U | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 0.50 | U | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 0.50 | U | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 0.50 | U | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 0.50 | U | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.50 | U | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 0.50 | U | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 0.50 | U | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 0.50 | U | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 0.50 | U | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|---------------------------|-----------------------------|--------------------------|--------------|
| Client: | Parsons Engineering | Date Collected: | |
| Project: | SEAD-12 | Date Received: | |
| Client Sample ID: | VBLK02 | SDG No.: | S3037 |
| Lab Sample ID: | VBJ0615W3 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061535.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 0.50 | U | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 0.50 | U | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 0.50 | U | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.50 | U | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.50 | U | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 0.50 | U | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 0.50 | U | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 0.50 | U | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 0.50 | U | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 0.50 | U | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 0.50 | U | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.50 | U | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 54.15 | 108 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 51.73 | 103 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 42.81 | 86 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 25020 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 187748 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 175819 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound



Report of Analysis

| | | | |
|--------------------|---------------------|-------------------|-------|
| Client: | Parsons Engineering | Date Collected: | |
| Project: | SEAD-12 | Date Received: | |
| Client Sample ID: | VLCS01 | SDG No.: | S3037 |
| Lab Sample ID: | BSJ0615W1 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Vol: | 5.0 Units: mL | Soil Extract Vol: | uL |
| Soil Aliquot Vol: | uL | | |

| | | | |
|------------|-----------|---------------|---------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061505.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|------------|-----------|-------|-----------|----|-----|-------|
|------------|-----------|-------|-----------|----|-----|-------|

TARGETS

| | | | | | | |
|------------|--------------------------------|-----|--|----|------|------|
| 75-71-8 | Dichlorodifluoromethane | 19 | | 10 | 0.50 | ug/L |
| 74-87-3 | Chloromethane | 19 | | 10 | 0.50 | ug/L |
| 75-01-4 | Vinyl chloride | 19 | | 10 | 0.50 | ug/L |
| 74-83-9 | Bromomethane | 20 | | 10 | 0.50 | ug/L |
| 75-00-3 | Chloroethane | 19 | | 10 | 0.50 | ug/L |
| 75-69-4 | Trichlorofluoromethane | 18 | | 10 | 0.50 | ug/L |
| 76-13-1 | 1,1,2-Trichlorotrifluoroethane | 18 | | 10 | 0.50 | ug/L |
| 75-35-4 | 1,1-Dichloroethene | 18 | | 10 | 0.50 | ug/L |
| 67-64-1 | Acetone | 100 | | 50 | 0.50 | ug/L |
| 75-15-0 | Carbon disulfide | 21 | | 10 | 0.50 | ug/L |
| 1634-04-4 | Methyl tert-butyl Ether | 20 | | 10 | 0.50 | ug/L |
| 79-20-9 | Methyl Acetate | 28 | | 10 | 0.50 | ug/L |
| 75-09-2 | Methylene Chloride | 20 | | 10 | 0.50 | ug/L |
| 156-60-5 | trans-1,2-Dichloroethene | 18 | | 10 | 0.50 | ug/L |
| 75-34-3 | 1,1-Dichloroethane | 20 | | 10 | 0.50 | ug/L |
| 110-82-7 | Cyclohexane | 19 | | 10 | 0.50 | ug/L |
| 78-93-3 | 2-Butanone | 97 | | 50 | 0.50 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 19 | | 10 | 0.50 | ug/L |
| 156-59-2 | cis-1,2-Dichloroethene | 18 | | 10 | 0.50 | ug/L |
| 67-66-3 | Chloroform | 20 | | 10 | 0.50 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 19 | | 10 | 0.50 | ug/L |
| 108-87-2 | Methylcyclohexane | 18 | | 10 | 0.50 | ug/L |
| 71-43-2 | Benzene | 17 | | 10 | 0.50 | ug/L |
| 107-06-2 | 1,2-Dichloroethane | 20 | | 10 | 0.50 | ug/L |
| 79-01-6 | Trichloroethene | 19 | | 10 | 0.50 | ug/L |
| 78-87-5 | 1,2-Dichloropropane | 19 | | 10 | 0.50 | ug/L |
| 75-27-4 | Bromodichloromethane | 19 | | 10 | 0.50 | ug/L |
| 108-10-1 | 4-Methyl-2-Pentanone | 110 | | 50 | 0.50 | ug/L |
| 108-88-3 | Toluene | 20 | | 10 | 0.50 | ug/L |
| 10061-02-6 | t-1,3-Dichloropropene | 17 | | 10 | 0.50 | ug/L |
| 10061-01-5 | cis-1,3-Dichloropropene | 18 | | 10 | 0.50 | ug/L |
| 79-00-5 | 1,1,2-Trichloroethane | 19 | | 10 | 0.50 | ug/L |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Report of Analysis

| | | | |
|---------------------------|----------------------------|--------------------------|--------------|
| Client: | Parsons Engineering | Date Collected: | |
| Project: | SEAD-12 | Date Received: | |
| Client Sample ID: | VLCS01 | SDG No.: | S3037 |
| Lab Sample ID: | BSJ0615W1 | Matrix: | WATER |
| Analytical Method: | OLM04.2 | % Moisture: | 100 |
| Sample Wt/Wol: | 5.0 | Units: | mL |
| Soil Aliquot Vol: | | Soil Extract Vol: | uL |

| | | | |
|-------------------|------------------|----------------------|----------------------------|
| File ID: | Dilution: | Date Analyzed | Analytical Batch ID |
| VJ061505.D | 1 | 6/15/2004 | VJ060204 |

| CAS Number | Parameter | Conc. | Qualifier | RL | MDL | Units |
|-------------|-----------------------------|-------|-----------|----|------|-------|
| 591-78-6 | 2-Hexanone | 84 | | 50 | 0.50 | ug/L |
| 124-48-1 | Dibromochloromethane | 19 | | 10 | 0.50 | ug/L |
| 106-93-4 | 1,2-Dibromoethane | 18 | | 10 | 0.50 | ug/L |
| 127-18-4 | Tetrachloroethene | 25 | | 10 | 0.50 | ug/L |
| 108-90-7 | Chlorobenzene | 20 | | 10 | 0.50 | ug/L |
| 100-41-4 | Ethyl Benzene | 20 | | 10 | 0.50 | ug/L |
| 136777-61-2 | m/p-Xylenes | 42 | | 10 | 0.50 | ug/L |
| 95-47-6 | o-Xylene | 19 | | 10 | 0.50 | ug/L |
| 100-42-5 | Styrene | 20 | | 10 | 0.50 | ug/L |
| 75-25-2 | Bromoform | 18 | | 10 | 0.50 | ug/L |
| 98-82-8 | Isopropylbenzene | 21 | | 10 | 0.50 | ug/L |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | 20 | | 10 | 0.50 | ug/L |
| 541-73-1 | 1,3-Dichlorobenzene | 19 | | 10 | 0.50 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 23 | | 10 | 0.50 | ug/L |
| 95-50-1 | 1,2-Dichlorobenzene | 22 | | 10 | 0.50 | ug/L |
| 96-12-8 | 1,2-Dibromo-3-Chloropropane | 19 | | 10 | 0.50 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 20 | | 10 | 0.50 | ug/L |

SURROGATES

| | | | | | |
|------------|-----------------------|-------|-------|----------|---------|
| 17060-07-0 | 1,2-Dichloroethane-d4 | 50.73 | 101 % | 80 - 120 | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 53.01 | 106 % | 80 - 120 | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 50.32 | 101 % | 80 - 120 | SPK: 50 |

INTERNAL STANDARDS

| | | | |
|-----------|---------------------|--------|------|
| 74-97-5 | Bromochloromethane | 36111 | 4.06 |
| 540-36-3 | 1,4-Difluorobenzene | 236341 | 4.87 |
| 3114-55-4 | Chlorobenzene-d5 | 215570 | 7.36 |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

Appendix G

Excavation Photos

Photo 1

North Side



Building 813 – 11/10/04

Water line

Photo 2



Picture taken looking West

Samples 123692 (TP813-7T)
and 123683 (TP813-2T)

Building 813 – 11/10/04

Photo 3

Horizontal view of previous excavation photo



Building 813 – 11/10/04

Photo 4

Building 813 – 11/11/04



Looking East towards excavation – snow fence to help prevent injury

Photo 5

Covered stockpiles – approximately 300 cubic yards



Building 813 – 11/11/04

Photo 6

Building 813 – 12/20/04



Phase III excavation near NE corner of Building 813

Photo 7

Building 813 – 12/20/04



Location of 4-inch Ductile Iron pipe exiting Building 813 foundation

Photo 8

Building 813 – 12/20/04



Remains of 4-inch Ductile Iron pipe

Appendix H

Response to Comments

NYSDEC

USEPA

**Response to Comments from the New York State Department of Environmental
Conservation**

Subject: Draft Supplemental RI Report for SEAD-12 (May 2005)
Seneca Army Depot
Romulus, New York

Comments Dated: December 28, 2005

Date of Comment Response: February 13, 2006

Comment 1: The subject document has no mention of the analytical laboratory's name or current certifications of Standard Operating procedures (SOPs). Please add this information to the document.

Response 1: Agreed. Deviations and/or updates to the 1995 Generic RI/FS Workplan have been added to the Supplemental RI Report where appropriate. The name of the laboratory that provided the VOC analysis has been specified in Section 2.2 and the certifications have been included in Appendix F. Test pit excavation and test pit sample collection were conducted in accordance with the test pitting techniques outlined in the 1995 Generic RI/FS Workplan. This statement has been included in Section 2.2.3.1.

Comment 2: Both TCE and DCE in groundwater exceeded the NYSDEC GA standard during the most recent sampling round, and at concentrations that could result in indoor air exposure risk in buildings. DEC wants to evaluate further. Please provide the post excavation round of groundwater samples. Please see the USEPA comments on this issue also.

Response 2: Final, post-excavation groundwater sampling was not proposed or performed for the following reasons:

- No exceedances of TCE were detected in wells other than MW12-37 during the Supplement RI.
- MW12-37 has been removed and all the soils surrounding this well have been removed. Water quality downgradient of MW12-37 will only improve now that the contaminated soil and entrained water has been removed.

The indoor air at Building 813 may be evaluated in the future, if indeed a re-user is found to use Building 813. Currently, there are no utilities running to the building and no re-user has been identified for the building. If in the future a re-user is identified, actual indoor air monitoring may be conducted to assess the indoor air quality. Groundwater data are not necessary for this assessment.

Comment 3: Vapor intrusion – A deed restriction that requires indoor air sampling does not reduce the risk of exposure to future occupants for use of the building. Additional justification is needed to support the conclusions of no further action for Building 813/814, like indoor air quality.

Response 3: The planned future land use for SEAD-12 is institutional training. At this time, there are no future occupants of the buildings at SEAD-12. If in the future Building 813 is to be occupied, indoor air sampling will determine whether or not there is a risk and appropriate actions may then be taken. The Army does not feel that additional efforts to ensure there is no risk to occupants that do not exist is prudent use of their funds. However, the Army is willing to put land controls (e.g. an environmental easement) into place so that future investigations will take place before this building is occupied.

Specific Comments:

Comment 1: Page 1-6, Section 1.5.1.4, 3rd paragraph:

The results of the analysis of soil have metals which exceeded TAGM values. It is recommended that you address what action was implemented. The SRI needs to identify any further investigation or remediation which is required for this area or justify the position that the soil in the area is not of concern.

Response 1: Surface soil samples SS12-66, SS12-67, and SS12-68 were collected on the other side of the ditch to the northwest of Building 813/814 during the Remedial Investigation. The metals that exceeded the TAGM for these three samples are shown below.

| Loc-id | Parameter | Value | Criteria Value (TAGM based on SEDA background) | Maximum Background Concentration | Units |
|---------|-----------|---------|---|--|-------|
| SS12-66 | Thallium | 1.1 | 0.855 | 1.2 | Mg/kg |
| SS12-67 | Calcium | 154,000 | 124,300 | 293,000 | Mg/kg |
| SS12-68 | Copper | 35.4 | 33 | 62.8 | Mg/kg |
| | Lead | 31.0 | 24.4 | 266 | Mg/kg |
| | Nickel | 53.1 | 50 | 62.3 | Mg/kg |

The values detected in these samples are below the maximum background concentration for SEDA. The RI reported that no risk was found within this area due to the presence of heavy metals in soils. The presence of TCE in groundwater at MW12-37 was the only significant source of risk in this area. The text of Section 1.5.1.4 will be revised to clarify this.

Comment 2: Page 3-4 the statement: “Phase II stockpile samples were also collected on December 9, and the Phase II stockpile samples were collected on December 21” is redundant. I believe it should read as Phase I on December 9 and Phase II on December 21. Clarification is requested.

Response 2: The sentence should read, “The Phase II stockpile samples were also collected on December 9, and the Phase III stockpile samples were collected on December 21.” The text will be corrected.

Comment 3: Page 4-3 Recommendations: The text states “The stockpiles remaining on-site will be re-sampled in the spring...”. Update the final version of the report with the results of that re-sampling.

Response 3: An update of the re-sampling of the stockpiles has been added to Section 3.3.2 and Section 4.2 and is summarized here.

Phase II and Phase III soils were re-sampled on July 22, 2005. Three additional grab samples were collected at random grid locations within the Phase II stockpile (see Figure 3-3). One additional sample was collected from this stockpile on November 28, 2005. Results indicated that TCE was detected below action levels for each sample and that this soil could be backfilled. Four additional grab samples were collected at random grid locations from the Phase IIIA stockpile. Results indicated that TCE was detected below action levels and that this soil could be backfilled. Two additional grab samples were collected from the Phase IIIB stockpile on a grid basis. One sample had concentrations that were below the TAGM for TCE. However, the other sample SP813-16 had TCE levels at 22,000 ug/Kg. Since this stockpile has not been sampled since July 2005, it will be re-sampled to see if levels have decreased since the summer months. This stockpile will be partitioned and sampled further to determine what portion of the soil may be returned to the excavation and what portion, if any, may need to be taken off-site for disposal. Four additional samples are being collected to make this determination.

Response to Comments from the New York State Department of Environmental Conservation

Subject: Draft Final Supplemental RI Report for SEAD-12

Seneca Army Depot

Romulus, New York

Comments Dated: July 24, 2006

Date of Comment Response: October 27, 2006

Comment:

Vapor Intrusion – Reword the recommendation on indoor air at Building 813/814 to state: “An Environmental Easement will be utilized to place a restriction on Building 813/814 stating that an investigation of vapor intrusion potential and indoor air quality must be performed before this building, or any newly constructed building, is occupied. Appropriate mitigation actions will be taken based on this investigation prior to occupancy.”

Response:

Agreed. The first bullet on page 4-3 has been revised as suggested by NYSDEC above. Furthermore, the Army will note that the future owner, who is making the decision to occupy the building, be responsible for the testing and any required mitigation, if necessary. Language stating this requirement will be placed in the deed upon transfer and would become part of the institutional controls remedial design.

Response to Comments from the United States Environmental Protection Agency

Subject: Draft Supplemental RI Report for SEAD-12
Seneca Army Depot
Romulus, New York

Comments Dated: June 8, 2005

Date of Comment Response: February 13, 2006

This is in reference to the subject document received by this office on May 9, 2005. Please find our comments below.

General Comments:

Comment 1: The subject document makes reference to the old and outdated Generic RI/FS Workplan (Parsons, 1995), however, there is no mention of deviations and/or updates (i.e., laboratory's name, current certifications on SOPs, test pitting procedures, etc.) to it. It is recommended to add a section to address the above requirements.

Response 1: Agreed. Deviations and/or updates to the 1995 Generic RI/FS Workplan have been added to the Supplemental RI Report where appropriate. The name of the laboratory that provided the VOC analysis has been specified in Section 2.2 and the certifications have been included in Appendix F. Test pit excavation and test pit sample collection were conducted in accordance with the test pitting techniques outlined in the 1995 Generic RI/FS Workplan. This statement has been included in Section 2.2.3.1.

Comment 2: Both TCE and DCE in groundwater exceeded the NYSDEC GA standard during the most recent sampling round, and at concentrations that could result in indoor air exposure risk. Yet there is no mention of collecting a final, post-excavation, round of groundwater samples. There is a likelihood of continued groundwater impacts from TCE, and possibly DCE, that should be evaluated further. The highest TCE concentration, identified in MW12-37, increased by 50% between 1997 and 2004.

The SRI work completed was the result of groundwater impacts, and it consisted of soil excavation and removal. The excavation was halted at the building foundation, and the report recommended implementation of future deed restrictions regarding the need to conduct indoor air testing prior to building occupation. If no additional groundwater sampling and analysis is anticipated, how will future indoor air testing results be evaluated in the risk analysis?

Response 2: Acknowledged.

No final, post-excavation groundwater sampling has been proposed for the following reasons:

- No exceedances of TCE were detected in wells other than MW12-37 during the Supplement RI.
- MW12-37 has been removed and all the soils surrounding this well have been removed.

The indoor air at Building 813 may be evaluated in the future, if indeed a re-user intends on using Building 813. The Army will not evaluate future risk of indoor air exposure in anticipation that a

future re-user may someday use the buildings. Currently, there are no utilities running to the building and no re-user has been identified for the building. If in the future a re-user is identified, actual indoor air monitoring may be conducted by the re-user to assess the indoor air quality. Groundwater data are not necessary for this assessment. Text changes in Sections 2.2.1.2 and 4.2 addresses USEPA's concern.

Comment 3: Additional subsurface soil investigations were conducted in the target area to define impacts from TCE. The excavation, then sampling, then excavation, then sampling was used to limit the excavation needed to remove impacted soils surrounding the sewer line. However, the final excavation boundaries appeared to be arbitrary, and were sometimes based upon data apparently collected from elevations above potential areas of significant impact, particularly on the western (downgradient) side of the excavation. The text should be revised to better delineate the final excavation boundaries.

Response 3: Acknowledged. The excavation of soil was advanced to bedrock within the excavation area. Confirmatory soil samples were collected close to the bottom of excavation near the excavation boundary. At the western boundary, a soil sample was collected 3-4 ft bgs from the western excavation boundary. The samples were collected close to the excavation bottom (5 ft bgs.) where fractured shale mixed with brown till was met. The excavation limits were determined based on the confirmatory soil sample results. The western boundary of the wall was also guided by the results of TW12-6 which showed no detection of VOCs in the groundwater at this location. As the VOC concentrations in the confirmatory soil samples collected from the western side were all below the TAGMs, no excavation was conducted beyond the western boundary. Section 2.2.3.3 will be expanded to address this.

Comment 4: Simply implementing a deed restriction that requires indoor air sampling does not reduce the risk of exposure to future occupants of the building. It is not clear that the removal action has adequately addressed the risk of vapor intrusion. Additional justification is needed to support the conclusions of no further action for Building 813/814.

Response 4: The planned future land use for SEAD-12 is institutional training. At this time, there are no future occupants of the buildings at SEAD-12. If in the future Building 813 is to be occupied, indoor air sampling will be performed by the reuser to determine whether or not there is a risk and appropriate actions may then be taken. Additional efforts to ensure there is no risk to potential future occupants is not necessary or justified. However, the Army is willing to put land controls (e.g. an environmental easement) into place to ensure that the necessary evaluations are performed prior to any use of the building by a future reuser.

Comment 5: The results of the excavation work conducted as part of the supplemental investigations, combined with the anticipated future use of the site area for conservation/recreation, and the distance of the site area from sensitive receptors indicates that investigations of surface water and sediments are sufficient. The conclusion of the supplemental investigations that the drainage ditch did not indicate a significant impact to receiving surface water at or downgradient of the study is supported.

Response 5: Agreed.

Comment 6: The text of this report indicates that painting was conducted within the building and so specific VOC compounds, and total VOCs were investigated by means of groundwater and soil sample analysis, and soil gas surveys prior to this SRI. The SRI also included the installation of temporary monitoring wells in areas where high VOC concentrations were

observed in the soil gas. The initial and secondary results of the groundwater sampling and analysis did not confirm the presence of VOC impacts in groundwater that were indicated by co-located soil gas sample concentrations. Provide an explanation for this discrepancy.

Response 6: Soil gas investigations are generally conducted to assist in the planning of additional investigations. Soil gas results do not necessarily predict the concentrations of VOCs in groundwater immediately underlying them. Soil gas originating from groundwater will follow preferential paths within the matrix toward an accumulation or exit point. Some correlation between soil gas and groundwater impacts were found during the RI. Soil gas results near the northeastern portion of the building led to the installation of MW12-37 during the RI where groundwater impacts were found. Other areas showing elevated soil gas readings where no groundwater impacts were found may be points of vapor accumulation within the soil matrix. In general soil gas results are really used as a qualitative tool to plan additional investigations such as groundwater monitoring and could be used to plan future indoor air sampling programs if warranted in the future.

The above explanation has been included in Section 3.1.

Comment 7: No mention is made of as-built drawings documenting the sewer pipe location and construction methods. An evaluation of existing records should be added to the discussion. Furthermore, it is not clear from the text whether bedding materials were used beneath the abandoned sewer pipe. Additional documentation, such as photos of excavations, should be included. If a bedding conduit is still in place, it could be a pathway for VOCs partitioned from the groundwater to enter the building and impact indoor air. Has this potential pathway been investigated?

Response 7: No as built records showing existing sewer lines are available for this building. A 4-inch ductile iron (DI) pipe was found during the excavation near the 4-inch DI end within the foundation. Clay pipe fragments were also found in the excavation. No definitive bedding was found in the area of the pipes. The invert of the pipe was found approximately 4 to 5 feet bgs and the excavation was taken down to native bedrock (7 feet bgs). Therefore, any type of bedding materials, although not observed, would have been removed. The text of Section 2.2.3.1 has been expanded to explain this. Impacts to indoor air will not be investigated, as there is no planned receptor in this building. If in the future a re-user is established, further assessment of the indoor air quality may be performed.

A photo, now included in Appendix G, shows the pipe entering the foundation of the building. Observations made within the building indicate that the drains within the building are all plugged.

Photos of excavations have been included in Appendix G.

Comment 8: There is very limited information provided in the report regarding former painting operations. It is unclear why the detected VOCs are limited to chlorinated solvents, and in exactly what way they would be exclusively associated with the painting operations. Additional documentation should be included if available.

Response 8: A wide variety of materials could be found in paint depending on what type of coating/paint had been used at the site. Chlorinated solvents such as TCE could be used in paint and paint removers (ATSDR, 1997; HSDB, 2005). However, no additional information is available for the former painting operations. The targeted compounds of concern were based on

previous investigations which included a full list of VOCs, and metals. If VOCs other than chlorinated solvents were present in the soils and groundwater, they would have been detected during previous investigation efforts. The Army cannot hypothesize as to why no other VOCs were found. No text change has been made to the document.

Comment 9: The conclusion regarding no further action for EM-5 soils is supported. Soil sampling results support the conclusion that Pb-210 levels are not different from background.

Response 9: Agreed.

SPECIFIC COMMENTS

Comment 1: Page 1-5, Section 1.5.1.1, 1st paragraph: There should be some discussion of the lack of correlation between the soil gas survey and the subsequent groundwater monitoring well concentrations. If the soil gas survey during the remedial investigation “led to the implementation of the SRI,” what conclusions can be drawn regarding the representativeness of the data?

Response 1: Soil gas investigations are generally conducted to assist in the planning of additional investigations. Soil gas results near the northeastern portion of the building led to the installation of MW12-37 during the RI where groundwater impacts were found. Other areas showing elevated soil gas hits were investigated during the SRI; however, no groundwater impacts were discovered at these locations. Response to General Comment 6 above explains why soil gas and groundwater results do not always correlate. The point is that soil gas investigation results were followed up with a more thorough groundwater investigation during this SRI and we now have the appropriate data to characterize the site and show that groundwater impacts were truly localized to the northeast corner of the building. Additional text will be added to Section 1.5.1.1 to clarify this point.

Comment 2: Page 2-2, Section 2.2.1.2: It is not clear why no additional groundwater sampling was performed at the conclusion of the SRI. Lack of groundwater sampling combined with lack of subsurface soil sampling to adequate depth creates uncertainty as to whether there are additional contributions to the TCE groundwater plume. At least one additional groundwater monitoring well pair located in the immediate downgradient location of former monitoring well MW12-37 should be done to further characterize the residual source area contributions.

Response 2: See response to general comment 2. Temporary wells were installed downgradient and in the immediate vicinity of MW12-37 (TW12-6, TW12-24, and TW12-26) and none of these wells showed any detections of VOCs prior to the removal action. TW12-6 was 30 feet from MW12-37; TW12-24 is 20 feet from MW12-37 and TW12-26 is 45 feet away from MW12-37. Groundwater impacts were isolated and confined to the area immediately around MW12-37 and this entire area (groundwater and soil) has been removed down to bedrock. No groundwater plume existed beyond the immediate area (within 20 feet of the original well) based on the groundwater data collected.

As discussed in response to general comment 3, soil confirmatory samples were collected on the sides of the excavation near the bedrock surface and all met the TAGM for TCE. Therefore, the soil characterization is sufficient to characterize the residual source area contributions.

Comment 3: Figure A-9, Appendix A, Temporary Well Construction Diagrams: Only two temporary monitoring wells were installed deeper than 15 feet, and both were located significantly upgradient of the area of concern. Why were only shallow monitoring wells installed on the remainder of the site, and how does this limitation affect the overall reliability of the conclusions regarding no further action for groundwater?

Response 3: As specified in Section 2.2.1.1, all temporary wells were advanced to auger refusal, which represents the top of bedrock. As shown in Figure 3-5 in the RI report, the depth to bedrock is greater in the upgradient area. Therefore, the upgradient monitoring wells were installed deeper than the other wells. As all wells were advanced to bedrock, the samples provide sufficient support for the conclusion of no further action for groundwater at the site. No text change has been made to the document.

Comment 4: Test Pit Reports, Appendix C: Soil screening for VOCs during test pit excavations was inconsistently conducted. Only two shallow (2-3 feet depth) soil samples were collected along an excavation wall approximately 45 feet in length. What criteria were used to establish the limit of the western excavation boundary?

Response 4: Two soil samples were collected 3-4 ft bgs from the western excavation boundary. The samples were collected close to the excavation bottom (5 ft bgs.) where fractured shale mixed with brown till was met. As the VOC concentrations in the samples were all below the TAGMs, no excavation was conducted beyond the western boundary. In addition, groundwater results from TW12-6 (non-detect for all VOCs) located 30 feet from MW12-37 (the impacted well) confirm that TCE is not present in the soils at concentrations contributing to groundwater contamination in this area. The text of Section 2.2.3.3 has been expanded to clarify this point.

Comment 5: Appendix C: There was no identification on the Test Pit Reports to correspond to the Test Pits identified on Figure 3-2. Revise accordingly.

Response 5: Test Pit Reports are presented in Appendix C for the eastern excavation limit (TP813-5F), northern excavation limit (TP813-6F), southern excavation limit (TP813-7T and TP813-8T), western excavation limit (TP813-13F), and the Building northeast corner excavation limit (TP813-10F and TP813-11F), respectively. The IDs for the samples associated with locations remaining after the final phase of the investigation are presented in the Test Pit Reports. A table correlating the Test Pit location ID (e.g. TP813-11F) and the sample ID given in the log (e.g. 123702) has been added to Appendix C to clarify where samples were taken.

Response to Comments from the United States Environmental Protection Agency

Subject: Draft Final Supplemental RI Report for SEAD-12

Seneca Army Depot

Romulus, New York

Comments Dated: June 9, 2006

Date of Comment Response: October 27, 2006

General Comments:

Comment 1: Both the New York State Department of Environmental Conservation (NYSDEC) and the U.S. Environmental Protection Agency (EPA) generated comments on the *Draft Supplemental Remedial Investigation for SEAD-12*, dated May 2005. These comments and responses to these comments are included in Appendix H of the *Draft Final Supplemental Remedial Investigation for SEAD-12* (Report). It appears that several issues have not yet been resolved. Although NYSDEC and EPA requested post-excavation groundwater sampling; the facility did not propose further groundwater sampling for two reasons, as stated on the first page of the response to EPA Comments:

- No exceedances of TCE were detected in wells other than MW12-37 during the Supplemental RI, and
- MW12-37 has been removed and all soils surrounding this well have been removed.

These reasons do not appear to provide adequate justification for not collecting post-excavation confirmatory groundwater samples. No evidence has been provided to show that the excavation was successful at remediating groundwater to below action levels. As noted on Page 4-2, confirmatory soil samples collected adjacent to the north side of the building, TP813-10F and TP-813-12F, exhibited trichloroethene (TCE) concentrations (4,800 ug/kg and 1,000 ug/kg, respectively) in excess of the NYSDEC Technical and Administrative Guidance Memorandum (TAGM) soil action level of 700 ug/kg, which is the soil cleanup goal for the protection of groundwater quality. Since soil in these locations could not be removed without compromising the integrity of the building foundation, there is still potential for contaminated soil in this area to contribute to groundwater contamination.

It should also be noted that a majority of the groundwater data obtained during the temporary well installations reported detection limits above the NYSDEC Class GA Groundwater Standards. If these wells exhibited low levels of volatile organic compound (VOC) contamination, the analyses may not have detected the contamination, even if applicable standards were exceeded.

Furthermore, excavation is an intrusive activity that likely has altered the subsurface make-up of the area north of the building. The potential exists for previously immobile contaminants to have become mobile

and migrated beyond the known areas of groundwater contamination. As previously stated, at least one additional groundwater monitoring well pair located in the immediate downgradient location of former monitoring well MW12-37 should be installed to further characterize the residual source area contributions, and determine the success of the removal action.

Response 1: Based on the review of the available data at the site, it is the Army's position that the isolated TCE contamination at the site has been removed and no additional sampling is needed. The arguments to support this proposal are as follows:

1. The highest concentrations of TCE in the soil have been removed. Soil having the highest TCE concentrations was co-located with the only exceedance of TCE in groundwater at MW12-37. Upon excavation of the soil in this area, there are two remaining TCE exceedances of TAGMs, both of which were found beneath the building footers and additional soil could not be removed without compromising the integrity of the building. The average TCE concentration remaining around the periphery of the building is 976 ppb (includes the two TAGM exceedances beneath the footer) which is 60 times lower than the concentration (65,000 ppb) found near the groundwater exceedance at MW12-37. The highest soil concentration was located 20 feet from the building at MW12-37 indicating that the source of the only groundwater exceedance in the area was not adjacent to or beneath the building. The TCE-impacted soil beneath the footer of the building is residual contamination and not the source of the groundwater impacts that prompted the investigation at Building 813/814.
2. Based on historic groundwater measurements in MW12-37 and the May/June 2004 round of water levels at the site, groundwater flow at the site is toward the drainage ditch. The bottom of the drainage ditch is competent shale and TCE was not detected on the downgradient (north side) of the drainage ditch. Groundwater between MW12-37 and the drainage ditch has not been impacted either. Wells located outside of the excavation area were within 20 to 30 feet of MW12-37 and no TCE was detected within these wells. [TW12-6 was 30 feet downgradient from MW12-37; TW12-24 was 20 feet upgradient from MW12-37 and TW12-26 was 45 feet downgradient from MW12-37.]
3. All soils present between MW12-37 and the ditch that exceeded TAGMs have been removed. No TCE was detected prior to the excavation downgradient of MW12-37; therefore, there is no reason that any would be detected after the excavation.
4. Excavation activities are not expected to significantly impact the mobility of contaminants. Groundwater results collected in 1999 and 2004 confirmed that migration of TCE is extremely limited. The strong affinity of TCE to soil is not expected to be changed by excavation. Although void space was created due to excavation, migration of TCE will not be enhanced due to the strong affinity of TCE to soil. Further, the excavation resulted in source area removal, which helped site cleanup and will prevent further contaminant

migration, if any. To conclude, the excavation is not expected to change the mobility of the contaminants at the site and therefore not expected to result in migration to areas that were previously clean. Excavation and evaporation has reduced the source and will prevent future contaminant migration.

In summary, it is the Army's position that installing and monitoring wells downgradient of the MW12-37 location, would reveal what previous groundwater monitoring results have revealed: no groundwater exceedances exist in the area surrounding this well location. TCE has not been detected in samples from wells installed in the immediate vicinity, nor has it been detected in wells installed downgradient on the other side of the drainage ditch.

Detection limits obtained during the sampling effort are adequate to show that data reported as "non-detect" are below NYSDEC GA standards. Please refer to response to Specific Comment 8.

Comment 2: In the previous comments included in Appendix H, EPA also expressed concern that the final excavation limits appeared to be arbitrary, and were sometimes based upon data apparently collected from elevations above potential areas of significant impact (EPA General Comment 3). There still seems to be a disconnect between the facility's response and the depths at which confirmatory sidewall samples were collected. All of the confirmatory samples that define the western, northern, and eastern boundaries of the excavation were collected at 3-4 feet (ft) below ground surface (bgs) (samples TP813-13F, TP813-6F, and TP813-5F). Samples that reported exceedances of TAGM values were collected primarily at deeper depths (between 5 and 7.5 ft bgs). The reported exceedances appear to correlate to some extent with the depth of the potential source of the contamination, a pipe in which the invert of the pipe was found approximately 4 to 5 ft bgs. The shallower sidewall samples may not have been adequate to assess the horizontal extent of the contamination.

However, it is noted that the excavation was advanced to bedrock, and at the western boundary, the depth of the excavation was approximately 5 feet (ft) below ground surface (bgs). Therefore, a sidewall sample (TP813-13F) was collected at 3-4 ft bgs along the western boundary. It is also noted that this western boundary sample was guided by previous results at TW12-6. According to the well completion report for TW12-6, this well was advanced to at least 10 ft below grade to the depth of refusal, which is assumed to be the depth of bedrock. It is not clear why a deeper sidewall sample could not be collected along the western boundary if previous sampling at TW12-6 did not detect bedrock until 10 ft bgs. Please address this discrepancy, and provide additional clarification for the selection of sidewall sample depths on the western, northern, and eastern excavation boundaries. Additional investigations may be necessary in order to confirm that the contamination has been removed at the depths at which it was primarily detected.

Response 2: The Army does not believe that additional investigation is needed in this area. The excavation was advanced to bedrock. Along the edges, the excavation was sloped to prevent potential

hazard. The depth of the side wall samples were collected at the half way point along the side slope of the excavation (3-4 feet bgs) as is typically the case. Groundwater levels in the area extend to 2 feet below ground surface which is well above the sample depths. Since TCE concentrations in the groundwater were well below the solubility of TCE in water (1,100 mg/L), the TCE is dissolved and would be evenly distributed within the groundwater column and in contact with soils up to 2 feet below the ground surface. The concentrations of TCE in soils would be similar at all depths since there is no DNAPL present. Since all samples were collected beneath this level, there is added confidence that any impact on the soils from contaminated groundwater would have been detected and sidewall samples are representative of existing conditions.

Comment 3: Both NYSDEC and EPA have indicated in their comments in Appendix H that the proposed deed restriction does not address the risk of potential vapor intrusion to indoor air. The facility has not proposed any additional investigations to assess the potential risk to future occupants of the building based on the assumption that there are no current or future occupants of the building. However, the planned future land use for SEAD-12 is institutional training, and unless this building is slated for demolition, and no buildings will be built in its place, there is potential for this building to be used and occupied in the future. EPA's *OSWER Draft Guidance for Evaluating the Vapor Intrusion to Indoor Air Pathway from Groundwater and Soils* (November 2002) and NYSDEC's *Proposed Program Policy for Evaluating the Potential for Vapor Intrusion at Past, Current, and Future Sites* (November 2004) should be reviewed for additional information and guidelines for assessing potential vapor intrusion.

Response 3: As discussed during the June 20th and 21st BCT meeting, the Army's position is that since there is no current or planned user of the building, the vapor intrusion exposure pathway is not complete and therefore there is no risk. Currently, the building is secured and there are no utilities. The Army proposes notification to future re-users regarding the potential for subslab contamination. Both NYSDEC and EPA have agreed that this is necessary. Such a notice would communicate the need to determine the risk of potential vapor intrusion to indoor air prior to future occupancy. Although the building could be used and occupied in the future based on the planned future land use (i.e., institutional training), chances are that the building may not be occupied by human receptors for significant amount of time.

This proposal is consistent with the NY State guidance. In NYSDOH's 2005 draft document "Guidance for Evaluating Soil Vapor Intrusion in the State of New York" indicates in Section 3.2.7 (Current and Future Land Uses) that "*Both current and future land uses are considered when evaluating the investigation data and determining appropriate actions for further investigation or measures to address exposures. For example, ...b. air sampling of a building may be needed based on the data evaluation. However, provisions may be put in place to defer sampling until occupancy of the building is expected;*" Furthermore, NYSDEC's comments on this report dated July 24, 2006 support deferment of sampling and recommend that an environmental easement be utilized to place restriction on the building "stating that an

investigation of vapor intrusion potential and indoor air quality must be performed before this building, or any newly constructed building, is occupied.”

Although samples collected in 1997 showed soil vapor beneath the building, these results cannot be used to conclude that indoor air quality is unacceptable within the building. Additional testing would be needed to assess the quality of the indoor air. Current guidance suggests that the additional evaluations can be performed immediately prior to building occupation. The Army proposes that the future owner, who is making the decision to occupy the building, be responsible for the testing and any required mitigation, if necessary. Language stating this requirement would be placed in the deed upon transfer and would become part of the institutional controls remedial design.

Comment 4: All the wells installed as part of this investigation were overburden wells, advanced to the top of bedrock. The Report does not discuss the potential for contamination within the bedrock aquifer, and it appears that this has not been assessed. Given the physical and chemical properties of TCE (i.e., most notably, a greater density than water) and the TCE exceedances identified in MW12-37 which was screened at the base of the overburden aquifer, the potential for dissolved phase TCE to migrate vertically through the weathered bedrock and the secondary porosity of the more competent bedrock should be examined.

Response 4: Groundwater contamination does not extend into the competent bedrock at the site. This conclusion is supported by the following facts:

- Although TCE in the pure phase has a greater density than water, groundwater with dissolved TCE at the ppm levels should be neutrally buoyant and will not sink. This fact is supported by a paper titled “Downward Solute Plume Migration: Assessment, Significance, and Implications for Characterization and Implications for Characterization and Monitoring of “Diving Plumes” (API Soil and Groundwater Technical Task Force, 2006).
- A bedrock well (MW12-815) exists approximately 300 ft southwest of MW12-37. Two rounds of samples were collected in April and December 1999, respectively from deep water (i.e., 20 ft bgs.) at MW12-815. No VOCs, SVOCs, pesticides, or PCBs were detected in either round except that toluene was detected in one round at 3.1 ug/L (below the GA Standard of 5 ug/L) and benzo(g,h,i)perylene was detected in one round at 0.052 ug/L (below the reporting limit of 1 ug/L). Several metals were detected in the samples collected from MW12-815 but all metal concentrations were below the GA Standards except that iron concentration detected in one round was slightly above the GA Standard (355 ug/L vs. 300 ug/L) but was considered consistent with Seneca background (a maximum concentration of 69,400 ug/L was observed in the Seneca background data set).

- Excavation of soil was extended to competent bedrock. That is, contamination in weathered bedrock, if any, would have been excavated during the SRI.
- The competent bedrock at SEDA generally has very low yield. There has been no connection found at SEDA between contaminant concentrations in the overburden and competent bedrock.

In summary, the TCE present in the groundwater at this site is dissolved and has no tendency to sink; no TCE or biodegradation byproducts were detected in the deep groundwater samples collected approximately 300 ft southwest of MW12-37; the SRI excavation was extended to competent bedrock; and the competent bedrock at SEDA has very low yield. All these support the Army's position that contamination within the bedrock aquifer is not expected. The above discussion has been included in Section 3.

SPECIFIC COMMENTS

Comment 1: Executive Summary, Page ES-1. The second paragraph notes that an abandoned sewer pipe exiting the building was identified as a potential source of the TCE contamination in the vicinity of monitoring well MW12-37. Section 2.2.3.2 (Phase II Test Pitting) and Section 2.2.3.3 (Phase III Test Pitting) note observations of both a 6-inch clay sewer pipe, appearing to run north from the building, and a 4-inch ductile iron pipe, found extending from the building's foundation. Please clarify which pipe, or both of them, is the suspected source of contamination.

Response 1: There is no evidence to indicate that either the 6-inch clay sewer pipe, or the 4-inch ductile iron pipe is the potential source of the TCE contamination in the vicinity of monitoring well MW12-37. The field observations and analytical results do not confirm or rule out the likelihood of either one being the potential source. The executive summary has been revised to include reference of both pipes and to remove the reference of the sewer pipe as the suspected source of contamination.

Comment 2: Section 1.3: Site Physical Characteristics, Page 1-3. This section of the Report describes the site physical characteristics, including topography; however, a topographic map of SEAD-12 has not been provided in the Report. A topographic map is a useful visual aid to support a discussion of surface elevation. Please provide a topographic map of the SEAD-12 area.

Response 2: Acknowledged. A topographic map of the SEAD-12 area is shown in the Final Remedial Investigation Report (Figure 1-4). This Figure has been added to the SRI report as Figure 1-4.

Comment 3: Section 1.3: Site Physical Characteristics, Page 1-3. Since a specific section for hydrogeological characteristics is not included in this Report, this section on site physical characteristics may be appropriate for a discussion of the groundwater flow direction at SEAD-12. Although Figures 2-1 and 2-2 of this Report do include groundwater contours from data collected in 1999, the Report has not

explicitly discussed groundwater flow direction and how it has been calculated. It is also not clear whether more recent groundwater elevation measurements may have been collected to refine the contours shown on Figures 2-1 and 2-2, perhaps using data from the temporary well installations. Please revise the Report to include a discussion of the groundwater flow direction, and indicate whether any post-1999 groundwater elevation measurements have been collected.

Response 3: Acknowledged. Groundwater elevations recorded for the temporary wells in 2004 have been included on **Figure 2-3** in the SRI report. A discussion of the groundwater flow has been included in Section 1.3 (Site Physical Characteristics).

Comment 4: Section 2.2.1.2: Groundwater Sampling, Page 2-2. The second paragraph notes that wells were sampled using low-flow procedures and “in general, each well was purged and sampled using a bladder pump.” According to the groundwater sampling records in Appendix B, temporary well TW12-9 could not be sampled via low-flow procedures since there was not enough water in the well. Instead, the well was sampled using a bailer. Deviations from proposed sampling techniques should be presented within the text of the Report. The Report should also discuss the potential effects of any deviations on the reported results, such as potential loss of volatile compounds. Please revise Section 2.2.1.2 to include a discussion of the sampling procedures used at temporary well TW12-9.

Response 4: Acknowledged. Section 2.2.1.2 has been revised to include discussion of the sampling procedures used at temporary well TW12-9.

Comment 5: Section 2.2.1.3: Sample Analysis, Page 2-3. It is noted that attempts were made to identify and quantify 10 volatile tentatively identified compounds (TIC) of greatest concentrations, but the outcome of this evaluation does not appear to have been provided in this section or Section 3.0. Please indicate whether any of the volatile TICs were identified or quantified.

Response 5: Acknowledged. No volatile TICs were identified in any groundwater samples collected in 2004. This statement has been included in Section 3.1.

Comment 6: Section 2.2.2: Surface Water/Ditch Soil Investigation, Page 2-3. The description of the surface water/ditch soil samples provided in this section does not appear to correlate with the sample locations shown on Figure 2-3. For example, it is noted that sample SW/SD12-69 was cited to re-examine RI sample location SW/SD12-30. According to Figure 2-3 (Temporary Well and Surface Water/Ditch Soil Sample Locations), sample SW/SD12-69 is shown in the northern portion of the ditch, just west of temporary well sample location TW12-7. This location appears to be located nearly 300 feet away from sample SW/SD12-30, which is shown south of buildings 813 and 814 on Figure 2-1 (TCE Detected During RI). It is also noted in the text that surface water samples SW12-72 and 73 were both collected to the northwest of the elevated TCE detection at MW12-37. Figure 2-3 shows surface water

samples SW12-72 and 73 more than 200 feet south of MW12-37. Please revise Section 2.2.2 so that the sample identifications used in the description correlate with the sample identifications shown on Figure 2-3.

Response 6: Acknowledged. The surface water/ditch soil sample locations were not listed correctly in Figure 2-3; the correct locations were presented in Figure 3-1. The description of the surface water/ditch soil samples provided in Section 2.2.2 matches the locations shown in Figure 3-1. Figure 2-3 has been revised to reflect the correct surface water/ditch soil sample locations and to match the Section 2.2.2 description.

Comment 7: Section 2.2.3.2: Phase II Testing Pitting – November 10 and 11, 2004, Page 2-5. Soil sample TP813-4F was collected during test pitting activities, but this sample does not appear to be shown on any figures. Figure 2-4 (Sample Locations from Test Pit at Buildings 813 and 814) should be updated to show the location of TP813-4F.

Response 7: Acknowledged. Figure 2-4 has been updated to show location TP813-4.

Comment 8: Section 3.1: Groundwater Results, Page 3-1. The Report notes that there were no exceedances of NYSDEC Class GA Groundwater Standards in the groundwater samples collected from the Phase I temporary wells. However, Table 3-1 and Appendix E also show that the detection limits for a majority of the VOCs sampled were greater than the applicable groundwater standards or action levels. The detection limit for TCE was 10 ug/l whereas the groundwater standard is only 5 ug/l. The detection limit for vinyl chloride, a daughter product of TCE, was also 10 ug/l, although the groundwater standard is 2 ug/l. Please provide a discussion of how this may affect an interpretation of the results.

Response 8: The groundwater results were reported by Chemtech (Mountainside, NJ). For this project, the NYSDEC ASP CLP format was required. Using this format the reporting limit for TCE is 10 ug/L. However, the laboratory's Method Detection Limit (MDL) for TCE was 0.50 ug/L. An analyte was reported as a detect or as a nondetect based on whether or not the concentration was above the laboratory's MDL. All values less than the MDL are reported U (Undetected) and all values between the MDL and Reporting limit are reported as J (Estimated). Therefore, any reported values of 10 ug/L "U" were actually detected below 0.5 ug/L, well below the NYSDEC GA standard. Anything detected between 0.5 ug/L and 10 ug/L would be reported at the value with a "J".

Based on the above discussion, the elevated reporting limits (compared to the NYSDEC GA Standards) do not affect the demonstration of groundwater results compliance with NYSDEC GA Standards. The above discussion has been included in Section 3.1. In addition, a copy of the laboratory MDLs associated with the groundwater samples has been included in Appendix F of the SRI report.

Comment 9: Section 3.1: Groundwater Results, Page 3-1. Low concentrations of TCE were detected in temporary wells TW12-1 and TW12-3. Elevated TCE concentrations were also detected in this area during the soil gas survey, particularly in the vicinity of SG12-147 (as shown on Figure 1-4). Please indicate whether a source for this contamination has been identified, particularly since it appears to be located upgradient of the contamination identified north of the buildings near well MW12-37.

Response 9: There is no evidence of potential source associated with the acceptable TCE concentrations detected in TW12-1 and TW12-3 based on the available data. The lines of evidence supporting this statement are summarized below.

- The TCE concentrations detected in TW12-1 and TW12-3 were below the reporting limits and therefore were qualified by the laboratory as J (estimated). The concentrations were below the NYSDEC GA Standard of 5 ug/L.
- TCE or degradation byproduct was not detected in TW12-22, a temporary well approximately 25 ft south of TW12-1.
- TCE or degradation byproduct was not detected in SW12-69 (within 20 ft from TW12-1) or SW12-70 (approximately 30 ft from TW12-3).
- TCE or degradation byproduct was not detected in adjacent wells (within or at 100 ft from TW12-1 or TW12-2) including TW12-23, MW12-39, TW12-4, and TW12-5.
- According to NYSDOH (2005), "*Soil vapor results may not indicate a traditional plume-like pattern of contamination (as is often described for groundwater). Rather, the nature and extent of contamination may follow a "hit and miss" pattern.*" As a result, soil vapor results can only be used as a screening tool for contamination characterization.

Comment 10: Section 3.3.2: Stockpiles, Page 3-4. After re-sampling Phase II and Phase III stockpiles in July and November 2005, it was determined that the samples from the Phase II stockpile and the Phase IIIA stockpiles did not contain TCE above action levels. Therefore, it is noted that these soils will be backfilled into the excavation. The text refers one to Figure 3-3 for the locations of the random grid samples that were collected within the Phase II stockpile, but Figure 3-3 does not show the locations of these samples in relation to samples previously collected in 2004. It is not clear whether concentrations have decreased due to natural processes over the past year or whether samples were collected at completely different locations. Please address this issue prior to backfilling the excavation with the Phase II and IIIA stockpile soil. Additionally, please indicate whether there was still any indication of visual impacts to the Phase II stockpile soil, and if so, whether any samples were collected in areas that were visually impacted.

Response 10: Figure 3-3 presents the location of the stockpiles from different phases (as versus the location of specific sampling point). Stockpile samples were generally collected from random grid locations within the stockpiles. For the Phase IIIB stockpiles, one sample and a field duplicate were collected in February 2006 at the same spot where TCE concentration of 22,000 µg/Kg was detected in

July 2005 and the results indicated that the concentrations decreased due to natural processes over the past year.

Some Phase II stockpile soils were collected from areas that were visually impacted including soils near debris (e.g. rusted metal, drain pipe). Representative samples from this stockpile were collected and analyzed and results indicate that the soil is acceptable for backfill. The section has been revised to reflect the above discussion.