

01578

117



**GROUNDWATER MONITORING  
VALIDATED ANALYTICAL RESULTS FOR THE THIRD QUARTER 1995  
OB/OD GROUND, SENECA ARMY DEPOT**

**PREPARED FOR:**

U.S. Army Corps of Engineers  
Huntsville, Alabama

**PREPARED BY:**

Parsons Engineering Science, Inc.  
Boston, Massachusetts

December 1995  
D#14



## TABLES

Table 1 Groundwater Elevation Data

Table 2 Validated Metals Results



TABLE 1

SENECA ARMY DEPOT ACTIVITY  
1995 GROUNDWATER MONITORING PROGRAM  
GROUNDWATER ELEVATION DATA

Monitoring Well	Elevation at Top of Riser (MSL)	First Quarter 1995			Second Quarter 1995			Third Quarter 1995		
		Date	Depth from Top of Riser (ft.)	Elevation of Water Level (ft.)	Date	Depth from Top of Riser (ft.)	Elevation of Water Level (ft.)	Date	Depth from Top of Riser (ft.)	Elevation of Water Level (ft.)
<b>OB Grounds</b>										
MW-12	624.5	03/15/95	Not sampled		06/08/95	4.36	620.14	09/13/95	5.65	618.85
MW-13	627.09	03/15/95	2.3	624.79	06/08/95	4.95	622.14	09/13/95	6.47	620.62
MW-14	624.51	03/15/95	Not sampled		06/08/95	6.4	618.11	09/13/95	7.69	616.82
MW-27	625.94	03/15/95	Not sampled		06/08/95	6.7	619.24	09/13/95	7.15	618.79
<b>OD Grounds</b>										
MW45-1	625.08	03/15/95	Not sampled		06/08/95	Dry		09/13/95	Dry	
MW45-2	626.76	03/15/95	Not sampled		06/08/95	Dry		09/13/95	Dry	
MW45-3	626.45	03/15/95	Not sampled		06/08/95	9.4	617.05	09/13/95	11.3	615.15
MW45-4	633.04	03/15/95	5.27	627.77	06/08/95	8.36	624.68	09/13/95	Dry	



**Table 2**  
**OB/OD 1995 Third Quarter Groundwater Monitoring**  
**Validated Metals Analyses Results**

MATRIX SITE	DATE SAMPLED	ES ID	LAB ID	UNITS	WATER OB/OD	WATER OB/OD	WATER OB/OD	WATER OB/OD	WATER OB/OD	WATER OB/OD
					09/12/95	09/12/95	09/12/95	09/12/95	09/12/95	09/12/95
					MW12	MW13	MW14	MW14R	MW27	MW45
					270972	270973	270974	270975	271848	270985
								Rinsate Blank		
				Duplicate MW14						
					105 U	10 U	405	11 U	9 U	5 U
					2 U	2 U	2 U	2 U	2 U	2 U
					2 U	2 U	2 U	2 U	2 U	2 U
					55 U	84 U	57 U	3 U	86 U	2 U
					0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
					0.3 U	0.3 U	0.3 U	0.3 U	0.3 U	0.3 U
					160000	136000	160000	86 U	94500	189000
					0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
					1 U	0 U	0 U	1 U	1 U	1 U
					0.7 U	0.7 U	1 U	0.7 U	0.7 U	0.8 U
					134	18 U	481	18 U	18 U	15 U
					1 U	1 U	1 U	1 U	1 U	1 U
					31600	26300	31800	92 U	55800	72700
					6 U	1 U	10 U	0 U	63	166
					0.03 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
					1 U	0 U	0 U	1 U	2 B	5 U
					2050 U	2010 U	2080 U	105 U	10200	11400
					3 UJ	3 UJ	3 UJ	3 UJ	3 UJ	3 UJ
					0.8 U	0.8 U	0.8 U	3.7 U	0.8 U	0.8 U
					18200	16500	32200	345 U	18400	17600
					3 U	3 U	3 U	3 U	3 U	3 U
					1 U	1 U	1 U	1 U	1 U	1 U
					8 U	1 B	15 U	2 U	1 U	17 U
					5 UJ	5 UJ	5 UJ	5 UJ	5 UJ	5 UJ






## FIGURES

Figure 1 OB Grounds Groundwater Elevation Plans

Figure 2 OD Grounds Groundwater Elevation Plans





- LEGEND:**
- Ⓞ BURNING PAD DESIGNATION
  - ⊙ PAD OR GRID BORING
  - GROUND CONTOUR AND ELEVATION
  - W-1 WETLAND & DESIGNATION
  - 616.82 MONITORING WELL & DESIGNATION AND MSL ELEVATION DATUM
  - MW-14
  - ♦ UTILITY POLE
  - TREE
  - BRUSH

744

GROUNDWATER ELEVATION CONTOUR MSL DATUM

GENERAL GROUNDWATER FLOW DIRECTION

R:\SENECA\DBRI\GG\W\DWG

**PARSONS**  
**PARSONS ENGINEERING SCIENCE, INC.**


CLIENT/PROJECT TITLE  
**SENECA ARMY DEPOT ACTIVITY  
 OB GROUNDS  
 GROUNDWATER MONITORING PROGRAM**

DEPT. ENVIRONMENTAL ENGINEERING      DWG. No. 725980-01007

**FIGURE 1  
 GROUNDWATER ELEVATION CONTOUR PLAN  
 SEPTEMBER 12 1995**



SCALE 1" = 200'      DATE JUNE 1995      REV A





**LEGEND**

	MINOR WATERWAY
	MAJOR WATERWAY
	FENCE
	UNPAVED ROAD
	BRUSH LINE
	LANDFILL EXTENTS
	RAILROAD
	GROUND SURFACE ELEVATION CONTOUR
	ROAD SIGN
	DECIDUOUS TREE
	GUIDE POST
	FIRE HYDRANT
	MANHOLE
	COORDINATE GRID (250' GRID)
	POLE
	UTILITY BOX
	MAILBOX/RR SIGNAL
	OVERHEAD UTILITY POLE
	SURVEY MONUMENT
	LOCATION OF DETONATION MOUND IN 1968
	MW45-1 MONITORING WELL AND DESIGNATION
	617.1 GROUNDWATER ELEVATION MSL DATUM



**PARSONS**  
**PARSONS ENGINEERING SCIENCE, INC.**

CLIENT/PROJECT TITLE  
**SENECA ARMY DEPOT ACTIVITY  
 OD GROUNDS  
 GROUNDWATER MONITORING PROGRAM**

DEPT: ENVIRONMENTAL ENGINEERING      Dwg No: 725980-01007

**FIGURE 2  
 GROUNDWATER ELEVATION PLAN  
 SEPTEMBER 12, 1995**

SCALE: 1" = 200'      DATE: NOVEMBER 1995      REV: A

ACAD:SENECA\DBR\1\SD45MSL.DWG



**APPENDIX A**

**FIELD DATA**

**OB/OD Third Quarter 1995 Groundwater  
Monitoring Program**

- 1. Groundwater Sampling Forms**
- 2. Chain-of-Custody Forms**
- 3. pH Meter Calibration Forms**





## 1. Groundwater Sampling Forms



## SAMPLING RECORD - GROUNDWATER

ENGINEERING - SCIENCE, INC.		CLIENT: USACOE		DATE: 9-12-95	
PROJECT: SEAD - 3rd Quarterly Monitoring '95			INSPECTOR: KKS/BH		
LOCATION: OB			LABORATORY:		
WELL NUMBER: MW-12			CHAIN OF CUSTODY #:		
SCREENED INTERVAL (TOC):			MONITORING		
WELL DIAMETER FACTORS			INSTRUMENT		
			DETECTOR		
DIAMETER (INCHES): 1 1.5 2 3 4 5 6 7 8 9 10					
GALLONS/FOOT: 0.041 0.092 0.167 0.367 0.654 1.02 1.47 2.00 2.61 3.30 5.87					
PURGE INFORMATION:					
STATIC DEPTH TO WATER (TOC):			STANDING WATER VOLUME IN WELL (gallons): .56		
WELL DEPTH (TOC): 5.65			THREE WELL VOLUMES (gallons):		
FEET OF WATER IN WELL: 3.96			ONE: 4.12 5.6 TWO: 1.12 THREE: 1.7		
PURGING WITH A PERISTALTIC PUMP OR BAILER					
(measure indicator parameters at one, two and three well volumes)					
TIME BEGIN PURGING: 1314			TIME END PURGING: 1321		
TIME:	1317	1318	1321		
DEPTH TO WATER (ft)	6.02	6.62	6.32		
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)	9.11	7.0	7.0		
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)	1L/min Heavy silt cleared fast	870 ml/min	870 ml/min		
VOLUME OF WATER REMOVED (gals)	.56	.56	.56		
TEMPERATURE (deg. C)	17.5	18	17.5		
SPEC. COND (umhos)	800	800	800		
PH	7.19	7.23	7.30		
DEPTH TO WATER MEASUREMENTS AFTER PURGING					
DATE	9-12-95				
TIME	1328				
DEPTH TO WATER (ft)	5.65				
"AFTER PURGE" WATER COLUMN (ft)					
"STATIC" WATER COLUMN (ft)					
% RECOVERY	100%				
Notes:					
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.					
(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.					

**SAMPLING INFORMATION**

SAMPLING DEVICE: *Peristaltic pump*

SAMPLE PARAMETER	TIME	CONTAINER	COLOR	TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE)
<i>Metals</i>	<i>1330</i>	<i>1L HDHP</i>	<i>clear</i>	<i>7.16</i>
<i>Mercury</i>	<i>1330</i>	<i>500ml HDHP</i>	<i>↓</i>	
<i>CN</i>	<i>1330</i>	<i>1L HDHP</i>	<i>↓</i>	

**QA/QC:**

QA/QC DUPLICATE SAMPLE COLLECTED: YES or  NO

Duplicate Sample Name:

MRD Sample Name:

QA/QC RINSATE SAMPLE NAME:

MATRIX SPIKE SAMPLE COLLECTED: YES or  NO

**INVESTIGATION DERIVED WASTE (IDW):**

Date:	<i>7-12-95</i>			
Volume Transferred to Drum:	<i>1.7</i>			
Drum Number:	<i>08-2</i>			

**COMMENTS:**

**SAMPLING RECORD - GROUNDWATER**

ENGINEERING--SCIENCE, INC. CLIENT: **USACOE** DATE: **9-12-95**

PROJECT: **SEAD - 3rd Quarterly Monitoring '95** INSPECTOR: **KKS/BH**

LOCATION: **OB** LABORATORY:   
 CHAIN OF CUSTODY #:

WELL NUMBER: **MW-13** MONITORING   
 INSTRUMENT DETECTOR

SCREENED INTERVAL (TOC):

WELL DIAMETER FACTORS

DIAMETER (INCHES):	1	1.5	<b>2</b>	3	4	5	6	7	8	9	10
GALLONS/FOOT:	0.041	0.092	<b>0.167</b>	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87

PURGE INFORMATION:

STATIC DEPTH TO WATER (TOC):	<b>6.47</b>	STANDING WATER VOLUME IN WELL (gallons):	<b>.6</b>
WELL DEPTH (TOC):	<b>10.14</b>	THREE WELL VOLUMES (gallons):	
FEET OF WATER IN WELL:	<b>3.67</b>	ONE:	<b>.6</b>
		TWO:	<b>1.2</b>
		THREE:	<b>1.8</b>

**PURGING WITH A PERISTALTIC PUMP OR BAILER**  
(measure indicator parameters at one, two and three well volumes)

TIME BEGIN PURGING:	0944		TIME END PURGING:			
TIME	0950	0953				
DEPTH TO WATER (ft)	7.0	7.25				
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)	10.00	7.5				
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)	660 ml/min 870	870 ml/min				
VOLUME OF WATER REMOVED (gals)	.6	.6				
TEMPERATURE (deg. C)	18.0	18.0				
SPEC. COND (umhos)	750	750				
PH	6.93	7.03				

**DEPTH TO WATER MEASUREMENTS AFTER PURGING**

DATE	9-12-95				
TIME	0958				
DEPTH TO WATER (ft)	6.47				
"AFTER PURGE" WATER COLUMN (ft)					
"STATIC" WATER COLUMN (ft)					
% RECOVERY	100%				

Notes:

- Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

**SAMPLING INFORMATION**

SAMPLING DEVICE:

SAMPLE PARAMETER	TIME	CONTAINER	COLOR	TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE)
TAL Metals	1000	1L HDPE	clear	1.27
Cyanide	1000	1L HDPE	↓	
Mercury	1000	500-ml HDPE		

QA/QC:

QA/QC DUPLICATE SAMPLE COLLECTED: YES or  NO

Duplicate Sample Name:

MRD Sample Name:

QA/QC RINSATE SAMPLE NAME:

MATRIX SPIKE SAMPLE COLLECTED: YES or  NO

INVESTIGATION DERIVED WASTE (IDW):

Date:	9-12-95		
Volume Transferred to Drum:	1.8 gal		
Drum Number:	06-2		

COMMENTS:

Pictures taken of well condition

## SAMPLING RECORD - GROUNDWATER

ENGINEERING - SCIENCE, INC.		CLIENT: USACOE			DATE: 9-12-95						
PROJECT: SEAD - 3rd Quarterly Monitoring '95				INSPECTOR: KAS		LABORATORY:					
LOCATION: MW-14 OB				CHAIN OF CUSTODY #:							
WELL NUMBER: MW-14				MONITORING							
SCREENED INTERVAL (TOC):				INSTRUMENT		DETECTOR					
WELL DIAMETER FACTORS											
DIAMETER (INCHES):	1	1.5	2	3	4	5	6	7	8	9	10
GALLONS/FOOT:	0.041	0.092	0.167	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87
PURGE INFORMATION:								STANDING WATER VOLUME IN WELL (gallons): .5			
STATIC DEPTH TO WATER (TOC):		7.69		WELL DEPTH (TOC):				10.58			
WELL DEPTH (TOC):		10.58		THREE WELL VOLUMES (gallons):				ONE: .5 TWO: 1.0 THREE: 1.5			
FEET OF WATER IN WELL:		2.89									
<b>PURGING WITH A PERISTALTIC PUMP OR BAILER</b>								(measure indicator parameters at one, two and three well volumes)			
TIME BEGIN PURGING: 1044				TIME END PURGING:							
TIME	1047	1050	1055								
DEPTH TO WATER (ft)	8.00	8.4	8.58								
DEPTH TO BOTTOM OF TEFロン TUBE (TOC)	10.58 some silt cleared first	9.0	9.0								
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)	870	870	870								
VOLUME OF WATER REMOVED (gals)	.5	1.0	1.5								
TEMPERATURE (deg. C)	17.05 17.05	18.0	18.0								
SPEC. COND (umhos)	1000	1000	1000								
PH	7.05	7.10	7.15								
<b>DEPTH TO WATER MEASUREMENTS AFTER PURGING</b>											
DATE	9-12-95										
TIME	1058										
DEPTH TO WATER (ft)	7.85										
"AFTER PURGE" WATER COLUMN (ft)											
"STATIC" WATER COLUMN (ft)	2.89										
% RECOVERY	95%										
Notes:											
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.											
(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.											

**SAMPLING INFORMATION**

SAMPLING DEVICE:

SAMPLE PARAMETER	TIME	CONTAINER	COLOR	TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE)
TAL Metals	1100	1L HDPE	clear	.5.05 NTU
Mercury	1100	500ml HDPE	↓	5
CN	1100	1L HDPE		

**QA/QC:**

QA/QC DUPLICATE SAMPLE COLLECTED:  YES or NO

Duplicate Sample Name: MW-114

MRD Sample Name: MW-14MRD + MW-14MRD-R (Separate mercury sample not taken)

QA/QC RINSATE SAMPLE NAME: MW-14-R

MATRIX SPIKE SAMPLE COLLECTED: YES or  NO

**INVESTIGATION DERIVED WASTE (IDW):**

Date:	9-12-95			
Volume Transferred to Drum:	1.5 gal			
Drum Number:	08-2			

**COMMENTS:**

Pictures taken of Well Condition  
 "Tops" Distilled Water / NYS HD Cert. #197  
 Bottled at - 1540 Seneca Creek Rd  
 West Seneca NY 14224  
 #1053195  
 Tops Market - Buffalo, NY 14206



**SAMPLING RECORD - GROUNDWATER**

ENGINEERING - SCIENCE, INC. CLIENT: **USACOE** DATE: **9-12-95**

PROJECT: **SEAD - 3rd Quarterly Monitoring '95** INSPECTOR: **KKS / BH**  
 LOCATION: **OB** LABORATORY: **Arutec**  
 CHAIN OF CUSTODY #:

WELL NUMBER: **MW-27** MONITORING  
 INSTRUMENT DETECTOR

SCREENED INTERVAL (TOC):

WELL DIAMETER FACTORS

DIAMETER (INCHES):	1	1.5	<b>2</b>	3	4	5	6	7	8	9	10
GALLONS/FOOT:	0.041	0.092	<b>0.167</b>	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87

PURGE INFORMATION:

STATIC DEPTH TO WATER (TOC): **2.15** STANDING WATER VOLUME IN WELL (gallons): **1.35**  
 WELL DEPTH (TOC): **15.46** THREE WELL VOLUMES (gallons):  
 FEET OF WATER IN WELL: **8.31** ONE: **1.35** TWO: **2.7** THREE: **4**

**PURGING WITH A PERISTALTIC PUMP OR BAILER**  
 (measure indicator parameters at one, two and three well volumes)

TIME BEGIN PURGING: **1340** TIME END PURGING: **1348**

TIME	1342	1345	1348			
DEPTH TO WATER (ft)	9.10	9.38	9.46			
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)	15.46	13.00	13.00			
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)	318	318	318			
VOLUME OF WATER REMOVED (gals)	1.3	2.7	4			
TEMPERATURE (deg. C)	16	16	16			
SPEC. COND (umhos)	800	800	800			
PH	7.24	7.27	7.28			

**DEPTH TO WATER MEASUREMENTS AFTER PURGING**

DATE	9-12-95				
TIME	1358				
DEPTH TO WATER (ft)	15.46				
"AFTER PURGE" WATER COLUMN (ft)					
"STATIC" WATER COLUMN (ft)					
% RECOVERY	100%				

Notes:

- Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

**SAMPLING INFORMATION**

SAMPLING DEVICE:

SAMPLE PARAMETER	TIME	CONTAINER	COLOR	TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE)
Metals	1400	1L HDPE	clear	.71
Mercury	1400	500ml HDPE	↓	
CN	1400	1L HDPE	↓	

QA/QC:

QA/QC DUPLICATE SAMPLE COLLECTED: YES or  NO

Duplicate Sample Name:

MRD Sample Name:

QA/QC RINSATE SAMPLE NAME:

MATRIX SPIKE SAMPLE COLLECTED: YES or  NO

INVESTIGATION DERIVED WASTE (IDW):

Date:	7-12-95			
Volume Transferred to Drum:	4 gal			
Drum Number:	OB-2			

COMMENTS:

**SAMPLING RECORD - GROUNDWATER**

ENGINEERING - SCIENCE, INC. CLIENT: **USACOE** DATE: **9-12-95**

PROJECT: **SEAD - 3rd Quarterly Monitoring '95** INSPECTOR: **KRS/BH**  
 LOCATION: **OD** LABORATORY:  
 CHAIN OF CUSTODY #:

WELL NUMBER: **MW45-1** MONITORING  
 SCREENED INTERVAL (TOC): INSTRUMENT DETECTOR

**WELL DIAMETER FACTORS**

DIAMETER (INCHES):	1	1.5	<b>2</b>	3	4	5	6	7	8	9	10
GALLONS/FOOT:	0.041	0.092	<b>0.167</b>	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87

**PURGE INFORMATION:**  
 STATIC DEPTH TO WATER (TOC): **.65** STANDING WATER VOLUME IN WELL (gallons):  
 WELL DEPTH (TOC): **8.63** **Dry Well** THREE WELL VOLUMES (gallons):  
 FEET OF WATER IN WELL: **7.98** ONE: TWO: THREE:

**PURGING WITH A PERISTALTIC PUMP OR BAILER**  
 (measure indicator parameters at one, two and three well volumes)

TIME BEGIN PURGING:	TIME END PURGING:					
TIME:						
DEPTH TO WATER (ft)						
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)						
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)						
VOLUME OF WATER REMOVED (gals)						
TEMPERATURE (deg. C)						
SPEC. COND (umhos)						
PH						

**DEPTH TO WATER MEASUREMENTS AFTER PURGING**

DATE					
TIME					
DEPTH TO WATER (ft) "AFTER PURGE"					
WATER COLUMN (ft)					
"STATIC" WATER COLUMN (ft)					
% RECOVERY					

Notes:  
 (1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.  
 (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

### SAMPLING INFORMATION

SAMPLING DEVICE:

SAMPLE PARAMETER	TIME	CONTAINER	COLOR	TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE)

**QA/QC:**

QA/QC DUPLICATE SAMPLE COLLECTED: YES or NO

Duplicate Sample Name:

MRD Sample Name:

QA/QC RINSATE SAMPLE NAME:

MATRIX SPIKE SAMPLE COLLECTED: YES or NO

**INVESTIGATION DERIVED WASTE (IDW):**

Date:				
Volume Transferred to Drum:				
Drum Number:				

**COMMENTS:**

**SAMPLING RECORD - GROUNDWATER**

ENGINEERING - SCIENCE, INC. CLIENT: USACOE DATE: 9-12-95

PROJECT: SEAD - 3rd Quarterly Monitoring '95 INSPECTOR: ICCS / BH  
 LOCATION: 0D LABORATORY:  
 CHAIN OF CUSTODY #:

WELL NUMBER: MW45-2 MONITORING  
 INSTRUMENT DETECTOR

SCREENED INTERVAL (TOC):

WELL DIAMETER FACTORS

DIAMETER (INCHES):	1	1.5	<u>2</u>	3	4	5	6	7	8	9	10
GALLONS/FOOT:	0.041	0.092	<u>0.167</u>	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87

PURGE INFORMATION:

STATIC DEPTH TO WATER (TOC): 12.42 STANDING WATER VOLUME IN WELL (gallons):  
 WELL DEPTH (TOC): 12.42 THREE WELL VOLUMES (gallons):  
 FEET OF WATER IN WELL: Dry Well ONE: TWO: THREE:

**PURGING WITH A PERISTALTIC PUMP OR BAILER**

(measure indicator parameters at one, two and three well volumes)

TIME BEGIN PURGING:	TIME END PURGING:				
TIME					
DEPTH TO WATER (ft)					
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)					
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)					
VOLUME OF WATER REMOVED (gals)					
TEMPERATURE (deg. C)					
SPEC. COND (umhos)					
PH					

**DEPTH TO WATER MEASUREMENTS AFTER PURGING**

DATE					
TIME					
DEPTH TO WATER (ft)					
"AFTER PURGE" WATER COLUMN (ft)					
"STATIC" WATER COLUMN (ft)					
% RECOVERY					

Notes:

- Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.
- Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

**SAMPLING INFORMATION**

SAMPLING DEVICE:

SAMPLE PARAMETER	TIME	CONTAINER	COLOR	TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE)

**QA/QC:**

**QA/QC DUPLICATE SAMPLE COLLECTED: YES or NO**  
Duplicate Sample Name:  
MRD Sample Name:

**QA/QC RINSATE SAMPLE NAME:**

**MATRIX SPIKE SAMPLE COLLECTED: YES or NO**

**INVESTIGATION DERIVED WASTE (IDW):**

Date: 

--	--	--	--

  
Volume Transferred to Drum: 

--	--	--	--

  
Drum Number: 

--	--	--	--

**COMMENTS:**

## SAMPLING RECORD - GROUNDWATER

ENGINEERING - SCIENCE, INC.		CLIENT: USACOE		DATE: 9-12-95							
PROJECT: SEAD - 3rd Quarterly Monitoring '95			INSPECTOR: KKS/BH								
LOCATION: OD			LABORATORY: Aquatec								
WELL NUMBER: MW45-3			CHAIN OF CUSTODY #:								
SCREENED INTERVAL (TOC):			MONITORING								
			INSTRUMENT								
			DETECTOR								
			N/A								
WELL DIAMETER FACTORS											
DIAMETER (INCHES):	1	1.5	2	3	4	5	6	7	8	9	10
GALLONS/FOOT:	0.041	0.092	0.167	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87
PURGE INFORMATION:											
STATIC DEPTH TO WATER (TOC): 11.30		STANDING WATER VOLUME IN WELL (gallons): .45									
WELL DEPTH (TOC): 14.09		THREE WELL VOLUMES (gallons):									
FEET OF WATER IN WELL: 2.79		ONE: .45		TWO: .9							
				THREE: 1.35							
PURGING WITH A PERISTALTIC PUMP OR BAILER (measure indicator parameters at one, two and three well volumes)											
TIME BEGIN PURGING: 0836			TIME END PURGING: 0900								
TIME	0843	0855	0900								
DEPTH TO WATER (ft)	12.2	12.70	12.75								
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)	14.09	12.80	12.8								
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)	380 ml 180 ml/min	180 ml/min	100 ml/min	Slow well condition							
VOLUME OF WATER REMOVED (gals)	.45	.45	.10								
TEMPERATURE (deg. C)	16	17	16								
SPEC. COND (umhos)	1200	1200	1200								
PH	5.94	6.47	6.75								
DEPTH TO WATER MEASUREMENTS AFTER PURGING											
DATE	9-12-95	9-13-95									
TIME	1251	0940									
DEPTH TO WATER (ft)	12.74	12.34									
"AFTER PURGE" WATER COLUMN (ft)	1.35	1.75									
"STATIC" WATER COLUMN (ft)	2.79	2.79									
% RECOVERY	48%	62%									
Notes:											
(1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.											
(2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.											

**SAMPLING INFORMATION**

SAMPLING DEVICE: *Peristaltic Pump*

*9-13-95*

SAMPLE PARAMETER	TIME	CONTAINER	COLOR	TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE)
<i>Metals</i>	<i>1400</i>	<i>1L HDPE</i>	<i>clear</i>	<i>21</i>
<i>Mercury</i>	<i>1400</i>	<i>500L HDPE</i>	<i>↓</i>	<i>KKS</i>
<i>✓ CN</i>	<i>1400</i>	<i>1L HDPE</i>	<i>↓</i>	
<i>Metals</i>	<i>1000</i>	<i>1L HDPE</i>		
<i>Mercury</i>	<i>1000</i>	<i>500ml HDPE</i>		
<i>CN</i>	<i>1000</i>	<i>1L HDPE</i>		

**QA/QC:**

QA/QC DUPLICATE SAMPLE COLLECTED: YES or  NO

Duplicate Sample Name:

MRD Sample Name:

QA/QC RINSATE SAMPLE NAME:

MATRIX SPIKE SAMPLE COLLECTED: YES or  NO

**INVESTIGATION DERIVED WASTE (IDW):**

Date:	<i>9-12-95</i>	<i>9-12-95</i>		
Volume Transferred to Drum:	<i>5.5L</i>	<i>1.5L</i>		
Drum Number:	<i>08-2</i>	<i>08-2</i>		

**COMMENTS:**



**SAMPLING RECORD - GROUNDWATER**

ENGINEERING - SCIENCE, INC. CLIENT: USACOE DATE: 9-12-95

PROJECT: SEAD - 3rd Quarterly Monitoring '95 INSPECTOR: KKS/Bit

LOCATION: 02 LABORATORY:

WELL NUMBER: MW45-4 CHAIN OF CUSTODY #:

SCREENED INTERVAL (TOC):

WELL DIAMETER FACTORS

DIAMETER (INCHES):	1	1.5	<u>2</u>	3	4	5	6	7	8	9	10
GALLONS/FOOT:	0.041	0.092	<u>0.167</u>	0.367	0.654	1.02	1.47	2.00	2.61	3.30	5.87

PURGE INFORMATION:

STATIC DEPTH TO WATER (TOC): 9.10 STANDING WATER VOLUME IN WELL (gallons):

WELL DEPTH (TOC): 9.75 Dry Well THREE WELL VOLUMES (gallons):

FEET OF WATER IN WELL: 0.65 ONE: TWO: THREE:

**PURGING WITH A PERISTALTIC PUMP OR BAILER**  
(measure indicator parameters at one, two and three well volumes)

TIME BEGIN PURGING:	TIME END PURGING:					
TIME						
DEPTH TO WATER (ft)						
DEPTH TO BOTTOM OPENING OF TEFLON TUBE (TOC)						
FLOW RATE (ml/min.) or VOL. OF BAILER (gal.)						
VOLUME OF WATER REMOVED (gals)						
TEMPERATURE (deg. C)						
SPEC. COND (umhos)						
PH						

**DEPTH TO WATER MEASUREMENTS AFTER PURGING**

DATE					
TIME					
DEPTH TO WATER (ft) "AFTER PURGE"					
WATER COLUMN (ft) "STATIC"					
WATER COLUMN (ft)					
% RECOVERY					

Notes:  
 (1) Determine water column in the well (for both "after purge" and "static" conditions) by subtracting the measured water level from the well point.  
 (2) Divide the "after purge" water column by the "static" water column and multiply by 100 to determine the percent of recovery for the well.

### SAMPLING INFORMATION

SAMPLING DEVICE:

SAMPLE PARAMETER	TIME	CONTAINER	COLOR	TURBIDITY SAMPLE TAKEN AFTER (CHECK ONE)

**QA/QC:**

QA/QC DUPLICATE SAMPLE COLLECTED: YES or NO  
 Duplicate Sample Name:  
 MRD Sample Name:

QA/QC RINSATE SAMPLE NAME:

MATRIX SPIKE SAMPLE COLLECTED: YES or NO

**INVESTIGATION DERIVED WASTE (IDW):**

Date:				
Volume Transferred to Drum:				
Drum Number:				

**COMMENTS:**

## **2. Chain-of-Custody Forms**

.....

# CHAIN-OF-CUSTODY RECORD

**SONS**

**IRING-SCIENCE, INC.**

Phone: 617-859-2000  
Fax: 617-859-2043

JOB NO. 725980-01007  
PROJECT SEAD - 3rd Quarterly Monitoring '95  
CONTACT M. Duchesneau

LABORATORY Aspete  
ADDRESS Colchester, VT.  
CONTACT Lowi Arnold

NO.	LABORATORY SAMPLE NO.	SAMPLING		SAMPLE DEPTH	SAMPLE MATRIX	ANALYSES							NO. OF CONTAINERS		
		DATE	TIME			VOA	SVOC	METALS	PEST/PCB	N3	PH	TPH		Mercury	
3		9-12-95	1330	N/A	water			1		1				1	3
3		5-12-95	1000	N/A	water			1		1				1	3
27		9-12-95	1400	N/A	water			1		1				1	3
3		9-13-95	1000	N/A	water			1		1				1	3
<del>RECEIVED BY: [Signature] KES</del>															
<del>RELINQUISHED BY: [Signature] KES</del>															
		Received by Sign <u>M. Duchesneau</u> Print <u>M. Duchesneau</u> Firm <u>Aspete, Inc.</u> Date <u>9/15/95</u> Time <u>0936</u>	Received by Sign Print Firm Date	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time

VOA Vial	Glass Bottle	Plastic Bottle	Preservative	Container Volume	PRESERVATION KEY:
X			A	40 ml	
		X	A		
		X	A		
		X	A		
		X	A		
		X	A		
		X	A	500 ml	

REMARKS: nonstandard Metals on samples re HNO<sub>3</sub> to

Cooler #: 617

White - return with data  
Yellow - lab copy  
Pink - Sampler copy



# CHAIN-OF-CUSTODY RECORD

JOB NO. 725780 - 01007  
PROJECT SEAD - 3rd Quarterly Monitoring '95  
CONTACT Mike Delesnesu

LABORATORY Agawam  
ADDRESS Colchester, VT  
CONTACT Lori Arnold

LABORATORY SAMPLE NO.	SAMPLING		SAMPLE DEPTH	SAMPLE MATRIX	DATE	TIME
	DATE	TIME				
R	9-12-95	1040	N/A	water	9-12-95	1100
H	9-12-95	1100			9-12-95	1100
H	9-12-95	1100			9-12-95	1100
7	9-14-95	0830			9-14-95	0830
0	9-13-95	1610			9-13-95	1610
5	9-13-95	1430			9-13-95	1430
48	9-13-95	1055			9-13-95	1055
148	9-13-95	1055			9-13-95	1055
3-R	9-13-95	1045			9-13-95	1045
13	9-13-95	1000			9-13-95	1000

Received by M. Henry  
Sign M. Henry  
Print M. Henry  
Firm Agawam, VT  
Date 9/15/95 Time 09:30

Received by  
Sign  
Print  
Firm  
Date

SAMPLING	SAMPLE MATRIX	ANALYSES										NO. OF CONTAINERS
		VOA	SVOC	METALS	PEST/PCB	CN	HERB	TPH	Mercury			
R	water	3	3	1		1		1		1	3	
H		3	3	1		1		1		1	3	
H		3	3	1		1		1		1	3	
7		3	3	1		1		1		1	3	
0		3	3	1		1		1		1	3	
5		3	3	1		1		1		1	3	
48		3	3	1		1		1		1	3	
148		3	3	1		1		1		1	3	
3-R		3	3	1		1		1		1	3	
13		3	3	1		1		1		1	3	

VOA Vial X  
Glass Bottle  
Plastic Bottle X  
Preservative A  
Container Volume 40  
L1

PRESERVATION KEY: C - Acidified with HCl  
A - Ice  
D - Acidified with HNO<sub>3</sub>  
B - Filtered  
E - Acidified with H<sub>2</sub>SO<sub>4</sub>  
F - NaOH + Ascorbic  
G - Other

COM (Special Instruction)  
REMARKS:  
Note: M listed D require H preservation added  
Mercury to HNO<sub>3</sub> to  
Cooler #: 8





# CHAIN-OF-CUSTODY RECORD

JOB NO. 785980-01007  
PROJECT 3rd Quarterly Monitoring 1995  
CONTACT Mike Duchesneau

LABORATORY ADDRESS Aquatic Lab  
55 South Park  
CONTACT Lori Arnold

LABORATORY SAMPLE NO.	SAMPLING		SAMPLE DEPTH	SAMPLE MATRIX	ANALYSES							NO. OF CONTAINERS	COMMENTS (Special Instructions)
	DATE	TIME			VOA	306	METALS	PEST/PCB	CN	HERB	PF		
OB	9-19-95	1230	NA	water	3		3					4	
ASH	9-19-95	1300	NA	water	3							3	
ASH	9-19-95	1310	NA	water	3							3	
<del>ANALYSES</del>													
<del>COMMENTS</del>													
Relinquished by: <u>Michael Wells</u> Received by: <u>Janine L. Banks</u> Sign: <u>Janine L. Banks</u> Firm: <u>WTS</u> Date: <u>9/21/95</u> Time: <u>0930</u>													
Received by: <u>Janine L. Banks</u> Sign: <u>Janine L. Banks</u> Firm: <u>WTS</u> Date: <u>9/21/95</u> Time: <u>0930</u>													
Received by: _____ Sign: _____ Firm: _____ Date: _____ Time: _____													
Samples tampered with? <input type="checkbox"/> No <input type="checkbox"/> Yes													
Time _____													

VOA Vial	X
Glass Bottle	
Plastic Bottle	X
Preservative	A
Container Volume	40 ML

PRESERVATION KEY: C - Acidified with HCl  
D - Acidified with HNO<sub>3</sub>  
E - Acidified with H<sub>2</sub>SO<sub>4</sub>  
F - NaOH + Ascorbic  
G - Other

REMARKS: (nonstandard)  
Please bubble and cool  
Cooler #: 3



**APPENDIX B**

**Quality Assurance/Quality Control Data**

**1. Sample Delivery Group No. 53766**

**A. Metals Analysis**



U.S. EPA - CLP

COVER PAGE - INORGANIC ANALYSES DATA PACKAGE

Lab Name: ITS\_AQUATEC\_LABORATORIES\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: 93206 SAS No.: \_\_\_\_\_ SDG No.:53766\_

SOW No.: ILM02.1

EPA Sample No.	Lab Sample ID
MW114	270985
MW12	270972
MW13	270973
MW14	270974
MW14R	270975
MW27	271848
MW27D	271848DP
MW27S	271848MS
MW453	270980

Were ICP interelement corrections applied ? Yes/No YES

Were ICP background corrections applied ? Yes/No YES  
If yes - were raw data generated before application of background corrections ? Yes/No NO\_

Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Karen R Chirwin Name: Karen R Chirwin  
Date: 10/16/95 Title: Laboratory Operations Director

0000002



U.S. EPA - CLP

3  
BLANKS

Lab Name: ITS\_AQUATEC\_LABORATORIES\_ Contract: 93206\_

Lab Code: INCHVT Case No.: 93206\_ SAS No.: \_\_\_\_\_ SDG No.: 53766\_

Preparation Blank Matrix (soil/water): WATER

Preparation Blank Concentration Units (ug/L or mg/kg): UG/L\_

Analyte	Initial Calib. Blank (ug/L)		Continuing Calibration Blank (ug/L)						Preparation Blank		M
		C	1	C	2	C	3	C		C	
Aluminum	9.9	U	9.9	U	9.9	U	9.9	U	9.856	U	P
Antimony	2.2	U	2.2	U	2.2	U	2.2	U	2.190	U	P
Arsenic	2.1	U	2.1	U	2.1	U	2.1	U	2.091	U	P
Barium	3.4	U	3.4	U	3.4	U	3.4	U	3.385	U	P
Beryllium	0.2	U	0.2	U	0.2	U	0.2	U	0.199	U	P
Cadmium	0.3	U	0.3	U	0.3	U	0.3	U	0.299	U	P
Calcium	87.0	U	87.0	U	87.0	U	87.0	U	86.610	U	P
Chromium	0.5	U	0.5	U	0.5	U	0.5	U	0.498	U	P
Cobalt	1.0	U	1.0	U	1.0	U	1.0	U	0.996	U	P
Copper	0.7	U	0.7	U	0.7	U	0.7	U	0.697	U	P
Iron	18.5	U	18.5	U	18.5	U	18.5	U	18.417	U	P
Lead	1.5	U	1.5	U	1.5	U	1.5	U	1.493	U	P
Magnesium	92.5	U	92.5	U	92.5	U	92.5	U	92.086	U	P
Manganese	0.4	U	0.4	U	0.4	U	0.4	U	0.398	U	P
Mercury	0.0	U	0.0	U	0.0	U	0.0	U	0.110	B	CV
Nickel	1.0	U	1.0	U	-1.2	B	-1.2	B	0.996	U	P
Potassium	105.2	U	105.2	U	105.2	U	105.2	U	104.729	U	P
Selenium	3.7	U	3.7	U	3.7	U	3.7	U	3.683	U	P
Silver	0.8	U	0.8	U	-0.9	B	0.8	U	0.796	U	P
Sodium	200.2	U	200.2	U	200.2	U	200.2	U	199.303	U	P
Thallium	3.0	U	3.0	U	3.0	U	3.0	U	2.987	U	P
Vanadium	1.1	U	1.1	U	1.1	U	1.1	U	1.095	U	P
Zinc	0.4	U	0.4	U	-0.4	B	0.4	U	0.398	U	P
Cyanide	10.0	U	10.0	U	10.0	U			5.000	U	AS





U.S. EPA - CLP

3  
BLANKS

Lab Name: ITS\_AQUATEC\_LABORATORIES\_ Contract: 93206\_\_\_\_\_

Lab Code: INCHVT Case No.: 93206\_ SAS No.: \_\_\_\_\_ SDG No.: 53766\_

Preparation Blank Matrix (soil/water): WATER

Preparation Blank Concentration Units (ug/L or mg/kg): UG/L\_

Analyte	Initial Calib. Blank (ug/L)		Continuing Calibration Blank (ug/L)						Preparation Blank		M
	C		1	C	2	C	3	C	C		
Aluminum											NR
Antimony											NR
Arsenic											NR
Barium											NR
Beryllium											NR
Cadmium											NR
Calcium											NR
Chromium											NR
Cobalt											NR
Copper											NR
Iron											NR
Lead											NR
Magnesium											NR
Manganese											NR
Mercury											NR
Nickel											NR
Potassium											NR
Selenium											NR
Silver											NR
Sodium											NR
Thallium											NR
Vanadium											NR
Zinc											NR
Cyanide	10.0	U	10.0	U	10.0	U			5.000	U	AS



U.S. EPA - CLP

5A  
SPIKE SAMPLE RECOVERY

EPA SAMPLE NO.

MW27S

Lab Name: ITS\_AQUATEC\_LABORATORIES Contract: 93206

Lab Code: INCHVT Case No.: 93206 SAS No.: \_\_\_\_\_ SDG No.: 53766

Matrix (soil/water): WATER Level (low/med): LOW

% Solids for Sample: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

Analyte	Control Limit %R	Spiked Sample Result (SSR) C	Sample Result (SR) C	Spike Added (SA)	%R	Q	M
Aluminum	75-125	2075.5471	9.9000 U	1998.60	103.9		P
Antimony	75-125	505.5461	2.2000 U	499.65	101.2		P
Arsenic	75-125	42.3603	2.1000 U	39.97	106.0		P
Barium	75-125	2021.5849	86.2100 B	1998.60	96.8		P
Beryllium	75-125	51.1942	0.2000 U	49.97	102.4		P
Cadmium	75-125	49.3654	0.3000 U	49.97	98.8		P
Calcium							NR
Chromium	75-125	197.4618	0.5000 U	199.86	98.8		P
Cobalt	75-125	488.4581	1.0000 U	499.65	97.8		P
Copper	75-125	247.5267	0.7000 U	249.83	99.1		P
Iron	75-125	1068.2522	18.5000 U	999.30	106.9		P
Lead	75-125	16.6983	1.5000 U	19.99	83.5		P
Magnesium							NR
Manganese	75-125	559.0087	63.2600	499.65	99.2		P
Mercury	75-125	1.1800	0.0200 U	0.99	119.2		CV
Nickel	75-125	474.8676	2.1630 B	499.65	94.6		P
Potassium							NR
Selenium	75-125	13.4906	3.7000 U	9.99	135.0	N	P
Silver	75-125	47.9165	0.8000 U	49.97	95.9		P
Sodium							NR
Thallium	75-125	50.5846	3.0000 U	49.97	101.2		P
Vanadium	75-125	492.4553	1.1000 U	499.65	98.6		P
Zinc	75-125	491.1562	1.6230 B	499.65	98.0		P
Cyanide	75-125	78.0000	5.0000 U	200.00	39.0	N	AS

Comments:

---



---



---



U.S. EPA - CLP

5B  
POST DIGEST SPIKE SAMPLE RECOVERY

EPA SAMPLE NO.

MW27A

Lab Name: ITS\_AQUATEC\_LABORATORIES Contract: 93206

Lab Code: INCHVT Case No.: 93206 SAS No.: SDG No.: 53766

Matrix (soil/water) : WATER Level (low/med): LOW

Concentration Units: ug/L

Analyte	Control Limit %R	Spiked Sample Result (SSR) C	Sample Result (SR) C	Added (SA)	%R	Q	M
Aluminum		1978.00	9.90 U	2000.0	98.9		P
Antimony		481.20	2.20 U	500.0	96.2		P
Arsenic		39.86	2.10 U	40.0	99.6		P
Barium		1914.00	86.21 B	2000.0	91.4		P
Beryllium		47.98	0.20 U	50.0	96.0		P
Cadmium		46.45	0.30 U	50.0	92.9		P
Calcium							NR
Chromium		184.50	0.50 U	200.0	92.2		P
Cobalt		462.70	1.00 U	500.0	92.5		P
Copper		233.60	0.70 U	250.0	93.4		P
Iron		1014.00	18.50 U	1000.0	101.4		P
Lead		16.09	1.50 U	20.0	80.4		P
Magnesium							NR
Manganese		532.90	63.26	500.0	93.9		P
Mercury							NR
Nickel		455.10	2.16 B	500.0	90.6		P
Potassium							NR
Selenium		14.45	3.70 U	10.0	144.5		P
Silver		3.45 B	0.80 U	50.0	6.9		P
Sodium							NR
Thallium		45.08	3.00 U	50.0	90.2		P
Vanadium		466.00	1.10 U	500.0	93.2		P
Zinc		472.20	1.62 B	500.0	94.1		P
Cyanide							NR

Comments:



U.S. EPA - CLP

6  
DUPLICATES

EPA SAMPLE NO.

MW27D

Lab Name: ITS\_AQUATEC\_LABORATORIES Contract: 93206

Lab Code: INCHVT Case No.: 93206 SAS No.: SDG No.: 53766

Matrix (soil/water): WATER Level (low/med): LOW

% Solids for Sample: 0.0 % Solids for Duplicate: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

Analyte	Control Limit	Sample (S)	C	Duplicate (D)	C	RPD	Q	M
Aluminum		9.9000	U	9.8960	U			P
Antimony		2.2000	U	3.1058	B	200.0		P
Arsenic		2.1000	U	2.0992	U			P
Barium		86.2100	B	87.3551	B	1.3		P
Beryllium		0.2000	U	0.1999	U			P
Cadmium		0.3000	U	0.2999	U			P
Calcium		94530.0000		95761.6953		1.3		P
Chromium		0.5000	U	0.4998	U			P
Cobalt		1.0000	U	0.9996	U			P
Copper		0.7000	U	0.6997	U			P
Iron		18.5000	U	18.4926	U			P
Lead		1.5000	U	1.4994	U			P
Magnesium		55770.0000		56607.3571		1.5		P
Manganese	15.0	63.2600		64.1044		1.3		P
Mercury		0.0200	U	0.0200	U			CV
Nickel		2.1630	B	1.6513	B	26.8		P
Potassium	5000.0	10240.0000		10425.8297		1.8		P
Selenium		3.7000	U	3.6985	U			P
Silver		0.8000	U	0.7997	U			P
Sodium	5000.0	18410.0000		18632.5470		1.2		P
Thallium		3.0000	U	2.9988	U			P
Vanadium		1.1000	U	1.0996	U			P
Zinc		1.6230	B	1.6323	B	0.6		P
Cyanide		5.0000	U	10.0000	U			AS

DATE: 10/10/2010

TIME: 10:30 AM

The following information was obtained from the records of the  
 Department of Health and Human Services, Office of the  
 Inspector General, regarding the activities of the  
 [Name] during the period from [Date] to [Date].

DATE	TIME	LOCATION	ACTIVITY	STATUS	REMARKS
10/10/2010	10:30 AM	Office	Arrived	Present	
10/10/2010	11:00 AM	Office	Meeting	Present	Discussed [Topic]
10/10/2010	12:00 PM	Office	Lunch	Present	
10/10/2010	1:00 PM	Office	Work	Present	
10/10/2010	2:00 PM	Office	Work	Present	
10/10/2010	3:00 PM	Office	Work	Present	
10/10/2010	4:00 PM	Office	Work	Present	
10/10/2010	5:00 PM	Office	Departed	Present	



U.S. EPA - CLP

7

LABORATORY CONTROL SAMPLE

Lab Name: ITS\_AQUATEC\_LABORATORIES\_ Contract: 93206\_

Lab Code: INCHVT Case No.: 93206\_ SAS No.: \_\_\_\_\_ SDG No.: 53766\_

Solid LCS Source: \_\_\_\_\_

Aqueous LCS Source: VENTURES\_\_\_\_\_

Analyte	Aqueous (ug/L)			Solid (mg/kg)				
	True	Found	%R	True	Found	C	Limits	%R
Aluminum	51000.0	49300.00	96.7					
Antimony	2000.0	1958.00	97.9					
Arsenic	1050.0	1060.00	101.0					
Barium	500.0	465.40	93.1					
Beryllium	500.0	478.90	95.8					
Cadmium	525.0	486.20	92.6					
Calcium	50000.0	48510.00	97.0					
Chromium	500.0	470.20	94.0					
Cobalt	500.0	463.40	92.7					
Copper	500.0	474.50	94.9					
Iron	50500.0	48070.00	95.2					
Lead	1015.0	950.30	93.6					
Magnesium	50000.0	47170.00	94.3					
Manganese	500.0	472.00	94.4					
Mercury								
Nickel	500.0	459.00	91.8					
Potassium	50000.0	49430.00	98.9					
Selenium	25.0	28.19	112.8					
Silver	500.0	472.80	94.6					
Sodium	50000.0	48180.00	96.4					
Thallium	50.0	50.94	101.9					
Vanadium	500.0	469.50	93.9					
Zinc	500.0	477.00	95.4					
Cyanide								

